



22500031373

TWENTY-EIGHTH
DETAILED ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

[ABSTRACTS OF 1882.]

Presented to both Houses of Parliament by Command of Her Majesty.



WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	8w
No.	WA

EDINBURGH:
PRINTED BY NEILL & COMPANY.

To be purchased, either directly or through any Bookseller, from
any of the following Agents, viz.,

Messrs HANSARD, 13 Great Queen Street, W.C., and 32 Abingdon Street, Westminster;
Messrs EYRE & SPOTTISWOODE, E. Harding St., Fleet St., and Sale Office, House of Lords;
Messrs ADAM and CHARLES BLACK, of Edinburgh;
Messrs ALEXANDER THOM and Co., or Messrs HODGES, FIGGIS, and Co., of Dublin

1885

[C.—4499.] Price 2s. 5d.

TWENTY-EIGHTH
DETAILED ANNUAL REPORT

REGISTER-GENERAL

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND

LASTED TO 1908

Digitized by the Internet Archive
in 2021 with funding from
Wellcome Library

EDINBURGH:

PRINTED BY NEILL & COMPANY.

REPORT.

TO THE RIGHT HON.

SIR R. ASSHETON CROSS, G.C.B., M.P.

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, 20th July 1885.

SIR,

I had the honour in 1883, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 & 18 Vict., cap. 60, to transmit to your predecessor in office, as Secretary of State for the Home Department, General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1882, along with the usual explanation and commentary.

At the same time, my Eighteenth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict., cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births,

Deaths, and Marriages registered in Scotland during the same year (1882).

I have the honour to be,

SIR,

Your most obedient Servant,

STAIR AGNEW,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Cunynghame to the Registrar-General,	ix
Population,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855-1882 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1882,	x & xi
Table showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Towns of Scotland during 1882,	xii
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1882,	xiii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Groups of Districts, Divisions, and Counties of Scotland during the year 1882,	xiv

BIRTHS.

Births in 1882, and their Proportion to the Population, with relative Tables,	xi
Tables showing particulars relative to the Births during each of the years 1855 to 1882 inclusive,	xv
Number and Proportion of Twins and Triplets,	xv

MARRIAGES.

Number of Marriages in 1882, and their Proportion to the Population,	xvi
Proportion of Legitimate Children to the Marriages in Scotland and England,	xviii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1882, and 1855-1882, with relative Tables,	xix
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xx
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxii
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xxii

DEATHS.

	Page
Number of Deaths in Scotland in 1882, and their Proportion to the Population,	xxv
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1882, with relative Tables,	xxv
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1872-1882,	xxvi
Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1882,	xxvii
Mortality of Female lower than that of the Male,	xxviii
High Mortality in Towns at every period of life, as compared with mortality of Rural Districts,	xxviii
Causes of Death in 1882, with relative Tables,	xxxii
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables,	xxxv
Small-pox Deaths in Scotland for twenty-eight years,	xliii
Vaccinations in Scotland, 1872-1882,	xliv
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths,	xlvi
The Twenty-one most fatal Diseases in Scotland in 1882,	xlvii
Deaths from various orders of Disease and Selected Diseases in 1882, compared with Mean for 25 years, 1857-1881, and proportions deduced therefrom, with relative Table,	1

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1882.

Weather, Weekly and Monthly, and its Influence on the Mortality,	liii
Table showing the Meteorology of Scotland during each month of the year 1882, together with the Monthly and Daily Number of Births, Deaths, and Marriages,	lv
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1882,	lvi
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1882,	lvi
Influence of Season, etc., on the Mortality at different Ages,	lv

APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1882,	lix
Numbers of Specified and Unspecified, and of Certified and Uncertified Deaths during 1882,	lx
Distribution of Deaths according to months, or the influence of season on the mortality,	lxi

A B S T R A C T S.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1882, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1871 and 1881, the Excess of Births over Deaths, and the Area in Square Miles of each County,	1
Tables of the Population in 1871 and 1881, and of the Births, Deaths, and Marriages during the year 1882, also of the Illegitimate Births in every Registration District,	2-21

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1882; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks,	24
---	----

	Page
Table of the Civil Condition of the parties who married in 1882 ; distinguishing the Marriages of Bachelors with Spinsters ; Bachelors with Widows ; Widowers with Spinsters ; and Widowers with Widows ; giving the particulars as to the Age of each Sex,	25
Table of the Ages of all Males who married in Scotland and its Counties in 1882,	26
Table of the Ages of all Females who married in Scotland and its Counties in 1882,	28
DEATHS.	
Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Town Districts of Scotland in 1882, together with the Populations in 1871 and 1881,	30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Town Districts of Scotland in 1882, together with the Male Populations in 1871 and 1881,	32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Town Districts of Scotland in 1882, together with the Female Populations in 1871 and 1881,	34
Deaths at different Ages in both Sexes in each of the Large Town Districts, and in the Small Town Districts of the Counties of Scotland in 1882,	36
Do. Males,	38
Do. Females,	40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular-Rural Districts of Scotland in 1882,	42
Do. Males,	44
Do. Females,	46
Summary Table of the Causes of Death in each of the Counties of Scotland in 1882—	
Males,	48
Females,	49
Summary Table of the Causes of Death in each of the Principal Town Districts of Scotland in 1882—	
Males,	64
Females,	65
Summary Table of the Causes of Death in each of the Large Town Districts of Scotland in 1882—	
Males,	72
Females,	73
Summary Table of the Causes of Death in each of the Small Town Districts of the Counties of Scotland in 1882—	
Males,	80
Females,	81
Summary Table of the Causes of Death in the Mainland-Rural Districts of Scotland in 1882—	
Males,	96
Females,	97
Summary Table of the Causes of Death in the Insular-Rural Districts of Scotland in 1882—	
Males and Females,	112
Table of the Causes of Death in all Scotland at different Periods of Life—	
Males,	116
Females,	117
Table of the Causes of Death in the Principal Town Districts of Scotland at different Periods of Life—	
Males,	134
Females,	135

	Page
Table of the Causes of Death in the Large Town Districts of Scotland at different Periods of Life—	
Males,	148
Females,	149
Table of the Causes of Death in the Small Town Districts of Scotland at different Periods of Life—	
Males,	164
Females,	165
Table of the Causes of Death in the Mainland-Rural Districts of Scotland at different Periods of Life—	
Males,	180
Females,	181
Table of the Causes of Death in the Insular-Rural Districts of Scotland at different Periods of Life—	
Males,	196
Females,	197
Table of the Causes of Death in Glasgow at different Periods of Life—	
Males,	212
Females,	213
Table of the Causes of Death in Glasgow (Landward and Suburban) at different Periods of Life—	
Males,	228
Females,	229
Table of the Causes of Death in Edinburgh at different Periods of Life—	
Males,	244
Females,	245
Table of the Causes of Death in Edinburgh (Landward) at different Periods of Life—	
Males,	260
Females,	261
Table of the Causes of Death in Dundee at different Periods of Life—	
Males,	276
Females,	277
Table of the Causes of Death in Aberdeen at different Periods of Life—	
Males,	292
Females,	293
Table of the Causes of Death in Greenock at different Periods of Life—	
Males,	308
Females,	309
Table of the Causes of Death in Leith at different Periods of Life—	
Males,	324
Females,	325
Table of the Causes of Death in Paisley at different periods of Life—	
Males,	340
Females,	341
Table of the Causes of Death in Perth at different periods of Life—	
Males,	356
Females,	357
Table of the Causes of Death in Kilmarnock at different periods of Life—	
Males,	372
Females,	373
<hr/>	
Constitution of the Compound Districts,	388
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated,	389
Index to Districts,	390

REPORT TO THE REGISTRAR-GENERAL,

BY R. J. BLAIR CUNYNGHAME, M.D., F.R.S.E.

SIR,

We are still unable to credit 1882, the year under consideration, as being a very prosperous one to either the mercantile man or the husbandman; but owing to the abundance and cheapness of provisions, due to the large imports of the various kinds of food into the country from abroad, the people have not suffered to the extent they might otherwise have done.

The birth-rate for 1882 is the lowest that has been reported since 1855, and the death-rate lower than in any previous year; while on the other hand the marriage rate (that gauge of the power of living in a civilized community) is higher than it has been since 1877.

POPULATION.

As estimated to the 30th of June, the population of Scotland amounts to 3785400, of whom 1825650 are of the male and 1959750 of the

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1882, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,893	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,368,921	116,128	11,077	74,712	24,019	41,416	3·4470	2·2177	0·7130	9·5
1872	3,404,798	118,765	10,927	75,794	25,641	42,971	3·4882	2·2261	0·7531	9·2
1873	3,441,056	119,700	10,925	76,946	26,748	42,754	3·4786	2·2361	0·7773	9·1
1874	3,477,704	123,711	10,991	80,720	26,390	42,991	3·5573	2·3211	0·7588	8·9
1875	3,514,744	123,578	10,786	81,767	25,974	41,811	3·5160	2·3264	0·7390	8·73
1876	3,552,183	126,534	11,029	74,129	26,579	52,405	3·5621	2·0869	0·7482	8·72
1877	3,590,022	126,822	10,568	73,937	25,817	52,885	3·5326	2·0595	0·7191	8·33
1878	3,628,268	126,773	10,641	76,793	24,358	49,980	3·4940	2·1165	0·6713	8·39
1879	3,665,443	125,730	10,727	73,347	23,519	52,383	3·4301	2·0010	0·6416	8·53
1880	3,705,994	124,570	10,589	75,803	24,505	48,767	3·3613	2·0454	0·6612	8·50
1881	3,745,485	126,171	10,484	72,325	26,004	53,846	3·3686	1·9310	0·6943	8·31
1882	3,785,400	126,158	10,546	72,989	26,596	53,169	3·3328	1·9282	0·7026	8·36

female sex. This population is distributed throughout the country as follows:--In the Principal Town Districts we have a total of 1441150, the males here numbering 684934, and the females 756216. In the Large Town Districts we find 396806--males being 193099, and females 203707; in the Small Town Districts there are 803050 persons, the males being 387228, and the females 415822. The inhabitants of the

TABLE II.—Population of Scotland, in its Five Groups of Districts, by the Censuses of 1871 and 1881, and estimated to the middle of 1882.

FIVE GROUPS OF DISTRICTS.	CENSUS 1871.			CENSUS 1881.			Estimated to 30th June 1882.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Town }	563,801	630,139	1,193,940	670,377	741,159	1,411,536	684,934	756,216	1,441,150
Large Town	156,638	171,096	327,734	188,815	199,982	388,797	193,099	203,707	396,806
Small Town	332,048	364,910	696,958	380,806	409,990	790,796	387,228	415,822	803,050
Mainland- Rural }	489,615	519,767	1,009,382	498,298	515,758	1,014,056	499,193	515,012	1,014,205
Insular-Rural	61,041	70,963	132,004	61,179	69,209	130,388	61,196	68,993	130,189
SCOTLAND .	1,603,143	1,756,875	3,360,018	1,799,475	1,936,098	3,735,573	1,825,650	1,959,750	3,785,400

TABLE III.—Births, Deaths, and Marriages in the Five Groups of Districts in Scotland, 1855-1882.

YEARS.	PRINCIPAL TOWN.			LARGE TOWN.			SMALL TOWN.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths.	Mar- riages.	Births.	Deaths.	Mar- riages.	Births.	Deaths.	Mar- riages.	Births.	Deaths.	Mar- riages.	Births.	Deaths.	Mar- riages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	19542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	54351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10723	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17357	6130	31963	18098	6291	3363	2177	593
1874	42631	32124	10574	15189	10026	3051	29557	17560	5695	32877	18816	6443	3457	2194	627
1875	43621	30983	10670	14638	9802	2995	28926	18285	5594	33104	20303	6160	3289	2394	555
1876	44265	27977	10722	15439	9024	3116	29601	16826	5773	33802	18192	6351	3427	2110	617
1877	44575	28227	10706	15863	9057	2938	29510	16060	5434	33596	18475	6207	3278	2118	532
1878	44329	29425	9727	16228	10188	2942	29499	17005	5150	33422	18212	5938	3295	1963	601
1879	42613	27144	9490	15896	9433	2781	30048	16562	5096	32886	18039	5569	3287	2169	583
1880	42903	28873	9763	15734	9840	3091	29843	17482	5562	32790	17557	5554	3300	2051	535
1881	51157	32140	12157	14026	7704	2985	27072	14746	5017	30643	15712	5338	3273	2023	507
1882	52296	32697	12547	14236	8054	2909	26713	14785	5067	29710	15436	5525	3203	2017	548

Principal Towns above 25000 inhabitants. Large Towns above 10000 and under 25000 inhabitants. The Small Towns from 3000 to 10000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10000 of population.

Mainland-Rural Districts amount to 1014205, of whom 499193 are males, and 515012 females; while the Insular-Rural Districts are accountable for a population of 130189, of whom 61196 are of the male and 68993 of the female sex.

BIRTHS.

During the year 1882 the total number of births registered was 126158, or in the proportion of 333, for every ten thousand of the population of the country, being proportionately the lowest birth-rate that has been experienced since the year 1855. The mean annual birth-rate during the last ten years is in like proportion 348.

Of these 10546 are returned as being illegitimate, 5396 male and 5150 female infants, so that 8·36 per cent. of the total births come under this denomination, a slight increase upon those of the same nature for last year, when they were at a lower ratio than in any former year we can refer to.

Of the total 126158 births, 64505 were males, and 61653 females, an excess of the former over the latter of 2852.

These births are distributed over the five districts into which Scotland is divided as follows:—In the Principal Town Districts the total natal events numbered 52296, a birth-rate of 3·629 per cent. to the population, of which 26627 were of the male and 25669 of the female

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five Groups of Districts of Scotland, to the Population during each of the Years 1855–1882.

YEARS.	Principal Town.			Large Town.			Small Town.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·634	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·739	2·906	0·907	3·821	2·448	0·806	3·432	2·097	0·658	3·117	1·632	0·557	2·846	1·391	0·455
1872	3·811	2·762	0·954	3·913	2·627	0·872	3·587	2·107	0·709	3·046	1·714	0·574	2·700	1·581	0·485
1873	3·754	2·715	0·958	3·994	2·649	0·894	3·641	2·191	0·774	3·020	1·710	0·594	2·555	1·654	0·450
1874	3·815	2·874	0·946	4·188	2·764	0·841	3·685	2·189	0·710	3·099	1·773	0·607	2·629	1·669	0·477
1875	3·861	2·742	0·944	3·910	2·618	0·800	3·561	2·251	0·689	3·112	1·909	0·579	2·505	1·823	0·423
1876	3·875	2·449	0·939	3·995	2·335	0·806	3·599	2·046	0·702	3·169	1·706	0·596	2·613	1·609	0·470
1877	3·860	2·444	0·927	3·976	2·270	0·736	3·543	1·928	0·652	3·142	1·728	0·581	2·503	1·617	0·406
1878	3·797	2·520	0·833	3·941	2·474	0·714	3·497	2·016	0·611	3·118	1·699	0·554	2·519	1·480	0·459
1879	3·694	2·299	0·804	3·738	2·218	0·654	3·517	1·939	0·596	3·060	1·678	0·518	2·516	1·660	0·446
1880	3·596	2·420	0·818	3·581	2·239	0·703	3·448	2·020	0·643	3·043	1·629	0·515	2·529	1·572	0·410
1881	3·609	2·267	0·858	3·593	1·973	0·764	3·411	1·858	0·632	3·023	1·550	0·526	2·511	1·552	0·389
1882	3·629	2·269	0·871	3·588	2·030	0·733	3·326	1·841	0·631	2·929	1·522	0·545	2·460	1·549	0·421

sex. In the Large Town Districts 14236 were registered, a birth-rate of 3·588 per cent., males numbering 7263, and females 6973. In the Small Town Districts 26713 births occurred, at the rate of 3·326 per cent., 13739 of them being male children, and 12974 female. In the Mainland-Rural Districts the births numbered 29710, or 2·929 per cent. to the population of the same, 15200 being males and 14510 females ; whilst, in the Insular-Rural Districts, but 3203 children were born, or at the rate of 2·460 per cent., 1676 of the male, and 1527 of the female sex.

Of the 10546 illegitimate births, 3947 are registered in the Principal Town Districts, 1980 being males, and 1967 females, *i.e.*, 7·5 per cent. of the births here taking place are of this nature. In the Large Town Districts 1006, or 7·1 per cent. of the total births are illegitimate, 531 being males and 475 females. In the Small Town Districts 2205 of the births are illegitimate, or 8·3 per cent. of all the births in them, 1124 males and 1081 females. In the Mainland-Rural Districts 3212 illegitimate births are reported, being 10·8 per cent. of the total births in these same, of which 1666 are of the male and 1546 of the female sex; while in the Insular-Rural Districts only 176 births of this nature are registered, being but 5·5 per cent. of the total births, 95 male and 81 female.

Tables Va and Vb afford some further information upon the subject, in the case of the Principal Towns, and as usual for the two counties of Banff and Wigtown. Among the former we find that in Aberdeen 11·6 per cent. of the total births there occurring are illegitimate, in Dundee 10·4 per cent., while Leith and Greenock show to greatest advantage in this respect, having 5·0 per cent. and 4·9 per cent. respectively. There is not much to choose in the case of the two counties, as in Wigtown 16·4 per cent. of the total births there occurring, and in Banff 16·6 per cent. are of this nature.

Of the total 126158 births in Scotland there were 64505 male and 61653 female infants, which gives 104·6 of the former as born to every

TABLE Va.—Number of Births, Deaths, and Marriages in the Principal Towns of Scotland during 1882, and their Proportion to the Estimated Population ; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Esti- mated Popula- tion, 1882.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Mar- riages.	Per cent. to Pop.
Glasgow .	513,915	19,735	3·840	1509	7·6	13,046	2·539	4994	0·972
Edinburgh .	232,633	7,294	3·135	580	8·0	4,565	1·962	1953	0·840
Dundee .	145,433	4,754	3·269	496	10·4	3,054	2·100	1152	0·792
Aberdeen .	107,406	3,703	3·448	431	11·6	2,176	2·026	830	0·773
Greenock .	70,520	2,807	3·980	138	4·9	1,590	2·255	553	0·784
Leith .	63,335	2,358	3·723	118	5·0	1,177	1·858	499	0·788
Paisley .	56,637	1,978	3·492	135	6·8	1,455	2·569	546	0·964
Perth .	30,208	966	3·198	65	6·7	710	2·350	242	0·801
Kilmarnock	26,097	959	3·675	63	6·6	511	1·958	220	0·843
Glasgow, Landward &Suburban }	190,382	7,461	3·919	385	5·2	4,088	2·147	1529	0·803

100 of the latter. The corresponding proportion among the legitimate and illegitimate births separately being almost identical, 104·6 for the former and 104·8 for the latter.

On looking back for the last ten years, 1872–1881, we find, on taking the mean, that the proportion of male to female children, born during that period, is greater than for the year under review, being for the total births in Scotland 105·5 males for every 100 females, Among the legitimate births alone it was 105·4, and among the illegitimate alone 105·8. These proportions vary somewhat in the different districts. Thus, in the Principal Town Districts for the ten years, the mean among the total births is 105·0 male to every 100 female children born. In the Large Town Districts it is 105·5. In the Small Town Districts it is 106·1. In the Mainland-Rural Districts 105·3, and in the Insular-Rural Districts 108·0. Among the legitimate births alone it is, for the same period in the Principal Town Districts, 104·9 male to each 100 female births; in the Large Town Districts 105·6; in the Small Town Districts 105·8; in the Mainland-Rural Districts 105·4; and in the Insular-Rural Districts 108·3, while in the case of the illegitimate alone the mean proportion in the Principal Town Districts is 105·6; in the Large Town Districts 105·8; in the Small Town Districts, 107·3; in the Mainland-Rural Districts 104·7; and in the Insular-Rural Districts 104·9 males are brought into the world for every 100 females (Table IX*a*).

In England the total male births for 1882 are in the proportion of 103·8 to every 100 female, as was also the case with the legitimate births, the proportion among the illegitimate alone being 103·3 to 100.

OCCASIONAL TABLE V*b*.—Showing the state of Illegitimacy in all Scotland, in the Five Groups of Registration Districts, in the Principal Towns, and in two Counties, during 1882.

LOCALITIES.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1882.	Number of Illegitimate Children born during 1882.	Percentage of Illegitimate Children to the Unmarried and Widowed Women aged 15–45.	Percentage of Illegitimates in Total Births.
Scotland	498,470	10,546	2·12	8·36
Principal Town Districts	202,784	3,947	1·95	7·5
Large Town Districts	49,094	1,006	2·05	7·1
Small Town Districts	101,663	2,205	2·17	8·3
Mainland-Rural Districts	126,140	3,212	2·55	10·8
Insular-Rural Districts	18,789	176	0·94	5·5
Glasgow	67,818	1,509	2·23	7·6
Edinburgh	39,135	580	1·48	8·0
Dundee	24,484	496	2·03	10·4
Aberdeen	15,440	431	2·79	11·6
Greenock	7,114	138	1·94	4·9
Leith	6,746	118	1·75	5·0
Paisley	8,660	135	1·56	6·8
Perth	4,410	65	1·47	6·7
Kilmarnock	3,107	63	2·03	6·6
Glasgow Landward and Suburban	24,994	385	1·54	5·2
County Banff	7,628	324	4·25	16·6
County Wigtown	5,384	189	3·51	16·4

Of the 126158 births 1415 were twin, and 7 triplet cases, so that the mothers who bore children during the year numbered 124729 (still births not being accounted for to the Registrar-General) and of those 1 in every 88·1 bore twins, and 1 in every 17818 bore triplets.

TABLE VI.—Number of Births, Deaths, and Marriages in 1882, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population Estimated to middle of Year 1882.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per cent to Pop.	No.	Per cent to Births	No.	Per cent to Pop.	No.	Per cent to Pop.
SCOTLAND		3,785,400	126158	3·3328	10546	8·36	72989	1·9282	26596	0·7026
1. PRINCIPAL TOWN DISTS. .		1,441,150	52296	3·629	3947	7·5	32697	2·269	12547	0·871
2. LARGE TOWN DISTRICTS .		396,806	14236	3·588	1006	7·1	8054	2·030	2909	0·733
3. SMALL TOWN DISTRICTS .		803,050	26713	3·326	2205	8·3	14785	1·841	5067	0·631
4. MAINLAND-RURAL DISTS.		1,014,205	29710	2·929	3212	10·8	15436	1·522	5525	0·545
5. INSULAR-RURAL DISTS. .		130,189	3203	2·460	176	5·5	2017	1·549	548	0·421
DIVISIONS.										
I.	NORTHERN	123,599	3022	2·445	233	7·7	1913	1·548	576	0·466
II.	NORTH-WESTERN. .	165,812	4300	2·593	279	6·5	2637	1·590	764	0·461
III.	NORTH-EASTERN . .	421,378	13714	3·255	1946	14·2	6961	1·652	2618	0·621
IV.	EAST-MIDLAND . . .	607,827	18367	3·022	1610	8·8	11030	1·815	3924	0·646
V.	WEST-MIDLAND . . .	287,917	8966	3·114	607	6·8	5294	1·839	1748	0·607
VI.	SOUTH-WESTERN . . .	1,412,381	53508	3·788	3614	6·8	31239	2·212	11805	0·836
VII.	SOUTH-EASTERN . . .	556,243	18082	3·251	1365	7·5	10210	1·836	4008	0·721
VIII.	SOUTHERN	210,243	6199	2·948	892	14·4	3705	1·762	1153	0·548
COUNTIES.										
1	Shetland	29,476	621	2·107	28	4·5	448	1·520	147	0·499
2	Orkney	32,142	797	2·480	52	6·5	453	1·409	168	0·523
3	Caithness	39,717	1089	2·742	117	10·7	669	1·684	187	0·471
4	Sutherland	22,264	515	2·313	36	7·0	343	1·541	74	0·332
5	Ross and Cromarty .	79,145	1950	2·464	106	5·4	1229	1·553	352	0·445
6	Inverness	86,667	2350	2·712	173	7·4	1408	1·625	412	0·475
7	Nairn	8,907	256	2·874	25	9·8	138	1·549	44	0·494
8	Elgin	45,179	1414	3·130	191	13·5	748	1·656	253	0·560
9	Banff	59,897	1951	3·257	324	16·6	1004	1·676	366	0·611
10	Aberdeen	271,884	9001	3·311	1285	14·3	4516	1·661	1781	0·655
11	Kincardine	35,511	1092	3·075	121	11·1	555	1·563	174	0·490
12	Forfar	272,309	8622	3·166	871	10·1	5099	1·873	1880	0·690
13	Perth	130,500	3508	2·688	314	9·0	2301	1·763	747	0·572
14	Fife	173,500	5333	3·074	362	6·8	3058	1·763	1129	0·651
15	Kinross	7,259	170	2·342	11	6·5	138	1·901	41	0·565
16	Clackmannan	24,259	734	3·026	52	7·1	434	1·789	127	0·524
17	Stirling	108,670	3792	3·489	255	6·7	2058	1·894	741	0·682
18	Dumbarton	80,627	2689	3·335	181	6·7	1481	1·837	555	0·688
19	Argyll	80,901	2047	2·530	149	7·3	1351	1·670	374	0·462
20	Bute	17,719	438	2·472	22	5·0	404	2·280	78	0·440
21	Renfrew	229,538	8274	3·605	489	5·9	5261	2·292	1805	0·786
22	Ayr	219,696	7861	3·578	622	7·9	3942	1·794	1624	0·739
23	Lanark	963,147	37373	3·880	2503	6·7	22036	2·288	8376	0·870
24	Linlithgow	44,363	1665	3·753	115	6·9	745	1·679	288	0·649
25	Edinburgh	396,925	12984	3·271	955	7·4	7805	1·966	3098	0·781
26	Haddington	38,606	1143	2·961	87	7·6	558	1·445	242	0·627
27	Berwick	35,137	967	2·752	113	11·7	495	1·409	164	0·467
28	Peebles	13,883	395	2·845	34	8·6	176	1·268	67	0·483
29	Selkirk	27,329	928	3·396	61	6·6	431	1·577	149	0·545
30	Roxburgh	53,163	1603	3·015	164	10·2	917	1·725	276	0·519
31	Dumfries	76,335	2227	2·917	351	15·8	1446	1·894	478	0·626
32	Kirkcudbright	42,315	1219	2·881	188	15·4	720	1·702	222	0·525
33	Wigtown	38,430	1150	2·992	189	16·4	622	1·618	177	0·461

A child was born during the year, which could only be registered at the time as of doubtful sex, and it was not until after the elapse of five months the parents were satisfied the sex was really that of a male.

The birth-rate in the following European States per ten thousand of their population for 1882 is, in Hungary, 446; Austria, 389; Prussia, 373; German Empire, 372; Italy, 371; the Netherlands, 353; Denmark, 324; Belgium, 312; Norway, 309; Sweden, 294; Switzerland, 288; France, 248; Scotland being 333.

The births among the inhabitants of Scotland occurred in order of frequency, month by month, with the percentage to the total births

TABLE VII.—Births in Scotland, 1855-1882; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLT BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85
1873	61467	58233	55925	52850	5542	5383	1410	15	105·5	105·6	103·0	84
1874	63602	60109	57960	54760	5642	5349	1512	13	105·8	105·8	105·5	81
1875	63432	60146	57886	54906	5546	5240	1477	9	105·5	105·4	105·8	83
1876	64819	61715	59113	56392	5706	5323	1463	20	105·0	104·8	107·2	85
1877	65089	61733	59657	56597	5432	5136	1429	12	105·4	105·4	105·8	77
1878	65200	61573	59716	56416	5484	5157	1367	12	105·9	105·8	106·3	91
1879	64346	61384	58796	56207	5550	5177	1452	20	104·8	104·6	107·2	84
1880	63786	60784	58239	55742	5547	5042	1438	8	104·9	104·4	110·0	85
1881	64720	61451	59472	56215	5248	5236	1418	13	105·3	105·8	109·2	87
1882	64505	61653	59109	56503	5396	5150	1415	7	104·6	104·6	104·8	88

TABLE VIII.—Births, 1882. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

FIVE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Town	26627	25669	52296	24647	23702	48349	1980	1967	3947	603	4
Large Town	7263	6973	14236	6732	6498	13230	531	475	1006	156	—
Small Town	13739	12974	26713	12615	11893	24508	1124	1081	2205	284	3
Mainland-Rural	15200	14510	29710	13534	12964	26498	1666	1546	3212	329	—
Insular-Rural	1676	1527	3203	1581	1446	3027	95	81	176	43	—
SCOTLAND . .	64505	61653	126158	59109	56503	115612	5396	5150	10546	1415	7

which happened in each month as follows:—May with 9·40 per cent. of the total; March with 8·75 per cent.; June with 8·68 per cent.; October with 8·54 per cent.; July with 8·36 per cent.; January and April each with 8·34 per cent.; December with 8·09 per cent.; August with 8·08 per cent.; September with 7·87 per cent.; November with 7·86 per cent.; and lastly February with 7·63 per cent.

MARRIAGES.

During 1882 the number of marriages registered, as having taken place, was 26596, an increase upon that for the previous year of 592, and representing a marriage-rate of 70·26 per ten thousand of the estimated population, which is higher than it has been since 1877, when the rate was 71·91 per ten thousand. The mean annual marriage-rate during the last ten years is 72.

In England the marriage-rate for 1882 was 77 per ten thousand of estimated population; in Ireland it was 43.

In hree of the five districts into which Scotland is divided for registration purposes, it is seen an increase has taken place in the proportion of marriages celebrated during the year, viz., in the Principal Town Districts and the two Rural, while in the Large Town Districts the reverse has occurred, the rate in the Small Town Districts being almost exactly the same as during the previous year. This ranges from 87·1

TABLE IX.—Proportion of Births in 1882. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1882.

FIVE GROUPS OF DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Town	3·629	7·5	103·7	104·0	100·7	85·7	12921
Large Town	3·588	7·1	104·2	103·6	111·8	90·3	...
Small Town	3·326	8·3	105·9	106·1	104·0	93·0	8808
Mainland-Rural	2·929	10·8	104·8	104·4	107·8	89·3	...
Insular-Rural	2·460	5·5	109·8	109·3	117·3	73·5	...
SCOTLAND . . .	3·3328	8·36	104·6	104·6	104·8	88·1	17818

TABLE IXa.—Mean Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births during the 10 years 1872–1881, in Scotland and its Five Groups of Districts.

DISTRICTS.	Proportion of Males to every 100 Females in the		
	Total Births.	Legitimate Births.	Illegitimate Births.
Principal Town, . . .	105·0	104·9	105·6
Large Town, . . .	105·5	105·6	105·8
Small Town, . . .	106·1	105·8	107·3
Mainland-Rural, . . .	105·3	105·4	104·7
Insular-Rural, . . .	108·0	108·3	104·9
SCOTLAND, . . .	105·5	105·4	105·8

per ten thousand inhabitants in the Principal Town Districts, to 42·1 in the Insular-Rural. The actual number of marriages celebrated in the Large Town Districts during 1882 have fallen below that for 1881 by 76.

Among the Counties we find that in 17 of them there is a proportionate increase in the marriages during 1882 over those in 1881, vary-

TABLE X.—Marriages, 1882. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

RELIGIOUS DENOMINATIONS.	Number of Marriages.						Proportion in every 100 Marriages.					
	SCOTLAND.	Principal Town.	Large Town.	Small Town.	Mainland-Rural.	Insular-Rural.	SCOTLAND.	Principal Town.	Large Town.	Small Town.	Mainland-Rural.	Insular-Rural.
Established Church .	12356	4691	1346	2557	3493	269	46·46	37·39	46·27	50·46	63·22	49·09
Free Church .	5481	2480	499	997	1312	193	20·61	19·77	17·15	19·68	23·75	35·22
United Presb. Church	3128	1646	331	675	436	40	11·76	13·12	11·38	13·32	7·89	7·30
Roman Catholic Ch. .	2697	1676	396	484	115	26	10·14	13·36	13·61	9·55	2·08	4·74
Episcopal Church .	746	486	117	92	47	4	2·80	3·87	4·02	1·82	0·85	0·73
Other Denominations	1678	1099	201	242	120	16	6·31	8·76	6·91	4·77	2·17	2·92
Denomin. not stated	59	47	1	10	1	0	0·22	0·37	0·04	0·20	0·02	0·00
Irregular Marriages .	451	422	18	10	1	0	1·70	3·36	0·62	0·20	0·02	0·00
Total Marriages .	26596	12547	2909	5067	5525	548	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XI.—Marriages, 1855-1882. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855-1882.

YEARS.	Total MARRIAGES		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Percentage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	22855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148
1873	26748	0·7796	12187	5806	3596	2451	648	1853	10	197
1874	26390	0·7621	11820	5922	3586	2267	643	1923	13	216
1875	25974	0·7431	11587	5889	3443	2254	658	1899	9	235
1876	26579	0·7534	11996	5944	3603	2279	719	1703	37	298
1877	25817	0·7251	11773	5833	3313	2368	651	1477	47	355
1878	24358	0·6778	11330	5431	3013	2181	653	1350	12	388
1879	23519	0·6416	10744	5314	2878	2171	653	1415	18	326
1880	24505	0·6346	11275	5287	2981	2337	700	1529	33	363
1881	26004	0·6943	12179	5402	3088	2537	695	1638	46	419
1882	26596	0·7026	12356	5481	3128	2697	746	1678	59	451

ing from 8 per ten thousand of population in Dumbarton and Orkney, down to 1 in Ayr and Roxburghshires; while, on the other hand, a decrease occurs in 16, varying from 1 in Renfrew to 16 per ten thousand of population in Wigtownshire, which has suffered most in this way.

Table Va gives some information as to the number and proportion of marriages occurring in the Principal Towns of Scotland during the year under consideration. Glasgow and Paisley head the list with the highest marriage rate, that in the former city being 97 per ten thousand of its inhabitants, and in the latter 96. This is followed by Edinburgh and Kilmarnock, each with 84. Glasgow Landward and Suburban, and Perth, each with 80; Dundee with 79, and Leith with almost the same, 78·8; Greenock with 78, and lastly Aberdeen with one of 77: the rate for these towns conjointly being 87 for every ten thousand of their populations. In each town there is an increase in the proportion of marriages during 1882 over those celebrated during 1881, except in Edinburgh and Paisley, where there is a decline.

In estimating the fertility of marriages in Scotland for the year, we find (following the plan proposed by Dr Farr) that during 1876 the number of marriages were 26579, and during 1882 the registered legitimate births amounted to 115612, so that $\frac{115612}{26579}$ gives 4·35 as the average fertility of each marriage, or 435 children were born to every 100 marriages.

TABLE XII.—Proportion of Marriages, 1855–1882. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1882.

YEARS.	PERCENTAGE of REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·56	21·71	13·44	9·16	2·42	6·93	0·04	0·74
1874	44·79	22·44	13·59	8·59	2·44	7·29	0·05	0·81
1875	44·61	22·67	13·26	8·68	2·53	7·31	0·03	0·91
1876	45·13	22·36	13·56	8·57	2·71	6·41	0·14	1·12
1877	45·60	22·59	12·83	9·17	2·53	5·72	0·18	1·33
1878	46·51	22·30	12·37	8·96	2·68	5·54	0·05	1·59
1879	45·68	22·59	12·24	9·23	2·78	6·02	0·08	1·38
1880	46·02	21·58	12·17	9·53	2·85	6·24	0·13	1·48
1881	46·83	20·77	11·88	9·76	2·67	6·30	0·18	1·61
1882	46·46	20·61	11·76	10·14	2·80	6·31	0·22	1·70

In England the average number of children to each marriage was 4·19 or 419 children to every 100 marriages, the marriages in 1876 numbering 201874, and the legitimate births in 1882 being 845899.

Tables X., XI., and XII. afford some special information as to the marriages solemnised throughout the country, and in each of its five divisions. Thus we see 98·30 per cent of the whole recorded in Scotland were regular, and 1·70 per cent. irregular, *i.e.*, the married state was entered into by the contracting parties without proclamation of the purpose, and without any special religious ceremony. The proportion of those latter marriages has been gradually increasing from the date of the commencement of these reports until now, with the exception of the years 1879 and 1880, when their percentage fell below that for 1878.

Of the total marriages registered, 46·46 per cent. were in accordance with the ecclesiastical rites of the Established Church; 20·61 per cent. with those of the Free Church; and 11·76 per cent. with those of the United Presbyterian. In 10·14 per cent. the parties were united by clergymen of the Church of Rome; in 2·80 per cent. by those of the Episcopal Church; and in 6·31 per cent. by ministers of other denominations; while in 0·22 per cent. the denomination of the officiating clergyman was not stated. From this it appears that there is a relative increase in the marriages celebrated during this year over those during 1881, by the Romish and Episcopal communions, and to a slight degree by those coming under other denominations; whilst in the case of the three Presbyterian bodies there has been a falling off in the marriages performed under their auspices during the same period.

Of the total 26596 marriages which were registered, 12356 were

TABLE XIII. —Marriages, 1882. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		PRINCIPAL TOWN DISTRICTS.		LARGE TOWN DISTRICTS.		SMALL TOWN DISTRICTS.		MAINLAND-RURAL DISTRICTS.		INSULAR-RURAL DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	-	-	-	-	-	-	-	-	-	-	-	-
15-16	-	12	-	3	-	3	-	5	-	1	-	-
16-17	2	70	2	41	-	7	-	15	-	7	-	-
17-18	33	423	25	219	1	58	3	80	3	64	1	2
18-19	176	1193	103	601	20	134	34	245	18	206	1	7
19-20	649	1977	388	1023	67	261	107	351	82	322	5	20
20-21	1202	2319	602	1141	164	280	233	443	197	437	6	18
21-25	9069	9993	4209	4609	1144	1107	1888	1976	1746	2102	82	199
25-30	8297	6171	3808	2778	871	637	1545	1149	1879	1429	194	178
30-35	3211	2108	1500	973	280	177	571	380	722	506	138	72
35-40	1619	1160	762	567	138	117	283	196	388	251	48	29
40-45	953	605	479	310	89	61	145	99	212	118	28	17
45-50	621	353	300	180	62	40	117	85	119	43	23	5
50-55	347	123	175	58	29	12	61	27	72	26	10	-
55-60	212	54	96	29	27	10	42	10	40	5	7	-
60-65	120	21	62	8	6	3	23	3	24	6	5	1
65-70	55	10	24	7	7	2	8	-	16	1	-	-
70-75	21	-	10	-	1	-	4	-	6	-	-	-
75-80	6	-	1	-	2	-	2	-	1	-	-	-
80-85	2	-	1	-	1	-	-	-	-	-	-	-
85-90	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	4	-	-	-	-	1	3	-	1	-	-
TOTAL	26596	26596	12547	12547	2909	2909	5067	5067	5525	5525	548	548

celebrated by ministers of the Established Church; 5481 by those of the Free Church; 3128 by those of the United Presbyterian Church; 2697 by clergymen of the Roman Catholic Church; 746 by those of the Episcopal Church; 1678 by clergy of other denominations; and 59 by those whose denomination is not stated; while 451 were irregular in their nature.

On adding up the several columns of Table XII., and dividing by 28, we find that in every hundred marriages which have taken place in Scotland since 1855, 45·37 of them were solemnised by ministers of the Established Church of the country; 22·78 by those of the Free Church; 13·60 by those of the United Presbyterian Church; 9·14 by those of the Romish; 2·24 by those of the Episcopal Church; 5·95 by those of other denominations; in 0·35 the denomination was not stated, and in 0·57 the marriages were irregular.

Of the men who married, the ages of all but one were obtained, and of those 2062 or 7·7 per cent. were minors, or under 21 years of age. Of the females the ages of all but 4 were stated in the marriage schedules,

TABLE XIV.—Marriages, 1882. Percentage of Men and Women at different Ages who contracted Marriage in Scotland and its Groups of Districts in 1882.

AGES.	MEN.						WOMEN.					
	SCOTLAND.	Principal Town.	Large Town.	Small Town.	Mainland-Rural.	Insular-Rural.	SCOTLAND.	Principal Town.	Large Town.	Small Town.	Mainland-Rural.	Insular-Rural.
15—20 years	3·23	4·13	3·03	2·84	1·86	1·28	13·82	15·04	15·92	13·73	10·86	5·29
20—25	38·62	38·34	44·96	41·86	35·17	16·06	46·29	45·83	47·68	47·74	45·95	39·60
25—30	31·20	30·35	29·94	30·49	34·01	35·40	23·20	22·14	21·90	22·68	25·86	32·48
30—35	12·07	11·96	9·63	11·27	13·07	25·18	7·93	7·76	6·08	7·50	9·16	13·14
35—40	6·09	6·07	4·74	5·59	7·02	8·76	4·36	4·52	4·02	3·87	4·54	5·29
40—45	3·58	3·82	3·06	2·86	3·84	5·11	2·27	2·47	2·10	1·95	2·14	3·10
45—50	2·33	2·39	2·13	2·31	2·15	4·20	1·33	1·43	1·37	1·68	0·78	0·92
50 and above	2·87	2·94	2·51	2·76	2·88	4·01	0·78	0·81	0·93	0·79	0·69	0·18
Not stated	0·01	0·00	0·00	0·02	0·00	0·00	0·002	0·00	0·00	0·06	0·02	0·00
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XV.—Marriages, 1855–1882. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855–1882.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—20 years	19703	3·01	84901	12·99
20—25	252632	38·66	298767	45·72
25—30	194612	29·78	155001	23·72
30—35	81078	12·41	56141	8·59
35—40	42640	6·53	29550	4·52
40—45	25151	3·85	15405	2·36
45—50	15759	2·41	7703	1·18
50 and above	21223	3·25	4863	0·75
Not stated	663	0·10	1130	0·17
TOTAL	653461	100·00	653461	100·00

and of those 5994 or 22·6 per cent. were of like age, *i.e.*, under 21, Twelve of the females had not attained the age of 16 at date of marriage. and two lads, in the Principal Town Districts, were not 17 on like occasions; while a considerably smaller number of men were married during 1882, after attaining the age of 70, than during last year.

Table XIV. affords information as to the ages at which marriage was entered upon by both sexes in Scotland, and in each of its divisions during the year, and as usual, in the case of both males and females, from 20-25 is seen to be the most favourite age; 38·62 per cent. of the former and 46·29 per cent. of the latter marrying between these years. There are differences in this respect, however, in each of the groups of districts; thus a larger percentage of men marry in the Large Town Districts at this age than in the others, as also is the case with the females; whilst in the Mainland-Rural Districts an almost equal proportion of men marry between 25-30, as between 20-25; and in the Insular-Rural again the greatest proportion of marriages among the men occur between the ages 25-30 and 30-35, comparatively few being solemnised before the age of 25. The chances of matrimony among the females in the Insular-Rural Districts between the ages 40-45 are apparently greater than with their sisters of like age on the Mainland, although in the Urban Districts a larger proportion of women wed more frequently at ages over 45 than in the Rural, due apparently to the larger proportion of widows who are re-married at those more advanced ages in the town than in the country districts generally.

TABLE XVI.—Marriages in Scotland, 1855-1882. Numbers.

YEARS.	Number who Married						Number who Signed				Number of Marriages between					
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.						
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619		
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605		
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601		
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533		
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603		
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558		
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517		
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501		
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584		
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631		
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642		
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715		
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689		
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671		
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651		
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759		
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778		
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889		
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851		
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855		
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837		
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896		
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778		
1878	1877	5436	10418	14555	13940	9803	22684	20839	1674	3519	20809	691	2083	752		
1879	1797	5188	9905	13877	13614	9642	21725	19919	1794	3600	19915	782	2083	725		
1880	1769	5393	10220	14628	14285	9877	22696	20777	1809	3728	20848	764	2122	750		
1881	1815	5792	10818	15522	15186	10482	24168	22380	1836	3624	22320	700	2151	826		
1882	2062	5994	11131	15987	15465	10609	24774	23097	1822	3499	22984	684	2134	791		

Of the total 26596 marriages we find that in 22984 cases bachelors mated with spinsters; in 684 bachelors with widows; in 2134 widowers with spinsters; and in 791 instances widowers espoused widows; or 86.42 per cent. of the marriages were between bachelors and spinsters; 2.57 per cent. between bachelors and widows; 8.02 per cent. between widowers and spinsters; and in 2.97 per cent. of the whole widowers mated with widows. Those figures indicate that the proportion of marriages between bachelors and spinsters is increasing at the expense of the other conjunctions, and which is as it should be, the mean of each during the last ten years being, that in every hundred marriages, 84.84 have been betwixt bachelors and spinsters; 3.07 betwixt bachelors and widows; 8.75 betwixt widowers and spinsters; 3.19 betwixt widowers and widows; leaving 0.15 in which the condition of the contracting parties was not known to the registrars.

When we as usual regard the condition of those who marry in respect of their educational qualifications, as indicated by the proportion of bridegrooms and brides who can write, it is seen that for Scotland 93.15 per cent. of the former, and 86.84 per cent. of the latter signed their names on the marriage registers, leaving but 6.85 per cent. of the men and 13.16 per cent. of the women as unable to do this, and who were obliged to have recourse to the use of their mark upon this occasion. This is an improvement on last year, when 7.06 per cent. of the men and 13.93 per cent. of the women were unable to write, and is under the mean for the last ten years 1872-81, when it is found that in every 100

TABLE XVII.—Marriages in Scotland, 1855-1882. Proportions.

YEARS.	Percentage who Married						Percentage who signed				Proportion in every 100 Marriages between			
	Under 21 years		Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39.44	57.99	60.56	42.01	88.60	77.10	11.40	22.90	83.48	3.04	10.20	3.38
1856	?	?	40.79	58.44	59.21	41.56	89.13	76.05	10.87	23.95	85.62	2.69	8.65	3.04
1857	7.47	21.43	42.19	58.84	57.81	41.16	87.89	75.34	12.11	24.66	86.01	3.63	8.32	3.04
1858	7.33	21.23	41.25	58.70	58.75	41.30	88.16	75.95	11.84	24.05	85.95	2.61	8.62	2.82
1859	7.42	21.60	41.22	58.80	58.78	41.20	89.58	77.80	10.42	22.10	85.25	2.76	9.06	2.93
1860	7.36	21.77	40.89	58.89	59.11	41.11	89.68	78.28	10.32	21.72	86.62	2.42	8.29	2.67
1861	7.09	21.13	40.96	58.72	59.04	41.28	89.39	78.67	10.61	21.33	86.48	2.19	8.77	2.56
1862	7.62	21.86	42.11	59.35	57.89	40.65	89.99	79.65	10.01	20.35	86.51	2.31	8.69	2.49
1863	7.91	22.05	43.79	59.93	56.21	40.07	89.14	77.89	10.86	22.11	87.29	1.59	8.46	2.66
1864	7.46	21.99	42.57	59.73	57.42	40.26	88.54	76.12	11.46	23.88	86.41	2.21	8.57	2.81
1865	7.16	21.26	41.38	58.84	58.62	41.16	88.58	77.78	11.42	22.22	85.97	2.53	8.77	2.73
1866	7.20	20.69	41.91	58.52	58.09	41.48	88.78	78.50	11.22	22.00	85.49	2.55	8.92	3.04
1867	6.77	20.41	40.63	57.47	59.37	42.53	89.41	79.27	10.59	20.73	85.09	2.58	9.26	3.07
1868	6.68	20.45	39.69	57.00	60.31	43.00	90.19	80.99	9.81	19.01	85.64	2.22	9.05	3.09
1869	7.08	20.87	39.70	57.34	60.30	42.66	89.92	80.04	10.08	19.96	85.38	2.83	8.84	2.95
1870	7.32	21.72	40.52	57.60	59.48	42.40	89.73	80.46	10.27	19.54	85.11	2.74	8.96	3.19
1871	7.58	22.15	41.20	58.06	58.80	41.94	90.05	80.42	9.95	19.58	85.10	2.54	8.74	3.24
1872	7.71	22.10	41.78	58.32	58.22	41.68	89.56	79.48	10.44	20.52	84.38	3.11	8.35	3.47
1873	8.33	22.91	43.26	59.58	56.74	40.42	90.38	81.33	9.62	18.67	84.89	3.05	8.88	3.18
1874	8.25	22.73	43.29	59.40	56.71	40.60	90.90	92.01	9.10	17.99	84.47	3.18	8.83	3.24
1875	8.10	22.44	42.58	58.72	57.42	41.28	91.40	83.09	8.60	16.91	84.23	3.31	9.06	3.22
1876	8.18	22.63	43.16	59.26	56.84	40.74	92.50	83.87	7.50	16.13	84.42	2.99	9.15	3.37
1877	7.93	22.34	43.06	59.46	56.94	40.54	92.44	84.59	7.56	15.41	85.00	3.08	8.89	3.01
1878	7.71	22.32	42.77	59.75	57.23	40.25	93.13	85.55	6.87	14.45	85.43	2.84	8.55	3.09
1879	7.64	22.06	42.11	59.00	57.89	41.00	92.37	84.69	7.63	15.31	84.68	3.32	8.86	3.08
1880	7.22	22.01	41.71	59.69	58.29	40.31	92.62	84.79	7.38	15.21	85.07	3.12	8.66	3.06
1881	6.98	22.27	41.60	59.69	58.40	40.31	92.94	86.06	7.06	13.94	85.83	2.69	8.27	3.18
1882	7.75	22.54	41.85	60.11	58.15	39.89	93.15	86.84	6.85	13.16	86.42	2.57	8.02	2.97

marriages 91·82 of the men and 83·55 of the women signed by name; while 8·18 of the former and 16·45 of the latter could only do so by mark.

TABLE XVIII.—Marriages, 1882. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1882.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND.		93·15	86·84	6·85	13·16	7·75	22·54	86·42	2·57	8·02	2·97
GROUPS.											
PRINCIPAL TOWN DIST.		92·62	84·63	7·38	15·37	8·93	24·13	84·59	3·38	8·16	3·87
LARGE TOWN DISTRICTS		91·13	85·36	8·87	14·64	8·66	25·54	87·21	2·61	6·94	3·23
SMALL TOWN DISTRICTS		92·82	86·60	7·18	13·40	7·44	22·47	87·09	2·11	8·05	2·72
MAINLAND-RURAL		96·67	94·55	3·33	5·45	5·43	18·77	89·39	1·29	8·04	1·25
INSULAR-RURAL.		83·58	70·07	16·42	29·93	2·37	8·58	87·77	1·09	10·22	0·91
DIVISIONS.											
I.	NORTHERN	95·83	93·40	4·17	6·60	3·47	11·81	88·02	1·91	8·51	1·56
II.	NORTH-WESTERN	81·15	63·48	18·85	36·52	1·31	11·26	88·35	2·09	8·64	0·92
III.	NORTH-EASTERN	98·55	95·72	1·45	4·28	6·57	20·36	88·54	1·87	7·87	1·72
IV.	EAST-MIDLAND.	96·28	89·96	3·72	10·04	9·20	18·19	87·18	1·96	8·05	2·80
V.	WEST-MIDLAND	90·10	85·13	9·90	14·87	6·18	21·74	86·21	2·06	8·47	3·26
VI.	SOUTH-WESTERN	90·37	82·03	9·63	17·97	9·28	26·88	85·50	3·20	7·57	3·73
VII.	SOUTH-EASTERN	96·91	94·06	3·09	5·94	5·76	20·71	86·30	2·52	8·58	2·54
VIII.	SOUTHERN.	96·88	95·06	3·12	4·94	5·64	18·21	87·08	1·39	9·63	1·82
COUNTIES.											
1	Shetland	95·24	88·44	4·76	11·56	0·68	5·44	88·44	2·04	8·84	0·68
2	Orkney	98·21	98·21	1·79	1·79	7·74	17·26	86·31	2·38	10·12	1·19
3	Caithness	93·05	93·05	6·95	6·95	3·21	13·37	88·23	2·14	6·95	2·67
4	Sutherland	98·65	93·24	1·35	6·76	0·00	8·11	90·54	0·00	8·11	1·35
5	Ross & Cromarty	78·41	55·68	21·59	44·32	1·99	12·78	87·50	1·70	10·23	0·57
6	Inverness	83·50	70·15	16·50	29·85	0·73	9·95	89·08	2·43	7·28	1·21
7	Nairn	95·45	84·09	4·55	15·91	2·27	18·18	88·64	0·00	11·36	0·00
8	Elgin	98·81	92·49	1·19	7·51	6·32	15·81	88·54	1·19	9·09	1·18
9	Banff	96·99	92·90	3·01	7·10	6·28	15·85	87·70	2·46	7·38	2·46
10	Aberdeen	98·93	97·02	1·07	2·98	6·79	22·12	88·38	2·02	7·75	1·85
11	Kincardine	98·28	95·98	1·72	4·02	6·32	18·97	91·95	0·57	7·47	0·00
12	Forfar	94·47	84·31	5·53	15·69	10·90	20·80	85·85	2·23	8·51	3·40
13	Perth	97·86	96·25	2·14	3·75	5·09	15·13	87·68	1·61	8·43	2·28
14	Fife	98·23	95·22	1·77	4·78	9·30	15·94	88·57	1·77	7·44	2·21
15	Kinross	100·00	100·00	0·00	0·00	4·88	14·63	92·68	0·00	7·32	0·00
16	Clackmannan	95·28	86·61	4·72	13·39	8·66	18·90	89·76	2·36	4·72	3·15
17	Stirling	92·71	89·20	7·29	10·80	7·96	26·32	86·50	2·02	8·37	3·10
18	Dumbarton	84·68	76·22	15·32	23·78	6·31	24·86	85·41	2·88	7·93	3·78
19	Argyll	92·78	89·04	7·22	10·96	2·67	10·96	86·63	1·07	9·89	2·41
20	Bute	91·03	91·03	8·97	8·97	5·13	7·69	87·18	1·28	6·41	5·13
21	Renfrew	91·52	84·76	8·48	15·24	8·53	25·37	84·27	3·43	8·70	3·60
22	Ayr	93·84	87·25	6·16	12·75	9·54	23·65	85·84	2·03	8·74	3·39
23	Lanark	89·45	80·43	10·55	19·57	9·38	27·83	85·70	3·38	7·10	3·82
24	Linlithgow	90·97	88·19	9·03	11·81	10·42	34·03	90·63	2·08	5·90	1·39
25	Edinburgh.	97·35	94·42	2·65	5·58	5·62	20·11	85·35	2·90	8·84	2·91
26	Haddington	95·87	91·74	4·13	8·26	4·55	17·77	90·08	0·41	7·85	1·24
27	Berwick	98·78	96·95	1·22	3·05	4·27	17·07	87·80	1·22	10·37	0·00
28	Peebles	100·00	98·51	0·00	1·49	1·49	16·42	83·58	1·49	11·94	2·99
29	Selkirk	97·32	96·64	2·68	3·36	5·37	18·12	91·28	0·67	6·04	2·01
30	Roxburgh	97·83	94·93	2·17	5·07	2·54	22·83	87·32	0·72	10·51	1·45
31	Dumfries	96·23	95·19	3·77	4·81	5·02	14·64	87·45	0·84	9·20	2·30
32	Kirkcudbright	97·75	98·20	2·25	1·80	7·66	18·02	84·23	3·15	10·36	2·25
33	Wigtown	96·05	90·96	3·95	9·04	9·60	20·90	89·27	1·69	8·47	0·56
EDINBURGH.		98·16	95·85	1·84	4·15	5·99	19·25	84·18	3·07	10·04	2·71
GLASGOW		89·39	78·53	10·61	21·47	10·07	26·81	84·12	3·82	7·79	4·27

The counties which most fail in this respect during 1882 are, in the case of the men, Ross and Cromarty, with 21·59 per cent. unable to write; Inverness with 16·50 per cent.; Dumbarton with 15·32 per cent.; and Lanark with 10·55 per cent.; while with the fair sex, in 13 counties over 10 per cent. are in like plight, no fewer than 44 brides in every hundred married during the year being unable to write their names in Ross and Cromarty; 29·85 in Inverness; and 23·78 in Dumbartonshires.

In the two chief cities of the country—Edinburgh and Glasgow—the standard of education is also improving, except in the case of the females in the former city, of whom 4·15 per cent. apparently could not write this year as against 3·99 per cent. in 1881. On taking the mean of the ratios for the ten years, 1872–81, we find in the case of both sexes and in both cities a decided educational advance to have taken place, as viewed from this condition of things, as in every 100 marriages in Edinburgh, but 97·02 of the men and 93·90 of the women wrote, as against 98·16 and 95·85 in 1882, the present year; and in Glasgow during the same period, 87·47 of the men and 73·43 of the women in every 100 marriages were able to write, compared with 89·39 and 78·53 respectively during 1882.

Of the marriages 13·5 per cent. took place during the month of June, 13·3 per cent. during January; 12·3 per cent. during December; 10·8 per cent. during July; 8·9 per cent. during November; 6·7 per cent. during October; 6·6 per cent. during April; 5·9 per cent. during February; 5·8 per cent. during August and September; 5·5 per cent. during March; and 4·7 per cent. during May.

The marriages per ten thousand of the population during 1882 are, in

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855–1882.

YEARS.	SCOTLAND.		PRINCIPAL TOWN.		LARGE TOWN.		SMALL TOWN.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37355	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157
1874	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111
1875	40323	41444	15272	15711	4984	4818	9026	9259	9925	10378	1116	1278
1876	37404	36725	14256	13721	4500	4524	8420	8406	9177	9015	1051	1059
1877	37173	36764	14190	14037	4521	4536	8052	8008	9383	9092	1027	1091
1878	38389	38404	14707	14718	5157	5031	8512	8493	9072	9140	941	1022
1879	36296	37051	13397	13747	4682	4751	8217	8345	8999	9040	1001	1168
1880	38055	37748	14578	14295	5019	4821	8635	8847	8800	8757	1023	1028
1881	36097	36228	15996	16144	3814	3890	7318	7428	7970	7742	999	1024
1882	36325	36664	16343	16354	4057	3997	7328	7457	7644	7792	953	1064

the following European States:—101 in Hungary; 82 in Austria; 78 in Italy, and in Prussia; 77 in England and Wales, and in Denmark; 76 in the German Empire; 74 in France; 71 in the Netherlands; 69 in Belgium; 68 in Switzerland; 67 in Norway; 63 in Sweden; in Scotland being 70.

DEATHS.

During the year 72989 deaths were duly registered throughout Scotland, 36325 being of the male, and 36664 of the female sex, which gives a mortality rate of nearly 193 per ten thousand of the inhabitants as estimated, almost the same as last year, which *was* 193, and accordingly the lowest that has yet been recorded. The death rate per ten thousand of the male population is 199, and of the female 187.

During the ten years immediately preceding, the average death-rate for Scotland per ten thousand of population is 213·2, so that it is for the present year 20·4 below the mean for the decennial period.

In England the death-rate for 1882 is equivalent to 196 per ten thousand.

On looking to the rate of mortality in each of the five districts into which the whole country is primarily divided, it is found that in the Principal Town Districts 32697 deaths were reported, being at the rate of 227 in every ten thousand of their inhabitants; in the Large Town Districts the deaths number 8054, *i.e.*, in the proportion of 203 per ten thousand of their population; in the small Town Districts they are

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1882.

YEARS.	SCOTLAND.		PRINCIPAL TOWN.		LARGE TOWN.		SMALL TOWN.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085				
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114				
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·290	2·151	3·039	2·736	2·544	2·359	2·143	2·055	1·669	1·596	1·484	1·309
1872	2·333	2·100	2·949	2·594	2·682	2·386	2·271	2·038	1·731	1·698	1·651	1·521
1873	2·372	2·111	2·923	2·529	2·834	2·479	2·338	2·056	1·778	1·645	1·671	1·639
1874	2·444	2·208	3·083	2·688	2·921	2·620	2·303	2·085	1·822	1·727	1·773	1·578
1875	2·394	2·263	2·865	2·632	2·772	2·476	2·317	2·191	1·913	1·905	1·826	1·820
1876	2·196	1·986	2·644	2·274	2·421	2·255	2·133	1·965	1·762	1·652	1·719	1·512
1877	2·157	1·969	2·603	2·302	2·352	2·194	2·012	1·850	1·794	1·664	1·680	1·562
1878	2·202	2·037	2·667	2·389	2·595	2·361	2·099	1·939	1·728	1·671	1·539	1·467
1879	2·059	1·947	2·401	2·208	2·278	2·162	1·999	1·883	1·707	1·651	1·637	1·680
1880	2·133	1·964	2·584	2·272	2·359	2·127	2·072	1·972	1·663	1·597	1·672	1·482
1881	2·000	1·867	2·376	2·169	2·011	1·938	1·914	1·806	1·599	1·502	1·633	1·480
1882	1·990	1·871	2·386	2·163	2·101	1·962	1·892	1·793	1·531	1·513	1·557	1·542

14785, or 184 per ten thousand; in the Mainland-Rural Districts they amount to 15436, representing a death-rate of 152 per ten thousand of their inhabitants; and in the Insular-Rural Districts they number 2017, equal to a death-rate of 155 per ten thousand of the inhabitants of the same. The ratio of mortality is accordingly highest in the Principal Town Districts, less in the Large Town Districts, and falling gradually throughout the other three. On comparing these figures with those of last year, the rate is seen to be slightly increased in the Principal Town Districts and Large Town Districts, and decreased in the Small Town, Mainland-Rural, and Insular-Rural Districts. The total death-rate in the Rural Districts is below that in the Urban Districts by about 28 per cent.

Tables XXI and XXII show the number of deaths, and the proportional mortality in each of the Principal Towns of Scotland. Thus the death-rate in Paisley is 2·57 per cent.; in Glasgow it is 2·54 per cent.; in Perth, 2·35 per cent.; in Greenock, 2·25 per cent.; in Glasgow Landward and Suburban, 2·15 per cent.; in Dundee, 2·10 per cent.; in Aberdeen, 2·03 per cent.; in Edinburgh, and in Kilmarnock, 1·96 per cent.; and in Leith, 1·86 per cent.

The above is the total death-rate in these Towns, but several of them being made up of more than one Registration District, it is found,

TABLE XXI.—Town Deaths, 1872–1882. Annual Number of Deaths in the Principal Towns of Scotland.

TOWNS.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.
Glasgow . . .	14053	14499	15845	15384	13763	13823	14157	12498	13304	12916	13046
Edinburgh . .	5484	4578	5011	5044	4392	4644	4910	4432	4946	4613	4565
Dundee . . .	3491	3281	4170	3305	3075	3026	3159	3178	3464	2966	3054
Aberdeen . . .	2119	2120	2066	2011	2033	2060	2204	2127	2078	2052	2176
Greenock . . .	1697	2220	1690	2180	1613	1563	1549	1597	1620	1525	1590
Leith	1338	1084	1254	1060	1174	1169	1215	1158	1378	1281	1177
Paisley	1430	1589	1388	1364	1287	1325	1591	1497	1424	1274	1455
Perth	587	637	700	635	640	617	640	657	659	641	710
Kilmarnock . .	—	—	—	—	—	—	—	—	—	538	511
Glasgow Landward and Suburban	—	—	—	—	—	—	—	—	—	4039	4088

TABLE XXII.—Proportion of Town Deaths, 1872–1882. Annual Percentage of Deaths to the Population in the Principal Towns in Scotland.

TOWNS	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	Mean Annual Mortality.	1882.
Glasgow .	2·84	2·93	3·18	3·08	2·74	2·74	2·79	2·46	2·61	2·52	2·79	2·54
Edinburgh	2·73	2·25	2·42	2·40	2·06	2·15	2·24	1·99	2·19	2·01	2·24	1·96
Dundee .	2·83	2·61	3·27	2·55	2·33	2·26	2·32	2·29	2·46	2·07	2·50	2·10
Aberdeen	2·35	2·31	2·21	2·12	2·10	2·09	2·20	2·09	2·00	1·94	2·14	2·03
Greenock	2·79	3·59	2·69	3·42	2·49	2·38	2·33	2·36	2·36	2·19	2·66	2·25
Leith . .	2·78	2·19	2·47	2·03	2·19	2·12	2·14	1·98	2·30	2·08	2·23	1·86
Paisley .	2·91	3·19	2·75	2·66	2·47	2·51	2·97	2·75	2·59	2·28	2·71	2·57
Perth . .	2·19	2·35	2·55	2·29	2·28	2·17	2·22	2·25	2·23	2·15	2·27	2·35
Kilmarnock	—	—	—	—	—	—	—	—	—	2·08	—	1·96
Glasgow Landward and Suburban	—	—	—	—	—	—	—	—	—	2·27	—	2·15

as might be expected, the mortality rate in each of these varies considerably. Thus, if we take Edinburgh, and for last year 1881, the Census Year (being as correct as possible in regard to population), with a total death-rate of 20·1 per thousand of its estimated population, it is found that in the case of the Registration District of St George, which covers ground to the extent of 1116 acres, with a population at the middle of the year of 65844, the proximity in yards being 9·7, the death-rate is equal to 15·9 per thousand of the inhabitants of the same; in St Andrew District, with an acreage of 931, population 44654, and proximity in yards 10·8, the death-rate is also 15·9 per thousand; in the Canongate District, with acreage 625, population 31289, and proximity in yards 10·5 (or the same district, excluding the Queen's Park, which brings the superficies down to 218 acres, the population being almost the same, but the proximity now reduced to 6·2 yards), the death-rate is 24·4 per thousand; in St Giles' District, acreage 325, population 32846, proximity in yards 7·4 (or deducting the Meadows, reducing the acreage to 231, the proximity then being 6·3 yards), the death-rate is 34·5 per thousand; in the Registration District of Newington, covering 1183 acres, with a population of 54586, and a proximity in yards of 11·1, the death-rate is equal to 17·4 per thousand of the inhabitants.

As, however, in three of the above districts there are public hospitals, viz., in those of Canongate, St Giles, and Newington, it follows that not a few of the deaths taking place in them, and going to swell the mortality rate of one or other of the above, occur in the persons of those who have entered such charitable institutions for advice and treatment, but whose usual place of abode is not in the district in which they die, and to which their death is accredited. When we assign the deaths of such inhabitants of Edinburgh to the districts in which they would probably have died, had they not entered a charity, and deducted the deaths of those who had no residence in Edinburgh at all, but coming

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1882.

AGE.	SCOTLAND.		PRINCIPAL TOWN.		LARGE TOWN.		SMALL TOWN.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8286	6597	4070	3282	996	814	1688	1256	1390	1145	142	100
— 2	3121	2941	1811	1686	334	344	559	544	387	341	30	26
— 3	1298	1301	722	728	172	146	229	237	163	175	12	15
— 4	898	856	505	456	101	91	170	173	115	131	7	5
— 5	644	606	331	319	77	76	132	113	101	93	3	5
0- 5	14247	11301	7439	6471	1680	1471	2778	2323	2156	1885	194	151
5-10	1726	1613	810	757	213	174	362	353	319	309	22	20
10-15	836	942	349	392	113	97	180	240	181	193	13	20
15-20	1148	1250	492	542	136	126	240	301	255	250	25	31
20-30	2512	2673	1104	1330	271	255	491	570	557	446	89	72
30-40	2121	2384	1076	1148	210	260	434	422	343	492	58	62
40-50	2528	2412	1334	1233	262	216	452	454	429	445	51	64
50-60	2804	2782	1230	1289	340	317	585	535	574	549	75	92
60-70	3371	3573	1317	1430	383	407	696	747	867	855	108	134
70-80	3175	3890	882	1180	308	427	686	883	1156	1217	143	183
80-90	1634	2442	275	519	129	222	380	536	701	975	149	190
90-100	207	380	32	63	11	25	43	86	96	168	25	38
100 and above	8	21	2	—	1	—	1	6	3	8	1	7
Not stated	8	1	1	—	—	—	—	1	7	—	—	—
ALL AGES.	36325	36664	16343	16354	4057	3997	7328	7457	7644	7792	953	1064

there for advice and treatment, were admitted into one of the hospitals, considerable alterations are found to have taken place in the death-rate of several of the aforesaid districts. Thus, in that of St George, the mortality rate per thousand of population is now 17·0, instead of 15·9; in St Andrew it is 17·4, instead of 15·9; in Canongate it is 25·6, instead of 24·4; in St Giles, it is 21·4, instead of 34·5; and in Newington it is 17·6, instead of 17·4.

Table XX. shows how in Scotland, and in each of its five divisions, the proportion of male deaths exceeds that of female, being most marked in the Principal and Large Town Districts, and less so in the other three, as also that the proportion in the two former exceeds that for the country as a whole.

Tables XXIII. and XXIV. exhibit the number of deaths, male and female, and the varying proportions of the same, to the population at each age, at a series of ages for Scotland, and its five great Registration Districts. Thus we find that at ages under one year throughout Scotland generally 14·758 per cent. of the male infants, and 11·997 per cent. of the female, succumb, the male thus much out-numbering the female exits. This ratio is overtopped in the case of both sexes in the Principal and Large Town Districts, to the greatest degree in the former, where 18·208 per cent. of the males and 15·075 per cent. of the females perish, and somewhat less in the latter. The death-rate below one year is lowest in the Insular-Rural Districts, where of all at this age but 9·016 per cent. of the males and 6·930 per cent. of the females die. Throughout the districts the male mortality rate is greater than that of the female.

Under two years of age, the proportion of male and female mortality in Scotland did not vary much, being 6·145 per cent. and 6·019 per cent. respectively. This was exceeded in the Principal Town Districts in the case of both sexes, and in the Large Town Districts in that of the female,

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1882.

AGE.	SCOTLAND.		PRINCIPAL TOWN.		LARGE TOWN.		SMALL TOWN.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	14·758	11·997	18·208	15·075	16·414	13·353	14·032	10·589	9·825	8·274	9·016	6·930
— 2	6·145	6·019	9·332	8·855	5·869	6·390	5·054	5·126	2·929	2·725	2·092	1·970
— 3	2·471	2·538	3·611	3·706	2·958	2·495	2·008	2·154	1·177	1·311	0·801	1·049
— 4	1·726	1·688	2·599	2·402	1·768	1·662	1·468	1·542	0·836	0·966	0·452	0·339
— 5	1·270	1·226	1·774	1·741	1·366	1·404	1·193	1·034	0·734	0·703	0·189	0·329
0-5	5·434	4·819	7·450	6·619	5·808	5·212	4·863	4·176	3·137	2·835	2·539	2·100
5-10	0·747	0·717	0·976	0·919	0·845	0·715	0·704	0·707	0·499	0·505	0·293	0·281
10-15	0·400	0·467	0·482	0·540	0·508	0·450	0·387	0·538	0·302	0·346	0·175	0·288
15-20	0·597	0·655	0·696	0·710	0·661	0·632	0·583	0·747	0·475	0·519	0·391	0·493
20-30	0·815	0·804	0·850	0·923	0·830	0·739	0·793	0·843	0·740	0·583	1·043	0·703
30-40	0·995	0·986	1·197	1·132	0·930	1·051	1·015	0·859	0·661	0·839	0·944	0·774
40-50	1·517	1·226	2·028	1·589	1·518	1·075	1·326	1·103	0·979	0·878	0·894	0·883
50-60	2·354	1·920	3·018	2·452	2·774	2·208	2·319	1·754	1·591	1·343	1·584	1·411
60-70	4·334	3·480	5·783	4·238	5·074	4·162	4·164	3·413	3·236	2·679	2·826	2·572
70-80	8·619	7·449	10·504	8·263	9·568	8·819	8·433	7·566	7·889	6·623	6·169	6·259
80-90	17·905	16·612	19·071	15·950	20·093	17·860	18·915	17·262	17·035	16·553	17·107	16·507
90-100	36·189	32·149	46·377	31·343	30·556	27·778	38·393	35·685	34·783	32·749	32·895	29·008
100 and above	47·059	51·211	50·000	0·000	50·000	0·000	20·000	100·000	100·000	57·143	33·333	46·666
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL. .	1·990	1·871	2·386	2·163	2·101	1·962	1·892	1·793	1·531	1·513	1·557	1·542

and in the latter the female ratio exceeded also the male by 0·521 per cent., as also was the case in the Small Town Districts. In the Insular-Rural Districts the mortality is small as compared with the Urban Districts, viz., 2·092 and 1·970 per cent.

Under three years the male and female mortality rate for Scotland was almost the same, 2·471 per cent. and 2·538 per cent., the female here, however, slightly overtopping the male. This was exceeded in the case of both sexes in the Principal Town Districts, and in the case of the males alone in the Large Town Districts; in the Principal Town, Mainland-Rural, and Insular-Rural Districts, the female ratio out-numbered that of the male.

During the fourth year, while the death-rate for the country as a whole was for each sex 1·726 per cent., and 1·688 per cent. respectively, in the Principal Town Districts it stood at 2·599 per cent. for the males,

TABLE XXIVa.—Percentage of Deaths to the Population in Scotland at each age, for the ten years 1872-1881, and the mean of the same. Also the percentage for 1882.

AGES.	1872.		1873.		1874.		1875.		1876.		1877.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Mal	Fem.
0—5 years	6·149	5·539	6·242	5498	6·789	5·897	6·756	6·024	6·091	5·374	5·687	4·981
5—10	0·957	0·884	0·893	0857	1·200	1·153	1·003	0·996	0·794	0·800	0·695	0·727
10—15	0·562	0·575	0·543	0516	0·599	0·593	0·534	0·565	0·493	0·505	0·504	0·462
15—20	0·785	0·763	0·774	0736	0·756	0·726	0·756	0·776	0·776	0·687	0·701	0·705
20—30	1·170	0·958	1·082	0·884	1·060	0·965	0·984	0·949	0·949	0·861	0·958	0·835
30—40	1·241	1·139	1·198	1·046	1·233	1·131	1·241	1·167	1·189	1·026	1·188	1·014
40—50	1·668	1·319	1·688	1·374	1·717	1·413	1·665	1·424	1·525	1·221	1·573	1·305
50—60	2·546	2·076	2·952	2·090	2·731	2·099	2·497	2·214	2·445	1·952	2·570	2·078
60—70	4·552	3·675	4·900	3·792	4·548	3·719	4·673	4·083	4·383	3·533	4·727	3·727
70—80	9·359	8·473	10·255	8·639	9·727	8·487	10·225	9·021	9·316	8·000	9·604	8·599
80—90	20·265	18·439	22·757	19·746	19·671	18·527	20·746	20·188	18·496	16·997	19·901	18·325
90—100	40·746	38·616	46·271	36·673	34·356	31·476	38·127	38·561	36·755	34·856	36·634	35·065
100 and above	62·500	32·075	50·000	29·630	12·130	31·263	36·000	29·412	36·000	31·373	32·000	49·020
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL	2·337	2·132	2·381	2·117	2·456	2·216	2·410	2·275	2·213	1·998	2·178	1·983

AGES.	1878.		1879.		1880.		1881.		Mean of ten years.		1882.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
0—5 years	6·247	5·614	5·263	4·728	5·930	5·410	5·137	4·456	6·029	5·352	5·434	4·819
5—10	0·793	0·798	0·727	0·718	0·862	0·779	0·708	0·684	0·683	0·840	0·747	0·717
10—15	0·482	0·510	0·457	0·483	0·444	0·497	0·433	0·444	0·505	0·515	0·400	0·467
15—20	0·716	0·709	0·633	0·680	0·686	0·660	0·627	0·656	0·721	0·710	0·597	0·655
20—30	0·881	0·857	0·883	0·831	0·872	0·812	0·835	0·836	0·967	0·879	0·815	0·804
30—40	1·078	0·987	1·036	0·990	1·047	0·981	1·038	1·011	1·149	1·049	0·995	0·986
40—50	1·564	1·218	1·489	1·232	1·535	1·210	1·556	1·259	1·598	1·297	1·517	1·226
50—60	2·474	2·037	2·388	2·068	2·386	1·832	2·503	2·011	2·549	2·046	2·354	1·920
60—70	4·503	3·708	4·682	3·878	4·255	3·622	4·667	3·805	4·589	3·754	4·334	3·480
70—80	9·623	8·119	9·463	8·441	8·654	7·594	9·018	7·823	9·524	8·320	8·619	7·449
80—90	18·377	18·082	19·423	18·381	18·654	16·588	19·299	17·173	19·759	18·245	17·905	16·612
90—100	37·974	30·591	37·771	32·402	28·790	29·544	36·219	30·914	37·364	33·870	36·189	32·149
100 and above	16·000	38·983	20·000	36·666	28·000	35·000	17·647	47·500	31·028	36·092	47·059	51·211
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL	2·226	2·054	2·059	1·947	2·133	1·964	2·000	1·867	2·239	2·055	1·990	1·871

and 2·402 per cent. for the females, and in the Large Town Districts the male mortality also slightly exceeded that of the males for Scotland. In the Small Town Districts, and Mainland-Rural Districts the female death ratio was greater than that of the male.

During the fifth year the percentage of mortality had fallen throughout the country to 1·270 of the male, and 1·226 of the female children living at the same age. This is exceeded in the Principal, and Large Town Districts, and in the latter, as also in the Insular-Rural Districts, the female death-rate at this age is greater than that of the male.

The mortality rate at ages between 5 and 10 years is as usual much below that for the preceding quinquennial period, being for the males in Scotland 0·747 per cent., as compared with 5·434 per cent., for the first five years; and for the females 0·717 per cent., compared with 4·819 per cent. of the population at the same age. The rate 5–10 years in the Principal Town, and Large Town Districts is above that for Scotland, with the exception of the females in the latter, and in the Small Town Districts, and Mainland Rural Districts the female proportion is higher than that of the male. Between 10–15 the percentage of deaths in the case of both sexes in the Principal Town Districts, and of the male in the Large Town Districts, exceeded that for the country at large; and in the case of the Principal Town Districts, Small Town Districts, and both the Rural, the female was more or less greater than that of the male. Between 15–20, the mortality rate for Scotland is overtopped by that for both sexes in the Principal Town Districts, and by the females in the Small Town Districts, while the female mortality in the Principal Town, Small Town, and both the Rural Districts, exceeds that of the male. Between 20–30, the proportional mortality was greater in the Principal Town Districts in the case of both sexes, in the Large Town Districts in that of the males, and of the females in the Small Town Districts, than for Scotland, and the female death-rate exceeded that of

TABLE XXV.—Percentage of Deaths at each Age to the Total Deaths in 1882.

[illegible]

the male at like ages in the Principal, and Small Town Districts. Between 30-40, both the male and female rates in the Principal Town Districts, and that of the female in the Large Town Districts, exceeded that for Scotland, and in the case of the Mainland-Rural Districts, the female somewhat exceeded the male. At ages over 40, almost without exception, the male mortality rate is higher than that of the female, and that in all the five districts.

TABLE XXV*a*.—Percentage of Deaths at each age to the Total Deaths in Scotland, for the ten years 1872–81, and the mean of the same. Also the percentage for 1882.

[illegible][illegible]

Taking the proportion of deaths, male and female, as a whole, at all periods of life, we find that for Scotland in every ten thousand of estimated population, 199 males and 187 females succumbed during the year. In the Principal Town Districts, the proportion of male deaths was 239 per ten thousand of the inhabitants of the same, and of female deaths, 216; in the Large Town Districts, it was males 210, females 196; in the Small Town Districts, it was males 189, females 179; in the Mainland-Rural Districts, it was males 153, females 151; and in the Insular-Rural Districts, males 156, females 154.

Table XXIV*a*., which is again given, allows of a comparison of the death-rate percentage for each of ten years 1872–81, at the same ages as in Table XXIV. for the present year, and also the mean of these years. We here see that the percentage of deaths at each age, and for each sex, has fallen below that of the latter (the mean) during the year under review, with the exception of deaths at 100 years of age and above, a fact which probably speaks well for the increasing health and consequent longevity of the people. The total death-rate has fallen throughout Scotland considerably, and that both in the case of males and females, the mean of the ten years, 1872–81, giving 224 males and 205 females as the numbers that have died in every ten thousand of the inhabitants of each sex estimated to be living in Scotland, as against 199 and 187 respectively for the year 1882.

Table XXVII. is drawn up on the same lines, and shows the varying proportions of mortality among the inhabitants of the Principal Towns at similar periods of life. Thus, infantile mortality is highest in Glasgow, where 18·51 per cent. of the infants presumed to be in the city at the middle of the year have died; Paisley stands next, with 17·48 per cent.; Dundee next, with 16·91 per cent.; Leith, and Edinburgh being lowest, with 14·71 per cent., and 13·78 per cent. respectively. During the second

TABLE XXVI.—Deaths at different Ages in the Principal Towns of Scotland during the Year 1882.

AGE.	Glasgow.	Edin- burgh.	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmar- nock.	Glasgow Land- ward and Suburban.
Under 1 Year	2959	888	719	500	372	303	297	129	124	1014
— 2	1562	382	350	177	165	111	138	67	48	487
— 3	690	150	118	65	75	41	51	22	21	212
— 4	458	122	66	48	51	27	46	14	12	114
— 5	295	73	48	34	34	26	31	9	6	93
0–5	5964	1615	1301	824	697	508	563	241	211	1920
5–10	712	177	125	95	80	38	66	15	28	227
10–15	289	95	59	55	49	28	58	20	12	73
15–20	434	130	98	60	46	28	50	24	23	138
20–30	984	365	193	160	118	74	124	54	35	312
30–40	900	337	215	143	105	79	91	60	22	246
40–50	1044	398	247	132	140	111	103	54	27	272
50–60	973	397	239	166	127	91	112	64	34	279
60–70	925	443	287	217	127	92	143	72	50	321
70–80	600	395	194	228	71	92	103	67	43	221
80–90	202	189	86	84	25	34	36	37	20	70
90–100	18	24	10	11	5	2	6	2	6	8
100 and above	1	—	—	—	—	—	—	—	—	1
Not stated	—	—	—	1	—	—	—	—	—	—
ALL AGES	13046	4565	3054	2176	1590	1177	1455	710	511	4088

year of life Glasgow is again highest, with 11·38 per cent.; and Perth next, with 9·48 per cent. of deaths among children at this age; Aberdeen and Leith being lowest, with 6·10 and 5·83 per cents. At all ages under five years, Glasgow shows a proportional death-rate of 8·47 per cent.; Paisley being next, with 7·39 per cent.; followed by Dundee, Greenock, Glasgow Landward and Suburban, Perth, Edinburgh, and Aberdeen, Kilmarnock and Leith being lowest with 5·55 and 5·33 per cents.

From Table XXV., which gives the percentage of deaths at each age, to the total deaths in Scotland and its five districts for the year, we find that for the whole country, and of the whole mortality, 22·81 per cent. of the male exits and 17·99 per cent. of the female occurred during the first year of life; during the first five years the ratio was 39·22 per cent. of the former, and 33·55 per cent. of the latter. On comparing those figures with the similar ones for the five districts, it may be noted that in the Principal, and Large Town Districts they are exceeded, and that to a greater extent in the former than in the latter; in the other three districts, the corresponding proportions are less, not to any great extent in the Small Town Districts, but considerably so in the two Rural Districts, being but 20·36 per cent. for the males, and 14·19 per cent. for the females, in the Insular-Rural Districts. As a rule, we find the percentage of deaths at each age, as compared with the total deaths, to be in the Rural Districts under both that for Scotland as a whole, as also for the Urban Districts, up to the age of 60, after which the balance is reversed, and the higher proportionate mortality is found in the Rural and less populated parts of the country.

On looking back over the last ten years, it is found that the mean percentage of deaths to the total deaths in Scotland, during this period, varies somewhat at the different ages from what we have seen to be the case in Table XXV. Thus, during the first two years of life for 1882, there is an increase in the death percentages in the case of both males and females over what it is for the mean of the ten years 1872–81, being for the males 31·40 per cent. for the year under review, as compared with

TABLE XXVII.—Percentage of Deaths to the Population at each Age in the Principal Towns of Scotland in 1882.

AGE.	Glasgow.	Edin- burgh.	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmar- nock.	Glasgow Land- ward and Suburban.
Under 1 Year	18·51	13·78	16·91	15·45	16·10	14·71	17·48	15·66	14·87	15·78
— 2	11·38	6·78	9·27	6·10	8·48	5·83	9·43	9·48	6·52	8·69
— 3	4·88	2·66	3·14	2·19	3·48	2·13	3·33	2·86	2·76	3·55
— 4	3·35	2·21	1·70	1·66	2·53	1·48	3·07	1·93	1·64	2·03
— 5	2·29	1·38	1·28	1·22	1·67	1·43	2·17	1·23	0·81	1·69
0– 5	8·47	5·66	6·70	5·58	6·67	5·33	7·39	6·41	5·55	6·60
5–10	1·25	0·72	0·72	0·75	0·91	0·49	1·00	0·45	0·84	0·96
10–15	0·58	0·42	0·38	0·48	0·67	0·42	0·96	0·65	0·40	0·39
15–20	0·82	0·54	0·64	0·53	0·70	0·48	0·81	0·78	0·83	0·75
20–30	0·97	0·79	0·75	0·87	0·91	0·64	1·15	1·04	0·79	0·85
30–40	1·29	1·07	1·17	1·11	1·11	0·91	1·40	1·59	0·73	0·91
40–50	2·00	1·68	1·63	1·33	1·93	1·74	1·91	1·81	1·18	1·54
50–60	2·91	2·49	2·41	2·21	3·05	2·39	2·97	2·68	2·11	2·74
60–70	4·81	4·36	5·20	4·08	5·14	4·04	5·83	4·44	4·37	5·49
70–80	9·04	8·81	8·63	8·45	8·11	10·07	9·67	9·27	7·60	9·71
80–90	16·45	18·05	20·00	14·00	13·16	20·99	15·72	17·21	16·81	16·36
90–100	21·95	48·98	52·63	32·35	45·45	33·33	31·58	40·00	50·00	29·63
100 and above	20·00	0·00	0·00	3·00	0·00	0·00	0·00	0·00	0·00	50·00
Not stated	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00

30·43 per cent., which is the mean of the ten, and for the females 26·01 per cent., compared with 25·26 per cent. for the longer period. During the next three years the proportion is reduced, being for 1882, for the male children, 7·82 per cent., as compared with 8·28 per cent. for the ten years, and for the females 7·54 per cent., compared with 8·08 per cent. At ages 5–15, both the male and female death-rate for 1882 is under that of the mean for the ten years, being in the case of the former 7·05 per cent., compared with 7·53 per cent., and in latter 6·97 per cent., compared with 7·22 per cent. At ages 15–40, the death-rate in the case of the males for 1882, is under that of the mean of the ten years, viz., 15·92 per cent., compared with 16·20 per cent., while in the case of the females it is reversed, their death-rate being during the present year 17·20 per cent., and for the mean of the ten years 16·98 per cent. At ages 40–70, in the case of both sexes, the death-rate for 1882 is somewhat higher than that for the mean of the ten years at the same ages, being 23·96 per cent. for the males, compared with 23·34 per cent., and for the females 23·91 per cent., compared with 23·51 per cent., as the mean of the ten years preceding.

It is well recognised that a larger proportion of females attain to greater ages than of males, and taking from 70 years and upwards we find that in Scotland, while 13·8 per cent. of the total male deaths occur at those advanced ages, 18·3 per cent. of the females do the same. In the Principal Town Districts the ratio is much reduced, viz., to 7·2 per cent. for the males, and 10·7 per cent. in the case of the females; in the Large Town Districts it has increased somewhat to 11·0 per cent. for the men, and 16·8 per cent. for the women; in the Small Town Districts it is 15·1 per cent. for the men, and 20·2 per cent. for the weaker sex; in the Mainland-Rural Districts it mounts to 25·5 per cent. for the former, and 30·3 per cent. for the latter; and in the Insular-Rural Districts has reached the high point of 33·3 per cent. of the total deaths among the men, and 39·2 per cent. among the women, occurring at ages of 70 and above.

The death-rate in the undernoted European States per ten thousand of their populations during 1882 is as follows:—Sweden, 174; Norway, 184; Denmark, 195; Belgium, 202; The Netherlands, 207; Switzerland, 219; France, 222; Prussia, 252; the German Empire, 257; Austria, 308; and Hungary, 366; that for Scotland being 193.

CAUSES OF DEATH.

The number of deaths registered throughout Scotland during 1882, was 72989, but in 832 cases or 1·1 per cent., the cause of death was so ill-defined or specified in such unintelligible terms, as to be of no use for statistical purposes.

Of the total deaths 65769 were certified, and 7220 or 9·9 per cent. uncertified. The proportion of these latter varies much throughout the Districts, Counties, and Principal Towns of Scotland, varying in the former from 6·0 per cent. in the Large Town Districts to 50·6 per cent. in the Insular-Rural Districts; in the Counties from 1·2 per cent. in Selkirk to 62·1 per cent. in Shetland; and in the Principal Towns, from 1·6 per cent. in Kilmarnock to 11·0 per cent. in Edinburgh—Appendix

Table, p. lx. In accounting for those great differences we would refer to our remarks made in the Registrar-General's Detailed Annual Report for last year.

The proportion of deaths throughout the country to every hundred thousand of the inhabitants thereof is 1928, which is slightly less than last year: the proportion among the males alone is 1990, and among the females 1871. This ratio is exceeded in the Principal, and Large Town Districts, that in the remaining districts being below. In the Principal Town Districts, where it is highest, the proportion is 2269 deaths per hundred thousand of their population; in the Mainland-Rural Districts, where it is lowest, but 1522 per hundred thousand.

The deaths attributed to the Miasmatic order of the Zymotic class number 11545, being in the proportion of 308 in every hundred thousand of the population, or 16·0 per cent. of the total specified deaths returned during the year, come under this heading, and which is 2·0 per cent. higher than in 1881. From Tables XXVIII. and XXIX. it is seen that this rate is exceeded in the three Urban Districts; as also that the male population suffered in larger proportion than the female in the Principal, and Large Town Districts; and that in all the districts, excepting those of the Large Towns, the proportion of deaths from Miasmatics to deaths from all causes was higher among females than among males.

In Table XXXII. the number of deaths from the chief Zymotics and some other diseases, and their proportions at five successive periods of life are exhibited. Thus, out of every hundred deaths from Zymotic Diseases, 64·5 are registered as occurring during the first 5 years of life; 10·3 during the next quinquennial period; 3·3 between 10 and 15 years of age; 15·6 between 15 and 60; and 6·3 at ages above this; so that no less than 78·1 per cent. of the total mortality from such diseases throughout Scotland takes place among those under 15 years of age.

Hooping-cough again heads the list, being the cause of 2108 exits; of those 1986 occurred during the first five years of life, 119 between 5 and 10 years, and 3 at ages over this; so that 94·2 per cent. of them occurred within the first five years, and 5·6 per cent. during the next five. Scarlet Fever caused 1583 deaths; 63·1 per cent. of them during infancy, and 27·0 per cent. during the second five years of life. Measles caused 1289 deaths, 1171 or 90·9 per cent. of them registered as during the first five years of life, and 7·3 per cent. during the succeeding quinquennial period. 961 deaths are due to Diphtheria, 874 or 91·0 per cent. of them occurring during the first ten years of life. Croup caused 906 deaths, 777 or 85·8 per cent. between birth and the fifth year of life, and 123, or 13·6 per cent., between 5 and 10 years. Fevers caused 1476 deaths, the highest mortality from them being at ages over 15, when 61·2 per cent. of the whole occurred. Typhoid is now, as usual, the chief cause of this mortality, 1204 deaths being ascribed to it, and of those 14·2 per cent. took place within the first five years of life, 13·6 per cent. between 5 and 10 years, 14·5 per cent. between 10 and 15 years, 52·4 per cent. between 15 and 60, and 5·3 per cent. at ages over 60. Typhus caused 180 deaths, 159, or 88·3 per cent., of them being at ages over 15. Simple Continued Fever caused 90 deaths, and Relapsing Fever 2. To Diarrhoea 1943 deaths are accredited; 1433 or 73·8 per cent. of them during the first five years of life, the next greatest mortality being at ages over 60, when 302 deaths occurred, or 15·5 per cent. Erysipelas is the ascribed cause of 296 deaths

and Syphilis of 244, of whom 217 died under 5 years of age, *i.e.*, 88·9 per cent. of the whole, and 27, or 11·1 per cent., at ages over 15.

Of the whole 12262 Zymotic class, 7906, or 64·5 per cent., died within

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	1928	1990	1871	2269	2386	2162	2030	2101	1962
1. Miasmatic Order .	308	309	308	389	392	387	355	374	338
2. Tubercular Order .	310	310	310	395	407	384	331	334	328
3. Nervous System .	205	217	193	242	265	220	223	236	211
4. Organs of Circulation	137	139	136	146	152	141	146	149	142
5. Respiratory Organs .	346	370	324	464	502	429	349	371	327
6. Organs of Digestion .	120	120	119	128	124	132	126	129	123
7. Urinary Organs . .	41	53	30	42	52	33	37	46	28
8. Generative Organs .	5	1	10	6	1	10	5	1	9
9. Locomotive Organs .	12	14	10	13	17	10	11	12	9
10. Skin, etc.	11	12	10	10	12	9	7	8	7
11. Developmental Dis- eases of Children .	72	84	60	97	114	81	76	90	62
12. Age	122	97	146	72	55	86	115	81	146
13. Atrophy	70	79	61	83	95	72	90	98	82
14. Violent Deaths . .	68	106	33	72	110	38	65	96	36
Small-pox	—	—	—	—	—	—	—	—	—
Measles	34	35	33	46	49	43	46	49	44
Scarlatina	42	44	40	43	44	41	62	73	51
Diphtheria	26	26	25	31	34	28	26	28	24
Croup	24	26	22	26	27	24	34	36	33
Hooping-cough . . .	56	52	60	91	86	96	50	45	55
All FEVERS, viz. . .	39	40	38	41	43	41	43	48	38
Typhus	5	5	4	8	10	7	3	1	4
Enteric	32	33	32	31	31	32	36	42	31
Relapsing	—	—	—	—	—	—	—	—	—
Continued	2	2	2	2	2	2	4	5	3
Erysipelas	8	8	7	9	11	8	9	12	6
Metria	7	—	14	10	—	20	6	—	12
Influenza	2	1	2	1	1	1	2	1	3
Dysentery	3	2	3	2	3	2	2	1	3
DIARRHŒA	52	56	48	72	79	66	59	63	56
Cholera	2	2	2	2	2	1	1	1	1
Rheumatism	8	7	9	8	7	9	8	8	7
Dropsy	10	8	11	8	7	10	13	10	16
Cancer	55	40	69	55	38	72	49	40	59
Scrofula	19	20	17	22	26	19	20	18	22
Tabes Mesenterica . .	28	31	26	40	45	36	30	30	31
PHTHISIS	214	203	224	268	261	273	222	217	227
Hydrocephalus . . .	49	56	43	64	74	54	58	69	47
Apoplexy	53	54	52	57	58	56	62	63	62
Paralysis	53	54	52	54	59	50	56	55	57
Epilepsy	7	8	6	8	9	7	7	7	6
Convulsions	27	30	23	40	46	34	31	34	29
BRONCHITIS	206	206	207	270	268	271	222	226	218
Pneumonia	89	106	74	134	163	106	75	82	68
Enteritis	27	28	25	30	32	29	28	31	25
All Liver Diseases . .	28	27	29	30	29	32	30	23	36
Teething	18	20	16	25	29	23	22	27	17
CHILDBIRTH	11	—	20	10	—	20	10	—	20
Fracture & Contusion	28	46	10	30	50	12	29	46	13
Burns and Scalds . .	6	7	6	7	7	7	7	7	6
Drowning	17	30	5	11	20	3	15	27	4

the first five years of life; 1264, or 10·3 per cent., between 5 and 10 years; 402, or 3·3 per cent., between 10 and 15 years; 1915, or 15·6 per cent., between 15 and 60; and 775, or 6·3 per cent., at ages over 60.

Hundred Thousand Persons of the Population in 1882, allowing for Causes not Specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SMALL TOWN DISTRICTS.			MAINLAND-RURAL DISTRICTS.			INSULAR-RURAL DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . . .	1841	1892	1793	1522	1531	1513	1549	1557	1542
1. Miasmatic Order . .	309	307	310	194	190	199	144	132	156
2. Tubercular Order . .	297	286	308	204	198	210	208	208	207
3. Nervous System . . .	199	209	189	163	162	163	103	119	90
4. Organs of Circulation .	136	139	134	130	124	135	88	91	82
5. Respiratory Organs . .	299	325	275	230	241	220	225	219	229
6. Organs of Digestion . .	118	121	116	110	114	107	102	117	90
7. Urinary Organs . . .	41	54	30	42	59	26	33	44	23
8. Generative Organs . .	5	2	8	6	—	11	2	—	3
9. Locomotive Organs . .	12	12	11	9	11	7	8	5	11
10. Skin, etc.	12	13	12	11	13	10	7	2	11
11. Developmental Dis- eases of Children . . .	67	82	52	44	48	40	19	27	12
12. Age	109	79	137	175	146	203	415	369	455
13. Atrophy	69	78	61	48	55	40	29	35	25
14. Violent Deaths . . .	70	115	28	64	98	31	68	113	30
Small-pox	—	—	—	—	—	—	—	—	—
Measles	32	30	33	17	17	17	21	25	17
Scarlatina	63	65	62	22	21	22	3	4	3
Diphtheria	24	25	23	22	19	24	5	4	6
Croup	26	30	22	18	20	15	18	22	14
Whooping-cough	39	33	44	26	24	28	26	24	28
All FEVERS, viz.	46	45	47	31	32	30	20	11	28
Typhus	4	4	3	1	1	1	2	4	2
Enteric	39	37	40	28	30	26	16	7	23
Relapsing	—	—	—	—	—	—	—	—	—
Continued	3	4	3	2	1	3	2	—	3
Erysipelas	6	7	6	6	5	7	7	5	8
Metria	5	—	10	4	—	7	6	—	11
Influenza	2	2	2	2	2	1	12	9	14
Dysentery	3	2	4	3	2	4	3	5	2
DIARRHŒA	48	53	44	28	30	25	11	11	11
Cholera	3	4	2	2	2	2	—	—	—
Rheumatism	6	5	6	10	8	12	7	4	9
Dropsy	7	7	6	9	8	11	30	20	39
Cancer	57	39	73	56	44	68	39	44	34
Scrofula	20	21	19	12	13	11	17	20	14
Tabes Mesenterica . . .	27	30	24	14	15	14	5	2	8
PHTHISIS	202	180	222	149	141	157	172	170	174
Hydrocephalus	49	56	43	28	29	28	13	16	11
Apoplexy	55	56	55	45	46	44	23	22	23
Paralysis	57	57	56	50	46	53	36	40	33
Epilepsy	7	9	6	5	3	5	4	5	3
Convulsions	20	21	19	14	17	12	7	11	3
BRONCHITIS	186	192	180	137	134	140	107	97	116
Pneumonia	66	77	56	57	65	49	41	46	36
Enteritis	29	33	25	20	20	20	13	18	8
All Liver Diseases . . .	26	25	26	26	26	25	24	33	16
Teething	12	14	11	12	12	11	7	4	9
CHILDBIRTH	12	—	23	9	—	18	18	—	34
Fracture & Contusion . .	28	50	8	25	42	9	11	15	8
Burns and Scalds . . .	6	9	3	5	5	6	8	4	11
Drowning	22	38	6	19	32	6	42	84	6

For every hundred thousand of the population living in the Principal Town Districts, 389 deaths took place from diseases of a Miasmatic nature; in the Large Town Districts the proportion was 355; in the Small Town

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Miasmatic Order . .	1600	1551	1648	1716	1643	1789	1751	1781	1721
2. Tubercular Order . .	1609	1559	1658	1740	1705	1774	1631	1592	1671
3. Nervous System . .	1062	1092	1033	1065	1112	1018	1099	1122	1076
4. Organs of Circulation .	713	701	726	644	637	651	717	711	723
5. Respiratory Organs .	1797	1862	1733	2045	2105	1985	1719	1769	1668
6. Organs of Digestion .	622	606	639	564	518	609	620	614	625
7. Urinary Organs . .	213	268	159	185	218	153	180	219	141
8. Generative Organs . .	28	4	52	26	4	47	24	2	45
9. Locomotive Organs .	60	69	52	60	72	47	54	60	48
10. Skin, etc.	55	59	52	46	50	42	39	40	38
11. Developmental Dis- eases of Children .	372	421	320	427	480	375	373	430	315
12. Age	635	490	779	316	233	400	564	388	743
13. Atrophy	361	397	325	365	397	333	444	463	421
14. Violent Deaths . .	355	534	179	318	460	175	322	458	184
Small-pox	—	—	—	—	1	—	1	—	2
Measles	178	179	178	202	206	199	229	231	227
Scarlatina	219	223	216	189	187	191	304	346	262
Diphtheria	133	133	133	137	143	131	126	132	121
Croup	125	133	118	113	112	113	169	171	166
Whooping-cough . .	292	260	324	403	361	444	247	214	280
All FEVERS, viz. . .	204	202	207	187	182	192	212	229	194
Typhus	25	27	23	39	43	34	14	8	20
Enteric	167	164	170	140	131	149	179	199	159
Relapsing	—	—	—	—	1	—	—	—	—
Continued	12	11	14	8	7	9	19	22	15
Erysipelas	41	42	40	42	45	39	45	57	33
Metria	37	—	73	47	—	94	31	—	63
Influenza	9	8	10	4	2	5	11	8	15
Dysentery	15	13	16	12	13	10	11	8	15
DIARRHŒA	269	283	256	317	330	304	293	298	287
Cholera	10	12	9	8	8	7	5	5	5
Rheumatism	43	36	49	37	31	43	38	37	38
Dropsy	50	40	59	38	30	46	65	50	81
Cancer	285	202	367	247	159	334	244	189	300
Scrofula	97	102	92	99	110	89	100	87	113
Tabes Mesenterica . .	147	154	140	178	189	168	150	144	156
PHTHISIS	1110	1022	1197	1180	1095	1265	1095	1032	1159
Hydrocephalus . . .	254	280	229	282	312	252	285	328	242
Apoplexy	275	270	280	252	243	260	307	298	315
Paralysis	276	273	280	240	250	231	278	263	292
Epilepsy	36	39	32	34	38	31	34	35	33
Convulsions	139	153	125	176	195	156	154	162	146
BRONCHITIS	1069	1033	1104	1189	1125	1252	1094	1077	1111
Pneumonia	463	531	396	587	683	491	369	393	345
Enteritis	138	144	132	135	135	135	136	147	126
All Liver Diseases .	146	137	154	136	123	148	149	112	186
Teething	94	102	86	114	124	105	106	127	86
CHILDBIRTH	56	—	111	47	—	93	50	—	101
Fracture & Contusion .	144	233	56	134	211	57	145	221	68
Burns and Scalds . .	33	34	32	31	31	32	32	32	33
Drowning	88	151	26	49	85	14	75	129	20

Districts it was 309; in the Mainland-Rural Districts it was 194; and in the Insular-Rural Districts but 144 per hundred thousand.

Tables XXX, and XXXI. afford similar information as to the Principal

Diseases to the Total Deaths from Specified Causes in 1882.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWN DISTRICTS.			MAINLAND-RURAL DISTRICTS.			INSULAR-RURAL DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Miasmatic Order . .	1676	1624	1728	1277	1241	1313	932	845	1009
2. Tubercular Order . .	1614	1510	1716	1342	1295	1388	1342	1338	1345
3. Nervous System . .	1080	1105	1055	1069	1058	1080	665	762	581
4. Organs of Circulation .	742	737	747	853	813	892	567	587	530
5. Respiratory Organs .	1626	1720	1533	1514	1574	1456	1451	1408	1488
6. Organs of Digestion .	643	639	647	725	742	709	660	751	581
7. Urinary Organs . .	224	284	166	279	386	174	213	282	153
8. Generative Organs .	27	8	46	38	1	74	11	-	20
9. Locomotive Organs .	65	66	63	61	73	50	54	35	71
10. Skin, etc.	67	69	65	75	84	67	44	12	71
11. Developmental Dis- eases of Children .	362	434	290	291	316	267	125	176	81
12. Age	593	418	765	1150	957	1339	2684	2371	2956
13. Atrophy	376	414	339	314	362	267	191	223	163
14. Violent Deaths . .	379	610	154	421	639	207	442	728	194
Small-pox	-	-	-	-	-	-	-	-	-
Measles	174	161	186	110	109	111	136	164	112
Scarlatina	344	343	344	143	140	146	22	23	20
Diphtheria	132	132	131	143	124	161	33	23	41
Croup	141	159	123	117	132	102	114	141	90
Hooping-cough	211	176	244	172	157	186	169	152	183
All FEVERS, viz. . . .	250	237	262	203	212	194	131	70	183
Typhus	19	19	19	7	9	5	16	23	10
Enteric	212	199	224	183	195	171	104	47	153
Relapsing	1	-	1	-	-	-	-	-	-
Continued	18	19	18	13	8	18	11	-	20
Erysipelas	35	36	35	41	35	47	44	35	51
Metria	29	-	58	25	-	50	38	-	71
Influenza	9	8	9	12	15	9	76	59	90
Dysentery	15	8	23	21	16	26	22	35	10
DIARRHŒA	263	280	246	184	199	169	71	70	71
Cholera	18	22	13	12	13	12	-	-	-
Rheumatism	32	29	35	68	56	80	44	23	61
Dropsy	36	36	36	63	52	73	196	129	255
Cancer	309	208	408	369	285	450	251	282	224
Scrofula	107	109	105	79	85	73	109	129	90
Tabes Mesenterica . .	145	157	132	93	96	90	33	12	51
PHTHISIS	1096	949	1240	982	924	1040	1113	1091	1131
Hydrocephalus	266	295	238	187	189	184	87	106	71
Apoplexy	302	296	307	298	303	294	147	141	153
Paralysis	308	302	315	328	302	353	234	258	214
Epilepsy	40	48	32	36	36	37	27	35	20
Convulsions	108	109	107	95	111	80	44	70	20
BRONCHITIS	1009	1012	1006	902	878	926	693	622	754
Pneumonia	358	407	311	373	424	322	262	293	234
Enteritis	157	174	140	133	133	133	82	117	51
All Liver Diseases . .	140	135	146	169	173	165	153	211	102
Teething	67	73	61	77	80	74	44	23	61
CHILDBIRTH	65	-	130	61	-	122	120	-	224
Fracture & Contusion .	152	263	43	167	273	63	71	94	51
Burns and Scalds . .	33	48	19	36	31	40	49	23	71
Drowning	119	203	36	126	212	42	273	540	41

Towns. Thus, we find in Perth persons in the proportion of 465 for every hundred thousand of an estimated population succumbing to Miasmatic Diseases, of which proportion 90 were due to Measles, 86 to Hooping-cough, 153 to Fevers (150 being Typhoid), and 83 to Diarrhœa and Dysentery.

In Glasgow the proportion of deaths in every hundred thousand of its population from the same order of disease is 461, of which 139 are due to Hooping-cough, 53 to Scarlet Fever, 44 to Measles, 42 to Fevers (34 being Typhoid, and 6 Typhus), 76 being due to Diarrhœa and Dysentery combined.

In Paisley the mortality, as above, is 455 per hundred thousand of an estimated population, of which 134 are from Scarlet Fever, 64 from Measles, 47 from Fevers (42 being Typhoid), 34 from Hooping-cough, and 73 from Diarrhœa and Dysentery.

In Glasgow Landward and Suburban the proportion is 391 per hundred thousand of population, of which 100 are due to Hooping-cough, 46 to Fevers (9 Typhus and 35 Typhoid), 42 to Diphtheria, 35 to Measles, 33 to Scarlet Fever, 67 being due to Diarrhœa and Dysentery.

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in the Principal Towns of Scotland during the Year 1882, allowing for Causes not Specified.

DISEASES.	Proportion of DEATHS to every 100,000 Persons living.									
	Glasgow.	Edinburgh.	Dundee.	Aberden.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.	Glasgow Landward & Suburban.
TOTAL DEATHS.	2538	1962	2100	2026	2255	1858	2569	2350	1958	2147
Miasmatic Diseases .	461	293	357	334	300	324	455	465	375	391
Tubercular Diseases .	468	322	354	294	348	328	425	289	352	413
Brain, etc., Diseases .	245	201	217	255	277	178	279	273	214	248
Heart, etc., Diseases .	145	219	140	144	159	155	134	193	130	93
Respiratory Organs .	559	377	475	359	452	336	462	449	329	414
Organs of Digestion .	150	117	89	122	132	114	129	113	88	120
Developmental										
Disease of Children	102	84	85	110	78	89	202	96	115	75
Old Age	52	67	79	83	67	60	124	56	77	88
Violent Deaths . . .	83	64	74	42	129	63	62	73	61	52
Small-pox	—	0·4	—	1	—	—	—	—	—	—
Measles	44	40	69	50	7	49	64	90	42	35
SCARLATINA	53	39	21	26	23	54	134	3	—	33
Diphtheria	38	17	24	11	55	21	21	—	38	42
Croup	32	19	14	21	43	27	26	17	11	23
HOOPING-COUGH . . .	139	51	52	98	70	17	34	86	19	100
FEVERS, viz.	42	44	23	28	25	57	47	153	34	46
Typhus	6	6	9	14	8	43	2	—	8	9
Enteric	34	36	14	12	17	13	42	150	19	35
Relapsing	00·2	—	—	—	—	—	—	—	—	—
Continued	2	2	—	2	—	1	3	3	8	2
Dysentery	3	2	1	1	—	3	9	7	15	1
DIARRHŒA	73	47	122	56	54	57	64	76	180	66
Cholera	2	—	—	—	1	5	—	7	4	3
Rheumatism	7	8	13	9	7	6	12	7	8	8
Dropsy	11	7	7	7	20	6	7	3	—	7
Cancer	49	83	43	74	57	49	62	40	57	40
PHTHISIS	311	226	268	219	237	205	271	179	218	268
Apoplexy	60	55	60	41	61	26	64	73	73	53
Paralysis	47	35	63	69	48	60	102	76	50	55
BRONCHITIS	319	217	301	232	229	174	310	233	264	225
Pneumonia	159	110	130	80	142	122	110	186	42	131
Teething	29	18	13	26	18	19	115	20	11	19

In Kilmarnock 375 per hundred thousand succumbed from the same, 42 being from Measles, 38 from Diphtheria, 34 from Fevers (8 Typhus, 19 Typhoid), 19 from Hooping-cough, and 195 from Diarrhœa and Dysentery.

In Dundee the proportion is 357 per hundred thousand, of which 69 are from Measles, 52 from Hooping-cough, 24 from Diphtheria, 21 from Scarlet Fever, 23 from Fevers (9 being Typhus, 14 Typhoid), and 123 from Diarrhœa and Dysentery.

In Aberdeen 334 in every hundred thousand died from like causes, in the proportion of 98 from Hooping-cough, 50 from Measles, 26 from Scarlet Fever, 28 from Fevers (14 Typhus, 12 Typhoid), and 57 from Diarrhœa and Dysentery.

In Leith 324 is the proportion, 54 of them from Scarlet Fever, 49 from Measles, 57 from Fevers (43 Typhus, 13 Typhoid), 21 from Diphtheria, and 60 from Diarrhœa and Dysentery.

In Greenock the deaths from Miasmatic Diseases are in the ratio of 300 to every hundred thousand of population, 55 being from Diphtheria, 70 from Hooping-cough, 23 from Scarlet Fever, 25 from Fevers (8 Typhus, 17 Typhoid), and 54 from Diarrhœa.

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in the Principal Towns of Scotland, during the Year 1882.

DISEASES.	Proportion of DEATHS in every 10,000 Specified Causes of Death.									
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.	Glasgow Landward & Suburban.
Miasmatic Diseases . . .	1817	1493	1698	1647	1331	1742	1770	1980	1918	1821
Tubercular Diseases . . .	1844	1642	1688	1453	1546	1768	1653	1231	1800	1922
Brain Diseases . . .	967	1026	1033	1260	1230	956	1088	1160	1096	1156
Heart, etc., Diseases . . .	572	1118	669	711	706	837	523	820	665	432
Respiratory Organs . . .	2202	1923	2262	1772	2006	1810	1797	1909	1683	1929
Organs of Digestion . . .	591	598	426	604	587	615	503	481	450	560
Developmental Diseases of Children	402	430	406	544	347	478	785	410	587	348
Old Age . . .	205	342	377	411	296	324	482	240	391	410
Violent Deaths . . .	328	329	354	208	574	341	241	311	313	240
Small-pox . . .	—	2	—	5	—	—	—	—	—	—
Measles . . .	175	206	331	249	31	265	255	382	215	164
SCARLATINA . . .	210	197	102	129	101	290	523	14	—	155
Diphtheria . . .	150	88	115	55	246	111	82	—	196	196
Croup . . .	127	99	65	106	189	145	103	71	59	108
HOOPING-COUGH . . .	548	261	249	484	309	94	131	368	98	466
FEVERS, viz. . . .	168	228	111	138	113	307	186	651	176	213
Typhus . . .	24	33	42	69	38	230	7	—	39	42
Enteric . . .	135	184	69	60	75	68	165	637	98	164
Relapsing . . .	1	—	—	—	—	—	—	—	—	—
Continued . . .	8	11	—	9	—	9	14	14	39	7
Dysentery . . .	11	11	6	5	—	17	34	28	78	5
DIARRHŒA . . .	286	241	580	277	240	307	248	325	920	307
Cholera . . .	9	—	—	—	6	26	—	28	19	14
Rheumatism . . .	28	39	62	46	31	34	48	28	39	39
Dropsy . . .	42	35	33	37	88	34	27	14	—	32
Cancer . . .	195	425	206	364	252	265	241	170	293	186
PHTHISIS . . .	1226	1153	1279	1080	1054	1102	1054	764	1115	1247
Apoplexy . . .	235	283	288	203	271	196	255	311	372	248
Paralysis . . .	185	177	302	341	214	324	399	325	254	258
BRONCHITIS . . .	1257	1107	1433	1144	1016	939	1205	990	1350	1048
Pneumonia . . .	627	561	620	397	631	657	427	792	215	609
Teething . . .	113	92	62	129	82	102	447	85	59	91

In Edinburgh the proportion of deaths of this nature is lowest, viz., 293 in every hundred thousand of its estimated population, 57 being from Hooping-cough, 40 from Measles, 17 from Diphtheria, 39 from Scarlet Fever, 44 from Fevers (6 Typhus, 36 Typhoid), and 49 from Diarrhœa and Dysentery.

On looking back through the Detailed Annual Reports for a series of years, and comparing the proportionate mortality from the chief Miasmatics during the decennial period 1862-71 with that of 1872-81, in the Principal Towns of Scotland, we find considerable changes have occurred, and usually for the better. Thus, in Glasgow, the mean annual proportion of deaths during the ten years 1862-71, in each hundred thousand of its population, from Measles, is 95; during the decennial period 1872-81 it has fallen to 62; Scarlet Fever has declined from 135, the mean of the first series of years, to 100, that of the second; Diphtheria has risen slightly from 27 to 28; and Hooping-cough has fallen from 142 to 130. In the case of Fevers we can only discriminate between Typhus and Typhoid since the year 1865, when they were separated in the classification of diseases, but taking the mean of the 7 years 1865-71, we find the mortality rate for Typhus to be 143, as compared with 16, the mean for the ten years 1872-81; and for Typhoid 42, as compared with 43 for the same space of time.

In Edinburgh, for the like periods, the proportional mortality per each hundred thousand of its estimated inhabitants, is, in the case of Measles, 56 for the earlier period, as against 38 for the latter; in that of Scarlet Fever it is 103, as against 98; in that of Diphtheria it is 37, compared with 24; in that of Hooping-cough 84, compared with 69. The mean annual of the same seven years, as above, is, for Typhus 65, compared with 20; and that of Typhoid 39, as compared with 30.

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1882.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PERCENTAGE AT EACH AGE.					
	0-5 years.	5-10.	10-15.	15-60.	Above 60.	Total.	0-5.	5-10	10-15	15-60	Above 60.	Total.
Small-pox	—	—	—	3	—	3	0·0	0·0	0·0	100·0	0·0	100
Measles	1171	94	7	16	1	1289	90·0	7·3	0·5	1·2	0·1	100
Scarlatina	998	428	90	64	3	1583	63·1	27·0	5·7	4·0	0·2	100
Diphtheria	653	221	47	35	5	961	68·0	23·0	4·9	3·6	0·5	100
Croup	777	123	4	2	—	906	85·8	13·6	0·4	0·2	0·0	100
Hooping-cough . .	1986	119	1	1	1	2108	94·2	5·6	0·1	0·1	0·0	100
All Fevers, viz. . .	197	183	192	811	93	1476	13·4	12·4	13·0	54·9	6·3	100
Typhus	5	9	7	147	12	180	2·8	5·0	3·9	81·7	6·6	100
Enteric	171	163	175	631	64	1204	14·2	13·6	14·5	52·4	5·3	100
Relapsing	—	—	—	2	—	2	0·0	0·0	0·0	100·0	0·0	100
Simple Continued	21	11	10	31	17	90	23·3	12·2	11·1	34·5	18·9	100
Dysentery	29	1	—	25	51	106	27·4	0·9	0·0	23·6	48·1	100
Diarrhœa	1433	36	18	154	302	1943	73·8	1·9	0·9	7·9	15·5	100
Cholera	49	2	1	12	10	74	66·2	2·7	1·4	16·2	13·5	100
Erysipelas	97	10	7	104	78	296	32·8	3·4	2·4	35·1	26·3	100
Syphilis	217	—	—	24	3	244	88·9	0·0	0·0	9·8	1·3	100
All Zymotics . . .	7906	1264	402	1915	775	12262	64·5	10·3	3·3	15·6	6·3	100
All other Diseases, } exclud'g Zymotics }	18642	2075	1376	20699	17935	60727	30·7	3·4	2·3	34·1	29·5	100
Total Deaths . . .	26548	3339	1778	22614	18710	72989	36·4	4·6	2·4	31·0	25·6	100

In Dundee we find the proportion of deaths from Measles to have fallen from 75 to 44 for each hundred thousand of its population when the two decennial periods are compared; that of Scarlet Fever has fallen from 164 to 98; in the case of Diphtheria, however, it has increased from 22 to 30; while the mean ratio of Hooping-cough has decreased from 123 to 81. Typhus, as before, has declined from 107 to 21; Typhoid from 35 to 26.

In Aberdeen the mean annual mortality rate has, in the case of Measles, fallen from 60 to 33 per each hundred thousand of estimated population; in that of Scarlet Fever from 74 to 76. That of Diphtheria has risen from 25 to 29; while in the case of Hooping-cough it remains nearly the same, 64 compared with 63. Typhus has fallen from 61 to 20, and Typhoid from 42 to 29, when the same periods as before are put in comparison.

In Greenock the mean, in the case of Measles, has declined from 105 to 41, when the periods 1862-71 and 1872-81 are compared; as also has Scarlet Fever from 146 to 85. Diphtheria, on the other hand, has risen from 26 to 41; while Hooping-cough has fallen from 133 to 83; and Typhus from 159 to 26; Typhoid, again, having risen

TABLE XXXIII.—Number and Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PERCENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotic Deaths.	All other Diseases.
0—5	26,548	7,906	18,642	29·78	70·22
5—10	3,339	1,264	2,075	37·86	62·14
10—15	1,778	402	1,376	22·61	77·39
15—60	22,614	1,915	20,699	8·47	91·53
Above 60	18,710	775	17,935	4·14	95·86
0—15	31,665	9,572	22,093	30·23	69·77
15 and upwards	41,324	2,690	38,634	6·51	93·49

TABLE XXXIV.—Small-pox Deaths in Scotland.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,309	1869	64
1856	1,306	1870	114
1857	845	1871	1,442
1858	332	1872	2,448
1859	632	1873	1,126
1860	1,495	1874	1,246
1861	766	1875	76
1862	426	1876	39
1863	1,648	1877	38
1864	1,741	1878	4
1865	383	1879	8
1866	200	1880	10
1867	100	1881	19
1868	15	1882	3

from 29 to 41 per hundred thousand of the estimated number of inhabitants.

In Leith, as in the other towns, we find the proportional yearly mortality from Measles has declined from 57 to 36; that of Scarlet Fever from 126 to 121; that of Diphtheria from 31 to 19; while in the case of Hooping-cough, however, we find an increase from 49 to 61. Typhus has fallen from 53 to 28, and Typhoid from 41 to 34 per hundred thousand of population.

In Paisley the decline of the mean mortality of the ten years 1862-71, as compared with that of 1872-81, is, in the case of Measles, from 72 to 47; in that of Scarlet Fever from 124 to 119, Diphtheria remaining almost the same, 18 and 19 respectively; while Hooping-cough has fallen from 98 to 92; Typhus, for the same periods as before, falling from 141 to 25; while Typhoid has slightly increased from a mean of 36 to that of 38.

Lastly, in Perth, the proportionate death-rate has, in the case of Measles, declined from 40 to 19, and that of Scarlet Fever from 135 to 63. Diphtheria rises from 18 to 21, and Hooping-cough falls from 84 to 54; as also does Typhus from 71 to 26, Typhoid, on the other hand, rising from 21 to 27 for each hundred thousand of the estimated yearly population of the city.

From Small-pox but three deaths occurred throughout Scotland during 1882, the year under review, one, a man *æt.* 25, in Edinburgh, during March; one, a fisherman, on board of a French lugger, *æt.* 28, in Aberdeen, during July; and one, a female, *æt.* 30, in Ayr, during May. Tables XXXII., XXXIV., XXXV., and XXXVI., refer more especially to the incidence of this disease in Scotland.

TABLE XXXV.—Vaccinations in Scotland, 1872-82, and Proportion to the Births each Year.

Years.		Success-fully Vaccinated.	Vaccination Post-poned.	Insusceptible of Vaccination—			Died before Vaccination.	Removed from District before Vaccination, or otherwise un-accounted for.	TOTAL BIRTHS.
				From Constitutional Insuscep-tibility.	From having had Small-pox	From previous Vaccination.			
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
1874	Numbers .	108022	1229	206	33	205	11288	2878	123861
1875	Numbers .	108096	1211	190	1	252	11326	2575	123651
1876	Numbers .	111815	1034	177	5	348	10760	2567	126706
1877	Numbers .	112229	1304	180	4	480	10374	2329	126900
1878	Numbers .	111694	1196	190	3	406	10905	2460	126854
1879	Numbers .	111469	1290	180	3	349	9999	2492	125782
1880	Numbers .	109381	1404	155	0	359	11016	2359	124674
1881	Numbers .	111008	1586	150	0	352	10587	2594	126277
10 Years.	Average .	109379	1218	177	15	324	10711	2523	124347
1882	Numbers .	110263	1713	192	4	280	11073	2637	126162
1872	Percentage	88.183	0.682	0.155	0.054	0.271	8.679	1.976	100.000
1873	Percentage	87.786	0.930	0.135	0.033	0.136	8.786	2.194	100.000
1874	Percentage	87.213	0.992	0.166	0.027	0.165	9.114	2.323	100.000
1875	Percentage	87.420	0.979	0.154	0.001	0.204	9.160	2.082	100.000
1876	Percentage	88.248	0.816	0.140	0.003	0.275	8.492	2.025	100.000
1877	Percentage	88.438	1.028	0.141	0.003	0.378	8.175	1.835	100.000
1878	Percentage	88.049	0.943	0.150	0.003	0.320	8.596	1.939	100.000
1879	Percentage	88.621	1.026	0.143	0.003	0.277	7.949	1.981	100.000
1880	Percentage	87.734	1.126	0.124	0.000	0.288	8.836	1.892	100.000
1881	Percentage	87.908	1.256	0.119	0.000	0.279	8.384	2.054	100.000
10 Y.	Percentage	87.960	0.978	0.143	0.013	0.259	8.617	2.030	100.000
1882	Percentage	87.399	1.358	0.152	0.003	0.222	8.776	2.090	100.000

Measles caused 1289 deaths throughout the country during the year, being at the rate of 34 deaths in every hundred thousand of the population of Scotland; 1171, or 90·9 per cent., of these occurred during the first five years of life, and of the total, 641 were males and 648 females. This disease was most fatal in the Large Town Districts, where 2·29 per cent. of all the specified deaths are ascribed to it. Scarlet Fever caused 1583 deaths, males 799, females 784, equivalent to a mortality of 42 in every hundred thousand of the population; 1426, or 90·1 per cent. of the whole occurred during the first ten years of life, and it was in the Small Town Districts it told most heavily as a cause of death, 3·44 per cent. of all the specified deaths being there due to it; the percentage in the Large Town Districts being almost as high, viz., 3·04. Diphtheria is accredited with 961 deaths, 476 males and 485 females, equivalent to a death-rate of 26 per hundred thousand of population; 874, or 91·0 per cent., of these occurred during the first ten years of life. The Principal, and Small Town Districts suffered most, in the former 1·37 per cent., and in the latter 1·32 per cent. of all the Specified deaths being due to it. Croup caused 906 deaths, 478 males and 428 females, in the proportion of 24 deaths in every hundred thousand of population; 777 of the whole, or 85·8 per cent., died during the first five years of life. The percentage of deaths from this disease among the Specified causes was 1·69 in the Large Town Districts, and 1·41 in the Small Town Districts, that for the whole country being 1·25. Hooping-cough caused 2108 deaths, males 933, females 1175, or equal to 56 deaths in every hundred thousand of

TABLE XXXVI.—Vaccinations in Scotland, 1872-1882, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
1874	Numbers .	108022	1229	206	33	205	2878	112573
1875	Numbers .	108096	1211	190	1	252	2575	112325
1876	Numbers .	111815	1034	177	5	348	2567	115946
1877	Numbers .	112229	1304	180	4	480	2329	116526
1878	Numbers .	111694	1196	190	3	406	2460	115949
1879	Numbers .	111469	1290	180	3	349	2492	115783
1880	Numbers .	109381	1404	155	0	359	2359	113658
1881	Numbers .	111008	1586	150	0	352	2594	115690
10 Years.	Average .	109379	1218	177	15	324	2523	113636
1882	Numbers .	110263	1713	192	4	280	2637	115089
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·243	1·018	0·148	0·036	0·149	2·406	100·000
1874	Percentage	95·958	1·092	0·183	0·029	0·182	2·556	100·000
1875	Percentage	96·235	1·078	0·169	0·001	0·224	2·293	100·000
1876	Percentage	96·437	0·892	0·153	0·004	0·300	2·214	100·000
1877	Percentage	96·312	1·119	0·154	0·003	0·411	1·999	100·000
1878	Percentage	96·330	1·031	0·164	0·003	0·350	2·122	100·000
1879	Percentage	96·274	1·114	0·156	0·003	0·301	2·152	100·000
1880	Percentage	96·237	1·235	0·136	0·000	0·316	2·076	100·000
1881	Percentage	95·953	1·371	0·130	0·000	0·304	2·242	100·000
10 Years.	Percentage	96·255	1·070	0·156	0·014	0·283	2·222	100·000
1882	Percentage	95·807	1·488	0·167	0·004	0·243	2·291	100·000

the inhabitants ; 1986 or 94·2 per cent. of them died during the first five years of life, one death occurring from it in a man between 75 and 80 years of age. The Principal Town Districts suffered most, as 4·03 per cent. of the whole specified deaths registered in them are due to this disease ; the Large Town Districts coming next with 2·47 per cent.

Fevers are the cause of 1476 exits, 725 males and 751 females, equivalent to a death-rate of 39 per hundred thousand population. As usual the heaviest mortality, 54·9 per cent. of the whole, occurs between the ages of 15 and 60. It is in the Small Town Districts we find them to have been most prevalent, being there the cause of 2·50 per cent. of all the Specified deaths ; the Mainland-Rural Districts standing next with 2·03 per cent. Typhus caused 180 deaths, males 97, females 83 ; Typhoid, 1204, males 587, females 617 ; Relapsing Fever 2, and Continued Fever 90. Typhoid or Enteric caused 631 of its total deaths at ages between 15 and 60, being most severe in the Small Town Districts, when 2·12 per cent. of all specified deaths occurred from it ; and in the Mainland-Rural Districts, where the percentage is 1·83. Typhus was most prevalent in the Principal Town Districts.

Diarrhœa is the cause of 1943 deaths, males 1015, females 928, in the proportion of 52 deaths in every hundred thousand of population. Of the whole 1433, or 73·8 per cent., occurred during the first five years of life. The Principal and Large Town Districts suffered most in this way, as in

TABLE XXXVII.—Deaths from Fever in 1882.

FEVERS.	RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage to Total Fever Deaths.
Typhus . . .	14	4·22	166	14·51
Enteric . . .	296	89·16	903	79·37
Relapsing . . .	0	0·00	2	0·18
Simple Continued . .	22	6·62	68	5·94
ALL FEVERS . . .	332	100·00	1144	100·00

TABLE XXXVIII.—Monthly Deaths from Fever in Eight of the Principal Towns of Scotland during the Ten Years 1873–1882 ; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January .	582	213	320	July .	454	146	266
February .	522	162	292	August .	457	128	292
March .	512	177	293	September .	524	134	353
April .	529	167	305	October .	598	129	417
May .	589	177	361	November .	586	166	374
June .	535	157	326	December .	629	191	376

the former 72, and in the latter 59, in every hundred thousand of their populations 20 succumbed; while in the Insular-Rural Districts the proportion was but 11.

To Cancer 2056 deaths are ascribed, 724 males and 1332 females, or a mortality rate equal to 55 (males 40, females 69), in every hundred thousand of the inhabitants collectively and separately. In the Mainland-Rural Districts 3·69 per cent. of all specified deaths are placed to Cancer, and in the Small Town Districts 3·09 per cent. As to the incidence of this disease in the Principal Towns, Edinburgh is pre-eminently marked as having a high death-rate from it, 4·25 per cent. of all the specified deaths there occurring, being from one or other form of this malignant condition. Next comes Aberdeen with 3·64 per cent.; followed by Kilmarnock with 2·93 per cent.; Leith coming next with 2·65 per cent.; Greenock with 2·52 per cent.; Paisley with 2·41 per cent.; Dundee with 2·06 per cent.; Glasgow with 1·95 per cent.; Glasgow Landward and Suburban with 1·86 per cent.; Perth bringing up the rear with but 1·70 per cent. Dropsy is returned as the cause of death in 361 cases, males 145, females 216, equal to 10 exits in every hundred thousand of the population, which is the same as last year.

Diseases of a tubercular nature caused 11608 deaths, males 5592, females 6016, in the proportion of 310 deaths in every hundred thousand of the population, or 16·09 per cent. of all the specified deaths registered throughout the country are included under this heading. The Principal Town Districts show the highest rate per total specified deaths, viz., 17·40 per cent.; the large Town Districts being next with 16·31 per cent.; followed by the Small Town Districts with 16·14 per cent.; the two Rural Districts having the same, each with 13·42 per cent.

Consumption, or Phthisis, causes the highest mortality among diseases of this class, 8012 deaths being due to it, in the persons of 3668 males, and 4344 females, which is equal to a mortality rate of 214 per hundred thousand of population, 5734 of these (2513 males and 3221 females) succumbed between the ages of 10 and 40. The largest ratio of deaths from this occurred in the Principal Town Districts, where 11·80 per cent. of the total specified deaths are due to it. Next come the Insular-Rural Districts with 11·13 per cent., followed by the Small Town Districts with 10·96 per cent.; and the Large Town Districts with 10·95 per cent., the

TABLE XXXIX.—The Twenty-one most fatal Diseases in Scotland in 1882, arranged in the order of their fatality.

DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Phthisis	214	Hydrocephalus	49
Bronchitis	206	Scarlatina	42
Organs of Circulation	137	Measles	34
Age	122	Enteric Fever	32
Pneumonia	89	Tabes Mesenterica	28
Atrophy	70	Liver Diseases	23
Hooping-cough	56	Fractures and Contusions	23
Cancer	55	Convulsions	27
Apoplexy	53	Enteritis	27
Paralysis	53	Diphtheria	26
Diarrhoea	52		

Mainland-Rural showing the lowest percentage, viz., 9·82. On looking to the Principal Towns, we find that in Dundee 12·79 per cent. of the total specified deaths are due to Phthisis; Glasgow Landward and Suburban comes next with 12·47 per cent.; followed by Glasgow with 12·26 per cent.; next Edinburgh with 11·53 per cent.; Kilmarnock with 11·15 per cent.; Leith with 11·02 per cent.; Aberdeen with 10·80 per cent.; Greenock and Paisley having exactly the same, 10·54 per cent.; Perth showing to greatest advantage with 7·64 per cent. Hydrocephalus is the cause of 1835 exits, males 1004, females 831, at the rate of 49 per hundred thousand of population, being most heavy in the Large, and Principal Town Districts, where 2·85 per cent. and 2·82 per cent. of the specified deaths are thus accounted for. Tabes Mesenterica causes 1060 deaths, 552 males, 508 females, being also most numerous in the Principal, and Large Town Districts, least so in the Insular-Rural.

To Diseases of the Brain and Nervous System 7667 deaths are attributed, in the proportion of 205 in every hundred thousand of the estimated population; in other words 10·62 per cent. of all deaths due to specified causes come under this denomination; the males number 3918 and the females 3749. The ratio of such deaths to the total specified deaths does not vary much in four of the five districts into which Scotland is divided, but the fifth, the Insular-Rural, is considerably below the others, being 6·66 per cent., as against 10·99 per cent. in the Large Town Districts.

Of the various Diseases under this heading, Apoplexy and Paralysis account for the greater number of exits, 1985 being placed to the credit of the former, males 969, females 1016, or 2·75 per cent. of the Specified deaths; while 1995 stand against Paralysis, males 979, females 1016, equal to 2·76 per cent. of the like deaths.

In the Towns, diseases of this order were apparently most fatal in Aberdeen, where 12·60 per cent., and in Greenock, where 12·30 per cent. of the Specified deaths, are of this kind; being least so in Glasgow, with 9·67 per cent.; and Leith with 9·56 per cent.

Diseases of the Circulatory System, Heart and Blood-Vessels, caused during the year 5149 deaths, in the persons of 2515 males and 2634 females, constituting a death-rate of 137 in every hundred thousand of population; 7·13 per cent. of all Specified deaths being of this nature. Of the various districts it is found the Mainland-Rural suffer most in this way, 8·53 per cent. of all their Specified deaths thus occurring; followed by the Small Town Districts with 7·42 per cent.; the Large Town Districts with 7·17 per cent.; the Principal Town Districts with 6·44 per cent.; and, lastly, the Insular-Rural with 5·67 per cent.

Rheumatism, the most common cause of Valvular Disease of the Heart, appears to follow much the same lines, except that the Insular-Rural Districts now stand second, with 44 deaths in every ten thousand Specified deaths, instead of last as above, having changed places with the Small Town Districts, with 32 in like proportion.

Among the towns, Edinburgh exhibits the highest percentage of deaths from diseases of the Circulatory System to all the specified deaths, viz., 11·18; followed by Leith with 8·37; Perth with 8·20; Aberdeen with 7·11; Greenock with 7·06; Dundee with 6·69; Kilmarnock with 6·65; Glasgow with 5·72; Paisley with 5·23; and, lastly, Glasgow Landward and Suburban with but 4·32.

From Diseases of the Respiratory System other than those included

under Phthisis, Croup, &c., there were 12969 deaths, males 6679, females 6290, equal to 346 exits in every hundred thousand of population; or 17·97 per cent. of all the Specified deaths. The five districts suffer in varying degree as follows:—The Principal Town Districts most, inasmuch as for every hundred thousand of their inhabitants, 464 succumbed during the year from this cause, being equal to 20·45 per cent. of all the specified deaths therein registered; in the Large Town Districts the proportions are 349, or 17·19 per cent.; in the Small Town Districts 299, or 16·26 per cent.; in the Mainland-Rural Districts 230, or 15·14 per cent.; and in the Insular-Rural Districts 235, or 14·51 per cent.

Among the towns, Dundee suffers to the extent that 22·62 per cent. of all the Specified deaths registered there are of this nature; Glasgow follows with 22·02 per cent.; Greenock comes next with 20·06 per cent.; Glasgow Landward and Suburban following with 19·29 per cent.; Edinburgh with 19·23 per cent.; Perth with 19·09 per cent.; Leith with 18·10 per cent.; Paisley with 17·97 per cent.; and Kilmarnock with 16·83 per cent.

Bronchitis and Pneumonia claim the largest number of victims, the former a total of 7715, males 3707, females 4008, or 206 lives in every hundred thousand of the inhabitants of Scotland; and the latter a total of 3342, males 1906, females 1436, equal to 89 deaths per hundred thousand as above.

Diseases of the Organs of Digestion account for 4492 deaths, males 2173, females 2319, equivalent to 120 deaths in every hundred thousand of population, or 6·22 per cent. of the total specified deaths. The largest percentage of mortality from disease of this nature to the total specified deaths occurs in the Mainland-Rural Districts, viz., 7·25, followed by the Insular-Rural with 6·60; the Small Town Districts with 6·43; the Large Town Districts with 6·20; the Principal Town Districts suffering least with 5·64 per cent. Among the towns, Leith and Aberdeen show the highest percentage of deaths of this nature; Kilmarnock and Dundee the lowest. From Enteritis and Peritonitis together 764 males and 800 females succumbed; from Hernia 151; from Ileus, Intussusception, and Stricture of the Gut 407; whilst Hepatic Disease carried off 1050 souls, 491 males and 560 females.

From Diseases of the Urinary Organs, 1537 died, 961 being of the male and 576 of the female sex, equal to a death-rate of 41 per hundred thousand of population, or 2·13 per cent. of all specified deaths. Bright's Disease accounts for 480 of those, Nephritis for 236, Diabetes for 147, and Urinary Calculi for 37.

Diseases of the Generative Organs caused 203 deaths, 15 males and 188 females, 81 cases being from Ovarian Dropsy, and 107 from Uterine Disease.

From Puerperal Causes 677 deaths are reported, 267 due to Puerperal Fever, 7 to Paramenia, and 403 to other conditions incidental to Child-bed.

To Diseases of the Bones and Joints 436 deaths are ascribed, males 248, females 188; and to Diseases of the Skin and parts connected therewith the deaths of 212 males and 189 females are accredited.

Under Premature Birth the deaths of 956 male and 721 female infants are registered; while Malformations, as Cyanosis, Spina Bifida, &c., proved fatal to 197 male and 129 female children.

From Old Age 4583 persons are registered as dying, 1757 being men,

and 2826 women; 123 of the former and 219 of the latter are between 95 and 100 years of age at death; 8 men and 21 women being returned as 100 or over; 3 of the men and 10 of the women being considerably over 100. The oldest of the men was a mason's labourer *æt.* 103, and of the women, a pauper, *æt.* 109 at death.

To Violence in its various forms 2566 deaths are due, males 1916, females 650, being in the proportion of 68 for every hundred thousand persons living,

Fractures and Contusions account for 1042 of the whole, in the persons of 837 males and 205 females. Burns and Scalds ended the lives of 123 males and 117 females; Drowning those of 542 males and 94 females (43 of them being Suicidal); while 131 males and 119 females were accidentally suffocated; and to accidental poisoning 26 males and 15 females succumbed.

Twelve deaths come under the denomination of Homicide.

From Suicide there are 167 deaths, males 113, females 54, the various methods resorted to for an attainment of the purpose being as follows:—Hanging, 38 males and 8 females; Drowning, 21 males and 22 females; Cut-throat, 28 males and 7 females; Poisoning, 10 males and 11 females; 8 men shot themselves; 6 men and 5 females precipitated themselves from such a height as to cause death; and 2 men threw themselves before railway trains; while in one case, that of a female, the special method is not stated.

Of the Suicidal Poisonings, 9 were by the use of Opium in one or other form, 2 from Hydrochloric Acid, 1 from Sulphuric Acid, 2 from Arsenic, 1 from Acetic Acid, 1 from Carbolic Acid, 1 from Corrosive Sublimate, 1 from Strychnia, 1 from Prussic Acid, 2 not being stated; and of the Accidental Poisonings 12 are from Opium, 5 from Carbolic Acid, 1 from the Berries of Belladonna, and 1 from Atropia, 1 from Phosphorus, 2 from Chloroform, 2 from Lead, 1 from Cyanide of Potassium, 1 from Caustic Potash, 1 from Wood Naphtha, 1 from Strychnia, 1 from Alcohol, 1 from Spirit of Salt, 1 from "Herbs," 1 from Rat Poison, and 1 from Bisulphide of Carbon.

There was no Public Execution in Scotland during the year.

As an indication of the changes which are taking and have taken place in the death-rate for Scotland, ascribed to various orders of disease, and to the selected causes, Age, Cancer, Dropsy, Phthisis, Bronchitis, Pneumonia, and all Liver Diseases, during the last twenty-five years, Table XXXIX α is presented, prepared from the Detailed Annual Reports, in which we have the total deaths in 1857, and in 1882 the proportion of deaths in every hundred thousand of the estimated population of the country in 1882, with their mean annual for the last twenty-five years (1857–1881), and various proportions deduced therefrom.

Thus, we find the deaths from diseases of a Tubercular nature (11608), which in 1882 are equivalent to a death-rate of 310 per hundred thousand of population, caused a mean annual rate of mortality during the twenty-five years of 365, which indicates a decline of 15·1 per cent., when the rate of 1882 is placed alongside that of the mean of the twenty-five years. When, again, the mean of the last five years of the twenty-five (1877–81) is compared with the like of the first five years (1857–61), the decline is equal to 8·3 per cent.; and, lastly, when 1882 is compared with the mean of the five years immediately preceding it, the diminution is 7·5 per cent.

In the case of diseases of the Nervous System, which as a cause of death had increased to the extent of 24·8 per cent. when the quinquennial

periods at each end of the twenty-five years are compared, we find a decrease of 3·3 per cent., when the rate of 1882 is compared with the mean of the latter five years 1877–81. The large increase of 69·0 per cent. is found in the case of diseases of the Circulatory Organs as causes of death, when the mean rate of the five years 1877–81, (138) is compared with that of the five 1857–61, (82); but, on the other hand, there is a slight decline of 0·7 per cent. when the mortality rate of 1882, (137) is placed against that of the mean annual of the five years immediately preceding it (138).

Cancer, again, indicates the great increase of 25·0 per cent. of mortality rate when 1882 is compared with the mean of the twenty-five years, and of 45·7 per cent. when the first and last five years are brought into juxtaposition, the rate of 1882 being also higher than the mean of the five years preceding by 7·8 per cent.

In the case of Bronchitis and Pneumonia increases are also apparent, when the means of the first (142), and last five years (247), of the twenty-five are compared, viz., of 74·0 per cent. in the case of the former, and 19·2 per cent. in that of the latter, in favour of the quinquennial period 1877–81 over that of 1857–61; but when 1882 is compared with the mean of the five years 1877–81, there is a decline in the case of Bronchitis of 16·6 per cent., and a slight rise of 2·3 per cent. in that of Pneumonia.

Besides diseases of a Tubercular nature, those affecting the Digestive Organs, with Age, Dropsy, and Phthisis as special causes of mortality, show a more or less markedly diminished death-rate.

Facts of a like nature are observed when similar calculations are made for every ten thousand specified causes of death, in place of per hundred thousand inhabitants. Thus, in comparing the mean annual mortality during the last five years 1877–81, with that of the first five

TABLE XXXIXa.—Showing the Number of Deaths from various orders of Disease and selected Diseases in Scotland, and their rate per 100,000 of population in 1882, also the Mean of the 25 years 1857–1881, with various percentages deduced therefrom.

CAUSES OF DEATH. DISEASES.	Total Deaths.		Death-rate per 100,000 persons living.		Increase or Decrease per cent. in 1882, compared with the Mean of the 25 Years, 1857–1881.	Increase or Decrease per cent. Mean of 5 Years 1877–1881, compared with Mean of 5 Years 1857–1861.	Increase or Decrease per cent. in 1882, compared with the Mean of the last 5 Years, 1877–1881.
	In 1857	In 1882	1882.	Mean Annual Rate of 25 Years 1857–1881.			
TOTAL DEATHS FROM ALL CAUSES	61906	72989	1928	2161	- 10·8	- 2·8	- 5·0
Tubercular	10326	11608	310	365	- 15·1	- 8·3	- 7·5
Nervous System	4789	7667	205	190	+ 7·8	+ 24·8	- 3·3
Organs of Circulation	2117	5149	137	111	+ 23·4	+ 69·0	- 0·7
Respiratory Organs (Phthisis not included)	6266	12969	346	341	+ 1·5	+ 45·4	- 11·3
Digestive Organs	5007	4492	120	156	- 23·1	- 16·6	- 1·6
Urinary Organs	621	1537	41	34	+ 20·6	+ 66·6	- 2·4
Age	6009	4583	122	185	- 34·0	- 35·3	- 10·9
Cancer	960	2056	55	44	+ 25·0	+ 45·7	+ 7·8
Dropsy	1088	361	10	21	- 52·4	- 65·0	- 16·6
All Liver Diseases	819	1051	28	32	- 12·5	+ 10·9	- 12·5
Phthisis	7184	8012	214	256	- 16·4	- 12·6	- 8·0
Bronchitis	2867	7715	206	217	- 5·1	+ 74·0	- 16·6
Pneumonia	1890	3342	89	80	+ 11·2	+ 19·2	+ 2·3

1857-61, we find that diseases of a Tubercular nature have, from this point of view, declined as a cause of death by 5·9 per cent.; those of the Organs of Digestion by 12·7 per cent.; Age by 33·5 per cent.; Dropsy by 65·1 per cent.; and Phthisis by 10·0 per cent. On the other hand, as before, the mean mortality from diseases of the Nervous System has increased by 29·0 per cent. when like periods are regarded; that from diseases of the Circulatory System by 73·5 per cent.; that from those of the Respiratory System by 49·8 per cent.; of the Urinary Organs by 68·2 per cent.; Cancer by 49·5 per cent.; Bronchitis by 79·4 per cent.; Pneumonia by 22·1 per cent.; and all Liver Diseases by 13·9 per cent.; figures which correspond with those in Table XXXIX α .

In offering a reason for those changes up and down, we are inclined to credit them, to some extent at least, to improvements in diagnosis, and greater care in assigning the true cause of death; for it must be borne in mind that the medical men who received their professional education previous to those earlier times, were probably not such adepts in the use of the stethoscope (it but shortly before having come into general use) in detecting special Cardiac and Pulmonary Diseases, or so well acquainted as the professional man in these days with the qualitative analysis of urine in Renal Disease, and perhaps especially in the detection of the various forms of Bright's Disease, so that many deaths now certified under this heading were formerly ascribed to Dropsy, one of their leading and most obvious symptoms. Thus, in 1857, Nephritis and Nephria were the registered causes of 142 deaths throughout Scotland, in 1882 they number 716; during the earlier year the deaths due to diseases of the Organs of Circulation number 2117, during the latter 5149. Again, Pathology, both macro and microscopical, did not then occupy the position it now does in medical teaching and training, so that many cases of malignant Disease of the Stomach, Liver, and other Internal Organs, were in all likelihood not recognised with the precision they now are, and the deaths from such properly indicated. Age as a cause of death has fallen 35·3 per cent., when the mean annual of the five years, 1877-81, is compared with that of the five years, 1857-61, due not improbably, we are inclined to think, to a better appreciation of the causes of death by the medical practitioners; in 1857 deaths from Age number 6009, in 1882 they are 4583. Again, in 1857 the number of Unspecified deaths is 3895, being to the total deaths as 62·9 is to 1000; in 1882 it is 832, that is as 11·4 is to 1000.

On farther comparing the annual mean death-rate in Scotland per hundred thousand of the estimated population, from the principal Miasmatics, for the ten years, 1862-1871, with that for the like period, 1872-1881, there is found as formerly, in the case of the Towns, a considerable improvement. Thus, while Small-pox caused a mean yearly death-rate of 20 per hundred thousand of the population during the earlier period, it has fallen to a mean of 15 during the latter (for each of the last seven years, including the present, the mortality from this disease is equivalent to but one per hundred thousand). Measles has declined from a mean annual average of 46 deaths to that of 32 per hundred thousand (for 1882 it is 34); Scarlet Fever likewise, from 97 to 76 (for 1882 it is 42). In the case of Diphtheria the fall is but slight, from 31 to 28 (in 1882 it is 26); while in that of Croup, it is from 36 to 26 (for 1882 it is 24); and in Hooping-cough, from 67 to 63 (for 1882 it is 56). When we come to Typhus and Typhoid Fevers, a comparison can only be made from the year 1865, when they were first differentiated as causes of death in the Returns of the Registrar-General, but on

comparing the mean of the seven years, 1865–1871, with that of the latter decennial period as above, viz., 1872–1881, the mean annual proportion of deaths in every hundred thousand of the population in the case of Typhus is found to have declined from 62 to 13 (for 1882 it is 5); and in that of Typhoid from 41 to 39 (for 1882 it is 32), indicative of the great diminution of the former disease as a cause of death in Scotland. The mean annual death-rate from Dysentery is 8 for the first period, as compared with 5 for the latter; but, on the other hand, in the case of Diarrhoea, we find a rise of from 50 to 54 on comparing the two decennial periods. The decline of *all* Miasmatics as an Order is at the rate of 4·3 per cent., when the death-rate of 1882 is compared with the mean annual of the five preceding years, 1877–1881.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

While perusing the following brief account of the weather in Scotland during 1882, let us bear in mind how December of the year previous was nearly an average month, though slightly inclining to extra mean temperature, disturbed barometer, less rain, but more wind, and that chiefly from the west. The daily deaths were 200.

The chief characteristics of *January* were the very high barometric pressure combined with the great monthly range of it, and with that an unprecedentedly high mean temperature. Along with these were other lesser symptoms, all favourably disposed towards fine healthy weather. The daily deaths were 198.

February was marked by high barometric pressure, large range of barometer, and extra strength of wind. With this there was a mean temperature higher than ever before recorded. The daily deaths were 207.

March was on the whole rather stormy, as marked by a low barometric pressure, a large monthly range, and extra strength of wind. The temperature was very high for the month, and the rainfall was unusually heavy. 204 deaths were registered daily.

The most notable feature of the weather of *April* was the check in the monthly march of the mean temperature, that of April having been no higher than that of March. At the same time, although the wind was oftener in the east than usual, there was an extra amount of rainfall, and an extra force of the wind, as well as a low and much disturbed barometer. The daily deaths were 202.

May was nearly an average month, the mean temperature being only half a degree above the average of the last 26 years, and the rainfall but little above the average. The barometer was slightly higher, and the barometric monthly range considerably in excess. The average daily number of deaths was 207.

June was characterised by a low barometric pressure with great range, low temperature and much rain, though the humidity has been small. The rainfall was large, and the time of falling considerable all over the country. There was much wind, but its strength on the whole was not remarkable. The daily deaths were 193.

July was chiefly characterised by its very heavy rainfall. It was

also remarkable for the general strength of the wind, the low mean barometric pressure, and the great amount of the barometric range, while the mean temperature was very near the average, and the humidity of the air sensibly less. The average number of deaths registered on each day of the month was 190.

August was on the whole favourable, for though the barometer was low and much disturbed, with its usual accompaniment in such cases of strong winds, they were prevailingly from the west, with slight variations therefrom, oftener towards the north than the south, hence the rain was moderate, the temperature rather higher than the average, and the dryness of the air much beyond what is usual. The daily deaths were 183.

In *September* the barometer was at its ordinary mean height, but much disturbed, yet the wind was of less than its usual strength, and the rain less both in depth and days of falling. The mean temperature was lower than due to the progress of the Autumn season alone, and the daily range of the thermometer was greater than usual. The daily deaths were 178.

October was on the whole an agreeable and favourable period of weather, unmarked by any of the severe storms felt in the south of England. The mean temperature was above the average, rain rather less than the average depth. The daily deaths were 187.

During *November* the wind was nearly normal as to direction, but in excess as to strength, and the barometric pressure was unusually low; while the mean temperature was low, and the rain greatly in excess. The average daily number of registered deaths was 208.

December was characterised, on its mean quantities, by low barometric pressure, very low temperature, great depth of rainfall, and moderate amount of wind from all quarters. The daily deaths were 241.

Table XL. indicates the average mean temperature of the year to have been 46°·7, which is exactly the same as that of the mean of a series of ten years taken for comparison sake. The months of January, February,

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1882, compared with the Mean of the Ten Years 1855–1864.

YEAR 1881.					1855–1864.	
MONTHS.	Mean Tempera- ture.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per An- num, or 1000 per Month.	Monthly Proportion of Deaths.	Mean Tempera- ture.
January . . .	41·3	6143	6143	991	1134	37°·2
February . . .	42·3	5801	6423	1036	1193	37·4
March	43·0	6321	6321	1020	1145	39·8
April	43·1	6068	6270	1012	1083	44·1
May	49·7	6424	6424	1037	1010	49·5
June	53·5	5801	5994	967	956	55·6
July	57·3	5879	5879	949	895	57·6
August	57·3	5660	5660	913	856	57·3
September . .	51·8	5347	5525	891	843	52·8
October . . .	48·0	5793	5793	935	858	47·2
November . .	39·1	6253	6461	1043	954	40·2
December . .	33·6	7476	7476	1206	1073	38·6
YEAR . . .	46·7	72,966	74,369	12,000	12,000	46·7

March, May, and October had a mean temperature above that of the average of the same months for the ten years, that of the other months being below. July and August showed the highest mean temperature, $57^{\circ}3$, that of November and December having the lowest, the former $39^{\circ}1$, the latter $33^{\circ}6$.

Tables XLI. and XLII. afford information regarding various facts as to the Meteorology of Scotland, and the Births, Deaths, and Marriages occurring throughout the country and in eight of the Principal Towns during the year 1882. Thus from the latter table, which refers to the towns, we see that during November and December the months with the lowest mean temperature, there is the greatest death-rate, the daily average being 81 and 97 respectively; May comes next with 79 deaths daily, and February follows with 77, August and September having the lowest—a daily average of 68.

Two deaths from Small-pox occurred in those towns, 1 in March and 1 in July.

Measles was most prevalent in May and in April, the deaths in June being still numerous, January and July coming next in frequency: September, October, and November show the fewest number of deaths. Scarlet Fever has its highest mortality in December and October, its lowest in June and February. Diphtheria caused most deaths in October and November, the fewest in April and July. Hooping-cough is pre-eminent as a cause of death in May and December, with 120 and

TABLE XLI.—Meteorology of Scotland for 1882, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1882, as stated in the Quarterly Reports.

1882.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	62°0	62°0	65°5	65°0	80°0	78°0	78°0	84°0	73°0	69°7	58°0	54°0	84°0
Lowest Temp. in do.	21°9	22°5	24°5	19°9	27°3	31°0	39°0	31°3	27°0	22°5	17°0	7°8	-7°8
Mean Day Temp. . .	45°8	47°5	49°2	49°9	58°8	61°4	64°6	64°9	59°1	53°9	44°5	38°6	53°2
Mean Night Temp. .	36°7	37°1	36°9	36°3	40°5	45°5	50°0	49°7	44°5	42°2	33°6	28°7	40°1
Daily Range	9°2	10°5	12°3	13°6	18°3	15°8	14°6	15°2	14°6	11°7	11°0	9°9	13°1
Mean Temperature .	41°3	42°3	43°0	43°1	49°7	53°5	57°3	57°3	51°8	48°0	39°1	33°6	46°7
Highest Temperature in sun	87°0	103°2	112°5	126°7	133°5	140°2	142°0	137°0	124°0	118°0	98°0	81°0	142°0
Lowest on grass at night	12°0	14°0	13°7	11°0	15°6	26°0	31°0	30°0	22°0	18°0	14°5	11°0	-11°0
Wet-bulb Temperature	39°6	40°2	40°7	40°4	46°7	50°9	54°6	54°1	49°7	46°1	37°2	33°1	44°4
Dew-point Temperature	37°7	38°4	38°3	37°6	43°3	48°3	52°3	51°7	47°7	44°5	35°3	31°2	42°2
Humidity of Air . .	88	88	85	83	78	82	84	84	87	90	88	89	85
Elastic force of Vapour (inches)	·226	·233	·233	·226	·282	·339	·393	·386	·331	·294	·207	·176	·277
Number of Rainy Days	15	14	20	14	12	17	22	14	16	18	20	17	199
Amount of Rain (inch)	3·41	3·20	4·17	3·09	2·16	3·68	4·67	2·71	3·63	3·62	5·42	5·16	44·92
Amount of Cloud .	6·9	6·9	6·6	6·5	5·2	6·6	6·7	6·6	6·5	6·9	6·5	7·1	6·6
Hours of Sunshine .	57	72	113	138	248	188	198	190	137	95	64	42	1542
Mean Barometer (in.)	30·105	29·998	29·767	29·777	30·011	29·818	29·701	29·805	29·818	29·820	29·541	29·618	29·815
Easterly Winds (num- ber of days)	4	4	4	15	11	8	4	4	6	13	7	11	91
Westerly Winds (do.)	21	18	22	9	12	13	18	19	15	10	15	11	183
Births	10530	9632	11044	10539	11861	10946	10582	10202	9934	10784	9920	10208	126182
Deaths	6143	5801	6321	6068	6424	5801	5879	5660	5347	5793	6253	7476	72966
Marriages	3539	1579	1471	1762	1247	3600	2859	1543	1555	1778	2368	3273	26574
Daily Births	340	344	356	351	383	365	341	329	331	348	331	329	346
Daily Deaths	198	207	204	202	207	193	190	183	178	187	208	241	200

153 deaths respectively, August being lowest with 56. Diarrhœa causes its highest mortality in July, August, and September (195 in August); its lowest in January, December, and February, 32 in the latter month.

Consumption is credited with a large number of deaths in each month of the year, 301 occurring in June, and 331 in May, the highest numbers; 233 in November and 214 in September, the two lowest.

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in Eight of the Principal Towns of Scotland, during each Month of the Year 1882.

1882.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature . . .	42°·5	43°·6	44°·3	44°·3	50°·2	54°·5	58°·3	58°·3	52°·5	48°·4	39°·9	34°·6
Highest Temperature . . .	62°·0	58°·3	59°·3	62°·0	76°·5	76°·5	77°·3	82°·5	69°·3	68°·0	57°·5	54°·0
Lowest Temperature . . .	28°·0	28°·0	28°·8	28°·0	33°·5	37°·5	41°·0	38°·0	30°·0	24°·0	22°·0	6°·4
Rainfall in inches . . .	3·07	2·76	3·56	2·77	2·34	3·36	4·79	1·99	2·98	3·63	5·31	5·75
Easterly Winds (days) . .	7	5	6	18	13	9	7	4	8	16	7	12
Westerly Winds (days) . .	21	18	23	10	14	14	21	21	16	10	17	13
Total Deaths . . .	2356	2160	2333	2267	2460	2230	2192	2110	2030	2197	2420	3001
Daily Deaths . . .	76	77	75	76	79	74	71	68	68	71	81	97
Miasmatic Diseases . . .	368	318	327	352	382	350	411	490	431	419	384	513
Small-pox . . .	—	—	1	—	—	—	1	—	—	—	—	—
Measles . . .	60	36	55	68	78	66	60	38	17	20	27	53
Scarlatina . . .	40	28	32	31	28	23	28	54	56	80	57	84
Diphtheria . . .	24	31	25	18	27	23	20	26	34	43	45	29
Hooping-cough . . .	80	76	95	99	120	87	75	56	84	83	91	153
Croup . . .	30	34	23	19	17	15	9	22	30	37	45	41
All Fevers . . .	51	50	31	38	44	44	36	48	42	39	31	62
Diarrhœa . . .	40	32	41	42	41	59	156	195	132	77	43	40
Dysentery . . .	1	3	—	3	1	1	4	4	2	3	4	5
Cholera . . .	2	—	—	2	1	5	4	18	8	4	1	—
Consumption . . .	241	251	297	280	331	301	271	259	214	243	223	257
Diseases Respiratory Organs	517	427	497	282	506	420	366	282	297	455	644	864
Heart, etc., Diseases . . .	156	130	140	146	149	135	104	122	140	127	155	181
Brain, etc., Diseases . . .	252	226	271	254	272	224	234	208	211	209	220	276
Premature Births . . .	70	65	82	67	64	68	49	55	57	58	67	71
Age . . .	92	97	82	72	65	76	69	73	71	54	93	118

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain in Eight of the Principal Towns of Scotland during each Week of the Year 1882.

No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches
			Mean.	Highest	Lowest					Mean.	Highest	Lowest	
1	January 7	537	41·1	62·0	28·0	1·95	27	July 8	480	59·0	77·0	47·0	1·17
2	14	548	42·7	57·0	30·9	0·43	28	15	500	58·9	71·8	43·0	1·40
3	21	518	45·1	55·0	34·0	0·02	29	22	510	58·4	69·8	47·0	1·06
4	28	529	43·4	54·3	29·1	0·43	30	29	499	57·0	74·0	41·0	0·94
5	February 4	496	39·3	53·2	28·0	0·33	31	5	500	58·6	73·0	46·2	0·27
6	11	579	42·7	54·8	31·0	0·53	32	12	472	61·4	82·6	44·6	0·00
7	18	556	43·4	56·0	28·4	1·55	33	19	485	59·9	72·0	46·5	0·67
8	25	530	46·5	58·0	28·2	0·20	34	26	469	55·6	72·0	40·0	0·40
9	March 4	507	40·9	57·0	30·0	1·03	35	September 2	491	55·3	69·0	38·0	1·65
10	11	553	44·5	57·6	29·2	1·35	36	9	471	54·0	67·0	35·0	0·27
11	18	509	47·6	65·6	37·0	0·07	37	16	491	52·3	67·5	30·0	0·75
12	25	528	42·7	56·0	29·0	0·92	38	23	424	51·5	63·0	32·0	0·14
13	April 1	516	44·4	59·2	31·5	0·54	39	30	493	52·0	63·6	32·0	0·92
14	8	518	44·1	59·5	27·1	0·02	40	October 7	523	53·6	68·2	39·0	0·40
15	15	582	40·8	59·0	28·5	1·18	41	14	450	52·8	61·0	37·0	1·06
16	22	544	46·2	62·0	24·6	0·89	42	21	461	48·2	58·2	35·2	1·39
17	29	566	44·9	58·0	30·0	0·58	43	28	502	43·0	54·2	24·0	0·34
18	May 6	557	46·9	61·0	34·0	0·59	44	November 4	569	44·5	53·7	26·5	1·54
19	13	519	47·3	63·0	34·0	0·95	45	11	517	40·6	57·5	26·0	1·62
20	20	521	50·0	76·5	33·5	0·00	46	18	606	36·1	49·2	22·0	0·35
21	27	531	53·1	68·0	38·0	0·84	47	25	569	39·5	54·2	27·6	1·47
22	June 3	537	55·4	72·0	40·0	0·13	48	December 2	581	35·5	45·8	24·0	0·75
23	10	543	55·3	69·0	39·6	1·18	49	9	657	33·5	46·0	20·0	1·53
24	17	487	49·5	65·2	37·5	0·70	50	16	753	25·6	43·1	6·4	0·86
25	24	526	55·2	71·0	42·0	1·18	51	23	723	40·5	49·0	29·0	0·83
26	July 1	513	58·4	76·5	41·	0·38	52	30	707	37·9	54·0	23·0	1·76

Diseases of the Respiratory Organs bulk largest in the colder and most inclement months of January, November, and December, as also do the deaths from Cardiac Diseases, and for the same reasons.

From Old Age, 118 the largest number, succumbed in December, 54, the smallest, in October.

Tables XLIV. and XLV. are designed for the purpose of indicating the varying monthly mortality in the aforesaid Towns at a series of four periods of life. Thus from the former Table, of the total 27,756 deaths, 11,738 or 42·3 per cent. of the whole were registered as being of children under 5 years of age; 2809 or 10·1 per cent. at ages between 5 and 20; 8378 or 30·2 per cent. between 20 and 60; the remainder, 4831 or 17·4 per cent., at ages over this. Among the very young the largest number of deaths took place in May and December, months in which the mortality from Measles and Hooping-cough was high, the latter month also being

TABLE XLIV.—Monthly Mortality at Four Periods of Life in Eight of the Principal Towns of Scotland during the Year 1882, and Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1882.					Proportion at each Age in every Hundred Deaths per Month.				
	0-5 years.	5-20.	20-60.	60 and above.	Total Deaths.	0-5 years.	5-20.	20-60.	60 and above.	Total.
January . .	930	237	712	477	2356	39·5	10·1	30·2	20·2	100
February . .	850	194	700	416	2160	39·3	9·0	32·4	19·3	100
March . . .	1001	224	701	407	2333	43·0	9·6	30·0	17·4	100
April . . .	967	238	688	374	2267	42·7	10·5	30·3	16·5	100
May . . .	1045	293	735	387	2460	42·5	11·9	29·9	15·7	100
June . . .	916	261	702	351	2230	41·1	11·7	31·5	15·7	100
July . . .	1000	226	616	350	2192	45·6	10·3	28·1	16·0	100
August . . .	938	212	655	305	2110	44·4	10·1	31·1	14·4	100
September .	911	196	583	340	2030	44·8	9·6	28·8	16·8	100
October . .	1005	221	649	322	2197	45·8	10·0	29·5	14·7	100
November .	1000	245	713	462	2420	41·3	10·1	29·5	19·1	100
December .	1175	262	924	640	3001	39·1	8·7	30·8	21·4	100
YEAR .	11,738	2,809	8,378	4,831	27,756	42·3	10·1	30·2	17·4	100

TABLE XLV.—Months equalised to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in Eight of the Principal Towns during each Month of the Year 1882.

MONTHS.	Relative Number of Deaths in 1882.					Monthly Deaths proportioned to 1000 per Month, or 12,000 per annum.
	0-5 years.	5-20.	20-60.	60 and above.	Total.	
January . . .	930	237	712	477	2356	1000
February . . .	941	215	775	460	2391	1015
March . . .	1001	224	701	407	2333	990
April . . .	999	309	710	386	2344	994
May . . .	1045	293	735	387	2460	1044
June . . .	946	270	725	363	2304	977
July . . .	1000	226	616	350	2192	931
August . . .	938	212	655	305	2110	892
September . .	941	203	602	351	2097	891
October . . .	1005	221	649	322	2197	932
November . .	1033	254	737	477	2501	1061
December . .	1175	262	924	640	3001	1273
YEAR .	11,954	2,926	8,541	4,925	28,286	12,000

the coldest of the year. Adolescents (5–20) suffered most in May, June, and December, months when Hooping-cough, Measles, Consumption, and diseases of the Respiratory Organs were very fatal. Adults (20–60) have a markedly high death-rate again in December, when deaths from diseases of the Respiratory and Circulatory Organs, as also of the Brain and Nervous System, are highest; and lastly, the aged (60 and over) succumbed in largest numbers during the two last and first three months of the year, their minimum being during August, September, and October.

When the lengths of the months are equalized to 31 days, the mortality in each stands in order as follows :—December with the highest November, May, February, January, April, March, June, October, July, August, and September with the lowest.

I have the honour to be,

SIR,

Your most obedient Servant,

R. J. BLAIR CUNYNGHAME, M.D.

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,
EDINBURGH, 8th July 1885.

VACCINATIONS IN SCOTLAND—1882.

No. of Division, &c.	REGISTRATION GROUPS, DIVISIONS, AND COUNTIES.	Success-fully Vaccina-ted.	Vacci-nation Post-poned.	Insusceptible of Vaccine Disease			Died before Vacci-nation.	Removed from District before Vacci-nation, or otherwise unaccount-ed for.	Total Births for 1882.
				On the ground of Constitu-tional Insuscep-tibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vacci-na-tion.			
	SCOTLAND, - -	110263	1713	192	4	280	11073	2637	126162
	GROUPS OF DISTRICTS.								
1	PRINCIPAL TOWN DISTRICTS,	37598	287	63	1	184	4556	860	43549
2	LARGE TOWN "	20169	182	28	0	54	2156	452	23041
3	SMALL TOWN "	23524	463	33	0	27	2247	520	26814
4	MAINLAND-RURAL "	26673	530	37	3	15	1888	409	29546
5	INSULAR-RURAL "	2299	251	31	0	0	226	405	3212
	DIVISIONS.								
I.	NORTHERN, - - -	2534	208	13	0	1	197	78	3031
II.	NORTH-WESTERN, - - -	3180	288	23	3	1	365	448	4308
III.	NORTH-EASTERN, - - -	12389	147	10	0	6	1078	76	13706
IV.	EAST-MIDLAND, - - -	16239	261	31	0	20	1559	254	18364
V.	WEST-MIDLAND, - - -	7661	218	20	0	12	708	338	8957
VI.	SOUTH-WESTERN, - - -	46780	292	54	1	222	5139	1023	53511
VII.	SOUTH-EASTERN, - - -	15965	230	28	0	3	1518	337	18081
VIII.	SOUTHERN, - - -	5515	69	13	0	15	509	83	6204
	COUNTIES.								
	I. NORTHERN.								
1	Shetland, - - - -	491	50	2	0	1	32	48	624
2	Orkney, - - - -	704	42	11	0	0	32	8	797
3	Caithness, - - - -	880	103	0	0	0	96	10	1089
4	Sutherland, - - - -	459	13	0	0	0	37	12	521
	II. NORTH-WESTERN.								
5	Ross and Cromarty, - - -	1562	168	4	3	0	145	71	1953
6	Inverness, - - - -	1618	120	19	0	1	220	377	2355
	III. NORTH-EASTERN.								
7	Nairn, - - - -	225	2	0	0	0	23	5	255
8	Elgin (or Moray), - - -	1262	20	0	0	4	115	13	1414
9	Banff, - - - -	1752	32	4	0	0	153	14	1955
10	Aberdeen, - - - -	8137	88	6	0	2	721	41	8995
11	Kincardine, - - - -	1013	5	0	0	0	66	3	1087
	IV. EAST-MIDLAND.								
12	Forfar, - - - -	7569	78	20	0	19	841	95	8622
13	Perth, - - - -	3044	75	5	0	0	296	91	3511
14	Fife, - - - -	4838	79	5	0	0	351	61	5334
15	Kinross, - - - -	146	3	0	0	0	9	5	163
16	Clackmannan, - - - -	642	26	1	0	1	62	2	734
	V. WEST-MIDLAND.								
17	Stirling, - - - -	3329	53	10	0	10	318	73	3793
18	Dumbarton, - - - -	2348	50	1	0	0	235	57	2691
19	Argyll, - - - -	1611	101	5	0	2	120	194	2033
20	Bute, - - - -	373	14	4	0	0	35	14	440
	VI. SOUTH-WESTERN.								
21	Renfrew, - - - -	7085	69	17	0	49	852	205	8277
22	Ayr, - - - -	7042	76	8	0	5	635	94	7860
23	Lanark, - - - -	32653	147	29	1	168	3652	724	37374
	VII. SOUTH-EASTERN.								
24	Linlithgow, - - - -	1489	28	2	0	0	125	18	1662
25	Edinburgh, - - - -	11372	152	21	0	0	1158	280	12983
26	Haddington, - - - -	1035	14	3	0	3	76	15	1146
27	Berwick, - - - -	884	18	1	0	0	63	2	968
28	Peebles, - - - -	354	6	1	0	0	29	2	392
29	Selkirk, - - - -	831	12	0	0	0	67	20	930
	VIII. SOUTHERN.								
30	Roxburgh, - - - -	1414	20	2	0	0	157	10	1603
31	Dumfries, - - - -	1948	19	4	0	11	210	39	2231
32	Kirkcudbright, - - - -	1117	6	5	0	4	70	17	1219
33	Wigtown, - - - -	1036	24	2	0	0	72	17	1151

DEATHS in 1882.—NUMBERS SPECIFIED, UNSPECIFIED, CERTIFIED, AND UNCERTIFIED, with the Proportion of the Total Uncertified Deaths for the Groups of Districts, Counties, and Principal Towns of Scotland.

		POPULATION.		Total Deaths.	Cause Specified.		Cause Unspecified or Ill-defined.		Per Centage of Uncertified to Total Deaths.
		1871.	1881.		Certified	Uncertified.	Certified	Uncertified.	
SCOTLAND, - -		3,360,018	3,735,573	72,989	65,622	6,537	147	683	9.9
GROUPS OF DISTRICTS.									
1	PRINCIPAL TOWN DISTRICTS,	1,193,940	1,411,536	32,697	30,264	2,282	76	75	7.2
2	LARGE TOWN ,,	327,734	388,797	8,054	7,549	439	20	46	6.0
3	SMALL TOWN ,,	696,958	790,796	14,785	13,791	860	21	113	6.6
4	MAINLAND-RURAL ,,	1,009,382	1,014,056	15,436	13,026	2,113	26	271	15.4
5	INSULAR-RURAL ,,	132,004	130,388	12,017	992	843	4	178	50.6
COUNTIES.									
I. NORTHERN.									
1	Shetland, - - - -	31,608	29,705	448	167	229	3	49	62.1
2	Orkney, - - - -	31,274	32,044	453	303	138	1	11	32.9
3	Caithness, - - - -	41,011	39,859	669	570	93	0	6	14.8
4	Sutherland, - - - -	23,298	22,376	343	154	168	1	20	54.8
II. NORTH-WESTERN.									
5	Ross and Cromarty, - -	82,093	79,467	1,229	682	477	1	69	44.4
6	Inverness, - - - -	84,258	86,389	1,408	866	465	1	76	38.4
III. NORTH-EASTERN.									
7	Nairn, - - - -	8,372	8,847	138	103	32	0	3	25.4
8	Elgin, - - - -	44,549	45,108	748	610	120	0	18	18.4
9	Banff, - - - -	58,883	59,783	1004	924	70	1	9	7.9
10	Aberdeen, - - - -	246,298	269,047	4,516	4,244	223	21	28	5.6
11	Kincairdine, - - - -	35,097	35,465	555	510	40	0	5	8.1
IV. EAST-MIDLAND.									
12	Forfar, - - - -	240,049	268,653	5,099	4,793	291	4	11	5.9
13	Perth, - - - -	128,550	130,282	2,301	2,038	232	2	29	11.3
14	Fife, - - - -	160,924	172,131	3,058	2,685	341	2	30	12.1
15	Kinross, - - - -	7,918	7,330	138	130	7	0	1	5.8
16	Clackmannan, - - - -	22,235	24,025	434	402	30	0	2	7.4
V. WEST-MIDLAND.									
17	Stirling, - - - -	93,345	106,883	2,058	1,897	139	5	17	7.6
18	Dumbarton, - - - -	61,116	78,182	1,481	1,382	75	1	23	6.6
19	Argyll, - - - -	79,661	80,761	1,351	901	395	1	54	33.2
20	Bute, - - - -	16,966	17,634	404	369	29	0	6	8.7
VI. SOUTH-WESTERN.									
21	Renfrew, - - - -	195,305	225,611	5,261	4,859	381	4	17	7.6
22	Ayr, - - - -	200,908	217,630	3,942	3,749	167	4	22	4.8
23	Lanark, - - - -	787,005	942,206	22,036	20,483	1,384	77	92	6.7
VII. SOUTH-EASTERN.									
24	Linlithgow, - - - -	41,379	44,005	745	702	38	0	5	5.8
25	Edinburgh, - - - -	328,138	388,836	7,805	7,075	708	9	13	9.2
26	Haddington, - - - -	37,755	38,510	558	510	32	2	14	8.2
27	Berwick, - - - -	36,382	35,273	495	458	32	0	5	7.5
28	Peebles, - - - -	12,218	13,688	176	169	4	0	3	4.0
29	Selkirk, - - - -	19,651	26,346	431	425	3	1	2	1.2
VIII. SOUTHERN.									
30	Roxburgh, - - - -	48,241	52,592	917	885	26	1	5	3.4
31	Dumfries, - - - -	74,842	76,167	1,446	1,368	58	2	18	5.3
32	Kirkcudbright, - - - -	42,087	42,290	720	660	51	3	6	7.9
33	Wigtown, - - - -	38,602	38,448	622	549	59	0	14	11.7
PRINCIPAL TOWNS.									
	Glasgow, - - - -	491,846	511,415	13,046	11,947	999	53	47	8.0
	Edinburgh, - - - -	196,991	228,373	4,565	4,062	499	3	1	11.0
	Dundee, - - - -	120,724	142,455	3,054	2,908	142	2	2	4.7
	Aberdeen, - - - -	88,181	105,076	2,176	2,103	64	7	2	3.0
	Greenock, - - - -	59,794	69,238	1,590	1,445	140	0	5	9.1
	Leith, - - - -	46,434	61,188	1,177	1,051	120	3	3	10.5
	Paisley, - - - -	48,257	55,638	1,455	1,364	88	1	2	6.2
	Perth, - - - -	26,382	29,756	710	653	54	1	2	7.9
	Kilmarnock, - - - -	24,072	25,864	511	503	8	0	0	1.6
	Glasgow, Landward & Suburb.,	87,256	174,573	4,088	3,908	165	4	11	4.3

TABLE showing the Distribution of DEATHS according to Months, or the influence of SEASON on the MORTALITY, 1882.

		DEATHS IN 1882.												
		Jan.	Feb.	Mar.	Apr.	May.	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.	Year.
Mean Temperature in 1882.		41°·3	42°·3	43°·0	43°·1	49°·7	53°·5	57°·3	57°·3	51°·8	48°·0	39°·1	33°·6	46°·7
SCOTLAND, - -		6143	5801	6321	6068	6424	5801	5879	5660	5347	5793	6253	7476	72966
GROUPS OF DISTRICTS.														
1	PRINCIPAL TOWN DISTS.,	2356	2160	2333	2268	2460	2231	2192	2110	2030	2197	2420	3002	27759
2	LARGE TOWN DISTRICTS,	1002	1015	1038	990	1080	945	1062	1038	966	1027	1191	1277	12631
3	SMALL TOWN DISTRICTS,	1245	1212	1360	1315	1372	1279	1224	1231	1133	1208	1200	1469	15248
4	MAINLAND-RURAL, -	1353	1262	1380	1312	1338	1197	1227	1141	1075	1219	1262	1548	15314
5	INSULAR-RURAL, - -	187	152	210	183	174	149	174	140	143	142	180	180	2014
DIVISIONS.														
I.	NORTHERN, - - -	142	128	181	173	169	131	149	149	160	154	166	211	1913
II.	NORTH-WESTERN, - -	227	222	269	234	200	206	226	165	156	201	222	304	2632
III.	NORTH-EASTERN, - -	642	554	626	601	596	604	543	541	484	517	554	692	6954
IV.	EAST-MIDLAND, - - -	997	889	928	842	931	851	851	866	855	845	973	1201	11029
V.	WEST-MIDLAND, - - -	428	423	467	431	462	455	436	403	399	419	447	515	5285
VI.	SOUTH-WESTERN, - - -	2555	2469	2638	2615	2800	2480	2529	2396	2266	2540	2728	3228	31244
VII.	SOUTH-EASTERN, - - -	839	793	868	867	932	802	828	844	768	819	871	976	10207
VIII.	SOUTHERN, - - - -	313	323	344	305	334	272	317	296	259	298	292	349	3702
COUNTIES.														
I. NORTHERN.														
1	Shetland - - - -	34	28	41	40	46	28	37	33	45	31	44	43	450
2	Orkney, - - - -	39	35	45	40	41	33	36	34	38	29	32	51	453
3	Caithness, - - - -	46	46	68	65	53	43	54	56	42	59	61	76	669
4	Sutherland, - - - -	23	19	27	28	29	27	22	26	35	35	29	41	341
II. NORTH-WESTERN.														
5	Ross and Cromarty, - -	115	120	127	114	100	93	99	77	75	97	96	116	1229
6	Inverness, - - - -	112	102	142	120	100	113	127	88	81	104	126	188	1403
III. NORTH-EASTERN.														
7	Nairn, - - - -	3	13	10	15	12	17	11	7	10	12	13	15	138
8	Elgin (or Moray), - - -	68	72	58	65	59	59	56	63	63	61	57	67	748
9	Banff, - - - -	101	65	99	83	81	95	76	81	78	72	70	101	1002
10	Aberdeen, - - - -	410	345	412	393	400	385	354	357	305	336	373	443	4513
11	Kincardine, - - - -	60	59	47	45	44	48	46	33	28	36	41	66	553
IV. EAST-MIDLAND.														
12	Forfar, - - - -	454	386	398	360	410	409	388	418	403	395	468	607	5096
13	Perth, - - - -	207	201	197	189	199	178	176	169	171	176	198	235	2296
14	Fife, - - - -	289	258	297	249	269	216	239	231	231	224	257	304	3064
15	Kinross, - - - -	13	8	5	10	9	12	18	17	13	11	6	16	138
16	Clackmannan, - - - -	34	36	31	34	44	36	30	31	37	39	44	39	435
V. WEST-MIDLAND.														
17	Stirling, - - - -	146	172	172	170	176	186	168	156	161	150	186	215	2059
18	Dumbarton, - - - -	117	112	133	113	144	124	118	120	118	143	100	137	1475
19	Argyll, - - - -	121	111	124	113	112	102	105	89	97	103	125	143	1348
20	Bute, - - - -	44	28	38	35	30	43	45	38	23	23	36	20	403
VI. SOUTH-WESTERN.														
21	Renfrew, - - - -	430	380	424	446	437	460	431	438	376	441	461	538	5262
22	Ayr, - - - -	307	336	343	329	321	336	339	344	252	299	324	410	3940
23	Lanark, - - - -	1818	1753	1871	1840	2042	1684	1759	1614	1638	1800	1943	2280	22042
VII. SOUTH-EASTERN.														
24	Linlithgow, - - - -	64	61	56	73	82	60	59	59	48	65	57	62	746
25	Edinburgh, - - - -	644	599	670	660	695	615	626	646	592	615	676	768	7806
26	Haddington, - - - -	48	39	46	45	46	44	44	53	54	42	43	52	556
27	Berwick, - - - -	41	48	41	40	50	40	39	40	28	39	43	43	492
28	Peebles, - - - -	12	10	14	18	19	14	18	15	11	24	12	9	176
29	Selkirk, - - - -	30	36	41	31	40	29	42	31	35	34	40	42	431
VIII. SOUTHERN.														
30	Roxburgh, - - - -	86	75	76	68	83	72	82	62	76	85	65	87	917
31	Dumfries, - - - -	109	127	142	119	137	109	136	124	85	114	119	124	1445
32	Kirkcudbright, - - - -	63	70	72	50	64	52	44	53	59	53	64	74	718
33	Wigtown, - - - -	55	51	54	68	50	39	55	57	39	46	44	64	622

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars do not correspond with those given in the foregoing tables.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1882.

1882.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Area in Square Miles.*
		1871.	1881.	Male.	Fem.	Total.	Mal.	Fem.	Total.	Male.	Fem.	Total.			
SCOTLAND, - -		3,360,018	3,735,573	64505	61653	126158	5396	5150	10546	36325	36664	72989	26596	53169	29819.8
GROUPS OF DISTRICTS.															
1	PRINCIPAL TOWNS . .	1,193,940	1,411,536	26627	25669	52296	1980	1967	3947	16343	16354	32697	12547	19599	
2	LARGE TOWNS . . .	327,734	388,797	7263	6973	14236	531	475	1006	4057	3997	8054	2909	6182	
3	SMALL TOWNS . . .	696,958	790,796	13739	12974	26713	1124	1081	2205	7328	7457	14785	5067	11928	
4	MAINLAND-RURAL . .	1,009,382	1,014,056	15200	14510	29710	1666	1546	3212	7644	7792	15436	5525	14274	
5	INSULAR-RURAL . .	132,004	130,388	1676	1527	3203	95	81	176	953	1064	2017	548	1186	
DIVISIONS.															
1	NORTHERN	127,191	123,984	1573	1449	3022	120	113	233	899	1014	1913	576	1109	3640.6
2	NORTH-WESTERN . .	166,351	165,856	2166	2134	4300	144	135	279	1270	1367	2637	764	1663	7218.1
3	NORTH-EASTERN . .	393,199	418,250	7042	6672	13714	1034	912	1946	3460	3501	6961	2618	6753	3634.2
4	EAST-MIDLAND . . .	559,676	602,421	9488	8879	18367	855	755	1610	5328	5702	11030	3924	7337	4015.3
5	WEST-MIDLAND . . .	251,088	283,460	4592	4374	8966	286	321	607	2677	2617	5294	1748	3672	4119.9
6	SOUTH-WESTERN . .	1,183,218	1,385,447	27095	26413	53508	1807	1807	3614	15821	15418	31239	11805	22269	2255.2
7	SOUTH-EASTERN . .	475,523	546,658	9321	8761	18082	689	676	1365	5065	5145	10210	4008	7872	1825.1
8	SOUTHERN	203,772	209,497	3228	2971	6199	461	431	892	1805	1900	3705	1153	2494	3111.3
COUNTIES.															
I. NORTHERN.															
1	Shetland	31,608	29,705	332	289	621	14	14	28	205	243	448	147	173	551.4
2	Orkney	31,274	32,044	426	371	797	30	22	52	193	260	453	168	344	375.7
3	Caithness	41,011	39,859	553	536	1089	57	60	117	337	332	669	187	420	685.7
4	Sutherland	23,298	22,376	262	253	515	19	17	36	164	179	343	74	172	2027.9
II. NORTH-WESTERN.															
5	Ross and Cromarty . .	82,093	79,467	995	955	1950	55	51	106	585	644	1229	352	721	3129.8
6	Inverness	84,258	86,389	1171	1179	2350	89	84	173	685	723	1408	412	942	4088.3
III. NORTH-EASTERN.															
7	Nairn	8,372	8,847	132	124	256	16	9	25	66	72	138	44	118	178.8
8	Elgin (or Moray) . .	44,549	45,108	753	661	1414	114	77	191	390	358	748	253	666	475.9
9	Banff	58,883	59,783	995	956	1951	167	157	324	486	518	1004	366	947	640.8
0	Aberdeen	246,298	269,047	4605	4396	9001	667	618	1285	2224	2292	4516	1781	4485	1955.4
1	Kincardine	35,097	35,465	557	535	1092	70	51	121	294	261	555	174	537	383.4
IV. EAST-MIDLAND.															
2	Forfar	240,049	268,653	4422	4200	8622	452	419	871	2457	2642	5099	1880	3523	875.1
3	Perth	128,550	130,282	1841	1667	3508	171	143	314	1132	1169	2301	747	1207	2527.8
4	Fife	160,924	172,131	2766	2567	5333	197	165	362	1464	1594	3058	1129	2275	492.1
5	Kinross	7,918	7,330	82	88	170	6	5	11	64	74	138	41	32	72.6
6	Clackmannan	22,235	24,025	377	357	734	29	23	52	211	223	434	127	300	47.6
V. WEST-MIDLAND.															
7	Stirling	93,345	106,883	1951	1841	3792	125	130	255	1021	1037	2058	741	1734	447.4
8	Dumbarton	61,116	78,182	1373	1316	2689	86	95	181	769	712	1481	555	1208	241.5
9	Argyll	79,661	80,761	1052	995	2047	63	86	149	676	675	1351	374	696	3213.1
0	Bute	16,966	17,634	216	222	438	12	10	22	211	193	404	78	34	217.9
VI. SOUTH-WESTERN.															
1	Renfrew	195,305	225,611	4210	4064	8274	244	245	489	2638	2623	5261	1805	3013	245.0
2	Ayr	200,908	217,630	4010	3851	7861	332	290	622	1967	1975	3942	1624	3919	1128.5
3	Lanark	787,005	942,206	18875	18498	37373	1231	1272	2503	11216	10820	22036	8376	15337	881.7
VII. SOUTH-EASTERN.															
4	Linlithgow	41,379	44,005	835	830	1665	51	64	115	359	386	745	288	920	120.0
5	Edinburgh	328,138	388,836	6717	6267	12984	488	467	955	3916	3889	7805	3098	5179	362.1
6	Haddington	37,755	38,510	571	572	1143	42	45	87	251	307	558	242	585	270.8
7	Berwick	36,382	35,275	506	461	967	58	55	113	232	263	495	164	472	460.6
8	Peebles	12,218	13,688	211	184	395	19	15	34	76	100	176	67	219	354.5
9	Selkirk	19,651	26,346	481	447	928	31	30	61	231	200	431	149	497	257.1
VIII. SOUTHERN.															
0	Roxburgh	48,241	52,592	840	763	1603	83	81	164	462	455	917	276	686	665.1
1	Dumfries	74,842	76,167	1158	1069	2227	180	171	351	710	736	1446	478	781	1062.8
2	Kirkcudbright . . .	42,087	42,290	667	552	1219	104	84	188	347	373	720	222	499	897.8
3	Wigtown	38,602	38,448	563	587	1150	94	95	189	286	336	622	177	528	485.5

* The acreage of Scotland, excluding inland waters and foreshore, as furnished by the Ordnance Survey Department, Southampton, is 19,084,659 acres.

Births, Deaths, and Marriages registered in Scotland during the Year 1882.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
	NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay,	902	850	13	12	25	—	1	1	3	6	9	7
	(2) Burra and Quarff	952	918	14	17	31	1	—	1	7	7	14	7
2	Delting,	1862	1654	12	20	32	1	1	2	19	17	36	2
3	Dunrossness, etc.—												
	(1) Dunrossness, . . .	1970	1604	14	17	31	—	—	—	6	8	14	7
	(2) Sandwick and Cunningsburgh, . . .	2326	2308	25	21	46	2	2	4	18	18	36	16
	(3) Fair Isle,	226	214	1	1	2	—	—	—	3	1	4	1
4	Fetlar, etc.—												
	(1) Fetlar,	517	431	3	3	6	—	—	—	1	8	9	2
	(2) North Yell,	893	821	10	10	20	—	1	1	11	9	20	—
5	LERWICK,	4180	4772	50	46	96	3	4	7	36	36	72	45
6	Mid and South Yell, . .	1843	1708	22	22	44	2	2	4	15	18	33	6
7	Nesting, etc.—												
	(1) Nesting,	868	816	12	13	25	—	1	1	9	5	14	4
	(2) Lunnasting,	822	783	8	6	14	2	—	2	6	4	10	—
	(3) Whalsay & Skerries, .	989	1027	15	11	26	—	—	—	6	6	12	4
8	Northmavine,	2602	2269	20	17	37	—	—	—	12	17	29	6
9	Sandsting and Aithsting, .	2806	2702	35	20	55	—	—	—	21	26	47	13
10	Tingwall, etc.—												
	(1) Tingwall,	1442	1484	15	16	31	—	2	2	6	14	20	8
	(2) Whiteness & Weisdale, .	1049	901	9	5	14	—	—	—	4	5	9	5
11	Unst,	2780	2181	22	18	40	3	—	3	12	24	36	9
12	Walls, etc.—(1) Walls, . .	1325	1166	16	10	26	—	—	—	3	6	9	4
	(2) Sandness,	646	575	10	2	12	—	—	—	6	5	11	—
	(3) Papa-Stour,	351	254	4	1	5	—	—	—	1	2	3	—
	(4) Foula,	257	267	2	1	3	—	—	—	—	1	1	1
	Total,	31608	29705	332	289	621	14	14	28	205	243	448	147
	2. ORKNEY.												
+13	Birsay (part of Harray & Birsay)	1597	1581	15	22	37	—	—	—	2	12	14	8
14	Deerness,	863	867	10	8	18	1	—	1	5	9	14	1
15	Eday and Pharay,	905	802	6	13	19	—	1	1	7	4	11	2
16	Evie and Rendall,	1340	1351	15	15	30	3	1	4	11	14	25	6
17	Firth and Stennes,	1434	1362	22	16	38	2	—	2	5	9	14	8
+18	Harray (part of Harray & Birsay)	727	745	8	8	16	—	—	—	2	6	8	3
19	Holm and Paplay,	935	1090	16	11	27	—	—	—	6	7	13	2
20	Hoy and Græmsay,	581	603	8	5	13	—	—	—	9	6	15	3
21	KIRKWALL and St Ola, . . .	4261	4801	71	76	147	8	7	15	34	44	78	20
22	North Ronaldshay,	539	547	5	4	9	—	1	1	3	3	6	1
23	Orphir,	1040	1015	16	10	26	1	—	1	6	5	11	6
24	Rousay and Egilshay, . . .	1101	1118	16	15	31	1	—	1	8	10	18	6
+25	St Andrews,	870	828	11	4	15	—	—	—	5	3	8	3
26	Sanday,	2053	2082	27	18	45	1	—	1	8	7	15	10
27	Sandwick,	1153	1198	13	8	21	2	1	3	8	14	22	4
28	Shapinshay,	949	974	8	13	21	—	—	—	4	7	11	7
29	South Ronaldshay and Burray,	3228	3314	52	32	84	6	2	8	22	33	55	29
30	Stromness,	2403	2410	34	26	60	1	4	5	13	31	44	11
31	Stronsay,	1305	1305	13	9	22	1	—	1	10	10	20	11
32	Walls, etc.—(1) Walls . . .	1054	1013	16	18	34	1	—	1	8	10	18	7
	(2) Flotta,	476	493	12	5	17	1	—	1	—	5	5	3
33	Westray, etc.—(1) Westray	2090	2200	25	31	56	1	4	5	10	11	21	13
	(2) Papa-Westray,	370	345	7	4	11	—	1	1	7	—	7	4
	Total,	31274	32044	426	371	797	30	22	52	193	260	453	168

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—CARLUKE.

N.B.—An asterisk “*” is prefixed to those Districts which comprise one or more Parishes or parts of Parishes, and the component parts of these Districts will be found at page 341.

A dagger “†” is prefixed to those Districts which consist of only a part of the Parish of the same name.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
	3. CAITHNESS.												
34	Bower,	1700	1608	28	9	37	3	1	4	15	8	23	2
35	Canisbay,	2729	2626	31	32	63	5	3	8	16	21	37	10
36	Dunnet,	1661	1607	15	33	48	3	2	5	14	10	24	9
37	Halkirk,	2664	2705	44	38	82	2	2	4	26	25	51	14
38	Latheron,	7400	6675	80	72	152	6	13	19	51	49	100	19
39	Olrig,	2028	2002	30	32	62	2	2	4	10	10	20	9
40	Reay,	2331	2191	22	24	46	2	3	5	12	16	28	5
41	THURSO,	5754	6217	93	87	180	11	11	22	69	74	143	42
42	Watten,	1453	1406	19	18	37	4	2	6	9	9	18	9
43	WICK,	13291	12822	191	191	382	19	21	40	115	110	225	68
	Total,	41011	39859	553	536	1089	57	60	117	337	332	669	187
	4. SUTHERLAND.												
44	Assynt—(1) Kirkton,	487	498	5	7	12	—	—	—	1	4	5	—
	(2) Stoer,	2519	2283	22	21	43	—	1	1	21	23	44	9
45	Clyne,	1733	1812	21	25	46	1	1	2	13	17	30	9
46	Creich—(1) Bonar,	1854	1571	15	17	32	3	3	6	12	12	24	9
	(2) Rosehall,	670	652	16	8	24	—	—	—	2	3	5	2
47	DORNOCH,	2764	2525	32	34	66	2	—	2	16	31	47	7
48	Durness,	1049	987	11	8	19	2	1	3	7	5	12	1
49	Eddrachillis—(1) Scourie,	648	605	5	7	12	—	2	2	2	6	8	4
	(2) Kinlochbervie,	882	920	12	11	23	2	1	3	3	2	5	1
50	Farr—(1) Kirkton,	1190	1140	12	18	30	2	1	3	8	13	21	5
	(2) Strathay,	829	790	9	8	17	1	1	2	5	5	10	2
51	Golspie,	1804	1556	17	18	35	1	3	4	8	15	23	9
52	Kildonan,	1916	1942	24	18	42	2	—	2	24	14	38	6
53	Lairg,	978	1355	23	19	42	1	1	2	9	14	23	2
54	Loth,	583	584	6	7	13	—	1	1	7	3	10	—
55	Rogart,	1341	1227	7	15	22	—	1	1	8	7	15	6
56	Tongue,	2051	1929	25	12	37	2	—	2	18	5	23	2
	— Total,	23298	22376	262	253	515	19	17	36	164	179	343	74
	II. NORTH-WESTERN.												
	5. ROSS AND CROMARTY.												
	Mainland.												
57	Alness,	1053	1033	9	12	21	—	2	2	7	5	12	4
58	Applecross—												
	(1) Applecross,	1129	958	15	8	23	1	—	1	9	4	13	2
	(2) Shieldaig,	1467	1396	15	12	27	2	2	4	10	13	23	8
59a	Avoch,	1828	1691	27	31	58	1	2	3	11	17	28	9
59b	Carnoch,	325	296	2	2	4	—	—	—	1	1	2	—
60	Contin,	729	708	7	6	13	—	—	—	5	3	8	2
61	CROMARTY,	2180	2009	30	31	61	—	—	—	17	25	42	17
62	DINGWALL,	2443	2220	27	38	65	2	4	6	23	25	48	20
63	Edderton,	860	789	11	10	21	1	—	1	4	5	9	2
64	Fearn,	2135	2135	28	19	47	—	2	2	7	9	16	3
65	Fodderty,	1943	1880	11	22	33	—	1	1	17	8	25	9
66	Gairloch—(1) Northern,	1669	1461	14	19	33	—	—	—	9	11	20	2
	(2) Southern,	3253	3018	27	38	65	1	6	7	26	30	56	7
67	Glenshiel,	463	424	6	6	12	—	1	1	6	6	12	3
68	Killearnan,	1272	1059	8	10	18	—	—	—	6	10	16	4
69	Kilmuir-Easter,	1281	1146	7	9	16	—	1	1	6	4	10	6
70	Kiltearn,	1496	1182	12	15	27	2	1	3	8	8	16	6
71a	Kincardine—												
	(1) Kincardine,	1267	1148	7	9	16	—	1	1	10	11	21	2
	(2) Strathoykel,	418	324	5	4	9	—	—	—	3	3	6	—
71b	Kinlochluichart,	704	632	4	9	13	—	—	—	3	7	10	1
72	Kintail,	753	688	4	6	10	1	1	2	3	5	8	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
73	Knockbain,	2155	1866	20	24	44	2	4	6	12	14	26	6
74	Lochalsh,	2319	2050	23	14	37	1	1	2	11	19	30	17
75	Lochbroom—												
	(1) Lochbroom,	3167	3024	32	28	60	2	1	3	24	20	44	9
	(2) Coigach,	1239	1167	19	10	29	3	—	3	9	5	14	3
76	Lochcarron,	1629	1456	15	15	30	1	1	2	12	14	26	9
77	Logie-Easter,	912	827	7	9	16	1	2	3	6	8	14	5
78	Nigg,	1201	1000	10	13	23	—	—	—	10	10	20	5
79	Resolis,	1527	1424	18	17	35	1	1	2	8	10	18	5
80	ROSEMARKIE,	1441	1357	25	13	38	5	1	6	16	11	27	2
81	Rosskeen,	3808	3773	50	39	89	2	2	4	26	34	60	20
82	TAIN,	3221	3009	28	26	54	2	1	3	22	26	48	12
83	Tarbat,	2182	1878	19	18	37	1	—	1	12	17	29	3
84	Urquhart & Logie-Wester	2863	2525	21	30	51	3	1	4	22	26	48	7
+85	Urray,	2278	2427	18	29	47	1	2	3	16	14	30	11
	<i>Insular.</i>												
86a	Barvas,	4950	5325	81	80	161	1	2	3	30	39	69	24
*86b	Carloway,	2702	2974	44	46	90	—	1	1	25	30	55	11
*87	Lochs,	4162	4543	82	60	142	3	3	6	37	32	69	17
88	STORNOWAY,	9510	10389	182	150	332	14	4	18	88	94	182	62
+89	Uig,	2159	2256	25	18	43	1	—	1	8	11	19	15
	Total,	82093	79467	995	955	1950	55	51	106	585	644	1229	352
	6. INVERNESS.												
	<i>Mainland.</i>												
90a	Abernethy & Kincardine,	1752	1530	17	14	31	5	4	9	6	12	18	11
90b	Alvie,	882	707	9	12	21	2	1	3	4	4	8	4
91	Ardersier,	1284	2086	22	22	44	4	1	5	12	15	27	14
92	Boleskine, etc.—												
	(1) Boleskine,	681	575	4	5	9	—	—	—	1	3	4	1
	(2) Fort-Augustus or Abertarff,	897	873	10	10	20	—	1	1	8	5	13	3
93	Cromdale and Inverallan. (Now 128b <i>infra</i> .)												
94	Croy and Dalcross, . .	1841	1709	27	18	45	6	3	9	12	13	25	7
95	Daviot and Dunlichty, .	1598	1252	15	12	27	1	1	2	7	8	15	3
96a	Dores	1401	1148	14	19	33	—	1	1	9	8	17	3
96b	Duthil, etc.—(1) Duthil,	1530	1371	20	18	38	5	6	11	7	8	15	10
	(2) Rothiemurchus, . .	342	293	4	5	9	1	—	1	—	4	4	3
97	Glenelg—(1) Glenelg, .	714	658	7	8	15	1	2	3	4	3	7	4
	(2) Knoydart,	499	458	5	3	8	—	—	—	3	1	4	1
	(3) North Morar, . . .	440	485	9	3	12	—	—	—	3	3	6	2
98	INVERNESS,	18552	21725	340	375	715	18	19	37	193	226	419	154
99	Kilmonivaig—												
	(1) Glengarry,	550	553	5	5	10	—	—	—	4	—	4	1
	(2) Lochaber,	1417	1375	14	20	34	—	1	1	9	7	16	2
100	Kilmorack,	2728	2618	31	40	71	1	5	6	23	22	45	13
101	Kiltarlity,	2537	2134	19	27	46	—	3	3	14	11	25	6
102	Kingussie and Insh, . .	2101	1987	24	25	49	3	3	6	18	22	40	5
103	Kirkhill,	1582	1480	13	20	33	1	3	4	16	11	27	8
104	Laggan,	950	917	12	10	22	—	—	—	8	6	14	1
105	Moy and Dalarossie, . .	1005	822	11	1	12	1	—	1	8	10	18	2
106	Petty,	1549	1531	26	20	46	1	7	8	11	10	21	9
107	Urquhart, etc.—												
	(1) Urquhart,	2215	2013	15	14	29	4	—	4	13	20	33	6
	(2) Glenmoriston, . .	565	425	3	2	5	1	—	1	3	2	5	1
	<i>Insular.</i>												
108	Barra,	1997	2161	40	38	78	1	1	2	17	25	42	8
109	Bracadale,	1113	929	13	11	24	3	1	4	6	6	12	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
110	Duirinish,	4422	4319	64	48	112	4	3	7	39	38	77	12
111	Harris—1 North Harris,	2306	2844	43	50	93	7	1	8	23	20	43	14
	(2) South Harris,	1362	1439	19	21	40	2	—	2	13	9	22	4
	(3) Bernera,	381	454	10	4	14	—	1	1	3	4	7	1
	(4) St Kilda,	71	77	—	1	1	—	—	—	2	—	2	—
112	Kilmuir—(1) Kilmuir,	1362	1265	16	20	36	1	1	2	7	7	14	6
	(2) Stenscholl,	1228	1314	17	14	31	1	1	2	10	8	18	4
113	North Uist,	4107	4264	58	50	108	4	4	8	29	35	64	25
114	Portree—(1) Portree,	2328	2483	38	36	74	2	1	3	17	20	37	10
	(2) Raasay,	600	708	10	17	27	—	—	—	10	5	15	6
115	Sleat,	2233	2060	23	24	47	—	2	2	16	22	38	5
116	Small Isles,	522	550	2	5	7	—	—	—	5	7	12	2
117	Snizort—(1) North,	803	731	13	9	22	2	1	3	9	10	19	2
	(2) South,	1500	1372	17	20	37	—	1	1	12	14	26	5
118	South Uist—												
	(1) Benbecula,	1651	1781	22	23	45	2	2	4	14	13	27	4
	(2) Howmore,	1818	1968	26	21	47	2	1	3	16	12	28	9
	(3) Boisdale,	2280	2329	35	30	65	2	—	2	17	11	28	8
119	Strath,	2562	2616	29	29	58	1	2	3	24	23	47	12
	— Total,	84258	86389	1171	1179	2350	89	84	173	685	723	1408	412
	III. NORTH-EASTERN.												
	7. NAIRN.												
120	Ardelach,	1197	1117	16	6	22	—	—	—	7	6	13	2
121	Auldearn,	1279	1292	20	26	46	5	2	7	5	12	17	7
122	Cawdor,	1027	1070	14	19	33	2	1	3	7	6	13	3
123	NAIRN,	4869	5368	82	73	155	9	6	15	47	48	95	32
	Total,	8372	8847	132	124	256	16	9	25	66	72	138	44
	8. ELGIN (OR MORAY).												
24	Abernethy and Kincardine.—(Now 90a <i>supra</i> .)												
25	Alves,	1018	1117	21	17	38	3	1	4	7	8	15	3
26	Bellie,	2013	2047	37	24	61	6	4	10	22	15	37	9
27	Birnie,	375	367	11	4	15	2	—	2	3	—	3	—
28a	Boharm,	1337	1166	14	17	31	2	1	3	6	6	12	8
28b	Cromdale, etc.,—												
	(1) Cromdale & Advie,	1295	1166	19	14	33	5	2	7	12	9	21	6
	(2) Inverallan,	2522	2476	27	29	56	2	3	5	24	21	45	7
29	Dallas,	1060	915	11	12	23	5	3	8	9	6	15	10
30	DRAINIE,	3293	3991	100	75	175	9	6	15	31	22	53	20
31	Duffus,	3716	3985	76	79	155	7	7	14	38	26	64	20
32	Duthil, etc.—(Now 96b <i>supra</i> .)												
33	Dyke,	1238	1236	14	15	29	3	5	8	4	10	14	6
34	Edinkillie,	1286	1175	15	14	29	1	—	1	4	3	7	9
35	ELGIN,	9703	9868	159	140	299	24	15	39	118	114	232	69
36	NEW SPYNIE,	573	544	7	10	17	4	2	6	10	12	22	4
37	FORRES,	4562	4752	80	63	143	8	8	16	39	41	80	27
38	Kinloss,	1112	1072	19	20	39	2	2	4	7	3	10	8
39	Knockando,	1909	1838	21	30	51	3	9	12	11	9	20	5
40	Rafford,	1101	1052	19	14	33	4	1	5	8	6	14	6
41	Roths,	2148	2201	36	32	68	12	5	17	17	13	30	13
42	St Andrews-Lhanbryde,	1286	1345	28	19	47	5	—	5	6	12	18	5
43	Speymouth,	634	656	18	4	22	3	—	3	4	9	13	4
44	Urquhart,	2368	2139	21	29	50	4	3	7	10	13	23	14
	Total,	44549	45108	753	661	1414	114	77	191	390	358	748	253
	9. BANFF.												
45	Aberlour,	1632	1794	27	30	57	5	6	11	10	14	24	4
46	Alvah,	1436	1356	21	12	33	3	1	4	13	2	15	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
147	BANFF,	5015	5218	73	85	158	6	7	13	54	58	112	23
148	Botriphnie,	785	696	12	6	18	1	1	2	5	4	9	2
149	Boyndie,	1854	2004	28	34	62	3	6	9	17	16	33	23
†150	CULLEN,	2056	2033	36	30	66	4	3	7	14	14	28	11
151	Deskford,	972	849	14	12	26	6	4	10	8	4	12	6
*152	Enzie,	2251	2413	47	41	88	7	4	11	19	18	37	12
153	FORDYCE—(1) Fordyce,	2151	1976	32	40	72	10	9	19	13	16	29	12
	(2) PORTSOY,	2002	2313	56	46	102	10	9	19	30	26	56	13
154	Forglen,	845	744	9	12	21	2	7	9	1	6	7	7
155a	GAMRIE—(1) Gamrie,	2649	2652	58	43	101	5	3	8	18	17	35	21
	(2) MACDUFF,	3912	4104	76	73	149	10	12	22	54	58	112	23
155b	Glenrinnes,	466	401	4	5	9	—	2	2	2	3	5	—
156	Grange,	1876	1754	25	20	45	5	4	9	13	14	27	7
157	Inveravon—(1) Inveravon,	890	952	15	13	28	4	2	6	3	10	13	6
	(2) Glenlivet,	1718	1616	20	18	38	4	5	9	13	15	28	8
158	Inverkeithny,	1000	909	9	10	19	2	2	4	3	4	7	4
159	KEITH,	5891	6396	94	106	200	20	22	42	44	50	94	31
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	477	387	3	2	5	2	—	2	2	4	6	3
	(2) Tomintoul,	799	686	5	11	16	2	2	4	3	10	13	3
161	Marnoch,	3294	3230	55	54	109	13	11	24	20	29	49	25
162	Mortlach,	2737	2651	40	44	84	12	9	21	21	24	45	24
163	Ordiquhill,	761	714	9	8	17	3	2	5	2	6	8	4
164	RATHVEN,	6659	7396	147	141	288	14	14	28	72	68	140	53
165	Rothiemay,	1370	1363	23	19	42	5	4	9	9	9	18	9
166	St Fergus,	1633	1527	29	23	52	6	5	11	10	8	18	14
167	SEAFIELD,	1752	1649	28	18	46	3	1	4	13	11	24	10
		58883	59783	995	956	1951	167	157	324	486	518	1004	366
	10. ABERDEEN.												
168	ABERDEEN—												
	(1) St Nicholas,	47077	50525	1004	891	1895	153	107	260	589	590	1179	446
	(2) Old Machar,	41104	54551	929	879	1808	91	80	171	472	525	997	384
	Do. (Landward),	1373	1451	25	19	44	—	—	—	4	8	12	7
169	Aberdour,	1945	1931	28	21	49	—	5	5	8	12	20	10
170	Aboyne,	1351	1427	23	16	39	4	—	4	12	9	21	5
171	Alford,	1396	1472	18	20	38	3	2	5	8	8	16	8
172	Auchindoir,	1545	1514	31	26	57	11	6	17	12	12	24	12
173	Auchterless,	1971	1948	27	29	56	6	8	14	11	7	18	12
174	Belhelvie,	1833	1850	29	24	53	3	5	8	15	10	25	8
175	Birse,	1198	1093	13	13	26	2	3	5	5	6	11	3
176	Bourtie,	499	463	3	6	9	—	1	1	3	2	5	5
177	Cabrach,	775	682	10	13	23	3	5	8	6	3	9	8
178	Cairney,	1525	1565	16	24	40	6	6	12	7	11	18	13
179	Chapel of Garioch,	1928	1923	33	27	60	3	2	5	9	14	23	10
180	Clatt,	483	452	5	10	15	1	—	1	5	4	9	2
181	Cluny,	1366	1298	17	18	35	3	4	7	6	4	10	10
182	Coull,	824	783	10	16	26	1	5	6	8	3	11	6
183	Crathie and Braemar,	1566	1611	19	10	29	2	1	3	6	12	18	2
†184	Crimond,	861	815	13	12	25	2	1	3	7	2	9	4
185	Cruden,	3124	3444	75	69	144	8	11	19	29	15	44	24
186	Culsamond,	896	828	16	10	26	3	3	6	6	6	12	8
187	Daviot,	597	515	3	4	7	—	—	—	3	4	7	—
188	Drumblade,	931	943	14	15	29	2	4	6	6	3	9	12
189	Drumoak,	1032	930	10	14	24	1	1	2	2	5	7	5
190	Dyce,	945	1162	24	19	43	4	3	7	11	9	20	5
191	Echt,	1259	1297	17	20	37	3	3	6	11	7	18	7
†192	Ellon,	3036	3057	53	59	112	7	11	18	15	24	39	17
193	Fintray,	1108	1032	15	16	31	2	3	5	5	9	14	6
†194	Forgue,	1332	1303	21	25	46	5	7	12	3	11	14	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
195	Foveran,	1859	2042	41	31	72	10	5	15	18	11	29	12
196	FRASERBURGH,	5301	7596	171	185	356	23	17	40	88	85	173	57
197	Fyvie,	3306	3317	41	38	79	2	5	7	17	24	41	23
198	Gartly,	972	890	11	13	24	3	3	6	6	7	13	2
199	Glass,	1061	1020	13	17	30	4	5	9	9	6	15	1
200	Glenbucket,	570	506	5	2	7	2	—	2	4	—	4	1
201	Glenmuick, Tullich, and Glengairn,	1992	1946	20	30	50	4	4	8	8	20	28	3
202	HUNTLY,	4374	4388	78	65	143	16	15	31	33	33	66	21
203	Insch,	1596	1536	23	29	52	7	2	9	12	8	20	8
204	INVERURIE,	2970	3038	47	45	92	7	9	16	30	30	60	11
205	Keig,	886	776	9	16	25	2	1	3	4	9	13	3
206	Keithhall,	874	880	10	8	18	1	1	2	5	4	9	1
207	Kemnay,	1300	1636	34	30	64	3	6	9	17	13	30	11
208	Kildrummy,	660	656	11	7	18	1	2	3	5	4	9	5
209	Kincardine O'Neil,	2000	1931	23	19	42	2	1	3	12	10	22	15
210a	King Edward— (1) King Edward,	1058	1164	13	16	29	1	1	2	2	5	7	4
	(2) New Byth,	2053	1904	29	35	64	8	11	19	16	17	33	18
*210	Kinninmonth	1113	1116	16	19	35	—	6	6	6	5	11	9
211	Kinnellar,	601	580	11	8	19	1	2	3	3	3	6	3
212	Kinnethmont,	1062	999	12	13	25	2	1	3	4	4	8	5
213	KINTORE,	2158	2327	44	37	81	8	6	14	22	24	46	17
214	Leochel-Cushnie,	1232	1217	12	21	33	3	6	9	5	5	10	9
215	Leslie,	532	523	4	7	11	—	1	1	1	7	8	5
216	Logie-Buchan	808	767	17	10	27	3	2	5	2	1	3	8
*217	Logie Coldstone & Cromar,	1068	1071	10	13	23	4	4	8	5	7	12	6
+218	Longside,	3312	3211	62	51	113	8	8	16	19	16	35	30
+219	Lonmay,	1653	1767	40	23	63	3	3	6	12	17	29	12
220	Lumphanan,	1239	1130	18	11	29	5	2	7	6	12	18	8
221	Methlic,	2084	2162	36	33	69	7	6	13	11	11	22	12
222a	Midmar,	1127	1041	18	20	38	3	4	7	3	7	10	8
*222b	Millbrex,	1484	1406	19	14	33	5	4	9	10	7	17	7
+223	Monquhitter,	2670	2474	42	40	82	5	12	17	17	17	34	14
224	Monymusk,	996	1155	18	9	27	2	2	4	4	9	13	6
+225	New Deer,	4147	4097	54	57	111	12	8	20	29	35	64	30
226	Newhills,	4210	5480	75	102	177	11	12	23	28	41	69	36
227a	New Machar,	1520	1505	16	21	37	1	2	3	4	10	14	7
*227b	New PITSLIGO,	3090	2964	50	43	93	18	13	31	47	34	81	12
+228	Old Deer,	4261	4274	62	67	129	8	8	16	34	28	62	26
229	Old Meldrum,	2330	2254	33	30	63	11	7	18	11	24	35	9
230	Oyne,	1050	962	18	14	32	6	5	11	8	3	11	5
231	Peterculter,	1668	1908	29	35	64	1	2	3	10	13	23	17
232	PETERHEAD— (1) PETERHEAD,	10162	12491	283	265	548	28	21	49	121	109	230	73
	(2) Boddam,	1844	1766	41	42	83	7	7	14	12	8	20	15
233	Pitsligo,	2218	2582	54	50	104	7	6	13	24	26	50	17
234	Premnay,	997	930	16	18	34	2	7	9	12	9	21	8
235	Rathen,—(1) Rathen,	1257	1248	24	18	42	3	3	6	11	11	22	5
	(2) Inverallochy,	1593	1577	38	18	56	4	—	4	18	17	35	10
236	Rayne,	1409	1284	18	16	34	4	5	9	10	8	18	5
237a	Rhynie,	1195	1126	19	24	43	3	7	10	12	3	15	8
*237b	Savoeh,	1961	2040	23	32	55	7	7	14	12	8	20	7
238	Skene,	1842	1787	23	19	42	3	2	5	9	12	21	4
239	Slains,	1355	1256	13	17	30	2	2	4	6	6	12	2
*240	Strathdon,	1761	1542	24	19	43	5	5	10	12	10	22	8
+241	Strichen,	1941	2013	28	29	57	4	4	8	15	18	33	11
+242	Tarland,	983	947	9	10	19	1	—	1	3	9	12	3
+243	Tarves,	2288	2389	37	24	61	6	8	14	9	10	19	10
244	Tough,	760	681	7	13	20	2	3	5	3	3	6	1
245	Towie,	798	759	9	10	19	2	5	7	5	4	9	5
246	Tullynessle and Forbes,	970	981	18	23	41	2	6	8	5	10	15	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
247	TURRIFF,	4348	4343	67	61	128	11	10	21	29	27	56	26
+248	Tyrie,	869	871	10	26	36	2	4	6	6	8	14	6
+249a	Udny,	1626	1638	34	35	69	8	3	11	12	8	20	5
*249b	Ythan Wells, . .	1494	1315	14	18	32	2	2	4	7	7	14	7
Total,		246298	269047	4605	4396	9001	667	618	1285	2224	2292	4516	1781
11. KINCARDINE.													
250	Arbuthnot, . . .	924	809	7	12	19	2	1	3	3	5	8	9
BANCHORY-DEVEN-ICK—													
(1) BANCHORY-DEVENICK, .		1263	1707	26	25	51	3	3	6	11	13	24	8
251	(2) Portlethen, .	1789	1610	26	23	49	3	6	9	12	8	20	6
252	Banchory-Ternan, .	2875	3066	38	50	88	4	3	7	13	23	36	9
253	BENHOLM,	1569	1527	31	17	48	2	1	3	12	7	19	19
254	BERVIE,	1843	2107	26	43	69	4	3	7	8	13	21	10
255	DUNNOTTAR, . . .	2102	2498	53	47	100	3	4	7	19	18	37	17
256	Durris,	1021	1014	13	13	26	4	1	5	8	7	15	5
257	Fettercairn, . . .	1539	1503	18	21	39	3	1	4	9	5	14	7
258	FETTERESSO—												
(1) FETTERESSO, .		3585	3565	59	57	116	6	7	13	39	32	71	11
(2) Cookney, . .		2080	1976	33	30	63	6	2	8	15	10	25	7
259	Fordoun,	2113	1992	32	31	63	2	1	3	14	16	30	9
260	Garvoek,	476	428	7	3	10	2	—	2	2	2	4	2
261	Glenbervie, . . .	1073	972	17	11	28	3	1	4	7	5	12	4
262	KINNEFF AND CAT-TERLINE, .	1062	997	12	10	22	1	1	2	16	8	24	8
263	Laurencekirk, . .	2174	2045	30	28	58	6	4	10	11	22	33	13
264	Maryculter, . . .	1110	1072	23	11	34	3	—	3	10	5	15	3
265	Marykirk,	1771	1461	21	20	41	5	1	6	14	13	27	2
266	Nigg,	2348	2935	51	54	105	6	3	9	52	34	86	16
267	St Cyrus,	1585	1487	21	20	41	1	5	6	15	12	27	7
268	Strachan,	795	694	13	9	22	1	3	4	4	3	7	2
Total,		35097	35465	557	535	1092	70	51	121	294	261	555	174
IV. EAST-MIDLAND.													
12. FORFAR.													
269	Aberlemno, . . .	1007	993	13	19	32	2	—	2	—	4	4	5
270	Airlie,	778	844	18	12	30	1	2	3	4	2	6	4
271	Arbirlot,	919	822	17	7	24	—	—	—	5	3	8	3
*272	ARBROATH, . . .	20169	21995	362	314	676	35	26	61	244	232	476	142
273	Auchterhouse, . .	721	661	13	7	20	2	1	3	3	1	4	3
274	BARRY,	3008	3233	45	46	91	2	7	9	32	21	53	20
275	BRECHIN,	9514	10499	170	151	321	25	18	43	84	101	185	62
276	Carmylie,	1309	1137	13	13	26	1	1	2	10	7	17	11
277	Careston,	209	194	4	3	7	—	1	1	1	—	1	1
278	Cortachy and Clova, .	554	442	7	5	12	—	—	—	3	5	8	2
+279	COUPAR-ANGUS, . .	2797	2546	41	34	75	2	5	7	20	31	51	20
280	CRAIG,	2402	2589	50	50	100	2	4	6	16	33	49	17
+281	Dun,	565	541	7	7	14	1	1	2	3	4	7	1
*282	DUNDEE,												
(1) St Peter, . .		22,894	28014	443	466	909	41	37	78	235	290	525	216
(2) St Mary, . .		23,582	25320	423	395	818	58	55	113	314	347	661	236
(3) St Clement, .		25,090	25978	443	408	851	45	51	96	248	230	478	253
(4) St Andrew, .		38,082	50773	912	868	1780	98	71	169	543	587	1130	329
(5) Lochee, . .		11,076	12370	188	208	396	16	24	40	119	141	260	118
283	Dunnichen, . . .	1536	1422	18	20	38	—	2	2	11	9	20	4
284	Eassie and Nevay, .	586	561	8	5	13	—	—	—	1	2	3	2
285	Edzell,	976	823	17	11	28	2	1	3	4	5	9	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
286	Farnell,	580	613	9	11	20	—	3	3	3	1	4	4
287	Fearn,	348	316	3	6	9	1	—	1	1	3	4	3
288	FORFAR,	12,585	14,470	266	232	498	41	26	67	117	112	229	97
289	Glamis,	1813	1631	23	19	42	4	3	7	11	13	24	16
290	Glenisla,	925	791	12	3	15	—	—	—	4	2	6	5
291	Guthrie,	404	439	4	4	8	1	—	1	2	2	4	4
292	Inverarity,	888	862	17	13	30	—	1	1	4	2	6	2
293	Inverkeillor,	1521	1671	32	25	57	2	3	5	5	8	13	4
*294	Kettins,	855	903	14	15	29	—	—	—	5	9	14	3
295	Kingoldrum,	409	389	4	7	11	—	1	1	2	—	2	1
296	Kinnell,	766	696	13	12	25	1	3	4	3	2	5	7
*297	Kinnettles,	405	418	1	9	10	—	2	2	4	2	6	3
298	Kirkden,	1623	1682	25	28	53	4	3	7	17	16	33	4
299	KIRRIEMUIR,	6420	6616	97	88	185	8	11	19	37	51	88	30
300	Lethnott and Navar,	318	288	4	6	10	—	1	1	2	3	5	2
+301	Liff, Benvie, and Inver- gowrie	1357	1333	19	18	37	1	1	2	18	10	28	3
302	Lintrathen,	756	641	3	4	7	—	—	—	2	3	5	7
303	Lochlee,	424	359	7	8	15	2	2	4	3	2	5	—
304	Logie-Pert,	1251	995	15	16	31	3	1	4	5	7	12	5
305	Lunan,	248	243	5	4	9	—	—	—	1	1	2	1
306	Lundie,	400	317	3	6	9	—	2	2	2	3	5	3
307	Mains, etc.—(1) Mains, (2) Strathmartine,	1927 822	2292 1198	40 16	37 19	77 35	4 3	4 1	8 4	22 11	11 8	33 19	9 3
308	Marytown,	396	389	8	4	12	—	1	1	1	—	1	3
309	Menmuir,	761	755	8	6	14	—	—	—	4	2	6	8
310	MONIFIETH,	7252	9521	142	155	297	10	5	15	54	65	119	58
311	Monikie,	1397	1412	14	22	36	2	2	4	5	6	11	11
312	MONTROSE,	15,783	16,303	253	234	487	19	24	43	136	175	311	78
313	Murroes,	751	749	18	15	33	2	1	3	3	3	6	2
314	Newtyle,	931	911	12	7	19	2	1	3	8	8	16	1
315	Oathlaw,	452	440	10	6	16	—	—	—	6	1	7	1
316	PANBRIDE,	1331	1395	22	18	40	1	—	1	19	15	34	9
317	Rescobie,	748	685	10	10	20	—	—	—	4	3	7	8
318	Ruthven,	247	195	2	3	5	1	1	2	3	1	4	2
+319	St Vigeans,	2513	2480	37	45	82	5	4	9	18	22	40	18
320	Stracathro,	503	487	9	11	20	1	1	2	5	1	6	3
321	Tannadice,	1286	1254	20	15	35	—	4	4	6	7	13	3
322	Tealing,	879	757	13	10	23	1	—	1	4	7	11	7
Total,		240049	268653	4422	4200	8622	452	419	871	2457	2642	5099	1880
13. PERTH.													
323	Aberdalgie,	342	297	4	3	7	—	—	—	2	1	3	1
*324	Aberfeldy,	2286	2268	26	17	43	5	1	6	23	19	42	16
325	Aberfoyle,	432	465	5	5	10	—	—	—	3	2	5	1
326	Abernethy,	1744	1714	27	26	53	4	2	6	15	13	28	12
327	Abernyte,	253	275	4	5	9	1	—	1	2	1	3	1
+328x	ALYTH,	3151	3372	41	63	104	7	7	14	30	33	63	18
328b	Ardoch,	1316	1102	15	13	28	1	2	3	6	9	15	7
329	AUCHTERARDER,	3795	3648	43	55	98	9	7	16	33	33	66	27
+330	Auchtergaven,	1472	1339	12	11	23	2	2	4	14	14	28	7
*331	Balquhiddie,	882	759	10	4	14	2	1	3	5	1	6	1
+332	Bendochy,	474	499	13	5	18	—	1	1	1	—	1	1
333	Blackford,	1836	1595	16	21	37	2	4	6	11	7	18	4
334	Blair-Athol,	1718	1687	27	22	49	1	4	5	10	21	31	8
+335	BLAIRGOWRIE,	4832	4936	62	50	112	11	6	17	41	42	83	24
+336	Callander,	1870	2167	19	29	48	1	2	3	18	16	34	6

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
+337	Caputh,	1571	1509	26	12	38	1	2	3	10	10	20	5
338	Cargill,	1411	1348	13	14	27	1	1	2	15	7	22	3
339	Clunie,	603	582	11	8	19	—	1	1	3	4	7	6
340	Collace,	456	409	5	8	13	—	1	1	—	3	3	4
+341	Comrie,	1772	1726	12	23	35	2	1	3	10	19	29	5
342	CRIEFF,	4598	4852	78	59	137	11	9	20	46	48	94	32
343	CULROSS,	1354	1130	15	13	28	3	—	3	11	10	21	3
344	Dowally,	461	431	1	5	6	—	—	—	—	2	2	2
345	Dron,	343	335	6	5	11	1	—	1	—	2	2	3
+346	Dull,	677	618	12	4	16	1	1	2	2	5	7	4
347	Dunbarney,	913	756	10	12	22	—	1	1	7	7	14	6
348	DUNBLANE,	2765	3123	52	41	93	5	6	11	26	33	59	12
*349	Dunkeld,	881	882	11	9	20	1	1	2	9	5	14	2
350	Dunning,	1832	1635	22	23	45	2	3	5	21	18	39	9
351	Errol,	2504	2421	27	34	61	1	4	5	15	15	30	13
352	Findo-Gask,	369	364	8	2	10	1	1	2	1	—	1	1
353	Forgandenny,	632	627	13	10	23	2	6	8	3	5	8	2
354	Forteviot,	567	618	7	11	18	1	2	3	2	4	6	2
*355a	Fortingall,												
	(1) Innerwick in Glenlyon	393	355	3	1	4	—	—	—	3	—	3	1
	(2) Fortingall,	621	568	4	4	8	—	—	—	2	4	6	—
*355b	Foss,	270	226	3	1	4	—	—	—	2	2	4	1
356	Fowlis-Easter,	291	311	5	3	8	—	—	—	2	2	4	—
+357	Fowlis-Wester,	1028	979	11	11	22	—	—	—	8	4	12	8
358	Glendevon,	105	147	—	1	1	—	—	—	—	—	—	—
359	Inchture,	659	650	13	14	27	—	—	—	3	2	5	3
*+360	Kenmore,	1215	1112	19	8	27	—	—	—	5	7	12	7
*361	Killin,	1977	1379	15	12	27	2	1	3	8	8	16	6
362	Kilmadock,	3170	3012	37	30	67	2	3	5	28	32	60	24
363	Kilspindie,	679	693	10	9	19	—	1	1	5	2	7	3
364	Kincardine,	1484	1351	13	21	34	1	—	1	13	11	24	9
365	Kinclaven,	528	490	4	8	12	—	1	1	2	2	4	2
366	Kinfauns,	578	583	12	7	19	1	—	1	2	3	5	1
*367	Kinloch-Rannoch,	921	894	11	15	26	1	1	2	9	2	11	7
368	Kinnaird,	299	260	9	4	13	1	—	1	1	1	2	—
369	Kinnoul,	723	734	10	8	18	1	—	1	4	3	7	3
370	Kirkmichael—												
	(1) Kirkmichael,	657	568	9	5	14	4	—	4	7	3	10	4
	(2) Glenshee,	241	226	1	—	1	—	—	—	2	1	3	1
371	LECROFT,	535	602	12	7	19	1	—	1	7	6	13	5
+372	Lethendy, etc.—												
	(1) Lethendy,	179	149	1	2	3	—	—	—	2	2	4	3
	(2) Kinloch,	251	252	4	2	6	—	—	—	1	2	3	—
373	Little Dunkeld,	2352	2149	22	22	44	4	1	5	21	27	48	9
374	LOGIE,	4553	4696	51	53	104	2	6	8	52	44	96	26
375	Logiealmond,	646	623	11	10	21	2	—	2	7	5	12	3
*376	Logierait,	1739	1697	24	13	37	2	1	3	17	15	32	7
+377	Longforgan,	1753	1854	20	33	53	1	2	3	18	15	33	7
*378	Madderty,	523	527	6	5	11	—	—	—	1	2	3	2
379	Meigle,	1003	966	15	14	29	—	—	—	3	7	10	6
380	Methven,	2073	1848	28	18	46	2	4	6	12	7	19	15
381	Moneydie,	244	233	7	3	10	2	—	2	—	1	1	1
+382	Monzie,	413	381	4	2	6	—	—	—	3	1	4	—
383	Monzievaird and Strowan	744	700	12	8	20	—	—	—	1	3	4	2
+384	Moulin,—(1) Moulin,	1561	1623	28	14	42	2	1	3	13	16	29	5
	(2) Strathloch,		213	3	2	5	—	—	—	1	3	4	—
385	Muckart,	612	601	6	4	10	1	—	1	7	8	15	4
386a	MUTHILL,	1916	1702	31	11	42	2	1	3	15	13	28	6
*386b	Persie,	820	715	5	14	19	—	—	—	4	2	6	6
*387	PERTH,	26382	29756	510	456	966	35	30	65	350	360	710	242
388	Port of Menteith,	1243	1175	12	9	21	2	—	2	10	12	22	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
+389	RATTRAY,	2586	3018	46	42	88	10	4	14	14	28	42	10
+390	Redgorton,	1046	1100	13	18	31	1	—	1	2	9	11	6
391	Rhynd,	327	297	3	2	5	—	—	—	3	2	5	1
392	St Madoes,	290	316	2	4	6	—	—	—	1	2	3	2
393a	St Martins,	735	741	21	10	31	1	1	2	6	5	11	1
*393b	Stanley,	1103	1276	13	16	29	2	1	3	10	15	25	8
+394a	Scone,	2185	2306	29	25	54	1	4	5	15	16	31	13
+394b	Strathfillan,	342	327	4	4	8	1	—	1	4	4	8	3
394c	Tenandry,	530	497	3	9	12	1	—	1	5	5	10	1
395	Tibbermore,	1128	1131	17	14	31	2	1	3	8	12	20	8
396	Trinity-Gask,	415	396	5	5	10	—	—	—	—	2	2	1
397	Tulliallan,	2184	2207	29	32	61	1	—	1	17	19	36	10
398	Weem,	186	181	2	—	2	1	—	1	1	1	2	1
Total,		128550	130282	1841	1667	3508	171	143	314	1132	1169	2301	747
14. FIFE.													
399	Abbotshall (merged in 442),												
+400	ABDIE,	1057	862	11	9	20	1	—	1	8	5	13	4
401	Aberdour,	1697	1736	32	21	53	2	—	2	13	17	30	11
*402	ANSTRUTHER-EASTER,	1239	1349	14	17	31	2	1	3	10	7	17	5
403	ANSTRUTHER-WESTER,	545	673	5	8	13	1	2	3	8	7	15	4
404	Arngask,	565	547	7	6	13	—	1	1	2	6	8	1
405	AUCHTERDERRAN,	4017	4332	78	77	155	7	1	8	21	23	44	25
406	AUCHTERMUCHTY,	2958	2322	39	19	58	6	3	9	22	27	49	19
407	Auchtertool,	529	706	21	10	31	5	—	5	5	5	10	2
408	BALLINGRY,	982	1065	20	21	41	—	2	2	10	10	20	7
409	Balmerino,	717	664	9	6	15	—	1	1	6	5	11	4
410	BEATH,	3534	5442	108	105	213	4	6	10	48	40	88	38
411	BURNTISLAND,	3872	4821	114	73	187	3	2	5	50	46	96	29
412	Cameron,	1158	1003	13	10	23	—	2	2	5	9	14	7
413	Carnbee,	1088	1057	18	15	33	2	1	3	3	1	4	9
414	Carnock,	1764	1055	10	9	19	—	2	2	9	15	24	8
415	Ceres,	2381	2063	17	28	45	3	2	5	10	18	28	12
416	Collessie,	1703	1989	24	18	42	—	—	—	17	12	29	9
*417	CRAIL,	1733	1644	28	18	46	3	1	4	22	17	39	6
418	Creich,	387	386	9	8	17	—	—	—	3	5	8	—
419	Cults,	767	704	7	13	20	1	—	1	2	10	12	5
420	CUPAR,	7102	7404	89	99	188	7	8	15	72	103	175	38
421	Dairsie,	687	693	15	11	26	2	2	4	4	4	8	3
422	Dalgetty,	1310	1321	23	17	40	1	1	2	12	7	19	6
*423	Dunbog,	395	386	5	7	12	—	1	1	1	4	5	3
*424	DUNFERMLINE,	23256	26346	429	389	818	30	25	55	248	252	500	200
*425	Dunino,	456	415	6	4	10	—	—	—	2	2	4	7
426	DYSART,	9682	11601	218	218	436	12	11	23	127	109	236	73
427	Elie,	775	670	8	6	14	—	—	—	7	11	18	4
428	FALKLAND,	3069	2698	30	28	58	1	4	5	19	26	45	10
429	FERRY-PORT-ON-CRAIG,	2674	2818	49	47	96	3	5	8	20	24	44	24
+430	Flisk,	212	213	—	3	3	—	—	—	1	—	1	—
431	FORGAN,	2243	3308	31	30	61	—	2	2	8	22	30	11
*432	INVERKEITHING,	3131	2787	34	50	84	6	3	9	19	24	43	21
433	Kemback,	1056	853	6	6	12	1	1	2	9	4	13	2
434	Kennoway,	1703	1560	15	13	28	2	1	3	8	20	28	8
435	Kettle,	2323	2054	31	28	59	5	2	7	10	32	42	15
436	KILCONQUHAR,	2018	2053	23	28	51	4	1	5	7	14	21	15
437	Kilmany,	651	634	8	7	15	—	—	—	3	5	8	5
+438	KILRENNY,	2945	3097	62	50	112	2	2	4	35	28	63	12

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Tot.	Mal.	Fem	Total.	
+439	KINGHORN, . . .	2602	2773	51	57	108	4	7	11	48	30	78	24
440	Kinglassie, . . .	1082	1292	17	13	30	1	—	1	7	10	17	13
441	Kingsbarns, . . .	922	795	9	15	24	—	1	1	2	6	8	4
*442	KIRKCALDY and AB- BOTSHALL, . . .	13509	15840	255	249	504	17	10	27	154	161	315	132
443	Largo, . . .	2318	2234	37	29	66	3	1	4	11	24	35	12
444	LESLIE, . . .	4294	4345	59	56	115	10	9	19	30	43	73	33
445	Leuchars, . . .	1727	2185	46	39	85	3	4	7	15	17	32	12
446	Logie, . . .	402	390	3	5	8	1	—	1	5	2	7	2
447	Markinch, . . .	5413	5863	87	83	170	6	4	10	58	54	112	39
448	Monimail, . . .	918	834	14	13	27	1	—	1	7	1	8	5
449	Moonzie, . . .	154	148	3	2	5	1	1	2	2	—	2	1
450	NEWBURGH, . . .	2529	2191	37	30	67	1	5	6	23	31	54	11
451	Newburn, . . .	362	344	4	7	11	—	—	—	1	2	3	—
452	PITTENWEEM, . . .	1803	2119	49	41	90	1	3	4	20	18	38	13
453	ST ANDREWS and ST LEONARDS, . . .	8592	8604	119	112	231	16	8	24	64	81	145	51
454	St Monance (or Aber- crombie), . . .	1761	2054	34	36	70	2	1	3	35	26	61	16
455	Saline, . . .	1259	954	10	10	20	1	2	3	7	6	13	5
456	SCOONIE, . . .	3178	3730	75	60	135	5	6	11	32	31	63	27
457	Strathmiglo, . . .	2267	2061	30	24	54	2	2	4	10	18	28	10
458	Torryburn, . . .	1051	737	3	12	15	—	—	—	5	10	15	6
459	WEMYSS—(1) WEMYSS, .	2587	2711	54	48	102	2	1	3	13	14	27	25
	(2) BUCKHAVEN, . . .	3813	4596	104	94	198	4	4	8	29	33	62	26
	Total,	160924	172131	2766	2567	5333	197	165	362	1464	1594	3058	1129
	15. KINROSS.												
460	Cleish, . . .	539	498	14	15	29	1	2	3	4	2	6	4
461	Fossway and Tulliebole,	1461	1267	4	4	8	1	—	1	9	8	17	11
462	Kinross, . . .	2477	2492	31	36	67	3	2	5	26	23	49	11
463	Orwell, . . .	2248	2031	22	26	48	1	—	1	15	19	34	7
464	Portmoak, . . .	1193	1042	11	7	18	—	1	1	10	22	32	8
	Total,	7918	7330	82	88	170	6	5	11	64	74	138	41
	16. CLACKMANNAN.												
465	ALLOA, . . .	9940	11638	186	192	378	13	11	24	93	111	204	68
466	CLACKMANNAN, . . .	4653	4543	91	69	160	5	4	9	61	46	107	27
467	DOLLAR, . . .	2524	2500	15	25	40	1	3	4	13	17	30	4
468	TILlicouLTRY, . . .	5118	5344	85	71	156	10	5	15	44	49	93	28
	Total,	22235	24025	377	357	734	29	23	52	211	223	434	127
	V. WEST-MIDLAND.												
	17. STIRLING.												
469	Airth, . . .	1396	1362	22	23	45	2	1	3	9	12	21	2
470	ALVA, . . .	4296	5113	93	82	175	7	7	14	56	48	104	34
471	Baldernock, . . .	616	569	7	8	15	—	—	—	2	5	7	6
472	Balfron, . . .	1502	1327	14	10	24	—	—	—	13	18	31	7
+473	Bothkennar, . . .	1726	1798	53	30	83	5	—	5	20	15	35	15
474	Buchanan, . . .	591	550	10	6	16	—	—	—	3	2	5	2
475	CAMPSIE, . . .	6739	5873	95	79	174	7	4	11	58	62	120	32
476	DENNY—(1) DENNY, .	3530	4228	82	87	169	4	9	13	40	26	66	26
	(2) Haggs, . . .	1463	1500	32	32	64	2	3	5	12	16	28	9
477	Drymen, . . .	1405	1431	13	14	27	1	1	2	14	6	20	7
478	DUNIPACE, , . . .	1733	1874	39	33	72	2	3	5	20	15	35	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
+479	FALKIRK—(1) BURGH,	9547	13170	239	258	497	8	22	30	123	135	258	92
	(2) LANDWARD,	6726	8980	177	179	356	12	6	18	92	84	176	83
480	Fintry,	499	414	6	7	13	—	2	2	3	6	9	2
+481a	Gargunnoch,	675	698	12	11	23	1	—	1	5	5	10	9
*481b	GRANGEMOUTH,	2569	4560	91	85	176	3	7	10	38	38	76	15
482	Killearn,	1111	1131	17	19	26	2	1	3	8	6	14	1
483	KILSYTH,	6313	6840	160	126	286	11	12	23	40	62	102	64
484	Kippen,	1568	1449	23	19	42	3	3	6	9	15	24	9
485	LARBERT,	5280	6346	103	121	224	7	5	12	71	83	154	35
486	Muiravonside,	2653	2713	45	47	92	5	2	7	18	11	29	22
+487	Polmont,	3848	3861	62	73	135	5	4	9	39	28	67	39
+488	ST NINIAN—												
	(1) ST NINIAN,	5287	5465	89	83	172	9	5	14	43	58	101	36
	(2) BANNOCKBURN,	4332	4331	80	62	142	4	5	9	52	45	97	21
489	Slamannan,	4164	5850	143	118	261	8	13	21	67	53	120	43
*490	STIRLING,	12541	14107	223	222	445	14	13	27	156	167	323	109
491	Strathblane,	1235	1343	21	17	38	3	2	5	10	16	26	13
	Total,	93345	106883	1951	1841	3792	125	130	255	1021	1037	2058	741
	18. DUMBARTON.												
492	Arrochar,	525	517	4	8	12	—	—	—	3	3	6	2
*493	BONHILL,	9593	13122	205	198	403	13	10	23	121	109	230	127
+494	CARDROSS,	4405	5883	127	99	226	6	8	14	46	48	94	38
495	Cumbernauld,	3602	4270	75	69	144	8	5	13	47	35	82	17
+496	DUMBARTON,	11423	13786	298	275	573	15	23	38	160	147	307	134
*497	Kilmaronock,	978	927	17	7	24	2	—	2	5	7	12	6
498	KIRKINTILLOCH,	8257	10591	193	181	374	21	14	35	126	115	241	79
499	Luss,	730	719	7	8	15	—	1	1	11	4	15	4
500	NEW or EAST KILPATRICK,	6038	7414	144	140	284	3	12	15	81	67	148	40
501	Old or West Kilpatrick,	5346	8862	158	174	332	11	9	20	78	79	157	54
502	Roseneath—(1) Roseneath	677	858	12	7	19	3	—	3	5	6	11	4
	(2) Kilcreggan and Cove,	1103	1136	16	15	31	—	2	2	8	12	20	3
503	Row,	8439	10097	117	135	252	4	11	15	78	80	158	47
	Total,	61116	78182	1373	1316	2689	86	95	181	769	712	1481	555
	19. ARGYLL.												
	Mainland.												
+504	Ardchattan,	1172	1390	17	7	24	1	1	2	12	6	18	2
505	Ardnamurchan—												
	(1) Aharacle,	1414	1425	11	19	30	—	3	3	10	6	16	4
	(2) Arisaig,	1131	1136	11	14	25	—	1	1	8	7	15	3
	(3) Sunart (or Strontian),	760	633	7	7	14	—	1	1	4	5	9	—
	(4) Western Ardnamur-												
	chan,	954	911	9	9	18	—	—	—	9	7	16	1
*506	Ballachulish and Corran												
	of Ardgour,	849	749	7	6	13	—	—	—	4	6	10	4
507	CAMPBELTOWN,	8580	9755	181	169	350	11	18	29	93	106	199	76
508	Craignish,	481	451	4	1	5	—	—	—	5	5	10	1
*509	Cumlodden and Minard,	1119	1142	10	14	24	1	1	2	12	7	19	5
510	DUNOON and KILMUN,	6871	8002	86	89	175	1	7	8	66	74	140	33
+511	Glassary,	1242	1234	14	16	30	2	1	3	14	11	25	9
+512	Glenorchy,	754	761	23	8	31	2	1	3	8	7	15	5
*513	INVERARAY,	1503	1407	15	18	33	—	—	—	10	14	24	5
*514	Inverchaolain,	443	407	2	5	7	1	1	2	—	1	1	1
+515	Kilbrandon & Kilchattan,	2107	1921	16	16	32	1	—	1	8	14	22	4
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	684	583	9	7	16	—	1	1	7	4	11	3
	(2) Kilberry,	485	460	5	6	11	—	1	1	4	2	6	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
*517	Kilchrenan, etc.—												
	(1) Kilchrenan, . . .	401	406	4	5	9	—	1	1	1	1	2	2
	(2) Dalavich, . . .	217	226	1	—	1	—	—	—	—	—	—	—
518	Kilfinan, . . .	2228	2153	34	33	67	2	2	4	24	10	34	9
519	Killeen and Kilchenzie, .	1614	1368	17	14	31	1	—	1	7	10	17	6
+520	Kilmalie, . . .	3217	3408	29	44	73	4	8	12	32	32	64	12
521	Kilmartin, . . .	869	811	14	12	26	—	—	—	1	3	4	3
522	Kilmodan, . . .	358	323	4	3	7	1	—	1	3	—	3	1
+523	KILMORE AND KILBRIDE, . . .	3402	5142	84	72	156	10	6	16	53	45	98	44
524	Kilninner, etc.—												
	(1) Kilninner, . . .	253	224	3	4	7	—	—	—	1	1	2	—
	(2) Kilmelford, . . .	506	181	2	—	2	—	—	—	1	1	2	—
525	Lismore, etc.—												
	(1) Lismore, . . .	908	738	8	6	14	—	1	1	4	7	11	2
	(2) Appin, . . .	728	762	9	7	16	—	—	—	7	6	13	3
	(3) Glencoe & Ballachu- lish, . . .	1529	1444	14	21	35	—	1	1	7	6	13	9
	(4) Duror, . . .	370	489	10	8	18	—	—	—	3	4	7	3
*526	Lochgilphead, . . .	3680	3605	56	48	104	4	2	6	43	39	82	20
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead, . . .	436	540	6	3	9	—	—	—	8	7	15	—
	(2) Kilmorich, . . .	330	330	8	3	11	1	—	1	1	3	4	3
528	Morvern, . . .	973	828	11	4	15	—	—	—	9	8	17	1
*529	Muckairn, . . .	786	831	9	12	21	—	—	—	7	8	15	6
530	North Knapdale, . . .	1059	927	5	7	12	1	—	1	6	5	11	3
+531	Saddell, etc.—												
	(1) Saddell, . . .	645	686	7	6	13	—	—	—	3	1	4	3
	(2) Skipness, . . .	500	470	3	5	8	—	1	1	3	3	6	1
532	Southend, . . .	1044	955	11	12	23	1	3	4	4	5	9	2
+533	South Knapdale, . . .	548	453	6	2	8	—	—	—	3	5	8	6
534	Stralachlan, etc.—												
	(1) Stralachlan, . . .	340	358	3	3	6	—	—	—	5	4	9	1
	(2) Strachur, . . .	527	574	8	7	15	—	—	—	4	8	12	2
*535	Tarbert, . . .	1866	2017	37	33	70	—	1	1	10	17	27	15
	<i>Insular.</i>												
*536	Bowmore (or Kilarrow),	2088	1875	20	21	41	2	2	4	22	20	42	2
537	Gigha, . . .	390	382	3	4	7	—	—	—	4	2	6	1
538	Iona (merged in 542), .												
+539	Jura, etc.—(1) Jura, . .	775	792	9	9	18	—	1	1	16	5	21	1
	(2) Colonsay, . . .	456	397	4	1	5	—	—	—	—	1	1	2
+540	Kilchoman, . . .	1882	1687	24	21	45	2	4	6	14	19	33	9
541	Kildalton and Oa, . . .	2283	2271	31	26	57	5	4	9	18	20	38	8
*542	Kilfinichen & Kilvickeon,	2461	1990	29	24	53	4	1	5	13	15	28	6
+543	Kilmeny, . . .	924	881	13	14	27	1	—	1	10	6	16	4
544	Kilninian and Kilmore, .	1189	985	11	8	19	—	—	—	2	7	9	2
545	Kinlochspelve, . . .	388	311	2	4	6	—	—	—	1	3	4	4
+546	Oa (merged in 541), . .												
547	Portnahaven, . . .	979	860	11	18	29	—	3	3	8	9	17	2
548	Salen, . . .	605	600	5	1	6	—	—	—	5	5	10	1
*549	Tobermory, . . .	1344	1342	20	22	42	2	3	5	13	14	27	4
+550	Torosay, . . .	454	396	4	2	6	—	1	1	6	2	8	2
551	Tyree, etc.—(1) Tyree, .	2837	2733	30	25	55	1	3	4	17	24	41	5
	(2) Coll, . . .	723	643	6	10	16	1	1	2	3	2	5	5
	Total, . . .	79661	80761	1052	995	2047	63	86	149	676	675	1351	374

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Tot.	Mal.	Fem	Total.	
	20. BUTE.												
552	Cumbræ	1613	1856	20	25	50	—	1	1	16	19	35	2
+553	Kilbride—(1) Brodick, . .	928	837	6	2	8	—	—	—	6	9	15	9
	(2) Kilbride,	1276	1183	11	8	19	—	1	1	17	7	24	5
+554	Kilmory,	2278	2028	14	16	30	3	—	3	23	14	37	8
555	Kingarth,	901	1260	13	23	36	—	1	1	6	11	17	3
+556	Lochranza,	777	714	5	10	15	1	1	2	5	7	12	2
+557	North Bute.	1393	1427	16	20	36	1	—	1	11	19	30	6
+558	ROTHESAY,	7800	8329	126	118	244	7	6	13	127	107	234	43
	Total,	16966	17634	216	222	438	12	10	22	211	193	404	78
	VI. SOUTH-WESTERN.												
	21. RENFREW.												
+559	ABBEY—												
	(1) Burghal (merged in 573).												
	(3) JOHNSTONE and ELDERSLIE, . .	9573	11488	233	234	467	21	24	45	184	158	342	101
560	CATHCART,	7231	12211	204	209	413	6	8	14	92	86	178	101
561	Eaglesham,	1714	1385	17	18	35	1	2	3	9	6	15	6
562	EASTWOOD,	13098	13915	236	232	468	6	20	26	161	193	354	92
563	Erskine,	1565	1653	19	27	46	1	1	2	18	19	37	9
564	GREENOCK—												
	(1) New, or Middle, . .	20822	20302	372	392	764	17	31	48	192	217	409	95
	(2) East,	13662	18188	450	411	861	16	16	32	226	194	420	159
	(3) Old, or West, . . .	25310	30748	626	556	1182	35	23	58	409	352	761	299
565	Houstoun and Killellan, .	2167	2191	28	22	50	1	2	3	22	19	41	29
566	Inchinnan,	584	508	8	8	16	1	1	2	1	2	3	2
567	INVERKIP—(1) Inverkip, .	1393	1295	19	17	36	1	—	1	9	18	27	4
	(2) GOUROCK,	3109	4064	58	54	112	7	9	16	67	85	152	13
568	KILBARCHAN,	6093	6868	104	100	204	5	8	13	64	86	150	36
569	Kilmalcolm,	1716	2708	34	46	80	—	3	3	21	20	41	11
570	Lochwinnoch,	3816	3369	40	50	90	4	1	5	36	43	79	18
571	MEARNS,	3543	3965	56	46	102	7	2	9	27	31	58	16
+572	NEILSTON—(1) NEILSTON, .	4633	4631	72	67	139	10	9	19	34	41	75	30
	(2) BARRHEAD,	8784	9430	139	155	294	6	9	15	74	89	163	51
+573	PAISLEY—BURGH,	48257	55638	994	984	1978	74	61	135	729	726	1455	546
	LANDWARD,	2415	2733	42	56	98	2	6	8	18	25	43	14
574	PORT-GLASGOW,	9912	10913	271	234	505	19	6	25	154	139	293	133
+575	RENFREW,	5908	7408	188	146	334	4	3	7	91	74	165	40
	Total,	195305	225611	4210	4064	8274	244	245	489	2638	2623	5261	1805
	22 AYR.												
+576	ARDROSSAN—												
	(1) OLD ARDROSSAN, . .	3336	3686	83	58	141	7	3	10	31	46	77	43
	(2) NEW ARDROSSAN, . .	3929	4098	78	62	140	7	2	9	45	27	72	22
577	AUCHINLECK,	6174	6681	155	146	301	9	9	18	64	61	125	41
+578	AYR,	19172	22279	413	364	777	40	29	69	228	250	478	183
579	Ballantrae,	1277	1442	12	24	36	3	1	4	12	10	22	4
580	Barr,	672	600	7	4	11	—	—	—	5	4	9	3
581	BEITH,	6233	6555	139	106	245	8	6	14	76	63	139	47
582	Colmonell—(1) Colmonell	1172	1132	11	13	24	—	1	1	3	11	14	4
	(2) Barrhill,	1121	1059	16	14	30	1	1	2	9	4	13	6
583	Coylton,	1440	3100	85	78	163	10	4	14	17	24	41	23
584a	Craigie,	618	590	6	7	13	1	—	1	4	—	4	6
+584b	Crosshill,	1372	1285	22	21	43	4	4	8	7	4	11	10
585	Dailly,	1932	2226	48	29	77	5	3	8	19	16	35	17
586	Dalmellington,	6165	6383	142	126	268	14	8	22	58	39	97	44
587	DALRY,	10885	10215	174	155	329	13	14	27	77	99	176	91

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
588	Dalrymple, . . .	1412	1362	26	27	53	5	4	9	12	7	19	12
589	Dreghorn, . . .	3241	3949	97	84	181	7	2	9	32	20	52	24
+590	DUNDONALD—												
	(1) Dundonald, . . .	1507	1509	24	17	41	3	1	4	9	7	16	11
	(2) TROON, . . .	2870	2587	40	41	81	2	5	7	17	30	47	21
591	Dunlop, . . .	1160	1363	25	19	44	2	—	2	9	15	24	8
592	Fenwick, . . .	1318	1152	7	17	24	—	1	1	10	13	23	7
593	GALSTON, . . .	6331	5961	100	114	214	—	7	7	46	55	101	40
594	GIRVAN, . . .	5685	5480	77	96	173	11	12	23	45	46	91	34
*595	IRVINE, . . .	8462	10022	174	203	377	16	18	34	114	97	211	67
596	KILBIRNIE, . . .	4953	5243	79	87	166	4	7	11	42	46	88	58
597	KILMARNOCK, . . .	24072	25864	482	477	959	38	25	63	238	273	511	220
598	Kilmaurs, . . .	3449	3704	85	96	181	10	7	17	33	49	82	28
599	KILWINNING, . . .	7375	7037	138	119	257	11	9	20	69	61	130	41
+600	Kirkmichael, . . .	1125	983	6	13	19	2	1	3	6	7	13	14
+601	Kirkoswald, . . .	1658	1540	14	20	34	—	2	2	12	8	20	7
602	LARGS, . . .	4087	5149	60	65	125	3	3	6	43	42	85	31
603	LOUDOUN, . . .	5525	5239	97	72	169	3	3	6	45	37	82	50
604	Mauchline, . . .	2435	2504	39	43	82	2	8	10	29	25	54	16
+605	MAYBOLE, . . .	5845	6590	130	112	242	9	7	16	70	60	130	45
606	Monkton and Prestwick, . . .	1744	2121	38	23	61	4	1	5	13	16	29	18
607	MUIRKIRK, . . .	3253	5123	108	111	219	12	11	23	38	46	84	42
608	New Cumnock, . . .	3434	3781	84	81	165	11	10	21	29	21	50	19
609	Ochiltree, . . .	1656	1493	23	32	55	2	1	3	17	15	32	9
610	OLD CUMNOCK, . . .	4041	4861	83	76	159	3	8	11	37	41	78	32
611	RICCARTON, . . .	5845	7112	168	159	327	12	11	23	70	65	135	34
+612	St Quivox and Newton- upon-Ayr, . . .	1363	1766	30	34	64	6	9	15	18	18	36	16
613	SORN, . . .	4032	4255	61	77	138	3	8	11	24	38	62	32
614	Stair, . . .	734	928	18	19	37	2	5	7	3	11	14	7
615	STEVENSTON, . . .	5019	5694	116	140	256	9	9	18	68	56	124	45
616	STEWARTON, . . .	4478	4309	56	55	111	8	7	15	40	41	81	35
617	Straiton, . . .	1443	1241	26	15	41	2	—	2	11	9	20	6
618	Symington, . . .	792	697	10	4	14	—	—	—	4	3	7	4
619	Tarbolton, . . .	3219	3599	59	68	127	6	2	8	37	26	63	31
+620	West Kilbride, . . .	1847	2081	39	28	67	2	1	3	22	13	35	16
	Total,	200908	217630	4010	3851	7861	332	290	622	1967	1975	3942	1624
	23. LANARK.												
621	AVONDALE, . . .	5460	5466	73	70	143	8	11	19	54	47	101	33
+622	BARONY,—												
	(1) MARYHILL, . . .	6828	18385	410	408	818	24	23	47	213	175	388	168
	(2) SHETTLESTON, . . .	7517	9238	161	177	338	11	8	19	97	91	188	69
623	Biggar, . . .	2013	2128	29	25	54	4	2	6	25	15	40	10
624	BLANTYRE, . . .	3472	9760	233	210	443	10	10	20	97	85	182	72
625	BOTHWELL—												
	(1) BOTHWELL, . . .	9193	15017	297	296	593	9	13	22	148	145	293	102
	(2) HOLYTOWN, . . .	10099	10449	227	202	429	10	13	23	93	104	197	73
626a	CADDER—(1) WESTERN, . . .	3261	3507	56	46	102	3	—	3	26	23	49	16
	(2) Eastern, . . .	3203	3458	53	67	120	2	2	4	30	18	48	23
*626b	Calderhead, . . .	4271	4158	77	74	151	4	2	6	29	36	65	29
627	CAMBUSLANG, . . .	3740	9447	235	220	455	9	5	14	72	72	144	75
+628	CAMBUSNETHAN, . . .	18709	19286	367	370	737	23	23	46	172	151	323	144
629	CARLUKE, . . .	7066	8552	157	157	314	9	13	22	76	65	141	51
630	Carmichael, . . .	708	770	11	12	23	—	—	—	3	9	12	4
631	Carmunnock, . . .	702	722	12	7	19	—	2	2	5	7	12	5
632	Carnwath, . . .	5709	5831	108	104	212	16	15	31	45	38	83	34
633	Carstairs, . . .	1718	1955	38	28	66	3	—	3	19	20	39	7

REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
34 Covington and Thankerton	454	444	6	4	10	1	—	1	5	2	7	3
35 Crawford,—(1) Crawford,	727	698	19	9	28	2	—	2	7	3	10	4
(2) Leadhills,	1102	1065	21	18	39	2	—	2	14	7	21	4
36 Crawfordjohn, . . .	853	843	3	18	21	—	3	3	6	8	14	6
37 Culter,	593	574	5	2	7	—	—	—	1	2	3	5
38 DALSERF—(1) LARKHALL	5332	6703	148	132	280	10	7	17	78	82	160	53
(2) Dalsersh, . . .	2009	2675	55	57	112	5	2	7	20	30	50	25
39 DALZIEL,	9175	13853	320	316	636	9	19	28	171	146	317	90
40 Dolphinton,	231	292	6	6	12	—	—	—	3	—	3	—
41 Douglas,	2624	2641	48	29	77	6	4	10	21	18	39	15
42 Dunsyre,	302	254	—	4	4	—	—	—	1	2	3	3
43 EAST KILBRIDE, . . .	3861	3975	64	49	113	5	2	7	34	31	65	21
44 GLASGOW—												
(1) Bridgeton,		39630	873	865	1738	38	50	88	585	601	1186	401
(2) Camlachie,		37994	854	797	1651	46	55	101	491	481	972	324
(3) Dennistoun,		46118	911	846	1757	35	43	78	835	586	1421	532
Do. (Landward), . . .		6009	126	114	240	29	23	52	181	189	370	33
(4) Calton,		37450	677	649	1326	50	56	106	435	497	932	410
(5) Blackfriars,		33961	635	649	1284	147	149	296	431	381	812	242
(6) St Rollox,		42490	866	841	1707	68	71	139	687	654	1341	325
Do. (Landward), . . .		945	22	23	45	3	3	6	12	6	18	5
(7) Blythswood,		30521	379	400	779	33	41	74	300	319	619	453
(8) Milton,	508262	35572	786	736	1522	64	74	138	436	515	951	292
(9) Kelvin,		53794	894	844	1738	35	50	85	608	532	1140	577
(10) Anderston,		39006	773	811	1584	50	56	106	471	499	970	351
(11) Hutchesontown, . .		44443	1087	1074	2161	76	60	136	542	597	1139	283
Do. (Landward), . . .		5951	170	152	322	9	8	17	83	65	148	29
(12) Gorbals,		39235	672	665	1337	46	45	91	444	408	852	615
Do. (Landward), . . .		5011	105	104	209	4	4	8	34	41	75	26
(13) Tradeston,		18057	308	316	624	20	19	39	200	197	397	98
Do. (Landward), . . .		5451	107	114	221	2	1	3	51	59	110	81
(14) Kinning Park, . .		13144	274	253	527	15	17	32	145	169	314	91
Do. (Landward), . . .		15752	308	337	645	10	20	30	137	153	290	204
45 Glassford,	1430	1452	29	27	56	5	3	8	14	14	28	9
46 GOVAN—												
(1) PLANTATION,	19899	18405	436	418	854	20	26	46	221	212	433	116
(2) GOVAN,		33510	821	835	1656	42	40	82	503	476	979	336
(3) PARTICK,	23726	39028	783	787	1570	22	32	54	365	380	745	338
47 HAMILTON,	16803	26231	560	563	1123	42	30	72	283	257	540	178
48 LANARK,	7841	7580	111	101	212	14	10	24	87	82	169	52
49 Lesmahagow,	8709	9949	196	184	380	18	18	36	73	68	141	55
50 Libberton,	691	625	12	12	24	4	2	6	4	5	9	3
51 NEW MONKLAND—												
(1) AIRDRIE,	13488	13363	262	268	530	19	15	34	128	138	266	137
(2) LANDWARD,	9264	14453	348	316	664	18	17	35	161	121	282	85
52 OLD MONKLAND—												
(1) WESTERN,	7873	8597	159	162	321	11	8	19	92	95	187	78
(2) MIDDLE,	18410	19483	387	426	813	18	17	35	269	276	545	200
(3) EASTERN,	7790	9243	205	193	398	4	9	13	102	89	191	51
53 Pettinain,	366	360	3	3	6	1	—	1	2	—	2	1
54 RUTHERGLEN,	10766	13801	266	270	536	10	9	19	141	136	277	122
55 Shotts,—(1) Middle Dist.	2523	2596	49	37	86	4	1	5	17	12	29	13
(2) Eastern do.	1852	3466	61	77	138	3	1	4	21	29	50	27
(2) Western do.	1324	2531	54	38	92	7	2	9	25	15	40	22
56 STONEHOUSE,	3177	3173	54	51	105	3	4	7	26	28	54	29
57 Symington,	442	462	4	5	9	—	2	2	2	1	3	1
58 Walston,	425	340	3	4	7	—	1	1	2	1	3	1
59 Wandell and Lamington,	332	316	4	3	7	1	1	2	2	1	3	3
60 Wiston and Robertson, .	680	562	2	11	13	—	—	—	3	3	6	3
Total,	787005	942206	18875	18498	37373	1231	1272	2503	11216	10820	22036	8376

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
VII. SOUTH-EASTERN.													
24. LINLITHGOW.													
661	Abercorn,	933	856	12	15	27	1	2	3	8	5	13	8
662	BATHGATE—												
	(1) BATHGATE,	6942	6425	112	128	240	5	11	16	51	54	105	41
	(2) ARMADALE,	3187	3025	87	71	158	10	6	16	28	34	62	17
663	BORROWSTOUNNESS,	4986	6088	148	134	282	9	11	20	55	64	119	59
664	CARRIDEN,	1799	1989	37	36	73	2	1	3	13	17	30	7
665	Dalmeny,	916	1048	22	14	36	3	—	3	7	3	10	4
666	Ecclesmachan,	329	278	5	4	9	1	—	1	1	2	3	3
667	Kirkliston,	2172	2563	46	50	96	2	4	6	18	28	46	13
668	LINLITHGOW,	5554	5619	84	75	159	3	8	11	53	57	110	37
669	Livingstone,	1727	1484	25	30	55	2	3	5	17	4	21	5
670	QUEENSFERRY,	1521	1966	20	35	55	2	6	8	9	15	24	8
671	Torphichen,	1630	1526	28	23	51	4	2	6	15	12	27	8
672	UPHALL,	2772	4812	113	114	227	1	8	9	43	42	85	48
673	WHITBURN—												
	(1) Whitburn,	2801	2393	36	33	69	2	2	4	19	27	46	14
	(2) FAULDHOUSE,	4110	3933	60	68	128	4	—	4	22	22	44	21
Total,		41379	44005	835	830	1665	51	64	115	359	386	745	288
25. EDINBURGH.													
674	Borthwick,	1494	1374	20	25	45	2	2	4	7	10	17	14
675	Carrington,	712	606	8	7	15	1	2	3	3	5	8	2
676	COCKPEN,	2481	3431	52	42	94	4	—	4	28	17	45	21
677	Colinton,	3644	4347	62	69	131	8	8	16	89	78	167	28
678	Corstorphine,	1788	2156	30	17	47	2	3	5	21	17	38	11
679	Cramond,	3020	2960	34	51	85	2	4	6	26	33	59	22
680	Cranston,	1036	998	20	14	34	2	4	6	5	9	14	5
681	Crichton,	1223	1094	16	18	34	4	4	8	4	5	9	8
682	Currie,	2360	2390	40	31	71	1	5	6	10	19	29	13
683	DALKEITH,	7667	7707	139	104	243	7	3	10	85	77	162	73
684	DUDDINGSTON—												
	(1) PORTOBELLO,	5481	6794	111	83	194	10	5	15	73	73	146	41
	(2) LANDWARD,	970	1124	22	12	34	—	—	—	8	5	13	6
685	EDINBURGH—												
	(1) St George,	50988	65446	1059	1011	2070	55	46	101	452	506	958	444
	Do. (Landward),	4061	7960	139	142	281	14	13	27	159	166	325	29
	(2) St Andrew,	39781	44537	669	605	1274	45	35	80	314	347	661	392
	(3) Canongate,	33183	31339	569	614	1183	36	50	86	380	348	728	304
	(4) St Giles,	31960	32833	608	569	1177	117	126	243	632	530	1162	304
	(5) Newington,	41079	54218	831	759	1590	40	30	70	472	584	1056	509
686	Fala and Soutra,	364	312	9	5	14	2	2	4	—	1	1	1
687	Glencorse,	1153	1500	24	26	50	—	—	—	12	10	22	5
688	Heriot,	414	429	9	7	16	1	1	2	3	6	9	2
689	INVERESK,	10068	10536	170	176	346	17	16	33	104	93	197	84
690	Kirknewton and East Calder,	2213	2759	57	41	98	4	5	9	33	22	55	11
691	LASSWADE,	7098	8872	168	146	314	18	10	28	91	79	170	50
692	LEITH—												
	(1) North Leith,	16582	21977	457	360	817	17	15	32	186	159	345	172
	(2) South Leith,	29852	39211	802	739	1541	39	47	86	421	411	832	327
693	LIBERTON,	3791	5732	95	106	201	5	8	13	61	58	119	34
694	Mid-Calder,	1634	1695	29	31	60	1	2	3	13	5	18	6
695	NEWBATTLE,	2424	2771	47	46	93	6	3	9	22	19	41	17
696	Newton,	1181	1307	17	20	37	—	1	1	9	6	15	14
697	PENICUIK,	3765	5309	100	92	192	5	5	10	44	49	93	38
698a	Ratho,	1744	1815	28	27	55	2	2	4	10	18	28	18

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Male	Fem.	Total.	Mal.	Fem	Tot.	Mal.	Fem	Total.	
698b	Stobhill,	2447	3065	56	64	120	2	1	3	29	26	55	23
699	Stow,	1957	2010	27	38	65	4	3	7	8	16	24	11
700	Temple,	658	541	9	5	14	1	—	1	4	4	8	4
701	WEST-CALDER,	7865	7681	184	165	349	14	6	20	98	78	176	55
	Total,	328138	388836	6717	6267	12984	488	467	955	3916	3889	7805	3098
	26. HADDINGTON.												
702	Aberlady,	1022	1000	10	10	20	2	—	2	5	8	13	5
703	Athelstaneford,	844	762	10	8	18	1	1	2	7	8	15	4
704	Bolton,	364	337	3	5	8	—	1	1	2	3	5	2
705	Dirleton,	1419	1506	17	20	37	2	2	4	8	14	22	9
706	DUNBAR,	4982	5396	85	84	169	10	5	15	41	40	81	36
707	Garvald,	832	758	7	11	18	—	—	—	4	—	4	3
708	Gladsmuir,	1863	1747	23	25	48	1	1	2	8	10	18	11
709	HADDINGTON,	5735	5660	71	67	138	8	5	13	31	47	78	32
710	Humbie,	967	907	15	12	27	1	1	2	6	6	12	5
711	Innerwick,	892	777	11	10	21	—	—	—	1	8	9	5
712	Morham,	204	209	1	3	4	—	1	1	1	3	4	—
713	NORTH BERWICK,	2373	2688	37	42	79	4	1	5	21	32	53	12
714	Oldhamstocks,	592	568	8	6	14	1	—	1	1	3	4	3
715	Ormiston,	911	1026	21	14	35	1	2	3	8	9	17	6
716	Pencaitland,	1320	1107	18	18	36	—	1	1	6	8	14	11
717	Prestonkirk,	1931	1929	35	36	71	3	8	11	20	17	37	10
718	PRESTONPANS,	2069	2573	50	63	113	3	5	8	19	27	46	19
719	Salton,	647	575	2	9	11	—	1	1	4	8	12	3
720	Spott,	560	579	8	8	16	—	1	1	6	4	10	4
721	Stenton,	612	594	7	5	12	2	2	4	5	4	9	4
722	TRANENT,	4852	5198	100	84	184	3	4	7	30	34	64	45
723	Whitekirk and Tynning- hame,	1073	1051	13	12	25	—	3	3	10	9	19	8
724	Whittinghame,	657	639	8	8	16	—	—	—	4	2	6	3
725	Yester,	1034	924	11	12	23	—	—	—	3	3	6	2
	Total,	37755	38510	571	572	1143	42	45	87	251	307	558	242
	27. BERWICK.												
726	Abbey St Bathans,	195	250	2	3	5	—	—	—	2	3	5	1
727	AYTON,	1983	2040	30	39	69	3	2	5	23	26	49	11
728	Bunkle and Preston,	764	726	5	9	14	—	—	—	2	3	5	4
729	Channelkirk,	705	607	10	5	15	1	—	1	1	4	5	2
730	Chirnside,	1413	1516	21	23	44	—	1	1	8	8	16	7
731	Cockburnspath,	1133	1130	28	17	45	2	1	3	5	8	13	7
732	Coldingham— (1) Coldingham,	2582	2676	47	39	86	8	5	13	15	23	38	10
	(2) Grantshouse,	511	497	4	8	12	—	—	—	3	3	6	2
733	Coldstream,	2619	2561	28	22	50	4	3	7	19	19	38	12
734	Cranshaws,	142	106	—	1	1	—	—	—	—	1	1	1
735	DUNS,	3602	3353	40	37	77	4	6	10	30	35	65	22
736	Earlston,	1977	1767	21	25	46	2	—	2	12	17	29	10
737	Eccles,	1780	1546	23	19	42	3	4	7	9	11	20	4
738	Edrom,	1513	1514	16	20	36	2	2	4	6	6	12	8
739	EYEMOUTH,	2372	2935	54	53	107	4	9	13	24	25	49	9
740	Fogo,	502	468	7	7	14	3	—	3	4	3	7	1
741	Foulden,	425	393	6	3	9	2	2	4	1	4	5	4
742	Gordon,	876	832	16	9	25	4	—	4	2	7	9	3
743	Greenlaw,	1381	1245	13	22	35	1	2	3	10	14	24	8
744	Hume,	460	407	5	6	11	—	—	—	3	3	6	2
745	Hutton,	1077	962	11	10	21	2	1	3	8	4	12	5
746	Ladykirk,	518	438	6	3	9	—	1	1	5	4	9	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Tot.	Mal.	Fem	Total.	
747	Langton,	548	505	9	5	14	3	2	5	1	4	5	2
748	LAUDER,	2120	1940	19	24	43	3	4	7	14	11	25	11
749	Legerwood,	525	549	10	7	17	1	—	1	3	2	5	3
750	Longformacus,	452	385	6	3	9	—	—	—	2	—	2	1
751	Merton,	734	682	11	7	18	1	1	2	4	1	5	2
752	Mordington,	402	367	8	—	8	—	1	1	2	1	3	2
753	Nenthorn,	434	454	7	4	11	—	—	—	1	3	4	—
754	Polwarth,	249	227	3	5	8	—	1	1	—	—	—	1
755	Swinton,	996	964	18	13	31	1	4	5	5	8	13	3
756	Westruther,	784	671	10	5	15	1	2	3	6	1	7	—
757	Whitsome,	608	560	12	8	20	3	1	4	2	1	3	4
	Total,	36382	35273	506	461	967	58	55	113	232	263	495	164
	28. PEEBLES.												
758	Broughton (merged in 763),												
759	Drumelzier,	221	208	4	5	9	—	—	—	1	5	6	—
760	Eddlestone,	700	711	9	7	16	—	1	1	4	3	7	2
761	Glenholm (merged in 763),												
+762	INNERLEITHEN,	2776	3636	68	56	124	7	5	12	24	32	56	24
763	Kilbucho, Broughton, and Glenholm,	729	665	12	3	15	3	—	3	4	4	8	4
764	Kirkurd,	294	282	1	5	6	—	—	—	1	4	5	—
765	Lyne, etc.—(1) Lyne,	104	114	3	2	5	—	—	—	—	—	—	1
	(2) Megget,	70	90	1	1	2	—	—	—	—	—	—	1
766	Manor,	271	277	6	3	9	—	—	—	1	—	1	2
767	Newlands,	851	819	7	7	14	—	—	—	4	3	7	3
768	PEEBLES,	3172	4059	67	56	123	7	6	13	28	33	61	17
769	Skirling,	325	274	1	3	4	—	—	—	—	1	1	4
770	Stobo,	459	467	5	10	15	—	—	—	1	2	3	2
771	Traquair,	669	754	10	7	17	1	—	1	1	3	4	2
772	Tweedsmuir,	190	215	2	1	3	—	—	—	1	1	2	1
773	West Linton,	1387	1117	15	18	33	1	3	4	6	9	15	4
	Total,	12218	13688	211	184	395	19	15	34	76	100	176	67
	29. SELKIRK.												
*774a	Caddonfoot,	699	693	19	6	25	1	1	2	6	—	6	3
774b	Ettrick,	434	397	8	4	12	1	—	1	3	1	4	2
+775	GALASHIELS,	5921	9599	187	168	355	7	12	19	91	81	172	55
776a	Kirkhope,	565	547	6	8	14	1	—	1	—	5	5	3
*776b	LADHOPE,	5317	6612	137	112	249	11	6	17	60	43	103	54
777	Roberton,	593	567	7	8	15	2	1	3	5	6	11	2
+778	SELKIRK,	5555	7369	110	133	243	8	9	17	63	59	122	28
+779	Yarrow,	567	562	7	8	15	—	1	1	3	5	8	2
	Total,	19651	26346	481	447	928	31	30	61	231	200	431	149
	VIII. SOUTHERN.												
	30. ROXBURGH.												
780	Ancrum,	1391	1360	19	19	38	1	1	2	10	10	20	3
781	Ashkirk,	550	500	11	6	17	3	—	3	2	3	5	3
782	Bedrule,	292	269	4	4	8	1	—	1	2	—	2	2
783	Bowden,	842	769	11	6	17	—	—	—	8	1	9	8
784	Castleton,	2202	2256	29	37	66	1	3	4	14	29	43	11
+785	Cavers,	922	842	10	12	22	2	3	5	9	9	18	9
786	Crailing,	657	638	12	5	17	2	1	3	4	5	9	4
787a	Eckford,	931	912	10	6	16	1	2	3	3	1	4	7
787b	Edgerston,	365	358	2	8	10	—	—	—	2	1	3	—

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Tot.	Mal.	Fem	Total.	
788	Ednam,	613	613	8	7	15	2	—	2	7	6	13	2
789	HAWICK,	8733	11758	242	221	463	26	22	48	132	121	253	85
790	Hobkirk,	718	662	10	7	17	1	1	2	2	4	6	6
791	Hownam,	238	263	1	5	6	—	1	1	1	—	1	2
792	JEDBURGH,	4971	4917	86	68	154	10	9	19	34	34	68	17
793	KELSO,	5124	5235	60	56	116	7	6	13	47	54	101	22
794	Kirkton,	841	810	11	11	22	—	—	—	5	9	14	3
795	Lilliesleaf,	788	718	10	10	20	1	2	3	5	8	13	1
796	Linton,	570	543	3	3	6	—	1	1	2	5	7	6
797	Makerston,	361	381	10	8	18	2	3	5	4	—	4	2
798	Maxton,	481	456	8	11	19	1	2	3	4	3	7	2
799	Melrose,	4115	4519	64	55	119	4	6	10	54	53	107	19
800	Minto,	431	433	6	2	8	—	—	—	3	5	8	1
801	Morebattle,	986	1003	14	14	28	1	1	2	6	8	14	4
802	Oxnam,	652	638	11	10	21	3	—	3	4	5	9	1
803	Roxburgh,	1053	1012	13	13	26	—	2	2	4	5	9	7
804	St Boswells,	973	959	10	9	19	—	2	2	6	2	8	6
805	Smailholm,	534	446	3	7	10	—	—	—	3	6	9	2
806	Southdean,	674	641	11	7	18	—	1	1	6	4	10	2
807	Sprouston,	1294	1026	13	12	25	1	—	1	8	7	15	4
808	Stitchel,	388	342	4	5	9	—	—	—	4	2	6	—
809	Teviothead,	515	486	6	7	13	—	1	1	2	5	7	2
810	WILTON,	3936	5782	109	97	206	10	6	16	57	44	101	29
811	Yetholm,	1100	1045	19	15	34	3	5	8	8	6	14	4
	Total,	48241	52592	840	763	1603	83	81	164	462	455	917	276
	31. DUMFRIES.												
812	ANNAN,	4631	4943	75	73	148	10	9	19	39	44	83	26
813a	Applegarth,	902	969	15	13	28	5	3	8	9	8	17	8
813b	BRYDEKIRK,	731	702	14	12	26	4	2	6	4	4	8	10
814	Canonbie,	3055	2723	44	30	74	10	5	15	20	27	47	16
815	Carlaverock,	1151	1051	13	15	28	5	5	10	10	5	15	5
816	Closeburn,	1612	1505	29	16	45	4	3	7	12	9	21	14
817	Cummertrees,	1072	1068	14	16	30	6	2	8	5	2	7	7
818	Dalton,	577	579	10	7	17	1	1	2	6	6	12	2
819	Dornock,	826	814	15	15	30	5	3	8	9	9	18	4
820	DRYFESDALE,	2825	2971	50	52	102	6	8	14	19	32	51	25
821	DUMFRIES,	14841	16841	288	272	560	34	46	80	243	225	468	122
822	Dunscore,	1504	1405	12	13	25	2	4	6	8	14	22	10
823	Durrisdeer,	1189	1107	23	14	37	3	2	5	9	10	19	6
824	Eskdalemuir,	551	543	7	14	21	—	1	1	6	1	7	3
825	Ewes,	338	337	3	2	5	—	—	—	3	1	4	1
826	Glencairn,	1749	1737	29	31	60	3	3	6	12	18	30	11
827	Graitney (or Gretna),	1395	1212	16	15	31	4	3	7	6	8	14	7
828	Halfmorton,	611	497	5	4	9	—	—	—	3	6	9	2
829	Hoddorn,	1520	1445	13	22	35	—	4	4	11	11	22	7
830	Holywood,	1069	1078	21	13	34	4	2	6	11	10	21	7
831	Hutton,	842	814	9	11	20	—	1	1	7	5	12	8
832	Johnstone,	1089	1002	16	12	28	4	2	6	11	11	22	8
833	Keir,	828	745	13	4	17	1	1	2	7	12	19	5
834	Kirkconnel,	952	1019	20	19	39	2	4	6	7	5	12	3
835	Kirkmahoe,	1332	1250	22	17	39	5	4	9	7	13	20	5
836	Kirkmichael,	903	849	17	12	29	2	6	8	5	7	12	6
837	Kirkpatrick-Fleming— (1) Northern District, (2) Southern District,	393 1136	393 1071	5 15	4 18	9 33	1 2	1 2	2 4	2 12	4 10	6 22	3 9
838	Kirkpatrick-Juxta,	1091	1064	14	18	32	1	3	4	5	8	13	7
839	LANGHOLM,	3735	4612	71	61	132	11	3	14	52	51	103	18

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Tot.	Mal.	Fem	Total.	
840	LOCHMABEN, . . .	3085	2816	35	36	71	10	10	20	30	24	54	14
841	Middlebie, . . .	2000	1927	27	23	50	3	1	4	20	11	31	16
842	MOFFAT, . . .	2543	2930	35	33	68	3	2	5	11	32	43	19
843	Morton, . . .	2099	2118	24	29	53	5	6	11	15	21	36	15
844	Mouswald, . . .	647	558	7	3	10	1	1	2	3	3	6	3
845	Penpont, . . .	1323	1176	14	10	24	2	—	2	5	5	10	3
846	Ruthwell, . . .	972	868	14	11	25	2	4	6	3	5	8	5
847	St Mungo, . . .	658	653	6	10	16	1	1	2	3	7	10	2
+848	SANQUHAR, . . .	2201	2255	29	33	62	1	5	6	24	18	42	10
849	Tinwald, . . .	993	861	11	12	23	2	—	2	3	4	7	4
850	Torthorwald, . . .	1098	990	20	18	38	8	5	13	9	6	15	7
851	Tundergarth, . . .	510	466	3	5	8	1	2	3	3	2	5	2
852	Tynron, . . .	381	416	6	4	10	—	—	—	—	6	6	3
853a	Wamphray, . . .	505	455	6	7	13	2	—	2	5	3	8	4
853b	Wanlockhead, . . .	837	854	14	6	20	4	—	4	13	11	24	6
854	Westerkirk, . . .	540	478	9	4	13	—	1	1	3	2	5	—
	Total,	74842	76167	1158	1069	2227	180	171	351	710	736	1446	478
	32. KIRKCUDBRIGHT.												
855	Anwoth, . . .	827	728	10	8	18	—	1	1	5	7	12	3
+856	Balmacellan, . . .	861	787	16	3	19	4	—	4	8	3	11	6
857a	Balmaghie, . . .	1085	924	8	8	16	—	4	4	7	2	9	3
+857b	Bargrennan, . . .	428	366	6	3	9	1	—	1	1	3	4	1
858	Borgue, . . .	1087	1129	18	11	29	4	—	4	7	7	14	5
859	Buittle, . . .	1026	991	18	19	37	4	3	7	10	12	22	12
860	Carsphairn, . . .	545	484	7	6	13	—	—	—	4	1	5	1
861	Colvend, . . .	1318	1281	19	16	35	2	3	5	9	8	17	9
862	Corsock Bridge, . . .	563	551	7	7	14	3	—	3	3	4	7	2
863	CROSSMICHAEL, . . .	1492	1333	17	15	32	3	4	7	8	13	21	9
864	DALBEATTIE, . . .	3163	4140	82	82	164	7	12	19	38	36	74	28
865	Dalry, . . .	1074	988	12	13	25	3	2	5	9	7	16	4
866	Girthon, . . .	1586	1415	22	26	48	6	5	11	12	14	26	11
867	Irongray, . . .	815	784	14	8	22	5	—	5	1	1	2	3
868	KELLS, . . .	1007	970	14	5	19	—	1	1	11	8	19	3
869	KELTON, . . .	3222	3458	50	45	95	10	4	14	40	30	70	19
870	Kirkbean, . . .	825	794	16	11	27	2	2	4	7	9	16	3
*871	KIRKCUDBRIGHT, . . .	3346	3479	49	52	101	8	9	17	27	37	64	15
872	Kirkgunzeon, . . .	661	656	9	11	20	1	1	2	5	5	10	1
873	Kirkmabreck, . . .	1568	1834	33	28	61	5	3	8	13	20	33	15
874	Kirkpatrick-Durham, . . .	1218	1113	10	16	26	2	6	8	10	11	21	7
875	Lochrutton, . . .	656	614	11	8	19	1	1	2	4	4	8	4
876	MINNIGAFF, . . .	1329	1384	20	13	33	2	1	3	12	9	21	5
877	New Abbey, . . .	931	906	15	7	22	1	3	4	6	12	18	7
878	Parton, . . .	526	519	6	1	7	—	—	—	2	3	5	4
879	Rerrick, . . .	1911	1807	25	17	42	6	4	10	9	18	27	4
880	TERREGLES, . . .	547	471	7	7	14	2	3	5	2	6	8	—
881	Tongland, . . .	908	829	14	12	26	1	3	4	9	7	16	4
882	TROQUEER, . . .	5402	5524	102	69	171	13	4	17	56	54	110	25
883	Twynholm, . . .	717	681	9	6	15	2	—	2	4	5	9	1
+884	Urr, . . .	1443	1350	21	19	40	6	5	11	8	17	25	8
	Total,	42087	42290	667	552	1219	104	84	188	347	373	720	222
	33. WIGTOWN.												
885	Glasserton, . . .	1196	1203	21	20	41	2	2	4	6	6	12	5
+886	Inch, . . .	2189	2260	34	24	58	6	2	8	10	10	20	18
887	Kirkcolm, . . .	1948	1847	24	30	54	8	4	12	15	27	42	5

REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1871.	1881.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
88 Kirkcowan, . . .	1352	1307	19	21	40	3	4	7	8	12	20	6
89 Kirkinner, . . .	1548	1597	26	26	52	4	6	10	13	11	24	7
90 Kirkmaiden, . . .	2507	2446	32	47	79	3	11	14	13	15	28	8
91 Leswalt, . . .	1249	1254	16	21	37	2	5	7	10	9	19	3
92 Mochrum, . . .	2450	2315	40	42	82	5	11	16	18	23	41	14
93 New Luce, . . .	661	706	10	10	20	1	—	1	7	8	15	4
94 Old Luce (or Glenluce), .	2449	2447	38	45	83	8	6	14	15	23	38	13
95 PENNINGHAME, . . .	3712	3777	50	51	101	9	7	16	31	31	62	13
96 Portpatrick, . . .	1492	1285	17	14	31	6	3	9	8	11	19	7
97 Sorbie, . . .	1667	1696	23	29	52	5	1	6	6	5	11	10
98 Stoneykirk, . . .	2993	2766	50	49	99	6	11	17	22	16	38	14
99 STRANRAER, . . .	5977	6415	93	89	182	19	13	32	66	75	141	34
00 WHITHORN, . . .	2906	2929	39	40	79	4	7	11	18	26	44	6
01 WIGTOWN, . . .	2306	2198	31	29	60	3	2	5	20	28	48	10
Total,	38602	38448	563	587	1150	94	95	189	286	336	622	177

MARRIAGES registered in SCOTLAND in 1882, according to the Rites of the several Religious Denominations with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		TOTAL MARRIAGES.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed to Register by Marks.	
			Established Church.	Free Church.	United Presby- terian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND		26596	12356	5481	3128	746	2697	1678	59	451	22984	684	2134	791	3	1822	349
GROUPS OF DISTRICTS.																	
PRINCIPAL TOWNS		12547	4691	2480	1646	486	1676	1099	47	422	10614	424	1024	485	-	926	192
LARGE TOWNS		2909	1346	499	331	117	396	201	1	18	2537	76	202	94	-	258	42
SMALL TOWNS		5067	2557	997	675	92	484	242	10	10	4413	107	408	138	1	364	67
MAINLAND-RURAL		5525	3493	1312	436	47	115	120	1	1	4939	71	444	69	2	184	30
INSULAR-RURAL		548	269	193	40	4	26	16	-	-	481	6	56	5	-	90	16
DIVISIONS.																	
I. NORTHERN		576	256	226	48	2	1	42	-	1	507	11	49	9	-	24	3
II. NORTH-WESTERN		764	212	488	7	9	41	4	-	3	675	16	66	7	-	144	27
III. NORTH-EASTERN		2618	1603	547	129	90	44	183	-	22	2318	49	206	45	-	38	11
IV. EAST MIDLAND		3924	1925	802	517	151	191	229	16	93	3421	77	316	110	-	146	39
V. WEST MIDLAND		1748	923	325	192	35	222	48	-	3	1507	36	148	57	-	173	26
VI. SOUTH-WESTERN		11805	4867	2038	1561	284	1867	960	38	190	10093	378	894	440	-	1137	212
VII. SOUTH-EASTERN		4008	1846	862	543	155	285	175	4	138	3459	101	344	102	2	124	23
VIII. SOUTHERN		1153	724	193	131	20	46	37	1	1	1004	16	111	21	1	36	5
COUNTIES.																	
1	Shetland	147	103	21	9	2	-	12	-	-	130	3	13	1	-	7	1
2	Orkney	168	78	37	38	-	-	15	-	-	145	4	17	2	-	3	
3	Caithness	187	59	110	1	-	1	15	-	1	165	4	13	5	-	13	1
4	Sutherland	74	16	58	-	-	-	-	-	-	67	-	6	1	-	1	
5	Ross and Cromarty	352	60	282	2	2	2	3	-	1	308	6	36	2	-	76	15
6	Inverness	412	152	206	5	7	39	1	-	2	367	10	30	5	-	68	12
7	Nairn	44	13	18	5	-	4	3	-	1	39	-	5	-	-	2	
8	Elgin	253	137	83	13	3	2	14	-	1	224	3	23	3	-	3	1
9	Banff	366	225	84	20	10	16	11	-	-	321	9	27	9	-	11	2
10	Aberdeen	1781	1099	336	88	61	22	155	-	20	1574	36	138	33	-	19	5
11	Kincardine	174	129	26	3	16	-	-	-	-	160	1	13	-	-	3	
12	Forfar	1880	794	376	193	124	152	147	15	79	1614	42	160	64	-	104	29
13	Perth	747	391	200	94	13	22	21	-	6	655	12	63	17	-	16	2
14	Fife	1129	635	205	202	12	13	53	1	8	1000	20	84	25	-	20	5
15	Kinross	41	30	7	4	-	-	-	-	-	38	-	3	-	-	-	
16	Clackmannan	127	75	14	24	2	4	8	-	-	114	3	6	4	-	6	1
17	Stirling	741	424	108	112	7	53	34	-	3	641	15	62	23	-	54	8
18	Dumbarton	555	248	89	57	12	139	10	-	-	474	16	44	21	-	85	13
19	Argyll	374	220	98	17	15	23	1	-	-	324	4	37	9	-	27	4
20	Bute	78	31	30	6	1	7	3	-	-	68	1	5	4	-	7	
21	Renfrew	1805	702	320	222	73	337	141	-	10	1521	62	157	65	-	153	27
22	Ayr	1624	911	318	176	26	104	62	26	1	1394	33	142	55	-	100	20
23	Lanark	8376	3254	1400	1163	185	1426	757	12	179	7178	283	595	320	-	884	163
24	Linlithgow	288	154	41	38	5	34	12	-	4	261	6	17	4	-	26	3
25	Edinburgh	3098	1310	713	396	144	226	142	4	133	2644	90	274	90	-	82	17
26	Haddington	242	153	49	23	5	8	3	-	1	218	1	19	3	1	10	2
27	Berwick	164	91	24	41	-	-	8	-	-	144	2	17	-	1	2	
28	Peebles	67	36	13	13	-	4	1	-	-	56	1	8	2	-	-	
29	Selkirk	149	72	22	32	1	13	9	-	-	136	1	9	3	-	4	
30	Roxburgh	276	158	41	46	7	9	15	-	-	241	2	29	4	-	6	1
31	Dumfries	478	287	83	56	11	21	18	1	1	418	4	44	11	1	18	2
32	Kirkcudbright	222	155	34	17	2	11	3	-	-	187	7	23	5	-	5	
33	Wigtown	177	124	35	12	-	5	1	-	-	158	3	15	1	-	7	1

CONDITION and AGE of PERSONS married in SCOTLAND in 1882.

CONDITION.	TOTAL MARRIAGES.	AGES AT MARRIAGE.																	Age not stated.				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70		75	80	85	90
BACHELORS with SPINSTERS.	22984	-	-	2	32	175	646	1196	8958	7802	2532	949	390	194	61	30	10	6	-	-	-	-	1
	22984	-	12	70	420	1170	1951	2274	9614	5439	1345	469	151	48	11	4	2	-	-	-	-	-	4
BACHELORS with WIDOWS.	684	-	-	-	1	1	3	6	67	190	168	111	76	34	15	7	2	2	-	1	-	-	-
	684	-	-	-	-	-	-	1	40	145	203	143	83	44	13	6	4	2	-	-	-	-	-
WIDOWERS with SPINSTERS.	2134	-	-	-	-	-	-	-	41	270	426	415	350	249	174	101	63	29	12	2	2	-	-
	2134	-	-	-	3	23	26	43	329	520	443	358	219	112	41	11	5	1	-	-	-	-	-
WIDOWERS with WIDOWS.	791	-	-	-	-	-	-	-	1	34	85	144	137	144	97	74	45	18	9	3	-	-	-
	791	-	-	-	-	-	-	-	9	66	117	190	152	149	58	33	10	7	-	-	-	-	-
Condition not stated. MEN. WOMEN.	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL MEN.....	26596	-	-	2	33	176	649	1202	9069	8297	3211	1619	953	621	347	212	120	55	21	6	2	-	1
TOTAL WOMEN...	26596	-	12	70	423	1193	1977	2319	9993	6171	2108	1160	605	353	123	54	21	10	-	-	-	-	4

AGES of MALES married in Scotland in 1882.

AGES OF MALES MARRIED IN SCOTLAND IN 1882.																						
TOTAL MALES.	Under										Age not stated.											
	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	1
Scotland. . .	-	-	2	33	176	649	1202	9069	8297	3211	1619	953	621	347	212	120	55	21	6	2	-	1
GROUPS OF DISTRICTS.																						
PRINCIPAL TOWNS .	-	-	2	25	103	388	602	4209	3808	1500	762	479	300	175	96	62	24	10	1	1	-	-
LARGE TOWNS .	-	-	-	1	20	67	164	1144	871	280	138	89	62	29	27	6	7	1	2	1	-	-
SMALL TOWNS .	-	-	-	3	34	107	233	1888	1545	571	283	145	117	61	42	23	8	4	2	-	1	-
MAINLAND-RURAL .	-	-	-	3	18	82	197	1746	1879	722	388	212	119	72	40	24	16	6	1	-	-	-
INSULAR-RURAL .	-	-	-	1	1	5	6	82	194	138	48	28	23	10	7	5	-	-	-	-	-	-
DIVISIONS.																						
1. NORTHERN .	-	-	-	1	1	7	11	129	214	88	43	28	24	12	9	7	-	2	-	-	-	-
2. NORTH-WESTERN .	-	-	-	-	-	2	8	126	290	162	74	46	25	15	10	3	1	2	-	-	-	-
3. NORTH-EASTERN .	-	-	-	1	12	54	105	803	855	362	177	98	60	35	23	15	12	4	2	-	-	-
4. EAST MIDLAND .	-	-	-	6	31	118	206	1347	1268	391	209	130	89	60	37	20	6	4	2	-	-	-
5. WEST MIDLAND .	-	-	-	-	9	21	78	544	565	246	136	62	41	20	12	9	4	-	1	-	-	-
6. SOUTH-WESTERN .	-	-	2	22	99	371	601	4419	3442	1273	645	380	272	132	79	45	16	5	-	1	-	1
7. SOUTH-EASTERN .	-	-	-	3	18	53	157	1301	1308	540	263	160	93	49	30	17	10	4	1	1	-	-
8. SOUTHERN .	-	-	-	-	6	23	36	400	355	149	72	49	17	24	12	4	6	-	-	-	-	-
COUNTIES.																						
Shetland . .	-	-	-	-	-	-	1	35	56	29	8	7	6	2	2	1	-	-	-	-	-	-
Orkney . .	-	-	-	1	1	5	6	41	58	19	7	10	8	5	5	2	-	-	-	-	-	-
Caithness . .	-	-	-	-	-	2	4	42	68	30	22	7	5	2	1	3	-	1	-	-	-	-
Sutherland . .	-	-	-	-	-	-	-	11	32	10	6	4	5	3	1	1	-	1	-	-	-	-
Ross and Cromarty .	-	-	-	-	-	1	6	61	132	71	34	17	16	8	4	-	1	1	-	-	-	-
Inverness . .	-	-	-	-	-	1	2	65	158	91	40	29	9	7	6	3	-	1	-	-	-	-

AGES of FEMALES married in Scotland in 1882.

AGES OF FEMALES MARRIED IN SCOTLAND IN 1882.																							
TOTAL FEMALES	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.	
		12	70	423	1193	1977	2319	9993	6171	2108	1160	605	353	123	54	21	10	-	-	-	-	4	
Scotland. . .	26596	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GROUPS OF DISTRICTS.																							
PRINCIPAL TOWNS .	12547	-	3	41	219	601	1023	1141	4609	2778	973	567	310	180	58	29	8	7	-	-	-	-	
LARGE TOWNS .	2909	-	3	7	58	134	261	280	1107	637	177	117	61	40	12	10	3	2	-	-	-	-	
SMALL TOWNS .	5067	-	5	15	80	245	351	443	1976	1149	380	196	99	85	27	10	3	-	-	-	-	3	
MAINLAND-RURAL .	5525	-	1	7	64	206	322	437	2102	1429	506	251	118	43	26	5	6	1	-	-	-	1	
INSULAR-RURAL .	548	-	-	-	2	7	20	18	199	178	72	29	17	5	-	-	1	-	-	-	-	-	
DIVISIONS.																							
1. NORTHERN .	576	-	-	1	4	8	27	28	192	177	61	34	27	9	4	1	3	-	-	-	-	-	
2. NORTH-WESTERN .	764	-	-	-	4	26	18	38	261	255	98	42	13	7	2	-	-	-	-	-	-	-	
3. NORTH-EASTERN .	2618	-	1	6	39	96	198	193	958	641	257	129	57	22	11	5	3	1	-	-	-	1	
4. EAST MIDLAND .	3924	-	-	8	38	128	228	312	1563	969	332	158	93	62	22	5	2	3	-	-	-	1	
5. WEST MIDLAND .	1748	-	-	2	22	89	123	144	637	438	136	80	39	26	5	5	1	1	-	-	-	-	
6. SOUTH-WESTERN .	11805	-	8	42	251	646	1041	1185	4489	2407	764	470	241	165	58	25	8	3	-	-	-	2	
7. SOUTH-EASTERN .	4008	-	3	8	53	171	274	321	1479	980	354	185	113	43	11	8	3	2	-	-	-	-	
8. SOUTHERN .	1153	-	-	3	12	29	68	98	414	304	106	62	22	19	10	5	1	-	-	-	-	-	
COUNTIES.																							
Shetland . .	147	-	-	-	-	5	3	50	58	13	10	5	3	-	-	-	-	-	-	-	-	-	
Orkney . . .	168	-	-	-	2	3	12	12	61	38	18	11	7	3	-	-	1	-	-	-	-	-	
Caithness . .	187	-	-	1	2	5	9	8	62	56	19	8	9	3	3	1	1	-	-	-	-	-	
Sutherland . .	74	-	-	-	-	1	5	19	25	11	5	6	1	-	-	-	1	-	-	-	-	-	
Ross and Cromarty .	352	-	-	-	2	14	8	21	121	114	47	15	6	3	1	-	-	-	-	-	-	-	
Inverness . .	412	-	-	-	2	12	10	17	140	141	51	27	7	4	1	-	-	-	-	-	-	-	

Nairn .	44	-	-	-	1	6	12	14	7	1	1	38	9	2	4	37	48	4	1	11	7
Elgin .	253	-	-	-	2	13	97	63	30	11	7	3	-	-	-	3	24	-	-	7	3
Banff .	366	-	-	-	3	13	142	87	39	21	12	7	-	-	-	-	35	-	-	21	7
Aberdeen	1781	-	1	-	6	63	640	429	167	91	33	11	9	3	1	11	20	1	33	12	33
Kincardine	174	-	-	-	4	6	67	48	14	5	4	1	2	-	-	2	4	-	-	5	4
Forfar .	1880	-	-	-	5	68	713	426	167	82	48	37	9	4	4	37	82	167	82	167	82
Perth .	747	-	-	-	4	23	260	227	71	35	24	12	4	-	-	12	35	71	35	24	24
Fife .	1129	-	-	-	3	10	501	282	88	36	20	11	9	1	1	11	20	88	36	20	20
Kinross .	41	-	-	-	-	1	21	9	1	2	-	2	-	-	-	2	-	1	2	-	-
Clackmannan .	127	-	-	-	-	4	68	25	5	3	1	-	-	-	-	-	3	5	3	1	1
Stirling .	741	-	-	-	2	46	267	166	50	30	16	9	3	4	4	9	30	50	30	16	16
Dumbarton	555	-	-	-	4	30	213	128	31	21	13	9	-	1	1	9	21	31	21	13	13
Argyll .	374	-	-	-	6	11	125	124	44	22	10	6	2	-	-	6	22	44	22	10	10
Bute .	78	-	-	-	-	2	32	20	11	7	-	2	-	-	-	2	-	11	7	-	-
Renfrew .	1805	-	1	-	5	83	691	402	108	71	44	19	8	3	3	19	44	108	71	44	44
Ayr .	1624	-	-	-	2	66	655	347	108	61	30	26	9	2	2	26	30	108	61	30	30
Lanark .	8376	-	7	-	35	497	3143	1658	548	338	167	120	41	20	5	120	167	548	338	167	167
Linlithgow	288	-	3	-	1	4	108	51	16	9	3	1	1	1	-	1	3	16	9	3	3
Edinburgh	3098	-	-	-	7	44	1114	774	282	156	97	34	8	7	2	34	97	282	156	97	97
Haddington	242	-	-	-	3	11	106	51	23	10	5	3	-	-	1	3	5	23	10	5	5
Berwick .	164	-	-	-	1	2	60	49	18	4	3	1	1	-	-	1	3	18	4	3	3
Peebles .	67	-	-	-	1	-	31	11	8	1	4	1	-	-	-	1	4	8	1	4	4
Selkirk .	149	-	-	-	-	4	60	44	7	5	1	3	1	-	-	3	1	7	5	1	1
Roxburgh	276	-	-	-	1	5	94	68	30	13	5	2	-	1	-	2	5	30	13	5	5
Dumfries	478	-	-	-	3	12	181	130	40	31	9	9	3	4	1	9	31	40	31	9	9
Kirkcudbright	222	-	-	-	3	6	71	66	23	6	6	5	5	-	-	5	6	23	6	6	6
Wigtown	177	-	-	-	2	6	68	40	13	12	2	3	2	-	-	3	2	13	12	2	2

DEATHS at Different Ages in SCOTLAND during the YEAR 1882.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
	1871.	1881.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	3360018	3735573	72989	7274	2697	4912	6062	2599	1754	1250	3339	1778	2398	2694	2491
Principal Towns	1193940	1411536	32697	3380	1344	2628	3497	1450	961	650	1567	741	1034	1244	1190
Large Towns .	327734	388797	8054	868	335	607	678	318	192	153	387	210	262	272	254
Small Towns .	696958	790796	14785	1491	548	905	1103	466	343	245	715	420	541	570	491
Mainland-Rural	1009382	1014056	15436	1372	455	708	728	338	246	194	628	374	505	540	463
Insular-Rural .	132004	130388	2017	163	15	64	56	27	12	8	42	33	56	68	93
Shetland . .	31608	29705	448	27	3	6	6	7	4	—	7	6	14	15	26
Orkney . .	31274	32044	453	18	4	9	5	3	3	2	8	9	14	22	18
Caithness .	41011	39859	669	51	21	30	26	15	9	6	29	21	24	22	21
Sutherland .	23298	22376	343	23	6	7	8	7	8	8	9	7	16	7	11
Ross & Cromarty	82093	79467	1229	93	21	43	59	13	21	7	32	22	35	44	38
Inverness .	84258	86389	1408	136	22	77	48	28	15	21	35	19	37	44	56
Nairn . .	8372	8847	138	16	5	5	3	2	1	—	1	3	2	2	2
Elgin . .	44549	45108	748	84	31	43	34	12	13	11	30	14	21	32	21
Banff . .	58883	59783	1004	97	51	53	54	31	21	11	31	19	35	50	27
Aberdeen .	246298	269047	4516	495	196	319	291	121	99	58	203	106	148	164	150
Kincardine .	35097	35465	555	41	26	30	37	12	7	8	21	13	12	18	12
Forfar . .	240049	268653	5099	558	209	335	464	161	98	78	192	102	162	171	142
Perth . .	128550	130282	2301	186	68	99	119	52	34	28	72	50	60	79	69
Fife . .	160924	172131	3058	239	112	169	185	107	80	73	188	83	104	84	82
Kinross . .	7918	7330	138	7	3	10	6	2	3	3	4	6	—	4	2
Clackmannan .	22235	24025	434	43	21	32	36	18	7	6	11	28	16	15	23
Stirling . .	93345	106883	2058	231	91	135	170	70	37	26	87	65	70	76	63
Dumbarton .	61116	78182	1481	149	59	109	122	50	33	14	61	37	55	62	50
Argyll . .	79661	80761	1351	83	18	42	54	27	19	16	57	25	36	51	47
Bute . .	16966	17634	404	32	7	24	19	8	6	7	17	7	12	11	18
Renfrew . .	195305	225611	5261	513	196	428	526	223	163	117	276	172	179	221	187
Ayr . .	200908	217630	3942	454	132	240	281	129	70	46	196	117	173	170	153
Lanark . .	787005	942206	22036	2300	908	1859	2536	1084	700	490	1235	539	773	802	795
Linlithgow .	41379	44005	745	94	25	45	70	23	17	6	39	21	28	34	31
Edinburgh .	328138	388836	7805	781	297	516	624	259	194	128	297	166	209	291	266
Haddington .	37755	38510	558	55	13	33	23	9	6	7	14	14	21	16	10
Berwick . .	36382	35273	495	45	17	26	20	10	10	5	10	8	10	23	18
Peebles . .	12218	13688	176	21	3	12	7	4	7	—	15	5	5	10	3
Selkirk . .	19651	26346	431	51	18	23	26	13	7	5	17	8	17	17	23
Roxburgh .	48241	52592	917	105	41	33	51	27	10	18	34	21	25	27	31
Dumfries .	74842	76167	1446	138	43	64	79	38	32	30	60	32	47	65	56
Kirkcudbright	42087	42290	720	52	17	34	43	18	13	12	24	24	23	27	23
Wigtown .	38602	38448	622	56	13	22	30	16	7	3	27	9	15	18	17

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1882.—BOTH SEXES.

Glasgow .	491846	511415	13046	1301	536	1122	1562	690	458	295	712	289	434	480	504
Glasgow (Land-ward and Suburban),	87198	174573	4088	454	186	374	487	212	114	93	227	73	138	160	152
Edinburgh	196991	228373	4565	449	157	282	382	150	122	73	177	95	130	197	168
Edinburgh (Landward)	4061	7960	325	24	8	15	10	5	3	1	4	3	3	8	7
Dundee .	120724	142455	3054	349	141	229	350	118	66	48	125	59	98	102	91
Aberdeen .	88181	105076	2176	242	85	173	177	65	48	34	95	55	60	86	74
Greenock .	59794	69238	1590	164	72	136	165	75	51	34	80	49	46	59	59
Leith .	46434	61188	1177	130	63	110	111	41	27	26	38	28	28	33	41
Paisley .	48257	55638	1455	133	46	118	138	51	46	31	66	58	50	70	54
Perth .	26382	29756	710	62	29	38	67	22	14	9	15	20	24	30	24
Kilmarnock .	24072	25864	511	72	21	31	48	21	12	6	28	12	23	19	16

DEATHS at Different Ages in SCOTLAND during the YEAR 1882.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND . . .	2251	2254	2504	2436	2702	2884	3548	3396	3748	3317	2773	1303	464	123	29	9	
Principal Towns . .	1075	1149	1340	1227	1268	1251	1541	1206	1224	838	571	223	80	15	2	1	
Large Towns . . .	243	227	233	245	315	342	413	377	390	345	248	103	27	9	1	—	
Small Towns . . .	447	409	454	452	531	589	698	745	821	748	628	288	105	24	7	1	
Mainland-Rural . .	425	410	416	458	515	608	785	937	1154	1219	1110	566	205	59	11	7	
Insular-Rural . . .	61	59	61	54	73	94	111	131	159	167	216	123	47	16	8	—	
Shetland	11	11	17	10	18	21	21	18	38	41	63	29	20	6	3	—	
Orkney	17	12	11	14	14	17	17	36	46	51	60	31	10	2	—	—	
Caithness	10	11	11	12	26	23	33	37	38	60	65	39	20	6	2	1	
Sutherland	6	4	9	8	10	12	13	24	23	44	41	23	7	2	—	—	
Ross and Cromarty .	29	36	39	30	53	49	62	77	87	111	130	60	26	11	1	—	
Inverness	51	44	35	41	47	68	92	84	105	100	109	57	22	11	4	—	
Nairn	1	4	9	4	5	8	5	16	14	15	10	4	1	—	—	—	
Elgin	25	15	20	13	23	25	41	48	52	54	51	20	12	2	1	—	
Banff	21	26	25	24	25	37	46	44	54	69	74	54	17	6	2	—	
Aberdeen	140	117	131	122	122	172	199	251	283	273	200	103	42	6	1	4	
Kincardine	12	11	15	14	9	21	28	35	54	43	47	18	7	3	1	—	
Forfar	166	193	175	194	200	218	264	246	262	222	185	72	24	6	—	—	
Perth	72	59	77	78	96	113	134	127	189	186	156	70	17	8	3	—	
Fife	77	79	78	75	94	125	169	188	213	198	157	69	26	3	1	—	
Kinross	1	5	1	3	4	5	13	8	12	10	14	10	1	—	1	—	
Clackmannan	13	10	8	11	18	16	19	12	26	25	13	5	1	1	—	—	
Stirling	59	71	74	64	74	84	89	90	108	105	83	21	13	2	—	—	
Dumbarton	51	48	45	47	79	67	77	64	68	67	36	23	6	1	—	1	
Argyll	45	42	50	48	54	66	87	99	89	88	109	71	18	6	4	—	
Bute	10	14	13	16	14	14	23	20	30	28	34	14	5	1	—	—	
Renfrew	138	176	202	178	206	206	265	188	198	149	88	48	15	2	—	1	
Ayr	122	95	119	131	141	159	179	191	206	181	154	73	23	7	—	—	
Lanark	719	708	808	796	844	756	918	727	715	509	336	125	41	10	3	—	
Linlithgow	18	18	31	23	29	34	29	34	31	20	27	13	3	1	1	—	
Edinburgh	260	288	359	306	316	343	422	393	423	306	230	99	26	6	—	—	
Haddington	15	23	24	22	18	32	43	33	47	36	32	9	1	1	—	1	
Berwick	11	13	11	15	17	26	27	36	32	34	35	28	8	—	—	—	
Peebles	2	5	2	6	4	11	12	11	9	12	7	3	—	—	—	—	
Selkirk	14	12	9	14	20	16	24	35	13	23	10	10	5	1	—	—	
Roxburgh	37	28	23	32	35	43	44	66	55	65	31	27	6	2	—	—	
Dumfries	49	38	34	39	43	54	70	89	116	93	82	36	16	3	—	—	
Kirkcudbright	27	21	16	21	26	20	43	36	64	57	40	18	15	4	1	1	
Wigtown	22	17	23	25	18	23	40	33	48	42	64	21	10	3	—	—	

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1882.—BOTH SEXES.

Glasgow	453	447	518	526	521	452	526	399	364	236	148	54	15	3	1	—
Glasgow (Landward and Suburban) . . .	117	129	147	125	136	143	188	133	144	77	51	19	7	1	1	—
Edinburgh	172	165	227	171	194	203	237	206	232	163	130	59	20	4	—	—
Edinburgh (Landward)	15	11	21	18	18	19	35	35	23	25	5	6	2	1	—	—
Dundee	95	120	122	125	113	126	162	125	118	76	63	23	7	3	—	—
Aberdeen	76	67	72	60	70	96	112	105	123	105	64	20	10	1	—	1
Greenock	44	61	75	65	67	60	72	55	47	24	14	11	4	1	—	—
Leith	31	48	53	58	44	47	49	43	49	43	26	8	1	1	—	—
Paisley	31	60	58	45	60	52	85	58	61	42	28	8	6	—	—	—
Perth	32	28	32	22	31	33	46	26	37	30	25	12	2	—	—	—
Kilmarnock	9	13	15	12	14	20	29	21	26	17	17	3	6	—	—	—

DEATHS at Different Ages in SCOTLAND during the YEAR 1882.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER					2	3	4	5	10	15	20
	MONTHS.														
	1871.	1881.		3	6	12									
SCOTLAND	1603143	1799475	36325	4110	1539	2637	3121	1298	898	644	1726	836	1148	1349	1163
Principal Towns	563801	670377	16343	1897	772	1401	1811	722	505	331	810	349	492	585	519
Large Towns	156638	188815	4057	482	184	330	334	172	101	77	213	113	136	147	124
Small Towns	332048	380806	7328	874	318	496	559	229	170	132	362	180	240	278	213
Mainland-Rural	489615	498298	7644	760	254	376	387	163	115	101	319	181	255	296	261
Insular-Rural	61041	61179	953	97	11	34	30	12	7	3	22	13	25	43	46
Shetland	13103	12656	205	18	2	3	5	5	3	—	3	2	8	11	11
Orkney	14355	14982	193	7	2	6	—	1	2	2	4	3	6	11	7
Caithness	19403	18861	337	29	13	16	12	11	2	3	19	13	14	13	11
Sutherland	10942	10749	164	12	2	6	4	4	3	4	3	4	8	4	8
Ross & Cromarty	38558	37444	585	46	14	24	35	8	12	4	20	9	17	22	21
Inverness	39360	41911	685	75	12	37	29	15	9	11	16	11	19	22	32
Nairn	3925	4201	66	9	4	3	3	—	—	—	1	1	1	1	—
Elgin	20738	21337	390	50	22	23	14	8	8	5	17	5	8	25	6
Banff	27826	28372	486	50	29	23	25	16	10	8	13	11	17	25	11
Aberdeen	116768	128682	2224	267	109	169	154	68	57	28	95	49	74	78	70
Kincardine	17002	17399	294	30	15	16	18	6	3	4	11	5	8	10	6
Forfar	107416	121127	2457	329	114	179	254	87	50	41	109	50	71	79	50
Perth	60812	61963	1132	111	42	44	56	21	21	16	40	25	22	41	29
Fife	75206	80968	1464	145	65	89	95	61	41	38	102	33	41	32	36
Kinross	3748	3449	64	2	1	6	4	—	1	3	3	2	—	3	1
Clackmannan	10819	11397	211	25	11	13	22	10	3	3	9	14	9	7	7
Stirling	46193	53688	1021	129	51	67	86	31	17	10	45	30	35	36	29
Dumbarton	29957	38751	769	89	33	59	68	21	17	8	42	14	33	38	25
Argyll	38796	39974	676	46	11	23	23	12	10	11	26	12	18	36	22
Bute	7616	8090	211	25	6	14	9	5	4	3	8	2	5	8	9
Renfrew	93167	108763	2638	296	104	235	281	113	78	68	149	77	89	103	83
Ayr	98244	106868	1967	267	76	137	138	55	33	25	94	55	80	76	89
Lanark	388392	467293	11216	1274	528	1009	1285	526	351	241	631	270	376	390	363
Linlithgow	21049	22979	359	45	16	20	37	9	8	2	15	12	16	20	14
Edinburgh	153784	183769	3916	444	168	280	315	134	106	62	151	73	108	143	132
Haddington	18069	18812	251	23	7	18	12	5	2	3	8	5	10	5	5
Berwick	17361	16880	232	25	8	11	11	3	4	2	7	5	3	13	8
Peebles	5902	6562	76	11	1	4	2	3	4	—	9	2	3	4	—
Selkirk	9476	12524	231	36	9	16	15	8	4	4	8	7	4	13	11
Roxburgh	22949	25034	462	64	23	20	27	14	7	8	18	6	8	15	16
Dumfries	34831	36040	710	76	26	36	43	22	16	18	27	15	19	39	31
Kirkcudbright	19607	19886	347	29	6	22	25	7	9	8	11	9	11	17	10
Wigtown	17769	18064	286	26	9	9	14	9	3	1	12	5	7	9	10

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1882.—MALES.

Glasgow .	238574	248366	6610	710	325	600	793	343	244	146	362	144	212	229	241
Glasgow (Land-ward and Suburban),	42530	84994	2053	256	90	214	260	97	55	46	128	34	57	66	63
Edinburgh	89251	104254	2250	244	88	149	197	71	66	34	85	41	66	100	84
Edinburgh (Landward)	1839	3768	159	15	5	7	5	1	3	—	1	—	—	2	4
Dundee .	52605	62347	1459	212	80	122	187	64	35	27	70	26	38	45	25
Aberdeen .	39786	48231	1061	131	48	91	89	37	26	16	47	25	27	39	27
Greenock .	30298	35589	827	99	40	71	87	40	19	20	40	27	29	32	21
Leith .	22976	30529	607	82	38	55	61	23	16	11	21	16	17	19	12
Paisley .	22269	25838	729	73	25	64	77	30	25	22	33	19	26	31	25
Perth .	12002	13854	350	37	18	13	33	9	9	7	7	9	8	13	10
Kilmarnock .	11670	12607	238	38	15	15	22	7	7	2	16	8	12	9	7

DEATHS at Different Ages in SCOTLAND during the YEAR 1882.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND . . .	1026	1095	1233	1295	1345	1459	1731	1640	1700	1475	1105	529	168	39	8	8	
Principal Towns .	500	576	667	667	609	621	755	562	536	346	192	83	27	5	2	1	
Large Towns . .	114	96	124	138	166	174	203	180	169	139	87	42	8	3	1	-	
Small Towns . .	213	221	228	224	280	305	341	355	351	335	275	105	36	7	1	-	
Mainland-Rural .	167	176	192	237	256	318	384	483	579	577	457	244	76	20	3	7	
Insular-Rural . .	32	26	22	29	34	41	48	60	65	78	94	55	21	4	1	-	
Shetland . . .	5	4	6	6	10	7	9	9	17	16	26	10	9	-	-	-	
Orkney . . .	8	6	7	9	4	4	8	14	14	22	30	14	2	-	-	-	
Caithness . . .	7	7	3	5	9	11	16	18	18	29	32	15	9	1	-	1	
Sutherland . . .	2	1	3	2	7	5	8	10	12	15	22	10	5	-	-	-	
Ross and Cromarty .	11	17	24	14	21	22	27	39	37	52	48	25	11	5	-	-	
Inverness . . .	24	19	14	19	22	39	43	42	43	43	48	26	8	5	2	-	
Nairn . . .	-	1	3	3	4	4	-	8	6	9	5	-	-	-	-	-	
Elgin . . .	11	11	10	9	15	11	22	25	26	31	13	10	5	-	-	-	
Banff . . .	11	10	12	6	14	16	27	26	29	37	31	19	7	3	-	-	
Aberdeen . . .	61	45	65	59	59	90	103	138	136	111	67	49	17	2	-	4	
Kincardine . . .	8	3	9	12	5	14	18	13	27	22	16	11	1	2	1	-	
Forfar . . .	69	70	67	85	82	103	135	118	104	93	78	28	9	3	-	-	
Perth . . .	46	25	34	36	40	53	67	66	103	93	60	31	6	3	1	-	
Fife . . .	37	38	37	36	48	63	69	91	95	80	62	22	7	1	-	-	
Kinross . . .	-	-	1	3	2	3	4	5	7	3	5	5	-	-	-	-	
Clackmannan . . .	6	5	3	7	11	4	7	6	15	6	7	1	-	-	-	-	
Stirling . . .	25	36	36	36	42	42	49	45	46	52	34	8	4	-	-	-	
Dumbarton . . .	25	19	24	23	44	35	35	33	31	25	13	12	2	-	-	1	
Argyll . . .	20	26	24	24	30	33	45	45	38	42	51	36	11	1	-	-	
Bute . . .	4	10	3	10	7	6	10	11	16	14	13	6	3	-	-	-	
Renfrew . . .	53	93	95	97	103	119	121	85	93	51	26	21	5	-	-	-	
Ayr . . .	46	56	61	68	79	89	86	70	95	83	70	27	10	2	-	-	
Lanark . . .	337	364	410	461	432	383	455	362	321	233	149	47	12	3	3	-	
Linlithgow . . .	10	8	18	14	13	20	14	13	13	10	6	4	1	1	-	-	
Edinburgh . . .	122	151	202	162	154	170	225	176	183	133	77	36	7	2	-	-	
Haddington . . .	6	12	12	13	6	14	16	18	23	14	10	2	-	1	-	1	
Berwick . . .	5	5	5	7	8	13	11	19	14	20	16	8	1	-	-	-	
Peebles . . .	-	2	1	1	1	5	5	3	5	5	4	1	-	-	-	-	
Selkirk . . .	6	6	5	7	8	10	10	19	5	10	6	2	2	-	-	-	
Roxburgh . . .	19	8	7	15	19	26	19	32	30	33	15	11	1	1	-	-	
Dumfries . . .	22	17	17	24	27	22	33	46	54	36	23	17	4	-	-	-	
Kirkcudbright . .	12	12	4	9	12	12	15	18	25	30	18	6	6	2	1	1	
Wigtown . . .	8	8	11	13	7	11	19	17	19	22	24	9	3	1	-	-	

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1882.—MALES.

Glasgow	219	235	257	298	250	218	251	189	163	108	49	17	4	2	1	-
Glasgow (Landward and Suburban)	48	61	71	79	74	73	92	65	61	31	21	8	2	-	1	-
Edinburgh	85	89	133	83	92	101	130	92	87	64	41	22	5	1	-	-
Edinburgh (Landward) .	10	10	10	13	7	5	19	14	17	8	1	1	-	1	-	-
Dundee	42	42	37	51	43	54	83	62	51	27	26	7	2	1	-	-
Aberdeen	36	27	41	29	34	48	57	58	53	45	15	9	5	-	-	1
Greenock	17	40	40	37	34	38	33	23	20	10	4	4	2	-	-	-
Leith	9	22	30	36	24	25	20	18	21	18	10	3	-	-	-	-
Paisley	12	31	23	22	28	33	40	25	34	15	9	5	2	-	-	-
Perth	19	11	17	12	16	13	23	13	22	14	10	5	2	-	-	-
Kilmarnock	3	8	8	7	7	13	7	3	7	6	2	3	-	-	-	-

DEATHS at Different Ages in SCOTLAND during the YEAR 1882.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
	1871.	1881.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	1756875	1936098	36664	3164	1158	2275	2941	1301	856	606	1613	942	1250	1345	1328
Principal Towns	630139	741159	16354	1483	572	1227	1686	728	456	319	757	392	542	659	671
Large Towns .	171096	199982	3997	386	151	277	344	146	91	76	174	97	126	125	130
Small Towns .	364910	409990	7457	617	230	409	544	237	173	113	353	240	301	292	278
Mainland-Rural	519767	515758	7792	612	201	332	341	175	131	93	309	193	250	244	202
Insular-Rural .	70963	69209	1064	66	4	30	26	15	5	5	20	20	31	25	47
Shetland .	18505	17049	243	9	1	3	1	2	1	—	4	4	6	4	15
Orkney .	16919	17062	260	11	2	3	5	2	1	—	4	6	8	11	11
Caithness .	21608	20998	332	22	8	14	14	4	7	3	10	8	10	9	10
Sutherland .	12356	11627	179	11	4	1	4	3	5	4	6	3	8	3	3
Ross & Cromarty	43535	42023	644	47	7	19	24	5	9	3	12	13	18	22	17
Inverness .	44898	44478	723	61	10	40	19	13	6	10	19	8	18	22	24
Nairn .	4447	4646	72	7	1	2	—	2	1	—	—	2	1	1	2
Elgin .	23811	23771	358	34	9	20	20	4	5	6	13	9	13	7	15
Banff .	31057	31411	518	47	22	30	29	15	11	3	18	8	18	25	16
Aberdeen .	129530	140365	2292	228	87	150	137	53	42	30	103	57	74	86	80
Kincardine .	18095	18066	261	11	11	14	19	6	4	4	10	8	4	8	6
Forfar .	132633	147526	2642	229	95	156	210	74	48	37	83	52	91	92	92
Perth .	67738	68319	1169	75	26	55	63	31	13	12	32	25	38	38	40
Fife .	85718	91163	1594	94	47	80	90	46	39	35	86	50	63	52	46
Kinross .	4170	3881	74	5	2	4	2	2	2	—	1	4	—	1	1
Clackmannan .	11416	12628	223	18	10	19	14	8	4	3	2	14	7	8	16
Stirling .	47152	53195	1037	102	40	68	84	39	20	16	42	35	35	40	34
Dumbarton .	31159	39431	712	60	26	50	54	29	16	6	19	23	22	24	25
Argyll .	40865	40787	675	37	7	19	31	15	9	5	31	13	18	15	25
Bute .	9350	9544	193	7	1	10	10	3	2	4	9	5	7	3	9
Renfrew .	102138	116848	2623	217	92	193	245	110	85	49	127	95	90	118	104
Ayr .	102664	110762	1975	187	56	103	143	74	37	21	102	62	93	94	64
Lanark .	398613	474913	10820	1026	380	850	1251	558	349	249	604	269	397	412	432
Linlithgow .	20330	21026	386	49	9	25	33	14	9	4	24	9	12	14	17
Edinburgh .	174354	205067	3889	337	129	236	309	125	88	66	146	93	101	148	134
Haddington .	19686	19698	307	32	6	15	11	4	4	4	6	9	11	11	5
Berwick .	19021	18393	263	20	9	15	9	7	6	3	3	3	7	10	10
Peebles .	6316	7126	100	10	2	8	5	1	3	—	6	3	2	6	3
Selkirk .	10175	13822	200	15	9	7	11	5	3	1	9	1	13	4	12
Roxburgh .	25292	27558	455	41	18	13	24	13	3	10	16	15	17	12	15
Dumfries .	40011	40127	736	62	17	28	36	16	16	12	33	17	28	26	25
Kirkcudbright	22480	22404	373	23	11	12	18	11	4	4	13	15	12	10	13
Wigtown .	20833	20384	336	30	4	13	16	7	4	2	15	4	8	9	7

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1882.—FEMALES.

Glasgow .	253272	263049	6436	591	211	522	769	347	214	149	350	145	222	251	263			
Glasgow (Land- ward and Suburban,	44668	89579	2035	198	96	160	227	115	59	47	99	39	81	94	89			
Edinburgh .	107740	124119	2315	205	69	133	185	79	56	39	92	54	64	97	84			
Edinburgh (Landward)	2222	4192	166	9	3	8	5	4	—	1	3	3	3	6	3			
Dundee .	68119	80108	1595	137	61	107	163	54	31	21	55	33	60	57	66			
Aberdeen .	48395	56845	1115	111	37	82	88	28	22	18	48	30	33	47	47			
Greenock .	29496	33649	763	65	32	65	78	35	32	14	40	22	17	27	38			
Leith .	25988	29800	570	48	25	55	50	18	11	15	17	12	11	14	29			
Paisley .	23458	30659	726	60	21	54	61	21	21	9	33	39	24	39	29			
Perth .	14380	15902	360	25	11	25	34	13	5	2	8	11	16	17	14			
Kilmarnock .	12402	13257	273	34	6	16	26	14	5	4	12	4	11	10	9			

DEATHS at Different Ages in SCOTLAND during the YEAR 1882.—FEMALES.

	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND . . .	1225	1159	1271	1141	1357	1425	1817	1756	2048	1842	1668	774	296	84	21	1	
Principal Towns .	575	573	673	560	659	630	786	644	688	492	379	140	53	10	—	—	
Large Towns . .	129	131	109	107	149	168	210	197	221	206	161	61	19	6	—	—	
Small Towns . .	234	188	226	228	251	284	357	390	470	413	353	183	69	17	6	1	
Mainland-Rural .	258	234	224	221	259	290	401	454	575	642	653	322	129	39	8	—	
Insular-Rural . .	29	33	39	25	39	53	63	71	94	89	122	68	26	12	7	—	
Shetland	6	7	11	4	8	14	12	9	21	25	37	19	11	6	3	—	
Orkney	9	6	4	5	10	13	9	22	32	29	30	17	8	2	—	—	
Caithness	3	4	8	7	17	12	17	19	20	31	33	24	11	5	2	—	
Sutherland	4	3	6	6	3	7	5	14	11	29	19	13	2	2	—	—	
Ross and Cromarty .	18	19	15	16	32	27	35	38	50	59	82	35	15	6	1	—	
Inverness	27	25	21	22	25	29	49	42	62	57	61	31	14	6	2	—	
Nairn	1	3	6	1	1	4	5	8	8	6	5	4	1	—	—	—	
Elgin	14	4	10	4	8	14	19	23	26	23	38	10	7	2	1	—	
Banff	10	16	13	18	11	21	19	18	25	32	43	35	10	3	2	—	
Aberdeen	79	72	66	63	63	82	96	113	147	162	133	54	25	4	1	—	
Kincardine	4	8	6	2	4	7	10	22	27	21	31	7	6	1	—	—	
Forfar	97	123	108	109	118	115	129	128	158	129	107	44	15	3	—	—	
Perth	26	34	43	42	56	60	67	61	86	93	96	39	11	5	2	—	
Fife	40	41	41	39	46	62	100	97	118	118	95	47	19	2	1	—	
Kinross	1	5	—	—	2	2	9	3	5	7	9	5	1	—	1	—	
Clackmannan	7	5	5	4	7	12	12	6	11	19	6	4	1	1	—	—	
Stirling	34	35	38	28	32	42	40	45	62	53	49	13	9	2	—	—	
Dumbarton	26	29	21	24	35	32	42	31	37	42	23	11	4	1	—	—	
Argyll	25	16	26	24	24	33	42	54	51	46	58	35	7	5	4	—	
Bute	6	4	10	6	7	8	13	9	14	14	21	8	2	1	—	—	
Renfrew	85	83	107	81	103	87	144	103	105	98	62	27	10	2	—	1	
Ayr	76	39	58	63	62	70	93	121	111	98	84	46	13	5	—	—	
Lanark	382	344	398	335	412	373	463	365	394	276	187	78	29	7	—	—	
Linlithgow	8	10	13	9	16	14	15	21	18	10	21	9	2	—	1	—	
Edinburgh	138	137	157	144	162	173	197	217	240	173	153	63	19	4	—	—	
Haddington	9	11	12	9	12	18	27	15	24	22	22	7	1	—	—	—	
Berwick	6	8	6	8	9	13	16	17	18	14	19	20	7	—	—	—	
Peebles	2	3	1	5	3	6	7	8	4	7	3	2	—	—	—	—	
Selkirk	8	6	4	7	12	6	14	16	8	13	4	8	3	1	—	—	
Roxburgh	18	20	16	17	16	17	25	34	25	32	16	16	5	1	—	—	
Dumfries	27	21	17	15	16	32	37	43	62	57	59	19	12	3	—	—	
Kirkcudbright . . .	15	9	12	12	14	8	28	18	39	27	22	12	9	2	—	—	
Wigtown	14	9	12	12	11	12	21	16	29	20	40	12	7	2	—	—	

DEATHS at Different Ages in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, 1882.—FEMALES.

Glasgow	234	212	261	228	271	234	275	210	201	128	99	37	11	1	—	—
Glasgow (Landward and Suburban) . .	69	68	76	46	62	70	96	68	83	46	30	11	5	1	—	—
Edinburgh	87	76	94	88	102	102	107	114	145	99	89	37	15	3	—	—
Edinburgh (Landward)	5	1	11	5	11	14	16	21	6	17	4	5	2	—	—	—
Dundee	53	78	85	74	70	72	79	63	67	49	37	16	5	2	—	—
Aberdeen	40	40	31	31	36	48	55	47	70	60	49	11	5	1	—	—
Greenock	27	21	35	28	33	22	39	32	27	14	10	7	2	1	—	—
Leith	22	26	23	22	20	22	29	25	28	25	16	5	1	1	—	—
Paisley	19	29	35	23	32	19	45	33	27	27	19	3	4	—	—	—
Perth	13	17	15	10	15	20	23	13	15	16	15	7	—	—	—	—
Kilmarnock	6	5	7	5	7	7	22	18	19	11	11	1	3	—	—	—

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1882.—BOTH SEXES.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	419	45	12	33	21	13	9	12	14	5	5	17	13
Peterhead	230	34	23	17	17	15	8	4	9	3	6	5	4
Arbroath	476	55	9	26	35	15	6	5	13	11	14	20	12
Forfar	229	25	5	13	15	6	3	4	10	6	8	7	7
Montrose	311	24	13	12	4	5	9	3	14	3	5	12	11
Dunfermline	500	36	19	36	38	21	12	16	33	13	22	7	12
Dysart	236	26	8	18	21	13	7	4	13	7	7	12	7
Kirkcaldy and Abbotshall	315	19	20	27	38	9	9	7	15	9	9	9	9
Alloa	204	18	9	19	14	7	3	1	4	16	11	10	7
Falkirk	258	26	12	16	30	12	2	3	17	6	7	4	11
Stirling	323	35	10	18	14	11	10	5	10	9	13	9	9
Dumbarton	307	34	17	25	33	14	6	2	12	6	7	14	11
Port-Glasgow	293	41	11	45	35	14	9	4	16	11	13	3	8
Ayr	478	50	16	26	25	19	9	3	22	11	11	22	24
Cambusnethan	323	40	7	30	36	16	7	6	25	7	18	16	5
Dalziel	317	33	12	39	43	20	5	9	13	5	13	13	15
Hamilton	540	60	24	52	51	22	20	7	20	17	22	19	14
Airdrie	266	32	12	34	27	15	4	5	15	6	8	7	10
Coatbridge	545	65	25	39	62	24	17	15	51	13	22	12	13
Rutherglen	277	32	11	17	30	7	10	6	8	18	9	11	10
Galashiels	275	39	13	17	21	9	7	4	13	6	11	10	10
Hawick	354	50	28	19	27	11	7	10	14	8	8	10	11
Dumfries	578	49	19	29	41	20	13	18	26	14	13	23	21

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1882.—BOTH SEXES.

Shetland	72	2	—	1	2	2	1	—	2	2	1	4	4
Orkney	78	3	2	4	3	—	2	1	4	3	2	7	2
Caithness	368	35	14	19	18	12	8	4	17	14	12	16	15
Ross and Cromarty	182	15	7	9	16	1	6	2	5	5	4	5	6
Nairn	95	11	3	3	3	1	1	—	1	2	—	1	2
Elgin	365	42	22	20	16	7	4	6	10	8	7	18	13
Banff	542	57	31	29	43	19	13	6	15	7	20	29	11
Aberdeen	436	49	23	47	34	13	11	4	18	10	14	20	8
Kincardine	108	9	3	6	9	1	—	1	4	—	2	—	4
Forfar	496	48	21	33	29	10	8	9	15	10	18	14	11
Perth	516	42	14	22	18	10	11	2	13	13	18	20	18
Fife	1007	94	35	54	50	43	23	23	77	29	35	27	28
Clackmannan	123	13	7	5	10	3	1	2	3	5	2	2	10
Stirling	754	86	31	49	57	24	13	15	36	24	31	32	23
Dumbarton	871	86	33	60	70	20	19	9	38	22	37	34	34
Argyll	437	40	9	18	22	13	10	6	19	8	13	17	16
Bute	234	19	4	20	15	7	5	7	14	5	11	5	9
Renfrew	1105	96	41	69	109	47	42	29	72	31	45	52	33
Ayr	1993	212	65	131	139	56	32	23	101	69	101	92	72
Lanark	2007	226	72	135	221	70	54	46	123	78	79	65	65
Linlithgow	525	70	20	30	46	16	13	4	25	18	18	25	24
Edinburgh	989	102	47	67	82	49	27	24	52	21	23	32	29
Haddington	269	29	7	20	9	6	2	5	6	6	11	4	8
Berwick	114	7	5	8	10	6	2	2	3	—	3	4	4
Peebles	117	18	2	7	4	3	7	—	8	4	3	8	3
Selkirk	122	8	4	5	4	3	—	1	3	2	4	7	10
Roxburgh	169	9	5	5	8	6	2	3	4	4	4	6	5
Dumfries	280	27	12	13	21	7	10	5	8	5	11	13	10
Kirkcudbright	208	19	6	8	17	4	7	5	5	13	7	9	10
Wigtown	203	17	3	8	18	7	4	1	14	2	5	2	4

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1882.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	18	11	10	14	14	19	36	18	25	20	27	5	2	1	—	—
Peterhead . . .	6	6	2	9	6	4	8	12	11	7	6	6	2	—	—	—
Arbroath . . .	19	15	11	24	23	27	19	25	31	29	23	9	—	—	—	—
Forfar . . .	7	10	7	9	9	8	13	8	16	15	10	6	1	1	—	—
Montrose . . .	12	17	8	9	16	18	21	30	20	24	10	10	1	—	—	—
Dunfermline . .	13	16	17	13	17	28	29	27	28	25	11	8	3	—	—	—
Dysart . . .	4	9	5	4	3	9	12	10	13	6	13	3	2	—	—	—
Kirkcaldy & Abbotshall	8	6	8	10	11	7	17	10	23	16	9	9	—	1	—	—
Alloa . . .	5	5	4	7	8	10	7	9	11	11	6	2	—	—	—	—
Falkirk . . .	9	11	8	8	8	11	7	13	11	13	9	1	3	—	—	—
Stirling . . .	15	7	15	9	20	12	18	15	20	16	17	3	3	—	—	—
Dumbarton . . .	7	11	10	6	17	12	18	17	9	11	7	1	—	—	—	—
Port-Glasgow . .	6	6	10	10	8	15	9	7	7	2	1	1	—	1	—	—
Ayr . . .	15	10	23	16	24	26	25	27	18	26	21	8	1	—	—	—
Cambusnethan . .	8	8	10	11	7	9	16	8	15	12	4	2	—	—	—	—
Dalziel . . .	9	6	10	4	11	14	16	5	6	7	5	3	1	—	—	—
Hamilton . . .	18	14	16	16	21	18	28	20	21	18	10	9	2	—	1	—
Airdrie . . .	5	3	4	8	14	11	15	9	9	5	6	2	—	—	—	—
Coatbridge . . .	10	16	17	15	26	13	23	24	23	7	10	2	1	—	—	—
Rutherglen . . .	6	6	7	9	14	11	14	8	10	11	10	1	1	—	—	—
Galashiels . . .	4	11	6	5	10	10	14	21	6	15	7	4	1	1	—	—
Hawick . . .	18	8	9	10	8	23	15	16	19	13	7	3	1	1	—	—
Dumfries . . .	21	15	16	19	20	27	33	38	38	36	19	5	2	3	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1882.—BOTH SEXES.

Shetland . . .	4	4	3	2	2	2	3	2	7	6	7	3	3	1	2	—
Orkney . . .	3	—	5	1	5	4	2	4	8	3	8	1	—	1	—	—
Caithness . . .	5	7	7	7	12	14	14	20	19	27	22	17	8	4	1	—
Ross and Cromarty .	11	9	9	4	5	4	6	12	7	16	8	3	6	1	—	—
Nairn . . .	1	2	7	3	2	7	3	14	12	8	6	2	—	—	—	—
Elgin . . .	13	8	9	3	15	12	26	26	24	21	24	5	5	1	—	—
Banff . . .	9	13	18	6	13	17	29	19	29	38	33	29	7	—	2	—
Aberdeen . . .	7	8	9	15	6	16	15	28	23	19	24	13	1	1	—	—
Kincardine . . .	2	3	2	1	1	5	8	9	12	8	8	4	4	1	1	—
Forfar . . .	16	11	14	12	17	18	25	36	37	26	46	7	5	—	—	—
Perth . . .	17	11	17	15	23	32	36	31	48	38	32	9	5	1	—	—
Fife . . .	24	26	26	32	32	38	53	58	64	58	49	14	9	1	—	—
Clackmannan . . .	1	4	4	3	4	5	8	3	10	10	5	2	—	1	—	—
Stirling . . .	21	33	31	25	24	35	35	27	35	33	19	9	5	1	—	—
Dumbarton . . .	37	22	29	32	46	46	47	32	39	36	23	15	4	1	—	—
Argyll . . .	14	11	21	18	18	22	21	31	20	23	28	16	2	1	—	—
Bute . . .	6	12	6	12	8	5	8	10	11	16	14	5	—	—	—	—
Renfrew . . .	31	27	33	37	44	45	45	45	40	48	23	16	4	—	—	1
Ayr . . .	66	52	59	66	71	73	90	101	111	96	68	33	11	3	—	—
Lanark . . .	75	57	60	54	66	59	66	70	97	75	60	25	6	3	—	—
Linlithgow . . .	14	12	22	18	23	26	22	25	17	11	14	8	2	1	1	—
Edinburgh . . .	18	36	24	32	36	45	51	54	60	35	35	7	1	—	—	—
Haddington . . .	8	16	12	10	10	16	19	15	13	21	14	2	—	—	—	—
Berwick . . .	3	3	1	3	2	3	7	7	7	8	6	8	2	—	—	—
Peebles . . .	1	2	2	2	4	7	7	7	6	8	2	2	—	—	—	—
Selkirk . . .	7	—	3	8	9	6	9	11	5	5	3	3	2	—	—	—
Roxburgh . . .	6	7	3	8	8	6	9	16	11	16	9	8	1	—	—	—
Dumfries . . .	14	3	4	8	11	7	12	13	18	16	19	11	2	—	—	—
Kirkcudbright . .	6	5	7	3	7	4	9	10	17	10	7	4	8	1	—	—
Wigtown . . .	7	5	7	12	7	10	13	9	14	13	12	7	2	—	—	—

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1882.—MALES.

	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	193	21	7	16	11	8	4	5	5	3	3	9	6
Peterhead	121	22	13	9	13	8	4	—	3	2	6	3	1
Arbroath	244	29	5	16	20	8	2	1	7	6	6	11	7
Forfar	117	13	3	6	10	4	3	4	5	4	4	1	3
Montrose	136	15	5	5	1	3	5	2	10	2	2	8	7
Dunfermline	248	20	11	19	18	15	9	6	24	6	8	1	4
Dysart	127	15	4	11	10	10	4	4	7	3	3	4	3
Kirkcaldy & Abbotshall	154	14	10	13	20	8	5	3	10	4	4	2	4
Alloa	93	9	5	8	6	4	2	1	2	9	6	4	1
Falkirk	123	12	8	8	11	5	—	—	7	3	6	3	2
Stirling	156	17	6	9	5	4	8	3	6	7	6	5	4
Dumbarton	160	20	10	12	19	6	3	—	8	1	4	10	7
Port-Glasgow	154	22	7	26	18	7	6	—	7	7	5	3	5
Ayr	228	30	8	19	11	8	3	2	12	4	7	9	17
Cambusnethan	172	22	3	18	22	7	2	4	9	6	12	9	3
Dalziel	171	19	6	22	22	8	—	5	9	1	8	8	6
Hamilton	283	32	11	22	23	11	11	3	11	11	15	15	6
Airdrie	128	16	6	20	6	10	2	4	9	4	7	2	5
Coatbridge	269	31	14	20	28	11	7	8	24	5	11	5	7
Rutherglen	141	20	9	9	13	4	5	3	4	9	4	8	5
Galashiels	151	28	6	11	10	7	4	3	7	6	3	6	5
Hawick	189	29	16	12	13	4	5	6	11	3	3	7	4
Dumfries	299	26	11	19	24	12	7	10	16	7	3	14	12

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1882.—MALES.

Shetland	36	1	—	—	1	1	1	—	1	1	1	3	2
Orkney	34	1	1	3	—	—	1	1	1	—	1	3	1
Caithness	184	19	8	9	8	9	2	1	10	9	7	10	9
Ross and Cromarty	88	7	5	5	7	—	2	2	3	1	3	—	4
Nairn	47	7	2	1	3	—	—	—	1	—	—	1	—
Elgin	188	26	15	11	7	5	3	2	6	3	2	12	2
Banff	268	31	17	13	21	10	8	4	7	3	9	13	4
Aberdeen	227	23	14	26	20	9	8	3	8	4	8	9	3
Kincardine	58	8	2	4	3	—	—	1	1	—	2	—	1
Forfar	227	25	9	15	16	5	3	4	10	3	10	4	4
Perth	249	26	11	13	6	4	6	—	9	8	7	9	5
Fife	470	58	21	29	25	20	13	11	37	10	13	13	10
Clackmannan	57	5	3	2	7	2	1	1	3	1	1	1	3
Stirling	375	53	17	22	31	8	7	6	19	11	14	16	8
Dumbarton	452	57	18	38	41	9	8	6	27	10	22	19	15
Argyll	212	21	3	11	9	6	4	5	8	5	5	10	9
Bute	127	17	3	13	6	5	4	3	6	2	5	3	2
Renfrew	541	62	25	41	59	21	22	14	44	13	17	21	14
Ayr	997	136	37	69	64	25	16	15	45	30	38	37	41
Lanark	1022	128	42	78	108	29	21	22	57	35	33	36	25
Linlithgow	252	31	13	15	24	8	6	2	10	10	10	15	10
Edinburgh	523	61	26	41	40	29	15	15	26	10	10	13	18
Haddington	121	13	3	11	4	4	1	3	3	2	4	2	4
Berwick	54	3	2	3	7	1	1	2	1	—	1	2	2
Peebles	52	9	1	2	1	3	4	—	6	2	1	4	—
Selkirk	63	4	2	4	4	1	—	1	—	1	1	7	5
Roxburgh	81	7	4	4	8	4	2	—	—	—	2	2	2
Dumfries	121	13	8	6	12	3	4	4	3	1	7	5	2
Kirkcudbright	105	12	3	3	10	2	6	4	2	4	3	6	6
Wigtown	97	10	3	4	7	6	1	—	8	1	3	2	2

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1882.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	10	4	7	5	6	11	20	7	7	7	8	1	1	1	-	-
Peterhead . . .	2	2	-	4	4	2	3	7	5	3	1	3	1	-	-	-
Arbroath . . .	9	1	8	14	10	13	11	14	16	19	6	5	-	-	-	-
Forfar . . .	3	4	6	4	1	6	8	4	6	8	4	2	-	1	-	-
Montrose . . .	3	8	3	5	9	8	6	12	7	5	3	2	-	-	-	-
Dunfermline . .	6	6	8	6	8	16	9	14	15	13	4	2	-	-	-	-
Dysart . . .	3	6	2	3	-	6	5	6	6	3	5	2	2	-	-	-
Kirkcaldy & Abbotshall	3	2	4	7	7	1	7	6	10	4	3	3	-	-	-	-
Alloa . . .	3	2	2	5	4	2	3	4	5	3	3	-	-	-	-	-
Falkirk . . .	5	7	4	3	6	7	4	9	2	7	4	-	-	-	-	-
Stirling . . .	5	2	10	6	8	5	9	4	9	9	5	3	1	-	-	-
Dumbarton . . .	5	4	5	4	10	4	12	8	3	1	3	1	-	-	-	-
Port-Glasgow . .	4	3	5	4	5	9	4	4	1	1	-	1	-	-	-	-
Ayr . . .	3	6	9	10	9	11	14	8	7	10	8	3	-	-	-	-
Cambusnethan . .	4	4	3	7	5	4	9	2	10	5	1	1	-	-	-	-
Dalziel . . .	6	1	5	3	9	10	11	3	3	1	4	-	1	-	-	-
Hamilton . . .	8	7	10	12	15	10	12	11	11	5	5	5	-	-	1	-
Airdrie . . .	3	2	3	4	6	4	5	4	1	2	1	2	-	-	-	-
Coatbridge . . .	4	7	10	8	15	8	15	12	12	2	5	-	-	-	-	-
Rutherglen . . .	2	3	5	4	6	5	7	5	4	4	3	-	-	-	-	-
Galashiels . . .	2	6	3	2	5	8	5	10	1	7	5	1	-	-	-	-
Hawick . . .	10	1	3	5	4	12	9	7	13	8	2	2	-	-	-	-
Dumfries . . .	11	8	9	13	14	12	15	19	15	12	4	3	2	1	-	-

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND 1882.—MALES.

Shetland . . .	2	2	3	2	2	1	1	1	2	1	3	3	1	-	-	-
Orkney . . .	2	-	4	1	2	1	1	1	4	1	4	-	-	-	-	-
Caithness . . .	4	5	3	4	4	8	8	10	7	12	11	4	3	-	-	-
Ross and Cromarty .	3	7	6	3	4	3	3	4	2	7	2	1	4	-	-	-
Nairn . . .	-	-	3	2	2	3	-	8	5	6	3	-	-	-	-	-
Elgin . . .	8	6	4	1	9	4	12	12	11	12	10	3	2	-	-	-
Banff . . .	7	7	8	3	7	5	17	11	17	20	14	9	3	-	-	-
Aberdeen . . .	2	3	7	9	3	8	10	14	12	10	9	4	-	1	-	-
Kincardine . . .	1	2	1	1	-	5	7	3	5	4	2	3	-	1	1	-
Forfar . . .	7	7	6	4	7	10	15	16	9	8	25	3	2	-	-	-
Perth . . .	12	4	7	3	10	16	19	18	24	19	8	4	1	-	-	-
Fife . . .	17	14	11	15	17	23	19	22	23	20	23	4	2	-	-	-
Clackmannan . . .	1	3	1	1	2	2	2	2	7	2	3	1	-	-	-	-
Stirling . . .	10	16	14	14	16	14	18	17	16	14	8	4	2	-	-	-
Dumbarton . . .	18	8	15	13	22	24	17	15	18	16	8	6	2	-	-	-
Argyll . . .	5	8	9	9	10	12	13	16	8	7	13	5	1	-	-	-
Bute . . .	3	9	1	8	4	3	5	7	6	7	3	2	-	-	-	-
Renfrew . . .	13	9	17	18	24	22	19	21	15	16	7	6	1	-	-	-
Ayr . . .	27	33	32	32	43	44	44	42	50	43	34	13	5	2	-	-
Lanark . . .	33	32	35	29	33	37	36	39	41	41	39	10	2	1	-	-
Linlithgow . . .	6	6	11	11	11	16	11	9	7	4	3	1	1	1	-	-
Edinburgh . . .	8	17	12	16	22	24	29	25	23	21	17	4	1	-	-	-
Haddington . . .	4	10	7	6	2	7	4	8	6	9	4	-	-	-	-	-
Berwick . . .	2	-	1	2	2	-	3	4	3	7	1	4	-	-	-	-
Peebles . . .	-	2	1	1	1	2	3	2	2	4	1	-	-	-	-	-
Selkirk . . .	4	-	2	4	3	2	4	6	3	2	1	1	1	-	-	-
Roxburgh . . .	4	3	-	2	4	3	4	6	7	6	4	3	-	-	-	-
Dumfries . . .	5	1	2	3	7	2	6	6	7	4	4	6	-	-	-	-
Kirkcudbright . .	3	5	2	2	3	1	4	5	6	4	5	1	2	1	-	-
Wigtown . . .	2	2	3	5	4	3	7	5	5	8	6	-	-	-	-	-

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1882.—FEMALES.

	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	226	24	5	17	10	5	5	7	9	2	2	8	7
Peterhead	109	12	10	8	4	7	4	4	6	1	—	2	3
Arbroath	232	26	4	10	15	7	4	4	6	5	8	9	5
Forfar	112	12	2	7	5	2	—	—	5	2	4	6	4
Montrose	175	9	8	7	3	2	4	1	4	1	3	4	4
Dunfermline	252	16	8	17	20	6	3	10	9	7	14	6	8
Dysart	109	11	4	7	11	3	3	—	6	4	4	8	4
Kirkcaldy and Abbotshall	161	5	10	14	18	1	4	4	5	5	5	7	5
Alloa	111	9	4	11	8	3	1	—	2	7	5	6	6
Falkirk	135	14	4	8	19	7	2	3	10	3	1	1	9
Stirling	167	18	4	9	9	7	2	2	4	2	7	4	5
Dumbarton	147	14	7	13	14	8	3	2	4	5	3	4	4
Port-Glasgow	139	19	4	19	17	7	3	4	9	4	8	—	3
Ayr	250	20	8	7	14	11	6	1	10	7	4	13	7
Cambusnethan	151	18	4	12	14	9	5	2	16	1	6	7	2
Dalziel	146	14	6	17	21	12	5	4	4	4	5	5	9
Hamilton	257	28	13	30	28	11	9	4	9	6	7	4	8
Airdrie	138	16	6	14	21	5	2	1	6	2	1	5	5
Coatbridge	276	34	11	19	34	13	10	7	27	8	11	7	6
Rutherglen	136	12	2	8	17	3	5	3	4	9	5	3	5
Galashiels	124	11	7	6	11	2	3	1	6	—	8	4	5
Hawick	165	21	12	7	14	7	2	4	3	5	5	3	7
Dumfries	279	23	8	10	17	8	6	8	10	7	10	9	9

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1882.—FEMALES.

Shetland	36	1	—	1	1	1	—	—	1	1	—	1	2
Orkney	44	2	1	1	3	—	1	—	3	3	1	4	1
Caithness	184	16	6	10	10	3	6	3	7	5	5	6	6
Ross and Cromarty	94	8	2	4	9	1	4	—	2	4	1	5	2
Nairn	48	4	1	2	—	1	1	—	—	2	—	—	2
Elgin	177	16	7	9	9	2	1	4	4	5	5	6	11
Banff	274	26	14	16	22	9	5	2	8	4	11	16	7
Aberdeen	209	26	9	21	14	4	3	1	10	6	6	11	5
Kincardine	50	1	1	2	6	1	—	—	3	—	—	—	3
Forfar	269	23	12	18	13	5	5	5	5	7	8	10	7
Perth	267	16	3	9	12	6	5	2	4	5	11	11	13
Fife	537	36	14	25	25	23	15	12	40	19	22	14	18
Clackmannan	66	8	4	3	3	1	—	1	—	4	1	1	7
Stirling	379	33	14	27	26	16	6	9	17	13	17	16	15
Dumbarton	419	29	15	22	29	11	11	3	11	12	15	15	19
Argyll	225	19	6	7	13	7	6	1	11	3	8	7	7
Bute	107	2	1	7	9	2	1	4	8	3	6	2	7
Renfrew	564	34	16	28	50	26	20	15	28	18	28	31	19
Ayr	996	76	28	62	75	31	16	8	56	39	63	55	31
Lanark	985	98	30	57	113	41	33	24	66	43	46	29	40
Linlithgow	273	39	7	15	22	8	7	2	15	8	8	10	14
Edinburgh	466	41	21	26	42	20	12	9	26	11	13	19	11
Haddington	148	16	4	9	5	2	1	2	3	4	7	2	4
Berwick	60	4	3	5	3	5	1	—	2	—	2	2	2
Peebles	65	9	1	5	3	—	3	—	2	2	2	4	3
Selkirk	59	4	2	1	—	2	—	—	3	1	3	—	5
Roxburgh	88	2	1	1	—	2	—	3	4	4	2	4	3
Dumfries	159	14	4	7	9	4	6	1	5	4	4	8	8
Kirkcudbright	103	7	3	5	7	2	1	1	3	9	4	3	4
Wigtown	106	7	—	4	11	1	3	1	6	1	2	—	2

DEATHS at Different Ages in the LARGE TOWN DISTRICTS of SCOTLAND, 1882.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	8	7	3	9	8	8	16	11	18	13	19	4	1	—	—	—
Peterhead . . .	4	4	2	5	2	2	5	5	6	4	5	3	1	—	—	—
Arbroath . . .	10	14	3	10	13	14	8	11	15	10	17	4	—	—	—	—
Forfar . . .	4	6	1	5	8	2	5	4	10	7	6	4	1	—	—	—
Montrose . . .	9	9	5	4	7	10	15	18	13	19	7	8	1	—	—	—
Dunfermline . .	7	10	9	7	9	12	20	13	13	12	7	6	3	—	—	—
Dysart . . .	1	3	3	1	3	3	7	4	7	3	8	1	—	—	—	—
Kirkcaldy & Abbotshall	5	4	4	3	4	6	10	4	13	12	6	6	—	1	—	—
Alloa . . .	2	3	2	2	4	8	4	5	6	8	3	2	—	—	—	—
Falkirk . . .	4	4	4	5	2	4	3	4	9	6	5	1	3	—	—	—
Stirling . . .	10	5	5	3	12	7	9	11	11	7	12	—	2	—	—	—
Dumbarton . . .	2	7	5	2	7	8	6	9	6	10	4	—	—	—	—	—
Port-Glasgow . .	2	3	5	6	3	6	5	3	6	1	1	—	—	1	—	—
Ayr . . .	12	4	14	6	15	15	11	19	11	16	13	5	1	—	—	—
Cambusnethan . .	4	4	7	4	2	5	7	6	5	7	3	1	—	—	—	—
Dalziel . . .	3	5	5	1	2	4	5	2	3	6	1	3	—	—	—	—
Hamilton . . .	10	7	6	4	6	8	16	9	10	13	5	4	2	—	—	—
Airdrie . . .	2	1	1	4	8	7	10	5	8	3	5	—	—	—	—	—
Coatbridge . . .	6	9	7	7	11	5	8	12	11	5	5	2	1	—	—	—
Rutherglen . . .	4	3	2	5	8	6	7	3	6	7	7	1	1	—	—	—
Galashiels . . .	2	5	3	3	5	2	9	11	5	8	2	3	1	1	—	—
Hawick . . .	8	7	6	5	4	11	6	9	6	5	5	1	1	1	—	—
Dumfries . . .	10	7	7	6	6	15	18	19	23	24	15	2	—	2	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1882.—FEMALES.

Shetland . . .	2	2	—	—	—	1	2	1	5	5	4	—	2	1	2	—
Orkney . . .	1	—	1	—	3	3	1	3	4	2	4	1	—	1	—	—
Caithness . . .	1	2	4	3	8	6	6	10	12	15	11	13	5	4	1	—
Ross and Cromarty	8	2	3	1	1	1	3	8	5	9	6	2	2	1	—	—
Nairn . . .	1	2	4	1	—	4	3	6	7	2	3	2	—	—	—	—
Elgin . . .	5	2	5	2	6	8	14	14	13	9	14	2	3	1	—	—
Banff . . .	2	6	10	3	6	12	12	8	12	18	19	20	4	—	2	—
Aberdeen . . .	5	5	2	6	3	8	5	14	11	9	15	9	1	—	—	—
Kincardine . . .	1	1	1	—	1	—	1	6	7	4	6	1	4	—	—	—
Forfar . . .	9	4	8	8	10	8	10	20	28	18	21	4	3	—	—	—
Perth . . .	5	7	10	12	13	16	17	13	24	19	24	5	4	1	—	—
Fife . . .	7	12	15	17	15	15	34	36	41	38	26	10	7	1	—	—
Clackmannan . . .	—	1	3	2	2	3	6	1	3	8	2	1	—	1	—	—
Stirling . . .	11	17	17	11	8	21	17	10	19	19	11	5	3	1	—	—
Dumbarton . . .	19	14	14	19	24	22	30	17	21	20	15	9	2	1	—	—
Argyll . . .	9	3	12	9	8	10	8	15	12	16	15	11	1	1	—	—
Bute . . .	3	3	5	4	4	2	3	3	5	9	11	3	—	—	—	—
Renfrew . . .	18	18	16	19	20	23	26	24	25	32	16	10	3	—	—	1
Ayr . . .	39	19	27	34	28	29	46	59	61	53	34	20	6	1	—	—
Lanark . . .	42	25	25	25	33	22	30	31	56	34	21	15	4	2	—	—
Linlithgow . . .	8	6	11	7	12	10	11	16	10	7	11	7	1	—	1	—
Edinburgh . . .	10	19	12	16	14	21	22	29	37	14	18	3	—	—	—	—
Haddington . . .	4	6	5	4	8	9	15	7	7	12	10	2	—	—	—	—
Berwick . . .	1	3	—	1	—	3	4	3	4	1	5	4	2	—	—	—
Peebles . . .	1	—	1	1	3	5	4	5	4	4	1	2	—	—	—	—
Selkirk . . .	3	—	1	4	6	4	5	5	2	3	2	2	1	—	—	—
Roxburgh . . .	2	4	3	6	4	3	5	10	4	10	5	5	1	—	—	—
Dumfries . . .	9	2	2	5	4	5	6	7	11	12	15	5	2	—	—	—
Kirkcudbright . .	3	—	5	1	4	3	5	5	11	6	2	3	6	—	—	—
Wigtown . . .	5	3	4	7	3	7	6	4	9	5	6	7	2	—	—	—

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1882.—BOTH SEXES.

	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	301	16	7	11	8	3	1	2	12	7	12	6	6
Sutherland	343	23	6	7	8	7	8	8	9	7	16	7	11
Ross and Cromarty	835	53	13	21	29	10	12	4	22	14	21	28	23
Inverness	411	20	7	13	9	4	3	5	9	5	19	10	17
Nairn	43	5	2	2	—	1	—	—	—	1	2	1	—
Elgin	383	42	9	23	18	5	9	5	20	6	14	14	8
Banff	462	40	20	24	11	12	8	5	16	12	15	21	16
Aberdeen	1674	170	65	82	63	28	32	16	81	38	68	53	64
Kincardine	447	32	23	24	28	11	7	7	17	13	10	18	8
Forfar	533	57	20	22	31	7	6	9	15	13	19	16	10
Perth	1075	82	25	39	34	20	9	17	44	17	18	29	27
Fife	1000	64	30	34	38	21	24	23	50	25	31	29	26
Kinross	138	7	3	10	6	2	3	3	4	6	—	4	2
Clackmannan	107	12	5	8	12	8	3	3	4	7	3	3	6
Stirling	723	84	38	52	69	23	12	3	24	26	19	31	20
Dumbarton	303	29	9	24	19	16	8	3	11	9	11	14	5
Argyll	608	29	6	18	18	9	8	8	25	8	16	26	20
Renfrew	286	26	10	15	13	8	4	9	21	10	5	15	15
Ayr	960	120	30	52	69	33	17	14	45	25	38	37	41
Lanark	1159	110	39	62	83	36	22	18	62	46	50	41	25
Linlithgow	220	24	5	15	24	7	4	2	14	3	10	9	7
Edinburgh	749	76	22	42	39	14	15	4	26	19	25	21	21
Haddington	289	26	6	13	14	3	4	2	8	8	10	12	2
Berwick	381	38	12	18	10	4	8	3	7	8	7	19	14
Peebles	59	3	1	5	3	1	—	—	7	1	2	2	—
Selkirk	34	4	1	1	1	1	—	—	1	—	2	—	3
Roxburgh	394	46	8	9	16	10	1	5	16	9	13	11	15
Dumfries	698	71	13	29	28	15	11	11	34	16	24	33	27
Kirkcudbright	402	24	10	19	15	10	4	3	11	8	15	14	11
Wigtown	419	39	10	14	12	9	3	2	13	7	10	16	13

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1882.—BOTH SEXES.

Shetland	376	25	3	5	4	5	3	—	5	4	13	11	22
Orkney	375	15	2	5	2	3	1	1	4	6	12	15	16
Ross and Cromarty	212	25	1	13	14	2	3	1	5	3	10	11	9
Inverness	578	71	3	31	18	11	3	4	12	9	13	17	26
Argyll	306	14	3	6	14	5	1	2	13	9	7	8	11
Bute	170	13	3	4	4	1	1	—	3	2	1	6	9

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1882.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	5	4	4	5	14	9	19	17	19	33	43	22	12	2	1	1	
Sutherland . . .	6	4	9	8	10	12	13	24	23	44	41	23	7	2	-	-	
Ross and Cromarty . .	12	20	22	24	36	38	49	54	68	82	107	47	19	7	-	-	
Inverness . . .	11	12	11	7	13	21	27	28	44	38	37	21	12	6	2	-	
Nairn . . .	-	2	2	1	3	1	2	2	2	7	4	2	1	-	-	-	
Elgin . . .	12	7	11	10	8	13	15	22	28	33	27	15	7	1	1	-	
Banff . . .	12	13	7	18	12	20	17	25	25	31	41	25	10	6	-	-	
Aberdeen . . .	51	36	48	38	40	56	64	106	126	142	106	64	29	4	1	3	
Kincardine . . .	10	8	13	13	8	16	20	26	42	35	39	14	3	2	-	-	
Forfar . . .	17	20	13	15	22	21	24	22	40	52	33	17	10	2	-	-	
Perth . . .	23	20	28	41	42	48	52	70	104	118	99	49	10	7	3	-	
Fife . . .	28	22	22	16	31	43	58	83	85	93	75	35	12	1	1	-	
Kinross . . .	1	5	1	3	4	5	13	8	12	10	14	10	1	-	1	-	
Clackmannan . . .	7	1	-	1	6	1	4	-	5	4	2	1	1	-	-	-	
Stirling . . .	14	20	20	22	22	26	29	35	42	43	38	8	2	1	-	-	
Dumbarton . . .	7	15	6	9	16	9	12	15	20	20	6	7	2	-	-	1	
Argyll . . .	23	21	17	23	26	26	39	44	46	48	53	38	10	3	-	-	
Renfrew . . .	10	10	7	4	12	11	15	10	17	20	11	8	-	-	-	-	
Ayr . . .	32	20	22	37	32	40	35	42	51	42	48	29	5	4	-	-	
Lanark . . .	34	34	38	45	43	49	65	64	52	74	43	12	9	3	-	-	
Linlithgow . . .	4	6	9	5	6	8	7	9	14	9	13	5	1	-	-	-	
Edinburgh . . .	24	28	34	27	24	29	50	55	59	40	34	19	2	-	-	-	
Haddington . . .	7	7	12	12	8	16	24	18	34	15	18	7	1	1	-	1	
Berwick . . .	8	10	10	12	15	23	20	29	25	26	29	20	6	-	-	-	
Peebles . . .	1	3	-	4	-	4	5	4	3	4	5	1	-	-	-	-	
Selkirk . . .	3	1	-	1	1	-	1	3	2	3	-	3	2	-	-	-	
Roxburgh . . .	13	13	11	14	19	14	20	34	25	36	15	16	4	1	-	-	
Dumfries . . .	19	22	15	14	19	24	30	45	66	50	48	20	13	1	-	-	
Kirkcudbright . . .	16	14	8	16	12	12	29	19	41	38	29	14	6	2	1	1	
Wigtown . . .	15	12	16	13	11	13	27	24	34	29	52	14	8	3	-	-	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND 1882.—BOTH SEXES.

Shetland . . .	7	7	14	8	16	19	18	16	31	35	56	26	17	5	1	-
Orkney . . .	14	12	6	13	9	13	15	32	38	48	52	30	10	1	-	-
Ross and Cromarty . .	6	7	8	2	12	7	7	11	12	13	15	10	1	3	1	-
Inverness . . .	22	21	14	20	20	28	29	38	36	42	45	31	8	4	2	-
Argyll . . .	8	10	12	7	10	18	27	24	23	17	28	17	6	2	4	-
Bute . . .	4	2	7	4	6	9	15	10	19	12	20	9	5	1	-	-

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1882.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	153	10	5	7	4	2	—	2	9	4	7	3	2
Sutherland	164	12	2	6	4	4	3	4	3	4	8	4	8
Ross and Cromarty	397	25	8	10	21	7	8	2	15	6	10	17	14
Inverness	203	12	4	6	7	3	3	5	5	3	10	3	10
Nairn	19	2	2	2	—	—	—	—	—	1	1	—	—
Elgin	202	24	7	12	7	3	5	3	11	2	6	13	4
Banff	218	19	12	10	4	6	2	4	6	8	8	12	7
Aberdeen	815	91	34	43	32	14	19	9	37	18	33	27	39
Kincardine	236	22	13	12	15	6	3	3	10	5	6	10	5
Forfar	274	35	12	15	20	3	2	3	7	9	11	10	4
Perth	533	48	13	18	17	8	6	9	24	8	7	19	14
Fife	465	38	19	17	22	8	10	14	24	10	13	12	15
Kinross	64	2	1	6	4	—	1	3	3	2	—	3	1
Clackmannan	61	11	3	3	9	4	—	1	4	4	2	2	3
Stirling	367	47	20	28	39	14	2	1	13	9	9	12	15
Dumbarton	157	12	5	9	8	6	6	2	7	3	7	9	3
Argyll	312	15	5	9	9	4	6	5	11	5	10	19	8
Renfrew	134	13	4	8	7	3	—	6	14	5	3	8	7
Ayr	504	63	16	34	41	15	7	6	21	13	23	21	24
Lanark	620	67	25	31	43	18	10	6	29	27	26	20	13
Linlithgow	107	14	3	5	13	1	2	—	5	2	6	5	4
Edinburgh	377	42	11	28	12	10	6	2	18	6	15	9	14
Haddington	130	10	4	7	8	1	1	—	5	3	6	3	1
Berwick	178	22	6	8	4	2	3	—	6	5	2	11	6
Peebles	24	2	—	2	1	—	—	—	3	—	2	—	—
Selkirk	17	4	1	1	1	—	—	—	1	—	—	—	1
Roxburgh	192	28	3	4	6	6	—	2	7	3	3	6	10
Dumfries	346	40	8	16	16	9	6	6	12	8	9	23	17
Kirkcudbright	186	14	2	14	6	3	2	2	5	4	8	8	4
Wigtown	189	16	6	5	7	3	2	1	4	4	4	7	8

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1882.—MALES.

Shetland,	169	17	2	3	4	4	2	—	2	1	7	8	9
Orkney,	159	6	1	3	—	1	1	1	3	3	5	8	6
Ross and Cromarty	100	14	1	9	7	1	2	—	2	2	4	5	3
Inverness	289	42	1	15	11	4	2	1	6	5	6	10	16
Argyll	152	10	3	3	5	2	—	1	7	2	3	7	5
Bute	84	8	3	1	3	—	—	—	2	—	—	5	7

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1882.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	3	2	—	1	5	3	8	8	11	17	21	11	6	1	—	1	
Sutherland . . .	2	1	3	2	7	5	8	10	12	15	22	10	5	—	—	—	
Ross and Cromarty .	3	7	14	10	10	14	21	31	30	40	42	22	7	3	—	—	
Inverness . . .	3	6	4	4	7	12	14	13	20	15	19	9	3	2	1	—	
Nairn . . .	—	1	—	1	2	1	—	—	1	3	2	—	—	—	—	—	
Elgin . . .	3	5	6	8	6	7	10	13	15	19	3	7	3	—	—	—	
Banff . . .	4	3	4	3	7	11	10	15	12	17	17	10	4	3	—	—	
Aberdeen . . .	21	13	17	17	18	32	33	59	66	53	42	33	11	1	—	3	
Kincardine . . .	7	1	8	11	5	9	11	10	22	18	14	8	1	1	—	—	
Forfar . . .	5	8	7	7	12	12	12	10	15	26	14	9	5	1	—	—	
Perth . . .	15	10	10	21	14	24	25	35	57	60	42	22	3	3	1	—	
Fife . . .	8	10	12	5	16	17	29	43	41	40	27	11	3	1	—	—	
Kinross . . .	—	—	1	3	2	3	4	5	7	3	5	5	—	—	—	—	
Clackmannan . . .	2	—	—	1	5	—	2	—	3	1	1	—	—	—	—	—	
Stirling . . .	5	11	8	13	12	16	18	15	19	22	17	1	1	—	—	—	
Dumbarton . . .	2	7	4	6	12	7	6	10	10	8	2	5	—	—	—	1	
Argyll . . .	9	13	8	11	15	13	16	20	21	26	28	19	6	1	—	—	
Renfrew . . .	1	4	2	3	6	5	8	5	10	7	2	3	—	—	—	—	
Ayr . . .	13	9	12	19	20	21	21	17	31	24	22	9	2	—	—	—	
Lanark . . .	16	18	19	30	25	26	34	39	28	36	25	6	3	—	—	—	
Linlithgow . . .	4	2	7	3	2	4	3	4	6	6	3	3	—	—	—	—	
Edinburgh . . .	10	13	17	14	9	15	27	27	35	22	8	6	1	—	—	—	
Haddington . . .	2	2	5	7	4	7	12	10	17	5	6	2	—	1	—	1	
Berwick . . .	3	5	4	5	6	13	8	15	11	13	15	4	1	—	—	—	
Peebles . . .	—	—	—	—	—	3	2	1	3	1	3	1	—	—	—	—	
Selkirk . . .	—	—	—	1	—	—	1	3	1	1	—	—	1	—	—	—	
Roxburgh . . .	5	4	4	8	11	11	6	19	10	19	9	6	1	1	—	—	
Dumfries . . .	8	10	6	10	10	10	15	25	33	23	15	8	3	—	—	—	
Kirkcudbright . . .	7	5	2	5	5	9	8	9	18	23	13	5	3	—	1	1	
Wigtown . . .	6	6	8	8	3	8	12	12	14	14	18	9	3	1	—	—	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1882.—MALES.

Shetland . . .	3	2	3	4	8	6	8	8	15	15	23	7	8	—	—	—
Orkney . . .	6	6	3	8	2	3	7	13	10	21	26	14	2	—	—	—
Ross and Cromarty .	5	3	4	1	7	5	3	4	5	5	4	2	—	2	—	—
Inverness . . .	11	9	3	10	9	16	9	22	16	21	21	16	4	2	1	—
Argyll . . .	6	5	7	4	5	8	16	9	9	9	10	12	4	—	—	—
Bute . . .	1	1	2	2	3	3	5	4	10	7	10	4	3	—	—	—

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1882.—FEMALES.

		FEMALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
Caithness	148	6	2	4	4	1	1	—	3	3	5	3	4	
Sutherland	179	11	4	1	4	3	5	4	6	3	8	3	3	
Ross and Cromarty	438	28	5	11	8	3	4	2	7	8	11	11	9	
Inverness	208	8	3	7	2	1	—	—	4	2	9	7	7	
Nairn	24	3	—	—	—	1	—	—	—	—	1	1	—	
Elgin	181	18	2	11	11	2	4	2	9	4	8	1	4	
Banff	244	21	8	14	7	6	6	1	10	4	7	9	9	
Aberdeen	859	79	31	39	31	14	13	7	44	20	35	26	25	
Kincardine	211	10	10	12	13	5	4	4	7	8	4	8	3	
Forfar	259	22	8	7	11	4	4	6	8	4	8	6	6	
Perth	542	34	12	21	17	12	3	8	20	9	11	10	13	
Fife	535	26	11	17	16	13	14	9	26	15	18	17	11	
Kinross	74	5	2	4	2	2	2	—	1	4	—	1	1	
Clackmannan	46	1	2	5	3	4	3	2	—	3	1	1	3	
Stirling	356	37	18	24	30	9	10	2	11	17	10	19	5	
Dumbarton	146	17	4	15	11	10	2	1	4	6	4	5	2	
Argyll	296	14	1	9	9	5	2	3	14	3	6	7	12	
Renfrew	152	13	6	7	6	5	4	3	7	5	2	7	8	
Ayr	456	57	14	18	28	18	10	8	24	12	15	16	17	
Lanark	539	43	14	31	40	18	12	12	33	19	24	21	12	
Linlithgow	113	10	2	10	11	6	2	2	9	1	4	4	3	
Edinburgh	372	34	11	14	27	4	9	2	8	13	10	12	7	
Haddington	159	16	2	6	6	2	3	2	3	5	4	9	1	
Berwick	203	16	6	10	6	2	5	3	1	3	5	8	8	
Peebles	35	1	1	3	2	1	—	—	4	1	—	2	—	
Selkirk	17	—	—	—	—	1	—	—	—	—	2	—	2	
Roxburgh	202	18	5	5	10	4	1	3	9	6	10	5	5	
Dumfries	352	31	5	13	12	6	5	5	22	8	15	10	10	
Kirkcudbright	216	10	8	5	9	7	2	1	6	4	7	6	7	
Wigtown	230	23	4	9	5	6	1	1	9	3	6	9	5	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1882.—FEMALES.

Shetland	207	8	1	2	—	1	1	—	3	3	6	3	13
Orkney	216	9	1	2	2	2	—	—	1	3	7	7	10
Ross and Cromarty	112	11	—	4	7	1	1	1	3	1	6	6	6
Inverness	289	29	2	16	7	7	1	3	6	4	7	7	10
Argyll	154	4	—	3	9	3	1	1	6	7	4	1	6
Bute	86	5	—	3	1	1	1	—	1	2	1	1	2

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1882 — FEMALES.

	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	2	2	4	4	9	6	11	9	8	16	22	11	6	1	1	—	—
Sutherland . . .	4	3	6	6	3	7	5	14	11	29	19	13	2	2	—	—	—
Ross and Cromarty . . .	9	13	8	14	26	24	28	23	38	42	65	25	12	4	—	—	—
Inverness . . .	8	6	7	3	6	9	13	15	24	23	18	12	9	4	1	—	—
Nairn . . .	—	1	2	—	1	—	2	2	1	4	2	2	1	—	—	—	—
Elgin . . .	9	2	5	2	2	6	5	9	13	14	24	8	4	1	1	—	—
Banff . . .	8	10	3	15	5	9	7	10	13	14	24	15	6	3	—	—	—
Aberdeen . . .	30	23	31	21	22	24	31	47	60	89	64	31	18	3	1	—	—
Kincardine . . .	3	7	5	2	3	7	9	16	20	17	25	6	2	1	—	—	—
Forfar . . .	12	12	6	8	10	9	12	12	25	26	19	8	5	1	—	—	—
Perth . . .	8	10	18	20	28	24	27	35	47	58	57	27	7	4	2	—	—
Fife . . .	20	12	10	11	15	26	29	40	44	53	48	24	9	—	1	—	—
Kinross . . .	1	5	—	—	2	2	9	3	5	7	9	5	1	—	1	—	—
Clackmannan . . .	5	1	—	—	1	1	2	—	2	3	1	1	1	—	—	—	—
Stirling . . .	9	9	12	9	10	10	11	20	23	21	21	7	1	1	—	—	—
Dumbarton . . .	5	8	2	3	4	2	6	5	10	12	4	2	2	—	—	—	—
Argyll . . .	14	8	9	12	11	13	23	24	25	22	25	19	4	2	—	—	—
Renfrew . . .	9	6	5	1	6	6	7	5	7	13	9	5	—	—	—	—	—
Ayr . . .	19	11	10	18	12	19	14	25	20	18	26	20	3	4	—	—	—
Lanark . . .	18	16	19	15	18	23	31	25	24	38	18	6	6	3	—	—	—
Linlithgow . . .	—	4	2	2	4	4	4	5	8	3	10	2	1	—	—	—	—
Edinburgh . . .	14	15	17	13	15	14	23	28	24	18	26	13	1	—	—	—	—
Haddington . . .	5	5	7	5	4	9	12	8	17	10	12	5	1	—	—	—	—
Berwick . . .	5	5	6	7	9	10	12	14	14	13	14	16	5	—	—	—	—
Peebles . . .	1	3	—	4	—	1	3	3	—	3	2	—	—	—	—	—	—
Selkirk . . .	3	1	—	—	1	—	—	—	1	2	—	3	1	—	—	—	—
Roxburgh . . .	8	9	7	6	8	3	14	15	15	17	6	10	3	—	—	—	—
Dumfries . . .	11	12	9	4	9	14	15	20	33	27	33	12	10	1	—	—	—
Kirkcudbright . . .	9	9	6	11	7	3	21	10	23	15	16	9	3	2	—	—	—
Wigtown . . .	9	6	8	5	8	5	15	12	20	15	34	5	5	2	—	—	—

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1882.—FEMALES.

Shetland . . .	4	5	11	4	8	13	10	8	16	20	33	19	9	5	1	—	—
Orkney . . .	8	6	3	5	7	10	8	19	28	27	26	16	8	1	—	—	—
Ross and Cromarty . . .	1	4	4	1	5	2	4	7	7	8	11	8	1	1	1	—	—
Inverness . . .	11	12	11	10	11	12	20	16	20	21	24	15	4	2	1	—	—
Argyll . . .	2	5	5	3	5	10	11	15	14	8	18	5	2	2	4	—	—
Bute . . .	3	1	5	2	3	6	10	6	9	5	10	5	2	1	—	—	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—MALES.

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	All Causes	36325	205	193	337	164	585	685	66	390	486	2224	294	2457	1132	1464	64
	Specified Causes	35872	183	185	334	155	549	644	65	381	482	2202	293	2446	1116	1448	64
	(CLASSES.)																
I.	ZYMOTIC DISEASES	5994	8	8	50	21	79	102	9	57	66	393	45	410	164	285	8
II.	CONSTITUTIONAL „	6541	38	33	65	28	70	98	6	68	76	349	30	417	165	212	8
III.	LOCAL „	16721	71	73	139	45	261	276	29	176	244	1079	147	1145	530	647	38
IV.	DEVELOPMENTAL „	4700	56	59	61	53	103	136	19	60	70	277	41	335	203	222	8
V.	VIOLENT DEATHS	1916	10	12	19	8	36	32	2	20	26	104	30	139	54	82	2
	(ORDERS.)																
I.	1. MIASMATIC DISEASES	5566	7	7	48	21	76	99	9	55	62	364	43	385	150	271	8
	2. ENTHETIC „	162	—	1	1	—	3	1	—	1	2	11	—	13	5	3	—
	3. DIETIC „	252	1	—	1	—	—	2	—	1	1	14	1	11	9	11	—
	4. PARASITIC „	14	—	—	—	—	—	—	—	—	1	4	1	1	—	—	—
II.	1. DIATHETIC „	949	11	7	12	11	14	26	3	13	16	62	16	59	36	48	3
	2. TUBERCULAR „	5592	27	26	53	17	56	72	3	55	60	287	14	358	129	164	5
III.	1. DISEASES OF NERVOUS SYSTEM	3918	19	14	25	11	55	66	5	45	55	251	37	281	143	184	10
	2. „ OF ORGANS OF CIRCULATION	2515	11	11	19	5	32	38	4	38	39	152	25	171	114	122	7
	3. „ OF RESPIRATORY ORGANS	6679	24	28	49	20	100	95	11	50	82	386	55	490	160	213	10
	4. „ OF DIGESTIVE ORGANS	2173	8	11	20	7	37	54	4	24	34	144	21	125	62	82	7
	5. „ OF URINARY ORGANS	961	6	8	13	1	30	14	1	14	22	103	9	59	37	34	3
	6. „ OF ORGANS OF GENERATION	15	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—
	7. „ OF ORGANS OF LOCOMOTION	248	—	1	7	1	3	3	3	2	5	20	—	13	8	5	1
	8. „ OF INTEGUMENTARY SYSTEM	212	3	—	6	—	4	6	1	3	7	22	—	6	4	7	—
IV.	1. DEV. DIS. OF CHILDREN	1520	4	3	5	5	5	16	5	19	20	100	8	129	51	63	2
	2. „ OF ADULTS	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	1757	51	54	39	47	92	101	11	29	37	104	24	102	110	103	5
	4. DISEASES OF NUTRITION	1423	1	2	17	1	6	19	3	12	13	73	9	104	42	56	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—FEMALES.

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	All Causes	36664	243	260	332	179	644	723	72	358	518	2292	261	2642	1169	1594	74
	Specified Causes . . .	36285	211	256	329	167	610	687	69	349	512	2265	257	2638	1154	1578	73
	(CLASSES.)																
I.	ZYMOTIC DISEASES	6268	13	14	56	23	88	103	4	53	76	393	33	400	161	323	12
II.	CONSTITUTIONAL „	7654	43	41	46	36	120	118	14	65	94	430	46	585	210	281	12
III.	LOCAL „	16133	57	103	148	52	224	267	30	155	235	1063	131	1245	559	651	41
IV.	DEVELOPMENTAL „	5580	93	91	67	55	166	188	18	71	96	341	42	348	207	302	8
V.	VIOLENT DEATHS . .	650	5	7	12	1	12	11	3	5	11	38	5	60	17	21	—
	(ORDERS.)																
I.	1. Miasmatic Diseases .	5979	13	12	55	23	87	101	4	50	73	367	33	378	147	316	12
	2. Enthetic „ . .	112	—	—	—	—	—	—	—	—	2	15	—	11	1	4	—
	3. Dietic „ . .	155	—	2	1	—	1	2	—	2	1	7	—	10	12	3	—
	4. Parasitic „ . .	22	—	—	—	—	—	—	—	1	—	4	—	1	1	—	—
II.	1. Diathetic „ . .	1638	14	4	14	12	46	35	9	17	31	128	16	113	61	73	3
	2. Tubercular „ . .	6016	29	37	32	24	74	83	5	48	63	302	30	472	149	208	9
III.	1. Diseases of Nervous System . .	3749	13	22	32	13	52	55	7	50	45	263	38	293	136	158	10
	2. „ of Organs of Circulation .	2634	6	12	21	10	29	39	5	29	37	165	29	214	106	134	7
	3. „ of Respiratory Organs . .	6290	23	46	69	16	93	110	12	43	73	394	44	512	201	228	14
	4. „ of Digestive Organs	2319	9	16	18	8	37	44	3	20	38	152	10	141	79	79	7
	5. „ of Urinary Organs	576	1	3	4	4	6	9	1	3	20	49	5	44	15	30	1
	6. „ of Organs of Generation .	188	—	1	1	—	1	1	1	2	9	12	2	16	10	6	1
	7. „ of Organs of Locomotion . .	188	2	2	1	—	—	7	—	4	6	13	1	13	5	10	1
	8. „ of Integumentary System . .	189	3	1	2	1	6	2	1	4	7	15	2	12	7	6	—
IV.	1. Dev. Dis. of Children .	1163	—	3	6	1	3	15	2	17	13	92	1	81	26	39	2
	2. „ of Adults . .	410	3	4	3	1	7	14	1	5	8	31	5	26	12	25	1
	3. „ of Old People .	2826	89	75	49	47	146	149	13	39	56	163	30	158	144	186	5
	4. Diseases of Nutrition .	1181	1	9	9	6	10	10	2	10	19	55	6	83	25	52	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright	Wigtown.
	All Causes	211	1021	769	676	211	2638	1967	11216	359	3916	251	232	76	231	462	710	347	286
	Specified Causes	209	1006	754	645	207	2625	1949	11117	358	3901	245	228	75	229	457	698	341	281
	(CLASSES.)																		
I.	ZYMOTIC DISEASES	39	140	118	77	31	463	247	2063	48	704	30	30	8	32	63	106	44	46
II.	CONSTITUTIONAL „	37	177	137	122	53	472	418	2163	57	729	46	34	9	42	92	156	78	56
III.	LOCAL „	83	476	343	261	83	1191	904	5167	181	1893	115	117	39	117	233	321	170	127
IV.	DEVELOPMENTAL „	31	150	97	126	27	357	268	1175	39	400	35	32	11	32	58	87	33	39
V.	VIOLENT DEATHS .	19	63	59	59	13	142	112	549	33	175	19	15	8	6	11	28	16	13
	(ORDERS.)																		
I.	1. MIASMATIC DISEASES .	38	130	114	65	27	433	228	1919	44	630	28	29	8	31	57	97	44	39
	2. ENTHETIC „ .	—	1	1	2	1	12	8	67	2	22	—	1	—	—	—	2	—	2
	3. DIETIC „ .	1	8	3	10	3	18	10	73	2	51	2	—	—	1	6	7	—	5
	4. PARASITIC „ .	—	1	—	—	—	—	1	4	—	1	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	6	18	19	28	11	55	39	197	6	129	13	8	3	8	14	27	18	13
	2. TUBERCULAR „ .	31	159	118	94	42	417	379	1966	51	600	33	26	6	34	78	129	60	43
III.	1. DISEASES OF NERVOUS SYSTEM .	22	104	86	63	17	283	193	1187	23	422	25	35	6	25	64	84	47	31
	2. „ OF ORGANS OF CIRCULATION	11	79	43	60	22	161	148	614	24	344	29	25	8	13	42	56	32	16
	3 „ OF RESPIRATORY ORGANS . .	35	197	145	67	20	523	325	2370	80	744	39	32	12	41	73	104	45	49
	4 „ OF DIGESTIVE ORGANS .	8	61	45	43	17	126	151	638	34	225	13	17	8	24	32	45	26	20
	5 „ OF URINARY ORGANS . .	5	22	16	17	3	62	58	219	11	111	5	5	5	7	16	22	13	10
	6. „ OF ORGANS OF GENERATION .	—	—	1	—	—	—	1	6	—	3	—	—	—	—	—	—	1	—
	7. „ OF ORGANS OF LOCOMOTION .	1	10	1	5	1	15	17	89	4	17	2	2	—	3	1	6	2	—
	8. „ OF INTEGUMENTARY SYSTEM .	1	3	6	6	3	16	11	44	5	27	2	1	—	4	5	4	4	1
IV.	1. DEV. DIS. OF CHILDREN	9	42	30	13	8	142	99	456	5	181	10	14	7	16	17	22	9	5
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OLD PEOPLE	7	59	37	95	16	76	67	236	10	113	12	15	3	8	18	30	17	29
	4. DISEASES OF NUTRITION	15	49	30	18	3	139	102	483	24	106	13	3	1	8	23	35	7	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright	Wigtown.
	All Causes . . .	223	1037	712	675	193	2623	1975	10820	386	3889	307	263	100	200	455	736	373	336
	Specified Causes . . .	223	1030	703	651	191	2616	1967	10750	382	3882	297	262	98	199	454	728	370	327
	(CLASSES.)																		
I.	ZYMOTIC DISEASES	44	190	121	70	26	493	297	2201	66	671	36	33	13	20	52	113	41	29
II.	CONSTITUTIONAL „	49	205	130	122	51	571	500	2362	97	836	49	54	20	45	109	149	93	71
III.	LOCAL „	95	432	308	281	88	1106	836	4706	150	1853	149	126	49	101	225	337	174	156
IV.	DEVELOPMENTAL „	30	175	127	162	22	402	296	1312	58	450	59	47	15	30	62	116	56	68
V.	VIOLENT DEATHS .	5	28	17	16	4	44	38	169	11	72	4	2	1	3	6	13	6	3
	(ORDERS.)																		
I.	1. MIASMATIC DISEASES .	43	185	111	65	25	472	286	2113	63	625	32	31	12	19	50	110	40	26
	2. ENTHETIC „ .	—	1	3	1	—	11	6	36	2	14	3	—	1	—	—	—	—	1
	3. DIETIC „ .	1	3	7	4	1	8	4	46	1	28	1	2	—	1	2	3	1	1
	4. PARASITIC „ .	—	1	—	—	—	2	1	6	—	4	—	—	—	—	—	—	—	1
II.	1. DIATHETIC , .	15	27	19	33	10	87	87	384	16	216	12	20	3	9	33	43	27	21
	2. TUBERCULAR „ .	34	178	111	89	41	484	413	1978	81	620	37	34	17	36	76	106	66	50
III.	1. DISEASES OF NERVOUS SYSTEM .	26	100	74	75	28	262	191	1027	37	433	39	38	10	17	54	80	36	35
	2. „ OF ORGANS OF CIRCULATION	17	68	52	50	14	154	161	619	18	348	42	24	13	19	48	76	36	32
	3. „ OF RESPIRATORY ORGANS .	35	155	118	79	18	448	297	2110	59	678	37	29	15	33	69	107	66	59
	4. „ OF DIGESTIVE ORGANS .	13	83	47	49	18	165	123	673	18	263	19	23	10	24	36	55	21	18
	5. „ OF URINARY ORGANS . .	1	9	8	15	6	37	37	142	8	69	6	10	—	3	12	10	5	3
	6. „ OF ORGANS OF GENERATION .	2	5	2	5	1	13	11	44	3	18	1	2	—	3	4	3	2	6
	7. „ OF ORGANS OF LOCOMOTION .	1	6	4	1	1	9	8	54	2	20	3	—	—	2	—	4	6	2
	8. „ OF INTEGUMENTARY SYSTEM	—	6	3	7	2	18	8	37	5	24	2	—	1	—	2	2	2	1
IV.	1. DEV. DIS. OF CHILDREN	7	25	24	10	2	106	70	376	13	151	8	9	5	9	12	19	7	9
	2. „ OF ADULTS .	—	14	12	14	2	30	18	105	4	30	4	2	5	1	5	12	1	5
	3. „ OF OLD PEOPLE	12	89	60	126	17	161	139	406	23	182	36	27	3	16	29	66	39	46
	4. DISEASES OF NUTRITION	11	47	31	12	1	105	69	425	18	87	11	9	2	4	16	19	9	8

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.--MALES. (Continued).

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
V.	1. ACCIDENT OR NEGLIGENCE .	1797	10	11	18	8	35	31	1	19	23	99	26	124	49	75	2
	*																
	3. HOMICIDE	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
	4. SUICIDE	113	-	1	1	-	1	1	1	1	3	5	3	15	5	5	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		41	-	-	-	-	1	-	-	-	-	3	-	2	-	2	-
CAUSES NOT SPECIFIED		412	22	8	3	9	35	41	1	9	4	19	1	9	16	14	-
I.	ORDER 1.																
	1. Small-pox	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Measles	641	-	-	13	-	11	10	-	4	6	48	12	80	22	36	-
	3. Scarlatina	799	-	3	7	5	6	1	2	6	-	25	-	33	5	120	3
	4. Diphtheria	476	-	-	1	2	9	10	-	2	9	24	2	27	11	18	-
	5. Quinsy	31	1	-	1	-	-	1	-	1	-	1	-	3	-	3	-
	6. Croup	478	1	-	3	1	15	7	-	9	12	38	-	18	11	19	-
	7. Hooping-cough	933	-	-	1	2	2	31	-	6	12	90	12	49	17	15	3
	8. { Typhus Fever	97	-	-	-	2	2	-	-	1	-	10	-	5	-	1	-
	8. { Enteric or Typhoid Fever	587	3	1	9	6	7	5	1	6	8	31	10	18	36	14	2
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	40	-	-	-	-	2	-	1	-	-	1	-	-	2	1	-
	9. Erysipelas	152	-	1	1	1	2	8	-	3	3	12	-	10	7	8	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	21	-	-	-	-	-	1	-	1	-	2	-	1	-	1	-
	12. Influenza	29	-	-	1	1	3	3	-	-	-	2	1	1	-	1	-
	13. Dysentery	46	1	1	-	-	1	1	-	1	1	3	-	3	1	-	-
	14. Diarrhœa	1015	1	1	7	1	7	15	4	14	8	61	5	127	28	27	-
	15. Cholera	42	-	-	-	-	1	-	-	-	1	3	-	-	3	-	-
	16. Ague	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
	17. Remittent Fever	23	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-
	18. Rheumatism	130	-	-	4	-	8	4	1	-	2	9	1	7	4	5	-
	19. Other Miasmatic Diseases	14	-	-	-	-	-	2	-	-	-	1	-	2	-	1	-
	ORDER 2.																
	1. Syphilis	132	-	-	1	-	3	-	-	-	2	11	-	11	3	2	-
	2. Stricture of Urethra	28	-	1	-	-	-	1	-	1	-	-	-	2	2	1	-
	3. Hydrophobia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	81	-	-	-	-	-	-	-	-	1	5	-	4	5	1	-
	3. Purpura and Scurvy	36	1	-	-	-	-	1	-	1	-	4	-	2	2	1	-
	4. Alco- { a Del. Tremens	31	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-
	4. holism { b Intemperance	100	-	-	1	-	-	-	-	-	-	5	1	3	1	7	-
	ORDER 4.																
	1. Thrush	12	-	-	-	-	-	-	-	-	1	4	1	1	-	-	-
	2. Worms, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout	9	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
	2. Dropsy	145	4	2	1	1	3	6	-	-	1	6	2	13	11	4	-
	3. Cancer	724	7	4	9	10	9	17	2	9	15	51	13	39	24	40	3
	4. Cancrum Oris (Noma)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	69	-	1	2	-	2	3	1	3	-	5	1	7	1	3	-

* Order 2, comprising Violent Deaths in Battle, is omitted as inapplicable to the civil population.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
V.	1. ACCIDENT OR NEGLIGENCE .	590	5	7	12	1	12	10	2	5	10	36	5	51	16	16	-
	*																
	3. HOMICIDE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	4. SUICIDE	54	-	-	-	-	-	1	1	-	1	2	-	7	1	5	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		35	3	1	-	1	-	-	-	-	1	1	-	-	1	1	1
CAUSES NOT SPECIFIED		344	29	3	3	11	34	36	3	9	5	26	4	4	14	15	-
I.	ORDER 1.																
	1. Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	648	-	-	15	-	9	8	-	5	22	53	8	58	23	24	1
	3. Scarlatina	784	-	3	10	9	3	5	2	4	1	23	-	26	2	116	4
	4. Diphtheria	485	-	-	4	1	7	1	-	2	6	32	2	27	10	23	-
	5. Quinsy	23	1	-	-	2	3	1	-	-	-	3	-	1	-	1	-
	6. Croup	428	-	-	1	1	11	2	-	8	6	24	1	15	9	23	-
	7. Hooping-cough	1175	-	-	-	1	3	39	-	6	10	95	9	53	31	30	-
	8. { Typhus Fever	83	-	-	-	-	1	1	-	-	-	8	-	10	-	5	-
	8. { Enteric or Typhoid Fever	617	4	4	10	5	5	11	1	6	7	24	5	30	39	24	2
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	50	-	-	-	-	3	3	-	1	-	2	-	3	-	4	-
	9. Erysipelas	144	1	-	2	-	11	5	-	2	1	8	1	13	4	10	-
	10. Puerperal Fever (Metria) }	267	3	-	2	-	5	3	-	2	-	21	-	11	4	9	-
	11. Carbuncle	11	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	12. Influenza	37	-	1	-	-	3	4	-	-	3	-	-	1	-	1	-
	13. Dysentery	60	-	1	-	-	-	1	-	2	1	9	-	5	3	2	2
	14. Diarrhoea	928	1	3	6	2	13	11	1	9	12	49	7	103	18	33	2
	15. Cholera	32	-	-	-	-	1	-	-	-	2	-	-	1	-	2	1
	16. Ague	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	17. Remittent Fever	10	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
	18. Rheumatism	178	3	-	5	2	8	6	-	3	2	14	-	17	3	8	-
	19. Other Miasmatic Diseases	10	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
	ORDER 2.																
	1. Syphilis	112	-	-	-	-	-	-	-	-	2	15	-	11	1	4	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	2. Want of Breast Milk	42	-	-	-	-	1	1	-	-	-	1	-	2	2	-	-
	3. Purpura and Scurvy	36	-	2	1	-	-	1	-	2	1	3	-	-	2	2	-
	4. Alco- { a Del. Tremens	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	68	-	-	-	-	-	-	-	-	-	2	-	8	8	-	-
	ORDER 4.																
	1. Thrush	16	-	-	-	-	-	-	-	1	-	4	-	1	1	-	-
	2. Worms, etc.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout	6	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-
	2. Dropsy	216	11	1	-	3	5	13	2	-	3	13	2	12	3	12	-
	3. Cancer	1332	3	3	13	8	35	20	6	17	26	112	14	98	54	54	3
	4. Cancrum Oris (Noma)	5	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	5. Mortification	79	-	-	-	1	5	2	1	-	1	3	-	2	4	5	-

* See note on opposite page.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
V.	1 ACCIDENT OR NEGLIGENCE .	18	61	59	58	12	138	107	525	31	152	18	13	6	6	8	25	16	13
	*																		
	3. HOMICIDE	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	2	-	1	1	3	5	22	2	23	1	2	2	-	3	3	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	3	1	-	-	2	2	22	-	3	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		2	12	14	31	4	11	16	77	1	12	6	4	1	2	5	12	6	5
I.	ORDER 1.																		
	1. Small-pox	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	2. Measles	-	14	8	1	2	41	20	198	1	78	1	2	-	2	3	18	4	6
	3. Scarlatina	8	3	15	3	5	119	14	243	3	119	3	3	1	6	16	9	9	4
	4. Diphtheria	-	9	13	13	3	41	22	188	1	36	2	2	4	7	5	10	5	-
	5. Quinsy	-	1	1	3	1	4	3	5	-	1	-	-	-	-	-	1	-	-
	6. Croup	3	9	11	11	2	27	22	151	10	42	2	5	-	8	11	14	5	11
	7. Hooping-cough	10	31	11	7	3	57	19	442	5	84	2	1	-	1	1	17	1	1
	8. { Typhus Fever	-	-	-	-	-	4	3	33	3	30	-	-	-	-	1	1	1	-
	8. { Enteric or Typhoid Fever	5	15	11	6	4	30	29	199	9	74	8	2	3	3	4	11	10	7
	8. { Relapsing Fever	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	1	6	-	-	-	2	6	11	-	3	1	-	-	-	2	-	-	1
	9. Erysipelas	-	3	6	3	1	9	8	42	1	15	-	2	-	1	1	2	-	2
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	1	-	1	1	2	6	-	4	-	-	-	-	-	-	-	-
	12. Influenza	-	3	1	1	-	-	2	5	-	3	-	-	-	-	1	-	-	-
	13. Dysentery	1	2	1	-	-	3	3	13	-	6	-	-	-	-	2	1	1	-
	14. Diarrhoea	6	23	34	13	4	83	56	331	9	105	7	9	-	3	7	8	5	6
	15. Cholera	-	1	1	-	1	2	8	11	2	6	1	-	-	-	-	1	-	-
	16. Ague	1	1	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	-
	17. Remittent Fever	-	4	-	-	-	3	1	4	-	3	-	1	-	-	1	-	-	-
	18. Rheumatism	3	3	-	4	-	6	9	33	-	15	1	2	-	-	2	4	2	1
	19. Other Miasmatic Diseases	-	2	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-
	ORDER 2.																		
	1. Syphilis	-	-	1	1	-	8	6	56	2	21	-	-	-	-	-	2	-	2
	2. Stricture of Urethra	-	1	-	1	1	4	2	9	-	1	-	1	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																		
	1. Privation	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	2. Want of Breast Milk	1	5	1	2	3	5	1	21	-	15	-	-	-	1	5	3	-	2
	3. Purpura and Scurvy	-	1	1	-	-	1	1	10	-	7	-	-	-	-	-	2	-	1
	4. Alco- { a Del. Tremens	-	-	1	-	-	4	-	11	-	9	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	2	-	7	-	8	8	30	2	19	1	-	-	-	1	2	-	2
	ORDER 4.																		
	1. Thrush	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																		
	1. Gout	-	-	-	1	-	-	-	1	-	4	-	-	-	-	-	-	1	-
	2. Dropsy	-	2	2	2	-	13	3	47	1	15	-	-	-	-	-	3	1	2
	3. Cancer	6	14	17	24	11	40	32	138	5	101	10	7	2	7	13	22	16	7
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	5. Mortification	-	2	-	1	-	2	4	10	-	9	3	1	1	-	1	2	-	4

* See page 52, note.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	4	26	15	13	4	37	36	156	8	68	4	1	1	3	6	12	6	2
	*																		
	3. HOMICIDE	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—
	4. SUICIDE	1	1	2	2	—	7	2	12	3	4	—	1	—	—	—	—	—	1
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS (CAUSE UNASCE- TAINED)		—	1	—	1	—	3	—	20	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		—	6	9	23	2	4	8	50	4	7	10	1	2	1	1	8	3	9
I.	ORDER 1.																		
	1. Small-pox	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	1	21	6	—	4	49	28	213	1	71	2	5	—	—	—	16	3	2
	3. Scarlatina	10	7	6	2	5	96	19	262	12	113	3	—	3	2	12	8	10	6
	4. Diphtheria	—	17	20	13	4	46	34	171	2	32	2	5	3	4	6	5	2	4
	5. Quinsy	—	1	—	—	—	2	—	5	1	2	—	—	—	—	—	—	—	—
	6. Croup	1	11	6	10	2	40	26	151	4	37	3	—	—	6	5	15	5	5
	7. Hooping-cough	11	57	31	7	2	91	28	529	9	88	4	—	1	—	8	24	1	—
	8. { Typhus Fever	—	1	—	1	—	5	—	24	2	18	—	—	—	—	—	6	—	—
	8. { Enteric or Typhoid Fever	4	23	6	7	6	34	41	208	5	75	2	2	—	—	3	11	12	1
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	8. { Simple Continued Fever	1	5	1	—	—	1	4	14	1	6	—	—	—	1	—	—	—	—
	9. Erysipelas	1	4	2	2	—	6	9	43	3	8	1	1	—	1	2	3	—	—
	10. Puerperal Fever (Metria)	3	6	7	3	—	28	9	98	3	40	1	1	1	1	1	3	2	—
	11. Carbuncle	—	1	2	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—
	12. Influenza	1	2	1	3	—	—	2	12	—	3	—	—	—	—	—	—	—	—
	13. Dysentery	—	3	1	—	—	2	8	7	1	4	1	1	—	—	1	2	—	3
	14. Diarrhœa	8	19	18	10	2	57	67	311	18	102	7	6	3	3	6	12	5	4
	15. Cholera	—	1	—	—	—	3	5	14	—	3	—	—	—	—	1	—	—	—
	16. Ague	—	1	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	1	—	—	—	—	—	1	1	1	—	—	1	—	—	—
	18. Rheumatism	1	5	3	6	—	11	4	41	—	19	4	1	1	1	4	5	—	1
	19. Other Miasmatic Diseases	1	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—	—
	ORDER 2.																		
	1. Syphilis	—	1	3	1	—	11	6	36	2	14	3	—	1	—	—	—	—	1
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.																		
	1. Privation	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	1	1	—	1	1	16	—	10	1	1	—	1	1	1	—	—
	3. Purpura and Scurvy	—	2	1	1	—	1	—	13	—	2	—	1	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—
	4. holism { b Intemperance	1	1	5	2	1	5	2	14	1	14	—	—	—	—	—	2	1	1
	ORDER 4.																		
	1. Thrush	—	1	—	—	—	1	—	5	—	2	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	—	1
II.	ORDER 1.																		
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	2. Dropsy	3	5	1	6	—	13	8	68	—	14	—	3	—	—	5	4	3	3
	3. Cancer	10	20	16	26	9	69	76	301	16	186	12	16	3	9	26	32	23	16
	4. Cancrum Oris (Noma)	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
	5. Mortification	2	2	2	1	1	4	3	14	—	15	—	—	—	—	2	7	—	2

* See page 52, note.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
III.	ORDER 2.																
	1. Scrofula	368	2	4	1	—	5	8	—	2	4	16	—	17	3	5	1
	2. Tabes Mesenterica	552	—	1	—	—	1	3	—	1	3	17	—	39	14	13	1
	3. Phthisis	3668	22	20	46	15	45	59	3	46	44	207	13	244	100	110	3
	4. Hydrocephalus	1004	3	1	6	2	5	2	—	6	9	47	1	58	12	36	—
	ORDER 1.																
	1. Cephalitis	709	3	3	4	2	10	12	—	4	10	46	4	37	16	19	1
	2. Apoplexy	969	6	2	9	2	8	16	1	9	14	54	15	85	48	55	2
	3. Paralysis	979	7	6	7	6	24	13	3	14	17	59	8	74	46	50	2
	4. Insanity	52	—	—	—	—	—	6	—	1	1	—	—	—	—	5	—
	5. Chorea	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	141	1	—	2	—	4	1	1	2	1	7	—	6	3	5	1
	7. Convulsions	550	—	1	1	1	4	11	—	11	5	40	6	51	7	29	—
	8. Brain Disease, etc.	516	2	2	2	—	5	7	—	4	7	45	4	28	21	21	4
	ORDER 2.																
	1. Pericarditis	75	1	—	3	—	1	—	—	—	2	5	—	8	3	2	—
	2. Aneurism	88	1	—	1	—	—	2	—	—	2	6	—	7	6	6	—
	3. Heart Disease, etc.	2352	9	11	15	5	31	36	4	38	35	141	25	156	105	114	7
	ORDER 3.																
	1. Laryngitis	152	—	1	—	—	2	2	—	1	1	12	1	11	4	2	—
	2. Bronchitis	3707	13	17	33	12	49	43	8	32	52	216	23	305	92	138	1
	3. Pleurisy	177	—	—	4	—	4	14	1	—	1	15	2	10	—	8	1
	4. Pneumonia	1906	3	8	10	5	26	17	1	11	17	100	21	124	50	49	7
	5. Asthma	156	6	—	1	1	7	14	—	—	2	9	1	6	3	4	—
	6. Lung Disease, etc.	581	2	2	1	2	12	5	1	6	9	34	7	34	11	12	1
	ORDER 4.																
	1. Gastritis	143	—	—	1	1	3	2	—	3	4	11	—	6	8	2	1
	2. Enteritis	515	3	—	—	3	9	10	—	6	10	21	4	24	9	18	1
	3. Peritonitis	249	—	2	2	—	4	8	1	2	1	24	3	18	7	15	—
	4. Ascites	20	—	—	—	—	1	—	—	—	1	3	—	—	—	—	—
	5. Ulceration of Intestines . .	130	—	—	1	—	2	1	—	4	3	12	2	9	7	6	—
	6. Hernia	70	1	—	1	1	—	3	—	—	—	4	—	2	1	4	—
	7. Ileus	169	—	4	3	—	4	4	1	1	5	14	2	10	7	9	1
	8. Intussusception	37	—	—	—	—	—	4	—	2	—	2	3	3	—	—	1
	9. Stricture of Intestines . .	23	—	—	—	—	1	1	—	—	3	1	—	—	—	1	—
	10. Fistula	9	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
	11. Stomach Disease, etc. . . .	290	3	1	3	1	5	8	—	2	3	15	—	16	11	6	1
	12. Pancreas Disease, etc. . .	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	13. Hepatitis	109	—	2	1	1	2	2	1	—	1	4	—	7	5	3	—
	14. Jaundice	122	—	—	—	—	3	2	—	2	—	16	3	5	3	6	1
	15. Liver Disease, etc.	260	1	2	8	—	3	9	1	2	3	16	4	18	3	12	—
	16. Spleen Disease, etc.	24	—	—	—	—	—	—	—	—	—	—	—	5	—	—	1
	ORDER 5.																
	1. Nephritis	130	1	—	1	—	3	1	—	1	1	11	—	8	7	5	—
	2. Ischuria	39	—	1	—	—	1	2	—	1	—	3	—	2	2	3	—
	3. Bright's Disease (Nephria) .	263	1	2	1	—	7	2	1	4	5	24	1	12	5	2	1
	4. Diabetes	85	2	—	1	—	5	4	—	2	1	8	2	6	2	—	—
	5. Calculus (Stone)	32	—	3	3	1	3	—	—	—	3	7	1	—	—	1	—
	6. Cystitis	130	—	1	5	—	1	—	—	—	6	16	1	9	7	5	2
	7. Kidney Disease, etc.	282	2	1	2	—	10	5	—	6	6	34	4	21	14	9	—
	ORDER 6.																
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	15	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—
	ORDER 7.																
	1. Synovitis (Arthritis) . . .	33	—	—	—	—	—	—	1	—	1	2	—	2	1	—	—
	2. Joint Disease, etc.	215	—	1	7	1	3	3	2	2	4	18	—	11	7	5	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
III.	ORDER 2.																
	1. Scrofula	333	2	3	-	1	2	10	-	1	5	20	-	18	8	11	3
	2. Tabes Mesenterica	508	1	3	2	-	2	4	-	-	4	7	-	35	16	16	1
	3. Phthisis	4344	24	30	27	21	67	66	5	40	46	230	25	366	106	153	5
	4. Hydrocephalus	831	2	1	3	2	3	3	-	7	8	45	5	53	19	28	-
	ORDER 1.																
	1. Cephalitis	610	-	4	3	1	6	8	-	4	7	52	6	42	20	25	1
	2. Apoplexy	1016	4	6	5	-	7	12	4	9	11	56	12	91	41	43	4
	3. Paralysis	1016	7	6	15	8	25	22	2	25	14	79	14	87	46	53	2
	4. Insanity	73	2	-	-	-	1	8	-	2	-	1	-	1	-	5	2
	5. Chorea	18	-	-	-	-	1	-	-	-	2	1	2	1	-	-	-
	6. Epilepsy	117	-	2	2	2	1	1	1	1	1	9	-	8	3	5	-
	7. Convulsions	455	-	-	2	1	4	1	-	5	5	33	2	29	6	9	1
	8. Brain Disease, etc.	444	-	4	5	1	7	3	-	4	5	32	2	34	20	18	-
	ORDER 2.																
	1. Pericarditis	65	-	-	-	-	1	-	-	-	1	10	1	8	3	1	-
	2. Aneurism	28	-	-	-	-	1	2	-	1	-	2	-	5	2	3	-
	3. Heart Disease, etc.	2541	6	12	21	10	27	37	5	28	36	153	28	201	101	130	7
	ORDER 3.																
	1. Laryngitis	103	-	1	-	-	1	1	-	-	2	8	1	9	4	4	-
	2. Bronchitis	4008	15	31	62	8	68	60	9	26	47	260	26	349	120	142	8
	3. Pleurisy	110	-	1	1	-	1	7	-	1	1	8	1	9	1	5	1
	4. Pneumonia	1436	2	6	1	1	5	18	-	15	20	84	10	109	57	59	3
	5. Asthma	124	4	3	5	7	15	19	1	-	2	6	-	6	3	3	1
	6. Lung Disease, etc.	509	2	4	-	-	3	5	2	1	1	28	6	30	16	15	1
	ORDER 4.																
	1. Gastritis	194	-	-	3	-	3	4	1	2	2	13	1	9	5	6	1
	2. Enteritis	481	2	-	3	1	3	2	-	1	12	29	4	35	16	12	2
	3. Peritonitis	319	1	-	4	1	4	8	1	3	6	28	1	17	8	14	3
	4. Ascites	42	1	1	-	-	-	-	-	1	1	5	-	4	-	2	-
	5. Ulceration of Intestines	111	-	-	-	-	-	1	-	1	6	8	1	5	5	-	-
	6. Hernia	81	1	1	2	1	1	2	-	-	-	7	-	5	4	4	-
	7. Ileus	139	-	3	-	-	3	5	-	3	-	4	2	8	6	6	-
	8. Intussusception	25	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-
	9. Stricture of Intestines	14	-	-	-	-	1	1	-	-	-	2	-	-	2	1	-
	10. Fistula	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	11. Stomach Disease, etc.	324	3	7	2	3	16	13	-	4	2	16	-	11	14	11	1
	12. Pancreas Disease, etc.	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	121	-	1	-	-	1	1	1	1	2	5	-	11	3	4	-
	14. Jaundice	131	-	1	1	-	2	-	-	-	4	9	-	13	8	8	-
	15. Liver Disease, etc.	308	1	2	2	1	2	7	-	4	2	22	1	18	6	8	-
	16. Spleen Disease, etc.	17	-	-	-	-	1	-	-	-	-	1	-	3	1	2	-
	ORDER 5.																
	1. Nephritis	106	-	1	2	-	-	2	-	-	3	7	-	5	1	6	1
	2. Ischuria	9	-	-	-	-	-	1	-	-	1	2	-	2	-	1	-
	3. Bright's Disease (Nephria)	217	-	1	2	2	4	3	-	3	6	24	1	15	3	13	-
	4. Diabetes	62	-	-	-	-	1	-	-	-	3	6	2	3	4	2	-
	5. Calculus (Stone)	5	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	6. Cystitis	30	1	-	-	-	1	-	-	-	2	1	-	3	1	1	-
	7. Kidney Disease, etc.	147	-	1	-	2	-	2	1	-	5	8	2	15	6	7	-
	ORDER 6.																
	1. Ovarian Dropsy	81	-	1	-	-	1	-	1	1	2	6	-	6	5	3	1
	2. Uterus Disease, etc.	107	-	-	1	-	-	1	-	1	7	6	2	10	5	3	-
	ORDER 7.																
	1. Synovitis (Arthritis)	34	-	-	-	-	-	1	-	-	3	3	1	2	1	-	-
	2. Joint Disease, etc.	154	2	2	1	-	-	6	-	4	3	10	-	11	4	10	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
III.	ORDER 2.																		
	1. Scrofula	4	12	8	5	4	41	20	130	9	36	3	3	-	-	4	8	2	11
	2. Tabes Mesenterica	2	20	11	2	9	47	47	243	6	46	5	-	1	3	4	7	4	2
	3. Phthisis	21	95	78	73	21	254	228	1204	23	467	18	20	3	28	49	94	47	28
	4. Hydrocephalus	4	32	21	14	8	75	84	389	13	111	7	3	2	3	21	20	7	2
	ORDER 1.																		
	1. Cephalitis	6	14	13	7	6	82	32	262	5	72	2	4	-	6	8	13	5	1
	2. Apoplexy	4	29	26	10	7	61	56	282	4	83	3	8	3	5	16	17	20	9
	3. Paralysis	3	28	19	18	3	61	39	258	4	113	12	17	3	9	14	17	11	14
	4. Insanity	-	2	1	7	-	-	5	1	1	15	-	-	-	-	1	4	-	-
	5. Chorea	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	5	7	1	-	6	8	35	1	27	1	1	-	-	4	9	1	1
	7. Convulsions	6	12	7	10	-	37	10	203	3	63	1	3	-	2	10	9	4	3
	8. Brain Disease, etc. . . .	3	14	13	10	1	36	43	144	5	49	6	2	-	3	11	15	6	3
	ORDER 2.																		
	1. Pericarditis	-	5	4	3	-	9	4	16	-	5	-	1	1	-	-	-	1	1
	2. Aneurism	-	-	1	2	1	5	4	24	-	15	-	-	-	-	3	1	1	-
	3. Heart Disease, etc. . . .	11	74	38	55	21	147	140	574	24	324	29	24	7	13	39	55	30	15
	ORDER 3.																		
	1. Laryngitis	2	5	4	1	-	7	8	48	1	26	-	3	-	1	1	3	4	1
	2. Bronchitis	20	107	105	37	8	290	195	1273	50	390	10	11	6	18	41	62	24	26
	3. Pleurisy	-	5	1	2	-	8	9	46	5	29	1	2	1	1	1	5	-	1
	4. Pneumonia	8	56	23	14	9	166	72	736	14	231	20	14	2	19	22	23	14	14
	5. Asthma	5	5	2	4	1	7	11	38	3	12	5	1	-	1	3	4	-	-
	6. Lung Disease, etc. . . .	-	19	10	9	2	50	30	229	7	56	3	1	3	1	5	7	3	7
	ORDER 4.																		
	1. Gastritis	-	5	1	2	-	5	10	43	3	15	-	-	1	2	3	6	3	2
	2. Enteritis	3	10	17	5	-	37	33	185	14	58	-	2	3	8	9	7	2	4
	3. Peritonitis	1	15	5	3	1	16	16	58	1	26	3	1	-	2	3	6	3	2
	4. Ascites	-	-	-	2	-	1	3	4	-	4	-	-	-	-	-	-	-	1
	5. Ulceration of Intestines .	-	3	1	1	6	6	10	31	1	13	-	3	-	2	2	2	2	-
	6. Hernia	-	1	1	2	1	6	7	17	-	11	1	1	-	1	1	2	1	-
	7. Ileus	1	5	3	5	1	3	19	39	1	12	1	2	1	-	1	5	2	3
	8. Intussusception	1	-	-	1	-	1	1	11	-	7	-	-	-	-	-	-	-	-
	9. Stricture of Intestines .	-	-	-	1	-	1	1	6	-	3	-	-	-	-	-	1	3	-
	10. Fistula	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. . .	-	10	8	7	5	13	15	97	5	23	1	4	1	5	4	5	9	3
	12. Pancreas Disease, etc. .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	13. Hepatitis	1	4	3	5	-	15	11	30	-	5	-	-	-	2	1	3	-	-
	14. Jaundice	-	1	4	1	1	7	8	38	2	12	2	-	-	-	2	2	-	1
	15. Liver Disease, etc. . . .	1	6	2	8	2	14	12	71	7	31	4	3	2	1	5	4	1	4
	16. Spleen Disease, etc. . .	-	1	-	-	-	1	3	5	-	3	1	1	-	1	1	1	-	-
	ORDER 5.																		
	1. Nephritis	-	2	4	1	1	9	10	37	-	21	-	1	-	1	1	2	1	-
	2. Ischuria	1	1	1	1	-	2	2	9	-	3	-	-	-	-	-	2	2	-
	3. Bright's Disease (Nephria)	2	7	3	4	1	19	14	78	4	41	1	1	-	1	4	3	2	3
	4. Diabetes	-	6	2	-	-	5	3	16	1	7	1	-	1	2	-	2	2	2
	5. Calculus (Stone)	-	-	2	1	-	1	1	1	-	2	-	-	-	-	1	-	-	-
	6. Cystitis	-	2	-	2	1	13	11	20	1	10	1	-	2	-	5	5	2	2
	7. Kidney Disease, etc. . .	2	4	4	8	-	13	17	58	5	27	2	3	2	3	5	8	4	3
	ORDER 6.																		
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc. . .	-	-	1	-	-	-	1	6	-	3	-	-	-	-	-	-	1	-
	ORDER 7.																		
	1. Synovitis (Arthritis) . .	-	2	-	3	-	-	5	11	1	2	1	-	-	-	-	1	-	-
	2. Joint Disease, etc. . . .	1	8	1	2	1	15	12	78	3	15	1	2	-	3	1	5	2	-

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
III.	ORDER 2.																		
	1. Scrofula	3	4	1	4	1	23	30	105	11	40	1	2	—	2	9	5	4	4
	2. Tabes Mesenterica	3	21	5	2	5	40	36	223	6	43	2	4	3	1	6	13	3	1
	3. Phthisis	24	128	90	74	29	349	283	1356	47	434	31	22	9	29	51	81	54	42
	4. Hydrocephalus	4	25	15	9	6	72	64	294	17	103	3	6	5	4	10	7	5	3
	ORDER 1.																		
	1. Cephalitis	1	9	16	11	3	54	33	219	1	58	2	4	—	3	4	9	2	2
	2. Apoplexy	6	30	14	15	10	80	65	260	6	122	13	16	3	3	14	27	13	14
	3. Paralysis	10	34	23	21	7	72	44	203	12	99	10	14	4	7	16	15	10	10
	4. Insanity	—	1	3	9	—	3	2	12	1	13	—	—	1	—	4	2	—	—
	5. Chorea	—	1	—	—	—	—	1	3	1	4	—	—	—	—	—	—	1	—
	6. Epilepsy	—	—	3	3	4	3	1	33	—	16	2	3	—	1	4	5	1	2
	7. Convulsions	4	17	10	12	—	20	16	193	9	49	4	—	2	1	6	10	1	3
	8. Brain Disease, etc.	5	8	5	4	4	30	29	104	7	72	8	1	—	2	6	12	8	4
	ORDER 2.																		
	1. Pericarditis	—	3	2	2	1	5	1	17	—	6	1	—	—	—	1	1	—	—
	2. Aneurism	—	1	—	1	—	1	1	5	—	—	—	1	—	—	—	2	—	—
	3. Heart Disease, etc.	17	64	50	47	13	148	159	597	18	342	41	23	13	19	47	73	36	32
	ORDER 3.																		
	1. Laryngitis	1	2	1	—	—	13	8	31	1	5	1	3	1	—	2	1	2	—
	2. Bronchitis	26	98	77	54	11	305	198	1281	36	445	24	12	8	17	42	71	42	30
	3. Pleurisy	—	3	4	—	—	4	5	34	—	14	—	1	1	—	2	1	3	1
	4. Pneumonia	7	36	20	14	6	96	56	516	16	171	11	10	4	13	18	27	13	12
	5. Asthma	1	5	1	4	—	3	5	14	1	8	1	—	—	1	1	1	3	—
	6. Lung Disease, etc.	—	11	15	7	1	27	25	234	5	35	—	3	1	2	4	6	3	16
	ORDER 4.																		
	1. Gastritis	2	8	3	3	3	14	6	68	—	22	2	1	—	2	3	3	2	2
	2. Enteritis	—	12	10	11	1	33	33	158	8	57	4	3	2	3	12	8	3	1
	3. Peritonitis	4	11	7	4	1	24	8	76	4	48	2	6	2	2	7	8	3	3
	4. Ascites	—	1	4	—	1	2	2	12	—	3	—	—	—	1	—	—	—	—
	5. Ulceration of Intestines	1	2	2	7	1	16	8	26	—	12	—	1	—	1	1	2	3	1
	6. Hernia	—	1	1	4	—	7	5	15	—	11	2	1	—	2	1	2	1	—
	7. Ileus	1	4	2	7	2	5	4	36	—	19	1	3	1	3	3	3	—	5
	8. Intussusception	—	1	1	1	—	2	1	9	—	1	—	—	1	—	—	1	—	—
	9. Stricture of Intestines	—	1	—	—	—	1	1	1	—	2	—	—	—	—	—	—	—	1
	10. Fistula	—	1	—	—	—	—	—	3	—	2	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	1	18	7	4	2	19	15	96	1	26	3	5	1	1	6	10	4	2
	12. Pancreas Disease, etc.	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	1	6	3	4	—	13	11	39	3	7	—	—	1	—	—	2	2	—
	14. Jaundice	1	1	—	2	1	7	6	46	—	15	—	1	—	1	—	2	—	—
	15. Liver Disease, etc.	2	15	7	2	4	20	23	86	2	37	4	2	1	6	3	14	1	3
	16. Spleen Disease, etc.	—	1	—	—	2	1	—	—	—	1	1	—	1	1	—	—	1	—
	ORDER 5.																		
	1. Nephritis	—	1	2	1	2	8	9	29	1	17	—	2	—	1	2	3	—	—
	2. Ischuria	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	1	5	5	6	3	12	19	44	5	24	3	4	—	1	3	4	—	1
	4. Diabetes	—	—	1	5	—	5	3	15	1	8	—	—	—	—	2	—	1	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	1	—	4	2	5	—	6	—	—	—	1	—	—	—	—
	7. Kidney Disease, etc.	—	3	—	2	1	8	4	47	1	13	2	4	—	—	5	2	4	2
	ORDER 6.																		
	1. Ovarian Dropsy	1	4	1	2	1	9	5	16	1	6	—	—	—	—	3	1	1	3
	2. Uterus Disease, etc.	1	1	1	3	—	4	6	28	2	12	1	2	—	3	1	2	1	3
	ORDER 7.																		
	1. Synovitis (Arthritis)	—	1	1	—	—	2	3	11	—	1	1	—	—	—	—	2	1	—
	2. Joint Disease, etc.	1	5	3	1	1	7	5	43	2	19	2	—	—	2	—	2	5	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	ORDER 8.																
	1. Phlegmon	107	-	-	1	-	2	1	-	1	4	13	-	2	1	6	-
	2. Ulcer	50	3	-	4	-	-	1	1	2	2	2	-	1	-	-	-
	3. Skin Disease, etc.	55	-	-	1	-	2	4	-	-	1	7	-	3	3	1	-
	ORDER 1.																
	1. Premature Birth	956	3	1	2	2	1	12	3	10	11	62	5	89	35	38	-
	2. Cyanosis	54	-	-	-	-	-	-	-	-	-	2	-	3	-	3	-
	3. Spina Bifida	35	-	-	-	1	-	-	-	-	-	-	-	5	2	2	-
	4. Other Malformations	108	-	1	-	1	1	-	-	1	4	10	-	12	2	2	-
	5. Teething	367	1	1	3	1	3	4	2	8	5	26	3	20	12	18	2
V.	ORDER 2.																
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Old Age	1757	51	54	39	47	92	101	11	29	37	104	24	102	110	103	5
	ORDER 4.																
	1. Atrophy and Debility	1423	1	2	17	1	6	19	3	12	13	73	9	104	42	56	1
	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions	837	3	5	8	2	9	11	-	9	9	42	6	53	28	35	2
	2. Gunshot Wounds	6	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-
	3. Cut, Stab	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
	4. Burns and Scalds	123	-	-	2	-	2	1	-	3	1	8	-	11	1	4	-
	5. Poison	26	-	-	-	-	1	-	-	-	-	1	-	3	2	1	-
	6. Drowning	521	6	5	5	6	21	18	1	4	8	27	18	31	10	26	-
	7. Suffocation	131	-	-	1	-	-	-	-	1	3	8	2	18	1	4	-
	8. Otherwise	148	1	1	2	-	1	1	-	2	2	12	-	7	6	3	-
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	2. Cut, Stab	28	-	1	-	-	-	-	-	1	1	2	-	3	1	1	-
	3. Poison	10	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
	4. Drowning	21	-	-	-	-	-	1	-	-	-	1	3	3	2	1	-
	5. Hanging	33	-	-	1	-	-	-	1	-	2	2	-	6	-	2	-
	6. Otherwise and undefined	8	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
	ORDER 5.																
	(Execution.)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)	41	-	-	-	-	1	-	-	-	-	3	-	2	-	2	-
Causes not specified or ill-defined	412	22	8	3	9	35	41	1	9	4	19	1	9	16	14	-

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—FEMALES. *Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
IV.	ORDER 8.																
	1. Phlegmon	95	2	—	2	—	3	1	1	1	4	5	2	6	4	—	—
	2. Ulcer	62	1	1	—	1	1	1	—	3	2	6	—	5	2	5	—
	3. Skin Disease, etc.	32	—	—	—	—	2	—	—	—	1	4	—	1	1	1	—
	ORDER 1.																
	1. Premature Birth	721	—	—	1	—	1	10	2	6	5	64	—	59	16	16	1
	2. Cyanosis	28	—	—	—	—	—	—	—	—	—	4	—	2	1	2	—
	3. Spina Bifida	37	—	—	—	—	—	—	—	—	2	3	—	1	2	—	—
	4. Other Malformations	64	—	—	—	1	1	3	—	3	2	6	—	6	—	2	—
	5. Teething	313	—	3	5	—	1	2	—	8	4	15	1	13	7	19	1
	ORDER 2.																
	1. Paramenia	7	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
	2. Childbirth (see Puerperal Fever)	403	3	4	3	1	7	14	1	5	8	30	4	26	12	25	1
	ORDER 3.																
	1. Old Age	2826	89	75	49	47	146	149	13	39	56	163	30	158	144	186	5
	ORDER 4.																
	1. Atrophy and Debility	1181	1	9	9	6	10	10	2	10	19	55	6	83	25	52	—
V.	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions	205	1	2	3	—	5	2	—	1	3	17	1	17	8	8	—
	2. Gunshot Wounds	3	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	3. Cut, Stab	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	117	3	2	2	—	4	2	2	2	2	5	1	9	3	4	—
	5. Poison	15	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	6. Drowning	72	—	—	2	—	1	5	—	—	—	3	2	1	1	2	—
	7. Suffocation	119	—	2	4	—	—	1	—	1	3	9	1	23	3	2	—
	8. Otherwise	56	1	1	1	1	1	—	—	—	1	2	—	1	1	—	—
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	6	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	7	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
	3. Poison	11	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—
	4. Drowning	22	—	—	—	—	—	1	1	—	—	—	—	3	—	3	—
	5. Hanging	8	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	6. Otherwise and undefined	6	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
	ORDER 5.																
	(Execution.)																
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		35	3	1	—	1	—	—	—	—	1	1	—	—	1	1	1
Causes not specified or ill-defined		344	29	3	3	11	34	36	3	9	5	26	4	4	14	15	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
IV.	ORDER 8.																		
	1. Phlegmon	1	—	3	3	3	10	8	23	4	10	2	—	—	3	4	1	1	—
	2. Ulcer	—	1	3	2	—	1	—	10	1	11	—	1	—	1	1	1	1	—
	3. Skin Disease, etc. . . .	—	2	—	1	—	5	3	11	—	6	—	—	—	—	—	2	2	1
	ORDER 1.																		
	1. Premature Birth	6	20	22	6	7	67	66	294	4	123	4	7	3	11	11	19	8	4
	2. Cyanosis	—	4	—	1	—	2	11	18	—	6	—	1	2	1	—	—	—	—
	3. Spina Bifida	—	4	1	1	—	6	2	6	—	3	—	1	—	1	—	—	—	—
	4. Other Malformations	—	—	1	2	1	7	9	29	1	12	3	1	1	—	5	1	—	1
	5. Teething	3	14	6	3	—	60	11	109	—	37	3	4	1	3	1	2	1	—
	ORDER 2.																		
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.																		
	1. Old Age	7	59	37	95	16	76	67	236	10	113	12	15	3	8	18	30	17	29
	ORDER 4.																		
	1. Atrophy and Debility	15	49	30	18	3	139	102	483	24	106	13	3	1	8	23	35	7	5
V.	ORDER 1. (Accident or Negligence.)																		
	1. Fractures and Contusions	9	30	21	5	5	66	66	284	13	65	8	5	—	3	5	15	4	6
	2. Gunshot Wounds	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	5	2	1	—	8	14	43	5	8	1	—	1	—	—	1	1	—
	5. Poison	—	1	—	1	—	3	—	12	—	1	—	—	—	—	—	—	—	—
	6. Drowning	2	17	33	44	5	43	18	97	5	34	6	4	3	2	1	5	10	6
	7. Suffocation	4	3	1	1	2	5	3	43	1	24	1	3	—	—	—	2	—	—
	8. Otherwise	3	5	2	4	—	13	4	45	2	20	2	1	2	1	2	2	1	1
	ORDER 3. (Homicide.)																		
	1. Murder and Manslaughter	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)																		
	1. Gunshot Wounds	—	—	—	—	—	1	—	—	1	4	—	—	1	—	—	—	—	—
	2. Cut, Stab	—	—	—	1	—	—	2	5	—	7	1	1	—	—	1	—	—	—
	3. Poison	—	—	—	—	—	1	1	1	1	1	—	1	—	—	1	—	—	—
	4. Drowning	1	—	—	—	—	1	1	5	—	1	—	—	—	—	—	1	—	—
	5. Hanging	—	2	—	—	1	—	1	9	—	8	—	—	—	—	1	2	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	2	—	2	—	—	1	—	—	—	—	—
	ORDER 5. (Execution.)																		
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	—	3	1	—	—	2	2	22	—	3	—	—	—	—	—	—	—	—
	Causes not specified or ill-defined	2	12	14	31	4	11	16	77	1	12	6	4	1	2	5	12	6	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Clackman- nan.	Stirling.	Dunbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
IV.	ORDER 8.																		
	1. Phlegmon	-	-	2	5	2	16	6	19	2	8	1	-	-	-	1	1	-	1
	2. Ulcer	-	2	1	1	-	1	1	11	3	10	1	-	1	-	-	1	1	-
	3. Skin Disease, etc.	-	4	-	1	-	1	1	7	-	6	-	-	-	-	1	-	1	-
	ORDER 1.																		
	1. Premature Birth	1	17	11	2	2	61	52	234	10	98	5	5	4	5	8	12	7	6
	2. Cyanosis	-	-	2	-	-	3	3	7	-	3	-	-	-	-	1	-	-	-
	3. Spina Bifida	-	1	-	1	-	2	3	11	-	9	-	1	-	-	-	1	-	-
	4. Other Malformations	1	-	4	1	-	3	3	9	1	12	2	-	-	-	1	-	-	3
	5. Teething	5	7	7	6	-	37	9	115	2	29	1	3	1	4	2	6	-	-
V.	ORDER 2.																		
	1. Paramenia	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-
	2. Childbirth (see Puerperal Fever)	-	14	11	14	2	30	18	104	4	29	3	2	5	1	5	11	1	5
	ORDER 3.																		
	1. Old Age	12	89	60	126	17	161	139	406	23	182	36	27	3	16	29	66	39	46
	ORDER 4.																		
	1. Atrophy and Debility	11	47	31	12	1	105	69	425	18	87	11	9	2	4	16	19	9	8
	ORDER 1.																		
	(Accident or Negligence.)																		
	1. Fractures and Contusions	2	10	6	4	1	14	10	52	4	22	1	1	1	2	2	1	3	1
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	4. Burns and Scalds	1	3	2	1	2	7	8	33	1	12	1	-	-	-	2	1	2	-
	5. Poison	-	-	-	-	-	1	-	7	-	3	1	-	-	-	1	1	-	-
	6. Drowning	-	6	5	2	-	7	9	18	2	2	-	-	-	1	-	2	-	1
	7. Suffocation	1	2	2	1	-	5	4	32	1	18	1	-	-	-	-	3	-	-
	8. Otherwise	-	5	-	4	1	3	5	13	-	9	-	-	-	-	1	4	1	-
	ORDER 3.																		
	(Homicide.)																		
	1. Murder and Manslaughter	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	ORDER 4.																		
	(Suicide.)																		
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	2	-	3	-	1	-	-	-	-	-	-	-	1
	4. Drowning	-	-	1	2	-	2	-	4	3	1	-	1	-	-	-	-	-	-
	5. Hanging	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	ORDER 5.																		
	(Execution)																		
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	1	-	1	-	3	-	20	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		-	6	9	23	2	4	8	50	4	7	10	1	2	1	1	8	3	9

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—MALES.

Class.	CAUSES OF DEATH.	Total Principal Town Districts.	Glasgow.	Glasgow (Landward and Suburban).	Edinburgh.	Edinburgh (Landward).	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.
	All Causes	16343	6610	2053	2250	159	1459	1061	827	607	729	350	238
	Specified Causes	16259	6556	2042	2247	157	1457	1057	824	605	723	348	238
	(CLASSES.)												
I.	ZYMOTIC DISEASES	2928	1212	370	386	12	282	199	108	106	121	83	49
II.	CONSTITUTIONAL „	3108	1326	410	463	22	242	175	143	111	124	43	44
III.	LOCAL „	7670	3080	929	1077	102	669	525	410	291	325	159	103
IV.	DEVELOPMENTAL „	1804	620	256	218	17	197	127	97	65	130	46	31
V.	VIOLENT DEATHS .	749	318	77	98	4	67	31	66	32	28	17	11
	(ORDERS.)												
I.	1. MIASMATIC DISEASES .	2671	1109	349	335	12	263	176	95	100	114	74	44
	2. ENTHETIC „ .	109	48	10	16	—	11	10	5	2	3	2	2
	3. DIETIC „ .	142	53	11	35	—	8	9	8	4	4	7	3
	4. PARASITIC „ .	6	2	—	—	—	—	4	—	—	—	—	—
II.	1. DIATHETIC „ .	335	102	26	87	3	28	26	24	16	13	5	5
	2. TUBERCULAR „ .	2773	1224	384	381	19	214	149	119	95	111	38	39
III.	1. DISEASES of NERVOUS SYSTEM .	1808	678	255	222	43	160	142	109	61	74	41	23
	2. „ OF ORGANS OF CIRCULATION	1036	366	89	202	19	88	74	59	49	39	34	17
	3. „ OF RESPIRATORY ORGANS .	3422	1467	422	437	29	326	192	172	125	152	56	44
	4. „ OF DIGESTIVE ORGANS .	843	360	104	123	3	61	56	50	35	27	14	10
	5. „ OF URINARY ORGANS .	354	126	35	68	4	24	37	14	12	25	8	1
	6. „ OF ORGANS OF GENERATION	7	3	—	2	—	—	1	—	—	—	1	—
	7. „ OF ORGANS OF LOCOMOTION .	118	54	16	10	2	7	13	2	2	4	4	4
	8. „ OF INTEGUMENTARY SYSTEM.	82	26	8	13	2	3	10	4	7	4	1	4
IV.	1. DEV. DIS. OF CHILDREN	780	285	79	104	4	78	65	29	35	70	18	13
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	379	87	60	66	8	49	33	18	9	28	15	6
	4. DISEASES OF NUTRITION	645	248	117	48	5	70	29	50	21	32	13	12

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—FEMALES.

Class.	CAUSES OF DEATH.	Total Prin- cipal Town Districts.	Glasgow.	Glasgow (Landward and Suburban).	Edinburgh.	Edinburgh (Landward).	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.
	All Causes	16354	6436	2035	2315	166	1595	1115	763	570	726	360	273
	Specified Causes	16288	6390	2032	2314	166	1593	1110	761	566	724	359	273
	(CLASSES.)												
I.	ZYMOTIC DISEASES	3085	1303	412	372	13	275	199	124	113	146	72	56
II.	CONSTITUTIONAL „	3541	1382	467	508	27	351	231	161	136	156	58	64
III.	LOCAL „	7416	2904	837	1130	100	752	519	352	239	297	175	111
IV.	DEVELOPMENTAL „	1960	694	295	252	25	174	147	99	70	118	49	37
V.	VIOLENT DEATHS .	286	107	21	52	1	41	14	25	8	7	5	5
	(ORDERS.)												
I.	1. MIASMATIC DISEASES .	2914	1243	393	346	13	255	181	116	104	143	66	54
	2. ENTHETIC „ .	72	25	9	5	—	11	11	5	3	2	—	1
	3. DIETIC „ .	86	33	8	18	—	9	4	2	5	1	6	—
	4. PARASITIC „ .	13	2	2	3	—	—	3	1	1	—	—	1
II.	1. DIATHETIC „ .	651	218	68	140	4	50	65	35	24	27	9	11
	2. TUBERCULAR „ .	2890	1164	399	368	23	301	166	126	112	129	49	53
III.	1. DISEASES of NERVOUS SYSTEM . .	1658	574	216	246	41	155	131	86	51	84	41	33
	2. „ OF ORGANS OF CIRCULATION	1060	375	87	208	14	116	80	53	49	37	24	17
	3. „ OF RESPIRATORY ORGANS .	3234	1384	364	440	27	364	192	146	87	109	79	42
	4. „ OF DIGESTIVE ORGANS .	993	405	124	150	11	69	75	43	37	46	20	13
	5. „ OF URINARY ORGANS .	249	90	22	44	1	28	26	12	5	12	5	4
	6. „ OF ORGANS OF GENERATION	77	29	8	15	—	4	4	5	3	4	4	1
	7. „ OF ORGANS OF LOCOMOTION	77	33	7	14	2	9	5	2	2	—	2	1
	8. „ OF INTEGUMENT- ARY SYSTEM .	68	14	9	13	4	7	6	5	5	5	—	—
IV.	1. DEV. DIS. OF CHILDREN	611	235	63	92	3	46	53	26	21	44	11	17
	2. „ OF ADULTS .	155	60	28	15	—	14	9	4	7	10	5	3
	3. „ OF OLD PEOPLE	651	178	107	90	18	66	56	29	29	42	22	14
	4. DISEASES OF NUTRITION	543	221	97	55	4	48	29	40	13	22	11	3

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the
YEAR 1882.—MALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Town Districts.	Glasgow.	Glasgow (Landward and Suburban).	Edinburgh.	Edinburgh (Landward).	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.
V.	1. ACCIDENT OR NEGLIGENCE *	700	305	75	81	2	59	28	65	32	27	16	10
	3. HOMICIDE . . .	2	2	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE . . .	47	11	2	17	2	8	3	1	—	1	1	1
	5. EXECUTION . . .	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS (CAUSE UNAS- CERTAINED) . . .	24	18	2	1	—	—	—	—	2	1	—	—
	CAUSES NOT SPECIFIED. . .	60	36	9	2	2	2	4	3	—	—	2	—
I.	ORDER I.												
	1. Small-pox . . .	2	—	—	1	—	—	1	—	—	—	—	—
	2. Measles . . .	335	103	40	50	3	61	24	2	16	16	15	5
	3. Scarlatina . . .	304	139	27	40	1	15	16	8	17	40	1	—
	4. Diphtheria . . .	232	110	47	18	—	19	6	16	9	5	—	2
	5. Quinsy . . .	7	3	1	1	—	2	—	—	—	—	—	—
	6. Croup . . .	183	77	23	23	1	12	14	12	9	7	3	2
	7. Hooping-cough . . .	588	321	74	62	1	36	50	21	4	7	10	2
	Typhus Fever . . .	71	16	10	12	—	5	8	3	15	—	—	2
	Enteric or Typhoid Fever . . .	213	77	33	42	1	8	6	7	4	11	21	3
	Relapsing Fever . . .	1	1	—	—	—	—	—	—	—	—	—	—
	Simple Continued Fever . . .	11	5	—	2	—	—	1	—	—	1	1	1
	9. Erysipelas . . .	74	27	11	8	—	3	8	3	5	4	3	2
	10. { Puerperal Fever (Metria) . . .	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle . . .	10	3	1	3	1	—	1	—	—	1	—	—
	12. Influenza . . .	4	4	—	—	—	—	—	—	—	—	—	—
	13. Dysentery . . .	22	10	1	3	—	1	—	—	2	3	1	1
	14. Diarrhœa . . .	537	189	68	57	4	96	34	20	15	18	15	21
	15. Cholera . . .	14	4	4	—	—	—	—	1	2	—	2	1
	16. Ague . . .	3	1	—	1	—	1	—	—	—	—	—	—
	17. Remittent Fever . . .	5	1	1	1	—	—	2	—	—	—	—	—
	18. Rheumatism . . .	50	17	8	9	—	4	4	1	2	1	2	2
	19. Other Miasmatic Dis. . .	5	1	—	2	—	—	1	1	—	—	—	—
	ORDER 2.												
	1. Syphilis . . .	94	39	10	15	—	9	10	2	2	3	2	2
	2. Stricture of Urethra . . .	13	7	—	1	—	2	—	3	—	—	—	—
	3. Hydrophobia . . .	2	2	—	—	—	—	—	—	—	—	—	—
	4. Glanders . . .	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.												
	1. Privation . . .	1	—	—	1	—	—	—	—	—	—	—	—
	2. Want of Breast Milk . . .	51	17	1	13	—	4	5	4	—	1	5	1
	3. Purpura and Scurvy . . .	22	5	5	4	—	1	3	—	3	—	1	—
	4. Alco- { a Del. Tremens holism { b Intemperance	19 49	7 24	2 3	5 12	—	2 1	— 1	3 1	— 1	— 3	— 1	— 2
	ORDER 4.												
	1. Thrush . . .	4	—	—	—	—	—	4	—	—	—	—	—
	2. Worms, etc. . .	2	2	—	—	—	—	—	—	—	—	—	—
II	ORDER 1.												
	1. Gout . . .	3	1	—	1	—	—	—	—	1	—	—	—
	2. Dropsy . . .	49	19	4	7	—	6	3	6	1	2	1	—
	3. Cancer . . .	259	77	20	72	3	18	21	16	13	11	4	4
	4. Cancrum Oris Noma) . . .	1	—	1	—	—	—	—	—	—	—	—	—
	5. Mortification . . .	23	5	1	7	—	4	2	2	1	—	—	1

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the
YEAR 1882.—FEMALES. (Contd.)

Class.	CAUSES OF DEATH.	Total Prin- cipal Town Districts.	Glasgow.	Glasgow (Landward and Suburban).	Edinburgh.	Edinburgh (Landward).	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.
V.	1. ACCIDENT OR NEGLIGENCE	264	99	21	50	1	38	14	20	7	5	4	5
	*												
	3. HOMICIDE	1	1	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	21	7	-	2	-	3	-	5	1	2	1	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNAS- CERTAINED)	21	19	-	-	-	-	-	1	-	1	-	-
	CAUSES NOT SPECIFIED	45	27	3	1	-	2	5	1	4	1	1	-
I.	ORDER 1.												
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	324	124	27	44	2	40	30	13	15	21	12	6
	3. Scarlatina	311	133	36	50	3	16	12	8	17	36	-	-
	4. Diphtheria	213	84	43	22	-	16	6	23	4	7	-	8
	5. Quinsy	9	2	2	2	-	-	3	-	-	-	-	-
	6. Croup	184	87	21	22	-	8	9	18	8	8	2	1
	7. Hooping-cough	723	388	116	57	1	40	55	28	7	12	16	3
	Typhus Fever	56	15	7	3	-	8	7	3	12	1	-	-
	Enteric or Typhoid Fever	242	98	34	42	-	13	7	5	4	13	24	2
	8. { Relapsing Fever Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-
	Fever	15	5	3	3	-	-	1	-	1	1	-	1
	9. Erysipelas	64	27	11	5	-	8	4	1	2	3	1	2
	10. { Puerperal Fever (Metria)	154	53	25	26	1	5	12	4	9	15	2	2
	11. Carbuncle	5	2	-	1	-	-	1	1	-	-	-	-
	12. Influenza	8	5	-	3	-	-	-	-	-	-	-	-
	13. Dysentery	16	5	1	2	-	1	1	-	-	2	1	3
	14. Diarrhoea	496	182	57	53	6	81	26	18	21	18	8	26
	15. Cholera	11	8	2	-	-	-	-	-	1	-	-	-
	16. Ague	2	1	-	-	-	1	-	-	-	-	-	-
	17. Remittent Fever	6	2	-	1	-	2	1	-	-	-	-	-
	18. Rheumatism	70	20	8	9	-	15	6	4	2	6	-	-
	19. Other Miasmatic Dis. . . .	5	2	-	1	-	1	-	-	1	-	-	-
	ORDER 2.												
	1. Syphilis	72	25	9	5	-	11	11	5	3	2	-	1
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.												
	1. Privation	3	1	-	-	-	-	1	-	1	-	-	-
	2. Want of Breast Milk	23	7	6	5	-	2	1	1	-	-	1	-
	3. Purpura and Scurvy	15	9	2	2	-	-	1	-	-	-	1	-
	4. Alco- { a Del. Tremens holism { b Intemperance	41	14	-	10	-	7	1	-	4	1	4	-
	ORDER 4.												
II.	1. Thrush	9	1	2	1	-	-	3	1	1	-	-	-
	2. Worms, etc. . . .	4	1	-	2	-	-	-	-	-	-	-	1
	ORDER 1.												
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	76	36	9	9	-	4	5	8	3	2	-	-
	3. Cancer	545	175	56	122	4	45	58	24	18	24	8	11
	4. Cancrum Oris (Noma)	2	-	-	1	-	-	-	1	-	-	-	-
	5. Mortification	28	7	3	8	-	1	2	2	3	1	1	-

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the
YEAR 1882.—MALES. (Continued).

Class.	CAUSES OF DEATH.	Total Prin- cipal Town Districts.	Glasgow.	Glasgow (Landward and Suburban).	Edinburgh.	Edinburgh. (Landward.)	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.
III.	ORDER 2.												
	1. Scrofula	179	77	25	18	—	11	9	14	7	13	1	4
	2. Tabes Mesenterica . .	307	161	37	21	3	28	8	18	10	9	10	2
	3. Phthisis	1780	772	228	274	16	151	105	71	50	65	24	24
	4. Hydrocephalus . .	507	214	94	68	—	24	27	16	28	24	3	9
	ORDER 1.												
	1. Cephalitis	397	162	53	53	1	27	25	42	8	15	6	5
	2. Apoplexy	395	150	56	53	4	44	25	19	10	17	11	6
	3. Paralysis	406	137	62	38	15	43	34	18	20	22	12	5
	4. Insanity	16	—	1	3	11	—	—	—	—	—	1	—
	5. Chorea	1	1	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	62	22	5	17	3	3	5	3	2	1	1	—
	7. Convulsions	317	119	57	38	3	30	32	15	12	9	2	—
	8. Brain Disease, etc. .	214	87	21	20	6	13	21	12	9	10	8	7
	ORDER 2.												
	1. Pericarditis	35	13	3	3	—	6	3	2	1	3	1	—
	2. Aneurism	46	17	6	13	—	3	4	1	—	—	2	—
	3. Heart Disease, etc. .	955	336	80	186	19	79	67	56	48	36	31	17
	ORDER 3.												
	1. Laryngitis	81	31	6	16	—	9	8	3	6	2	—	—
	2. Bronchitis	1829	770	221	221	17	200	117	75	56	88	29	35
	3. Pleurisy	68	22	7	18	2	3	9	5	1	1	—	—
	4. Pneumonia	1110	489	137	142	9	98	44	64	52	46	22	7
	5. Asthma	37	13	6	7	—	2	1	1	—	5	2	—
	6. Lung Disease, etc. .	297	142	45	33	1	14	13	24	10	10	3	2
	ORDER 4.												
	1. Gastritis	50	20	9	5	—	4	2	3	2	1	4	—
	2. Enteritis	220	105	23	20	1	18	7	20	17	6	1	2
	3. Peritonitis	97	28	15	17	—	12	10	5	2	2	2	4
	4. Ascites	9	3	—	4	—	—	1	1	—	—	—	—
	5. Ulceration of Intestines	42	18	5	9	—	2	5	2	—	1	—	—
	6. Hernia	28	12	1	8	—	—	2	4	1	—	—	—
	7. Ileus	46	20	7	9	—	2	4	1	2	1	—	—
	8. Intussusception . .	16	6	—	6	—	2	1	—	1	—	—	—
	9. Stricture of Intestines	8	4	1	2	—	—	—	—	1	—	—	—
	10. Fistula	5	2	1	—	2	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	112	61	12	10	—	8	8	2	4	5	2	—
	12. Pancreas Disease, etc.	1	—	—	—	—	1	—	—	—	—	—	—
	13. Hepatitis	40	16	7	5	—	2	1	4	—	4	1	—
	14. Jaundice	51	15	9	8	—	1	7	3	2	2	3	1
	15. Liver Disease, etc. .	109	47	13	19	—	6	8	5	2	5	1	3
	16. Spleen Disease, etc. .	9	3	1	1	—	3	—	—	1	—	—	—
	ORDER 5.												
	1. Nephritis	64	20	8	12	—	5	6	—	6	7	—	—
	2. Ischuria	12	4	3	2	—	1	—	—	—	2	—	—
	3. Bright's Disease (Nephria)	117	44	10	29	1	7	13	6	1	4	1	1
	4. Diabetes	22	6	2	4	—	3	2	2	—	2	1	—
	5. Calculus (Stone) . .	7	1	—	2	—	1	2	1	—	—	—	—
	6. Cystitis	38	12	3	6	—	3	3	2	—	7	2	—
	7. Kidney Disease, etc. .	94	39	9	13	3	4	11	3	5	3	4	—
	ORDER 6.												
	1. Ovarian Dropsy . .	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc. .	7	3	—	2	—	—	1	—	—	—	1	—
	ORDER 7.												
	1. Synovitis (Arthritis) .	10	6	2	—	—	—	1	—	—	—	—	1
	2. Joint Disease, etc. .	108	48	14	10	2	7	12	2	2	4	4	3

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, during the
YEAR 1882.—FEMALES. (Continued).

Class.	CAUSES OF DEATH.	Total Principal Town Districts.	Glasgow.	Glasgow (Landward and Suburban).	Edinburgh.	Edinburgh (Landward).	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.
III.	ORDER 2.												
	1. Scrofula	145	58	20	24	2	12	7	4	4	9	2	3
	2. Tabes Mesenterica	274	125	42	28	2	21	4	13	6	13	11	9
	3. Phthisis	2060	815	280	252	18	240	129	96	79	88	30	33
	4. Hydrocephalus	411	166	57	64	1	28	26	13	23	19	6	8
	ORDER 1.												
	1. Cephalitis	331	121	51	42	2	23	31	28	6	15	11	1
	2. Apoplexy	424	155	45	76	4	44	19	24	13	20	11	13
	3. Paralysis	376	103	43	43	9	49	40	16	18	36	11	8
	4. Insanity	19	—	8	2	5	—	1	2	1	—	—	—
	5. Chorea	8	2	1	3	—	1	—	—	1	—	—	—
	6. Epilepsy	50	21	7	8	5	1	6	—	1	1	—	—
	7. Convulsions	255	104	49	31	3	20	24	8	7	4	3	2
	8. Brain Disease, etc.	195	68	12	41	13	17	10	8	4	8	5	9
	ORDER 2.												
	1. Pericarditis	29	11	3	5	1	4	3	2	—	—	—	—
	2. Aneurism	7	4	—	—	—	3	—	—	—	—	—	—
	3. Heart Disease, etc.	1024	360	84	203	13	109	77	51	49	37	24	17
	ORDER 3.												
	1. Laryngitis	57	22	5	4	—	8	5	10	—	1	1	1
	2. Bronchitis	2040	858	206	284	22	237	131	86	54	87	41	34
	3. Pleurisy	57	27	6	10	1	8	2	1	1	—	—	1
	4. Pneumonia	800	323	111	114	4	91	42	36	25	16	34	4
	5. Asthma	17	4	2	5	—	1	1	—	1	2	1	—
	6. Lung Disease, etc.	263	150	34	23	—	19	11	13	6	3	2	2
	ORDER 4.												
	1. Gastritis	91	41	13	13	1	4	8	4	3	3	1	—
	2. Enteritis	220	100	17	22	1	22	15	8	17	8	6	4
	3. Peritonitis	131	42	19	29	2	5	14	9	3	7	1	—
	4. Ascites	22	9	2	3	—	3	3	1	—	1	—	—
	5. Ulceration of Intestines	50	15	6	10	1	4	3	4	—	5	1	1
	6. Hernia	33	10	4	6	1	2	4	3	1	—	1	1
	7. Ileus	53	21	7	14	1	4	1	2	3	—	—	—
	8. Intussusception	13	6	3	—	—	1	1	1	—	1	—	—
	9. Stricture of Intestines	6	—	—	2	—	—	1	—	—	1	2	—
	10. Fistula	4	3	—	1	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	121	56	19	16	1	5	8	2	3	7	2	2
	12. Pancreas Disease, etc.	2	—	2	—	—	—	—	—	—	—	—	—
	13. Hepatitis	53	18	12	5	—	6	4	1	—	6	1	—
	14. Jaundice	63	27	5	11	—	4	4	2	2	3	4	1
	15. Liver Disease, etc.	126	57	15	17	3	7	8	6	5	4	—	4
	16. Spleen Disease, etc.	5	—	—	1	—	2	1	—	—	—	1	—
	ORDER 5.												
	1. Nephritis	47	12	7	13	—	3	5	2	2	3	—	—
	2. Ischuria	2	1	—	1	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	92	29	6	11	1	12	17	4	1	6	2	3
	4. Diabetes	23	8	2	7	—	1	1	4	—	—	—	—
	5. Calculus (Stone)	1	—	—	—	—	1	—	—	—	—	—	—
	6. Cystitis	11	3	2	4	—	1	—	1	—	—	—	—
	7. Kidney Disease, etc.	73	37	5	8	—	10	3	1	2	3	3	1
	ORDER 6.												
	1. Ovarian Dropsy	34	12	2	6	—	2	3	3	—	2	3	1
	2. Uterus Disease, etc.	43	17	6	9	—	2	1	2	3	2	1	—
	ORDER 7.												
	1. Synovitis (Arthritis)	15	9	1	1	—	1	1	1	—	—	1	—
	2. Joint Disease, etc.	62	24	6	13	2	8	4	1	2	—	1	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the
YEAR 1882.—MALES. (Contd).

Class.	CAUSES OF DEATH.	Total Prin- cipal Town Districts.	Glasgow.	Glasgow (Landward and Suburban).	Edinburgh.	Edinburgh (Landward).	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.
IV.	ORDER 8.												
	1. Phlegmon . . .	41	13	3	6	1	1	7	2	3	2	1	2
	2. Ulcer . . .	16	6	2	3	1	—	1	—	2	1	—	—
	3. Skin Disease, etc. . .	25	7	3	4	—	2	2	2	2	1	—	2
	ORDER 1.												
	1. Premature Birth . .	501	182	55	70	4	56	38	19	26	25	14	12
	2. Cyanosis . . .	18	12	1	2	—	—	2	—	1	—	—	—
	3. Spina Bifida . . .	15	4	1	2	—	3	—	2	—	2	1	—
	4. Other Malformations .	45	15	2	6	—	8	6	2	2	3	—	1
	5. Teething . . .	201	72	20	24	—	11	19	6	6	40	3	—
V.	ORDER 2.												
	1. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever) . .	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.												
	1. Old Age . . .	379	87	60	66	8	49	33	18	9	28	15	6
	ORDER 4.												
	1. Atrophy and Debility	645	248	117	48	5	70	29	50	21	32	13	12
	ORDER 1. (Accident or Negligence.)												
	1. Fractures and Contusions	344	162	32	42	—	24	14	31	10	14	9	6
	2. Gunshot Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab . . .	1	—	—	—	—	—	—	—	—	—	—	1
	4. Burns and Scalds . .	50	22	7	4	—	5	3	6	1	1	—	1
	5. Poison . . .	16	9	3	1	—	1	—	1	—	1	—	—
	6. Drowning . . .	135	55	22	3	1	8	3	16	18	7	1	1
	7. Suffocation . . .	79	26	6	19	—	16	3	3	2	2	1	1
	8. Otherwise . . .	75	31	5	12	1	5	5	8	1	2	5	—
	ORDER 3. (Homicide.)												
	1. Murder and Man- slaughter . . .	2	2	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)												
	1. Gunshot Wounds . .	4	—	—	3	—	—	—	—	—	1	—	—
	2. Cut, Stab . . .	14	2	1	5	1	2	2	—	—	—	—	1
	3. Poison . . .	3	1	—	1	—	—	—	1	—	—	—	—
	4. Drowning . . .	3	—	1	—	—	2	—	—	—	—	—	—
	5. Hanging . . .	18	7	—	7	—	3	1	—	—	—	—	—
	6. Otherwise and undefined	5	1	—	1	1	1	—	—	—	—	1	—
	ORDER 5. (Execution.)												
	1. Hanging . . .	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		24	18	2	1	—	—	—	—	2	1	—	—
Causes not specified or ill-defined		60	36	9	2	2	2	4	3	—	—	2	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the
YEAR 1882.—FEMALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Town Districts.	Glasgow.	Glasgow (Landward and Suburban).	Edinburgh.	Edinburgh (Landward).	Dundee.	Aberdeen.	Greenock.	Leith.	Paisley.	Perth.	Kilmarnock.
IV.	ORDER 8.												
	1. Phlegmon	33	5	7	7	—	2	2	4	1	5	—	—
	2. Ulcer	24	6	1	4	3	4	3	1	2	—	—	—
	3. Skin Disease, etc. .	11	3	1	2	1	1	1	—	2	—	—	—
	ORDER 1.												
	1. Premature Birth . .	393	147	39	61	3	33	38	18	15	19	7	13
	2. Cyanosis	10	1	4	1	—	1	2	—	—	—	1	—
	3. Spina Bifida	16	8	1	3	—	1	2	—	—	—	—	1
	4. Other Malformations	21	4	2	9	—	3	2	1	—	—	—	—
	5. Teething	171	75	17	18	—	8	9	7	6	25	3	3
V.	ORDER 2.												
	1. Paramenia	3	1	—	1	—	—	1	—	—	—	—	—
	2. Childbirth (see Puerperal Fever) .	152	59	28	14	—	14	8	4	7	10	5	3
	ORDER 3.												
	1. Old Age	651	178	107	90	18	66	56	29	29	42	22	14
	ORDER 4.												
	1. Atrophy and Debility	543	221	97	55	4	48	29	40	13	22	11	3
	ORDER 1.												
	(Accident or Negligence.)												
	1. Fractures and Contusions	93	33	8	19	1	10	6	10	1	2	1	2
	2. Gunshot Wounds . .	1	—	—	1	—	—	—	—	—	—	—	—
	3. Cut, Stab	1	—	—	1	—	—	—	—	—	—	—	—
	4. Burns and Scalds . .	52	21	4	8	—	7	3	5	2	—	1	1
	5. Poison	10	6	—	2	—	—	—	—	1	1	—	—
	6. Drowning	18	10	4	—	—	—	1	2	—	—	1	—
	7. Suffocation	70	22	3	14	—	20	4	1	2	2	1	1
	8. Otherwise	19	7	2	5	—	1	—	2	1	—	—	1
	ORDER 3.												
	(Homicide.)												
	1. Murder and Manslaughter . .	1	1	—	—	—	—	—	—	—	—	—	—
	ORDER 4.												
	(Suicide.)												
	1. Gunshot Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	3	1	—	1	—	—	—	—	—	1	—	—
	3. Poison	7	2	—	1	—	1	—	2	—	—	1	—
	4. Drowning	5	2	—	—	—	1	—	2	—	—	—	—
	5. Hanging	3	2	—	—	—	—	—	—	—	1	—	—
	6. Otherwise and undefined	3	—	—	—	—	1	—	1	1	—	—	—
	ORDER 5.												
	(Execution.)												
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		21	19	—	—	—	—	—	1	—	1	—	—
Causes not specified or ill-defined		45	27	3	1	—	2	5	1	4	1	1	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—MALES.

Class.	CAUSES OF DEATH.	Total Large Town Distrs.	Inverness.	Peterhead.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Dysart.	Kirkcaldy & Abbotshall.	Alloa.	Falkirk.	Stirling.	Dumbarton.	Pt.-Glasgow.	Ayr.	Cambusnethan.	Dalziel.	Hamilton.	Airdrie.	Coatbridge.	Rutherglen.	Galashiels.	Hawick.
	All Causes . .	4057	193	121	244	117	136	248	127	154	93	123	156	160	154	228	172	171	283	128	269	141	151	189
	Specified Causes	4020	190	119	243	117	136	245	126	153	92	122	156	157	154	225	170	166	283	125	264	141	150	189
	(CLASSES.)																							
I.	ZYMOTIC DIS.	748	45	27	33	12	18	62	38	38	13	14	22	23	22	26	32	34	63	25	65	18	28	34
II.	CONSTIT. „	747	32	11	49	22	31	30	18	20	18	27	36	34	34	55	26	31	49	20	40	34	20	41
III.	LOCAL „	1824	88	52	110	65	66	108	41	55	40	68	59	77	67	102	74	79	112	64	116	76	76	94
IV.	DEVELOP. „	517	19	21	33	16	12	36	25	31	15	10	30	12	21	31	29	12	39	14	26	10	24	20
V.	VIOLENT DEATHS	184	6	8	18	2	9	9	4	9	6	3	9	11	10	11	9	10	20	2	17	3	2	-
	(ORDERS.)																							
I.	1. MIASMATIC DIS.	716	44	27	32	10	18	58	38	36	13	14	20	23	21	24	32	31	59	24	63	18	27	30
	2. ENTHETIC „	7	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-
	3. DIETIC „	23	1	-	-	1	-	4	-	2	-	-	1	-	-	1	-	2	1	1	2	-	1	4
	4. PARASITIC „	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
II.	1. DIATHETIC „	107	5	3	15	3	2	4	5	5	4	2	2	3	2	3	3	2	7	3	10	3	4	4
	2. TUBERCULAR „	640	27	8	34	19	29	26	13	15	14	25	34	31	32	52	23	29	42	17	30	31	16	37
III.	1. DISEASES OF NERVOUS SYSTEM	451	36	9	25	23	20	25	12	23	11	13	16	15	8	31	15	19	17	15	25	25	18	20
	2. DIS. OF ORGANS OF CIRCULATION	286	10	4	25	10	11	16	8	12	5	15	18	6	9	18	15	11	16	1	15	15	8	15
	3. DIS. OF RESPIRATORY ORGANS	711	26	24	39	17	22	42	19	12	18	34	16	42	43	35	31	34	45	33	52	22	23	30
	4. DIS. OF DIGESTIVE ORGANS	247	10	13	12	10	5	16	2	6	3	5	3	7	4	13	7	10	28	13	13	8	17	20
	5. DIS. OF URINARY ORGANS	88	5	2	9	3	7	6	-	1	3	-	5	5	2	5	3	-	5	1	6	3	4	7
	6. DIS. OF ORGANS OF GENERATION	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	7. DIS. OF ORGANS OF LOCOMOTION	24	-	-	-	1	1	2	-	-	-	1	-	1	-	-	3	4	1	-	2	2	3	1
	8. DIS. OF INTEGUMENTARY SYSTEM	16	1	-	-	1	-	1	-	1	-	-	1	1	1	-	-	-	-	1	3	1	3	1
IV.	1. DEV. DIS. OF CHILDREN	173	11	10	14	9	2	9	5	14	5	3	5	7	9	6	14	4	11	2	5	4	14	6
	2. „ OF ADULTS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE	156	8	6	10	6	2	16	13	10	2	4	17	3	1	6	6	4	15	2	3	3	4	4
	4. DIS. OF NUTRITION	188	-	5	9	1	8	11	7	7	8	3	8	2	11	19	9	4	13	10	18	3	6	10

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—FEMALES.

CAUSES OF DEATH.	Total Large Town Dists.	Inverness.	Peterhead.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Dysart.	Kirkcaldy & Abbotshall.	Alloa.	Falkirk.	Stirling.	Dumbarton.	Pt.-Glasgow	Ayr.	Cambusnethan.	Dalziel.	Hamilton.	Airdrie.	Coatbridge.	Rutherglen.	Galashiels.	Hawick.	Dumfries.
All Causes.	3997	226	109	232	112	175	252	109	161	111	135	167	147	139	250	151	146	257	138	276	136	124	165	279
Specified Causes	3968	225	103	232	112	175	249	109	159	111	135	166	147	139	249	149	143	256	134	275	135	123	165	277
(CLASSES.)																								
ZYMOTIC DIS. .	709	42	16	26	15	11	55	31	31	16	23	29	36	28	33	34	38	59	15	59	23	16	17	56
CONSTIT. „	827	36	13	55	37	38	45	17	23	33	21	28	29	32	71	30	34	55	22	60	28	26	44	50
LOCAL „	1732	95	50	115	37	95	93	34	84	39	67	76	68	50	99	65	55	95	81	103	70	59	82	120
DEVELOP. „	627	47	23	32	20	26	52	26	20	22	22	29	9	25	42	18	15	44	13	46	11	20	22	43
VIOLENT DEATHS	73	5	1	4	3	5	4	1	1	1	2	4	5	4	4	2	1	3	3	7	3	2	—	8
(ORDERS.)																								
1. MIASMATIC DIS.	683	41	15	26	14	11	54	31	30	16	21	29	31	25	32	34	36	56	15	58	23	16	15	54
2. ENTHETIC „	7	—	1	—	—	—	—	—	1	—	1	—	1	1	1	—	—	1	—	—	—	—	—	—
3. DIETIC „	17	1	—	—	1	—	1	—	—	—	1	—	4	2	—	—	1	2	—	—	—	—	2	2
4. PARASITIC „	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
1. DIATHETIC „	164	6	4	11	8	9	12	4	4	11	2	1	2	2	13	3	6	12	7	9	5	5	11	17
2. TUBERCULAR „	663	30	9	44	29	29	33	13	19	22	19	27	27	30	58	27	28	43	15	51	23	21	33	33
1. DISEASES OF NERVOUS SYSTEM	427	25	10	32	10	34	17	5	23	14	11	19	14	8	21	13	16	20	22	30	23	7	21	32
2. DIS. OF ORGANS OF CIRCULATION	287	13	9	21	8	17	19	6	15	6	7	18	8	6	26	12	11	14	11	7	13	11	14	15
3. DIS. OF RESPIRATORY ORGANS	662	37	18	36	14	25	33	17	34	14	33	24	36	28	34	23	20	42	35	41	18	23	29	48
4. DIS. OF DIGESTIVE ORGANS	248	13	9	17	3	11	19	5	8	4	14	11	6	5	9	13	7	13	11	16	9	14	14	17
5. DIS. OF URINARY ORGANS	56	5	2	4	1	2	3	—	4	—	—	2	3	2	6	3	1	2	—	6	2	3	3	2
6. DIS. OF ORGANS OF GENERATION	18	—	—	2	1	2	1	1	—	1	—	1	—	1	1	1	—	1	1	1	—	—	—	3
7. DIS. OF ORGANS OF LOCOMOTION	19	2	1	—	—	3	1	—	—	—	1	1	1	—	—	—	—	1	—	—	5	1	—	2
8. DIS. OF INTEGUMENTARY SYSTEM	15	—	1	3	—	1	—	—	—	—	1	—	—	—	2	—	—	2	1	2	—	—	1	1
1. DEV. DIS. OF CHILDREN	125	11	5	11	3	2	7	6	3	5	1	1	4	10	6	9	2	10	3	5	5	8	5	3
2. „ OF ADULTS	40	4	3	3	—	3	9	2	1	—	1	1	—	1	1	1	—	—	—	3	1	—	3	3
3. „ OF OLD PEOPLE	295	31	13	10	14	18	23	14	10	8	11	21	4	9	18	3	6	23	2	17	2	9	6	23
4. DIS. OF NUTRITION	167	1	2	8	3	3	13	4	6	9	9	6	1	5	17	5	7	11	8	21	3	3	8	14

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—MALES. (Continued)

Class.	CAUSES OF DEATH.	Total Large Town Dists.	Inverness.	Peterhead.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Dysart.	Kirkcaldy & Abbotshall.	Alloa.	Falkirk.	Stirling.	Dumbarton.	Pt.-Glasgow.	Ayr.	Cambusnethan.	Dalziel.	Hamilton.	Airdrie.	Coatbridge.	Rutherglen.	Glasgohills.	Hawick.	Dumfries.
V.	1. ACCIDENT OR NEGLIGENCE.	174	6	8	18	2	7	9	4	8	5	3	8	11	10	10	9	10	17	2	16	3	2		0
	* 3. HOMICIDE .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE .	10	-	-	-	-	2	-	-	1	1	-	1	-	-	1	-	-	3	-	1	-	-	-	-
	5. EXECUTION .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED) .	6	-	-	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
	CAUSES NOT SPECIFIED	31	3	2	-	-	-	2	-	1	1	-	-	3	-	2	2	5	-	3	4	-	1	-	2
1.	ORDER 1.																								
	1. Small-pox .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles .	93	-	6	11	-	1	6	3	5	-	-	-	2	1	3	9	8	12	3	5	3	2	2	11
	3. Scarlatina .	139	-	1	1	4	1	33	17	17	1	-	-	-	1	-	1	4	2	4	20	1	6	13	12
	4. Diphtheria .	53	6	1	-	1	4	1	4	1	-	-	3	1	-	2	8	-	5	1	1	1	7	2	4
	5. Quinsy .	6	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	1
	6. Croup .	69	2	5	2	-	3	5	-	2	-	-	1	1	1	4	6	1	6	2	5	2	7	3	11
	7. Hooping-cough	86	16	-	5	-	-	-	7	3	3	4	7	3	11	3	2	3	5	3	10	-	1	-	-
	8. { Typhus Fever	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	8. { Enteric or Typhoid Fever	80	2	5	3	-	3	3	2	2	4	1	4	2	-	4	2	2	9	5	14	1	2	4	6
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	9	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	1	-	1	1	1	-	1	-
	9. Erysipelas .	23	5	-	3	-	1	5	1	2	-	-	1	1	-	1	-	-	-	1	-	1	1	-	-
	10. { Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. { (Metria) .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	12. Influenza .	3	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery .	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	14. Diarrhoea .	120	12	8	5	5	2	3	2	3	2	3	2	13	2	5	3	11	17	3	5	7	1	2	4
	15. Cholera .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	16. Ague .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	17. Remittent Fever	5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-
	18. Rheumatism .	15	-	-	1	-	1	1	1	-	1	2	-	-	1	-	-	-	2	1	1	-	-	1	2
	19. Other Mias.Dis.	4	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	ORDER 2.																								
	1. Syphilis .	7	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
	2. Strict. of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																								
	1. Privation .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Milk .	10	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	-	1	-	-	1	4	-
	3. Purpura & Scurvy.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. T.	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intem.	10	-	-	-	1	-	3	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	2
	ORDER 4.																								
	1. Thrush .	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	2. Worms, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.																								
	1. Gout .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy .	20	-	-	3	-	1	-	-	-	-	-	-	1	-	1	1	2	1	-	7	-	-	-	3
	3. Cancer .	76	5	3	9	3	1	4	5	4	4	2	-	2	2	2	1	-	6	2	3	2	3	4	9
	4. Cancrum Oris .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	(Noma) .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5 Mortification .	10	-	-	3	-	-	-	-	1	-	-	2	-	-	-	1	-	-	1	-	1	-	-	1

USES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

CAUSES OF DEATH.	Total Large Town Dists.	Inverness.	Peterhead.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Dysart.	Kirkcaldy & Abbotshall.	Alloa.	Falkirk.	Stirling.	Dumbarton.	Pt.-Glasgow.	Ayr.	Cambusnethan.	Dalziel.	Hamilton.	Airdrie.	Coatbridge.	Rutherglen.	Galashiels.	Hawick.	Dumfries.
1. ACCIDENT OR NEGLIGENCE	65	5	1	3	3	3	4	1	-	1	2	3	5	4	4	2	1	3	3	5	3	2	-	7
* 3. HOMICIDE .	4	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
4. SUICIDE .	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
5. EXECUTION .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED) .	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CAUSES NOT SPECIFIED	27	1	6	-	-	-	2	-	2	-	-	1	-	-	1	2	3	1	4	1	-	1	-	2
ORDER 1.																								
1. Small-pox .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2. Measles .	90	-	1	7	-	-	8	-	2	-	2	-	5	3	1	10	9	17	1	4	7	-	-	13
3. Scarlatina .	104	4	1	2	3	-	19	14	9	2	-	-	-	-	1	2	2	1	3	19	4	2	8	8
4. Diphtheria .	48	-	2	1	1	2	2	1	2	-	-	6	5	-	6	7	-	6	-	1	2	4	-	-
5. Quinsy .	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6. Croup .	66	-	6	1	-	3	5	-	3	1	1	4	1	3	6	2	2	3	-	3	3	6	2	11
7. Hooping-cough	111	21	-	3	-	-	-	10	6	5	10	8	13	14	2	2	2	2	3	5	1	-	3	1
8. { Typhus Fever	8	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	5
8. { Enteric or Typhoid Fever	63	3	-	3	1	2	3	3	1	2	1	4	-	3	3	3	4	9	1	8	2	-	-	7
8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. { Simple Continued Fever	6	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
9. Erysipelas .	13	2	-	1	1	-	1	1	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	2
10. { Puerperal Fever (Metria) .	25	1	1	1	1	1	-	-	1	3	3	-	-	-	-	1	3	-	4	1	1	1	-	2
11. Carbuncle .	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12. Influenza .	6	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-
13. Dysentery .	6	1	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-
14. Diarrhoea .	114	7	2	5	5	2	13	1	4	1	2	4	5	1	6	4	12	17	3	10	3	2	1	4
15. Cholera .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
16. Ague .	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18. Rheumatism .	15	2	-	1	-	-	1	-	-	-	1	2	-	-	2	1	-	1	-	2	-	1	-	1
19. Other Mias.Dis.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORDER 2.																								
1. Syphilis .	7	-	1	-	-	-	-	-	1	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-
2. Strict. of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Hydrophobia .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Glanders .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORDER 3.																								
1. Privation .	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Want of Milk .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-
3. Purpura & Scurvy	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
4. Alco- { a Del. T. holism { b Intem.	10	-	-	-	1	-	-	-	-	-	1	-	4	2	-	-	-	-	-	-	-	-	-	2
ORDER 4.																								
1. Thrush .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
2. Worms, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORDER 1.																								
1. Gout .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Dropsy .	32	-	1	1	-	-	1	-	1	2	1	-	-	1	5	-	2	4	-	5	1	-	3	4
3. Cancer .	119	6	3	9	8	8	9	4	3	8	1	1	2	1	7	2	3	8	7	4	4	5	6	10
4. Cancrum Oris (Noma) .	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
5. Mortification .	11	-	-	-	-	1	2	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	2	3

* See page 52, note.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—MALES. (Continued)

Class.	CAUSES OF DEATH.	Total Large Town Dists.	Inverness.	Peterhead.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Dysart.	Kirkcaldy & Abbotshall.	Alloa.	Falkirk.	Stirling.	Dumbarton.	Pt.-Glasgow.	Ayr.	Cambusnethan.	Dalziel.	Hamilton.	Airdrie.	Coatbridge.	Rutherglen.	Galashiels.	Hawick.	Dumfries.
III.	ORDER 2.																								
	1. Scrofula	35	-	-	2	-	1	1	-	-	2	2	3	2	1	7	3	3	3	-	1	1	-	1	2
	2. Tabes Mesenter.	58	1	-	2	1	2	2	-	4	2	6	2	1	3	11	1	4	1	-	5	4	1	3	2
	3. Phthisis	415	25	5	19	11	20	16	12	9	8	13	24	22	16	28	16	17	31	11	16	20	14	20	42
	4. Hydrocephalus	132	1	3	11	7	6	7	1	2	2	4	5	6	12	6	3	5	7	6	8	6	1	13	10
	ORDER 1.																								
	1. Cephalitis	83	6	5	1	4	-	3	2	4	3	2	1	4	3	3	7	4	2	3	6	6	5	3	6
	2. Apoplexy	120	10	1	12	4	9	6	2	6	2	1	3	6	1	11	-	2	4	1	10	9	3	10	7
	3. Paralysis	106	6	1	2	6	6	6	4	5	3	6	6	3	2	8	6	7	4	4	7	4	6	1	3
	4. Insanity	12	5	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	3
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	14	-	-	-	1	2	-	-	1	-	-	-	-	-	2	-	1	1	1	-	1	-	2	2
	7. Convulsions	65	7	-	6	6	1	5	3	7	2	3	-	1	-	2	1	2	4	3	-	4	2	4	2
	8. Brain Dis., etc.	51	2	2	4	2	2	3	1	-	1	1	6	1	2	3	1	3	2	3	2	1	2	-	7
	ORDER 2.																								
	1. Pericarditis	7	-	-	-	-	1	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	2. Aneurism	12	1	-	1	1	1	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	2	1
	3. Heart Dis., etc.	267	9	4	24	9	9	15	7	12	5	14	17	5	8	16	15	10	14	1	15	15	8	13	22
	ORDER 3.																								
	1. Laryngitis	17	1	2	2	-	-	1	-	-	-	-	-	-	-	1	1	1	2	-	2	-	1	-	3
	2. Bronchitis	433	19	13	20	9	15	25	13	5	13	23	9	35	25	26	21	16	28	23	27	11	11	17	29
	3. Pleurisy	19	-	-	1	-	1	-	1	2	2	2	-	1	-	1	1	1	1	-	1	2	1	-	3
	4. Pneumonia	158	4	3	8	2	3	13	3	4	4	6	2	5	15	5	4	15	7	6	15	6	8	8	12
	5. Asthma	22	2	1	2	1	-	1	-	-	1	-	-	-	-	-	3	1	1	2	2	-	1	3	1
	6. Lung Dis., etc.	62	-	5	6	5	3	2	2	1	-	3	5	1	3	2	1	-	6	2	5	3	1	2	4
	ORDER 4.																								
	1. Gastritis	21	1	4	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	4	1	1	2	1
	2. Enteritis	59	2	2	3	1	-	4	-	2	-	-	1	1	-	3	2	4	6	2	7	3	5	8	3
	3. Peritonitis	26	2	-	1	1	1	4	1	-	1	2	-	-	-	3	1	1	-	-	2	1	-	-	4
	4. Ascites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	5. Ulcer. of Intest.	16	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	3	1	2	1	1	2	2
	6. Hernia	7	2	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	7. Ileus	20	-	1	2	-	1	-	1	-	-	1	-	1	-	2	2	3	2	-	-	-	-	-	4
	8. Intussusception	6	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	9. Strict. of Intest.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Dis., etc.	41	1	2	1	-	2	1	-	-	-	2	-	3	1	2	1	2	4	3	-	1	5	3	7
	12. Pancreas Dis., etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	9	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1
	14. Jaundice	17	-	3	1	-	-	-	-	2	-	-	-	-	1	-	-	-	1	7	-	-	-	2	-
	15. Liver Dis., etc.	19	1	1	1	2	1	2	-	1	1	-	2	-	-	-	-	-	2	-	1	-	1	3	-
	16. Spleen Dis., etc.	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	ORDER 5.																								
	1. Nephritis	13	-	1	-	-	1	-	-	-	-	-	-	-	3	1	1	1	-	-	2	1	1	-	1
	2. Ischuria	5	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	3. Bright's Disease (Nephria)	23	1	-	2	1	1	2	-	-	2	-	3	-	-	3	-	-	-	-	4	1	1	2	-
	4. Diabetes	9	2	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1
	5. Calculus (Stone)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	13	-	1	2	1	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	4	-
	7. Kidney Dis., etc.	24	1	-	5	1	3	-	-	1	-	-	2	1	1	-	-	-	-	2	1	-	1	1	3
	ORDER 6.																								
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Dis., etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	ORDER 7.																								
	1. Synovitis (Arthritis)	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	2. Joint Dis., etc.	21	-	-	-	-	1	2	-	-	-	-	1	-	1	-	-	2	4	1	-	2	3	1	2

USES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

CAUSES OF DEATH.	Total Large Town Dists.	Inverness.	Peterhead.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Dysart.	Kirkcaldy & Abbotshall.	Alloa.	Falkirk.	Stirling.	Dumbarton.	Pt.-Glasgow.	Ayr.	Cambusnethan.	Dalziel.	Hamilton.	Airdrie.	Coatbridge.	Rutherglen.	Galashiels.	Hawick.	Dumfries.
ORDER 2.																								
1. Scrofula . . .	45	4	-	2	1	-	-	-	2	3	-	1	-	1	9	3	4	4	1	1	1	2	2	4
2. Tabes Mesenter. .	62	3	2	1	1	6	2	1	2	2	3	1	-	1	8	5	4	3	3	7	2	-	3	2
3. Phthisis . . .	460	22	7	34	20	19	28	12	13	15	11	24	24	16	35	14	15	21	9	36	17	17	26	25
4. Hydrocephalus	96	1	-	7	7	4	3	-	2	2	5	1	3	12	6	5	5	15	2	7	3	2	2	2
ORDER 1.																								
1. Cephalitis . . .	60	2	4	6	1	1	1	-	5	1	1	-	3	1	2	2	3	2	6	10	1	2	2	4
2. Apoplexy . . .	125	4	2	11	-	13	4	4	7	2	3	12	2	4	7	2	2	5	4	3	14	-	5	15
3. Paralysis . . .	116	10	2	7	3	10	8	-	4	7	6	1	7	-	6	4	5	7	3	9	5	2	5	5
4. Insanity . . .	10	7	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
5. Chorea . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
6. Epilepsy . . .	13	-	-	3	1	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	1
7. Convulsions . . .	58	1	2	2	3	2	1	-	5	3	1	4	1	1	1	1	5	3	8	7	2	-	4	1
8. Brain Dis., etc.	44	1	-	3	1	7	1	1	2	1	-	2	1	2	3	4	-	3	1	1	1	2	2	5
ORDER 2.																								
1. Pericarditis . . .	8	-	-	1	-	1	1	-	-	-	2	-	1	1	-	-	-	-	-	1	-	-	-	-
2. Aneurism . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Heart Dis., etc.	279	13	9	20	8	16	18	6	15	6	5	18	7	5	26	12	11	14	11	6	13	11	14	15
ORDER 3																								
1. Laryngitis . . .	5	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-
2. Bronchitis . . .	441	25	10	18	8	22	21	12	22	12	23	17	29	16	24	18	14	29	23	23	9	13	21	32
3. Pleurisy . . .	4	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Pneumonia . . .	137	10	1	9	3	-	8	3	10	1	7	2	5	9	4	3	5	5	6	14	7	7	5	13
5. Asthma . . .	14	2	1	2	-	1	-	-	1	1	-	1	1	-	-	-	-	-	2	-	-	1	1	-
6. Lung Dis., etc.	61	-	6	6	3	1	3	1	-	-	3	3	1	2	5	2	1	8	4	3	2	2	2	3
ORDER 4.																								
1. Gastritis . . .	17	-	2	-	-	-	2	1	-	-	1	1	-	-	-	1	-	2	4	1	-	-	1	1
2. Enteritis . . .	50	2	-	5	-	-	4	-	-	1	2	2	2	2	-	3	3	1	3	6	1	1	8	1
3. Peritonitis . . .	29	3	1	2	1	3	3	-	2	2	1	-	1	-	-	-	1	2	-	-	1	1	1	4
4. Ascites . . .	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5. Ulcer. of Intest. .	8	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	1	-	-	-	1	-	-
6. Hernia . . .	11	2	1	1	-	1	1	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	1
7. Ileus . . .	17	1	-	1	-	1	3	1	-	-	1	-	-	-	-	-	1	1	-	1	-	3	1	2
8. Intussusception .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9. Strict. of Intest. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10. Fistula . . .	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
11. Stomach Dis., etc.	39	4	2	1	-	2	3	1	1	-	2	3	-	1	1	3	-	3	2	2	2	1	1	4
12. Pancreas Dis., etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13. Hepatitis . . .	16	-	-	2	-	1	-	-	-	-	1	-	-	1	3	-	-	1	1	4	-	1	-	1
14. Jaundice . . .	18	-	1	3	-	1	3	-	1	-	-	-	-	-	-	4	-	1	1	-	-	1	-	2
15. Liver Dis., etc.	40	1	2	2	2	2	-	1	3	1	7	3	3	1	1	-	1	1	-	2	-	4	2	1
16. Spleen Dis., etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORDER 5.																								
1. Nephritis . . .	14	-	-	-	-	1	-	-	1	-	-	-	2	2	5	-	1	-	-	-	1	1	-	-
2. Ischuria . . .	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Bright's Disease (Nephria) . . .	21	?	-	1	-	-	3	-	2	-	-	2	1	-	1	1	-	1	-	2	1	1	1	1
4. Diabetes . . .	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
5. Calculus (Stone) .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Cystitis . . .	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
7. Kidney Dis., etc.	11	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1
ORDER 6.																								
1. Ovarian Dropsy . .	8	-	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	2
2. Uterus Dis., etc.	10	-	-	2	-	1	1	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	1
ORDER 7.																								
1. Synovitis (Arthritis) . .	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2. Joint Dis., etc.	17	2	-	-	-	3	1	-	-	-	1	1	1	-	-	-	-	1	-	-	4	1	-	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—MALES. (Continued)

Class.	CAUSES OF DEATH.	Total Large Town Dists.	Inverness.	Peterhead.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Dysart.	Kirkcaldy & Abbotshall.	Alloa.	Falkirk.	Stirling.	Dumbarton.	Pt.-Glasgow.	Ayr.	Cambusnethan.	Dalziel.	Hamilton.	Airdrie.	Coatbridge.	Rutherglen.	Galashiels.	Hawick.	Dumfries.
IV.	ORDER 8.																								
	1. Phlegmon .	11	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	1	2	-	3	1	-
	2. Ulcer .	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
	3. Skin Dis., etc.	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	ORDER 1.																								
	1. Premature Birth	103	10	5	9	6	1	5	1	5	2	-	2	7	1	4	9	2	8	2	4	3	9	4	4
	2. Cyanosis .	6	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-
	3. Spina Bifida .	4	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	4. Other Malform.	9	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	1	-
	5. Teething .	51	1	4	4	2	1	4	3	6	3	2	2	-	7	1	5	1	1	-	-	-	3	1	-
V.	ORDER 2.																								
	1. Paramenia .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																								
	1. Old Age .	156	8	6	10	6	2	16	13	10	2	4	17	3	1	6	6	4	15	2	3	3	4	4	11
	ORDER 4.																								
	1. Atrophy & Debil.	188	-	5	9	1	8	11	7	7	8	3	8	2	11	19	9	4	13	10	18	3	6	10	16
	ORDER 1.																								
	(Accident or Negl.)																								
	1. Fractures and Contusions	89	3	1	7	2	2	6	3	2	2	-	5	4	4	5	5	9	9	2	9	2	2	-	5
2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab .	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Burns and Scalds	13	-	2	3	-	1	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	-	-	
5. Poison .	3	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
6. Drowning .	50	3	4	7	-	4	-	1	3	-	3	2	5	5	3	2	1	2	-	4	1	-	-	-	
7. Suffocation .	11	-	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-	3	-	2	-	-	-	1	
8. Otherwise .	7	-	-	1	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	1	-	-	-	-	
	ORDER 3.																								
	(Homicide.)																								
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																								
	(Suicide.)																								
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	2. Cut, Stab .	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning .	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	5. Hanging .	4	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
6. Otherwise and undefined .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	ORDER 5.																								
	(Execution.)																								
	1. Hanging .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained) .		6	-	-	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
Causes not specified or ill-defined .		31	3	2	-	-	-	2	-	1	1	-	-	3	-	2	2	5	-	3	4	-	1	-	2

USES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

CAUSES OF DEATH.	Total Large Town Dists.	Inverness.	Peterhead.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Dysart.	Kirkcaldy & A. botshall.	Alloa.	Falkirk.	Stirling.	Dumbarton.	Pt.-Glasgow.	Ayr.	Cambusnethan.	Dalziel.	Hamilton.	Airdrie.	Coatbridge.	Rutherglen.	Galashiels.	Hawick.	Dumfries.
ORDER 8.																								
1 Phlegmon .	9	-	-	2	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	-	-	1
2. Ulcer .	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3. Skin Dis., etc.	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-
ORDER 1.																								
1. Premature Birth	81	10	2	8	2	2	1	2	1	1	-	-	2	9	5	5	-	8	2	5	5	4	4	3
2. Cyanosis .	4	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
3. Spina Bifida .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Other Malform.	6	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
5. Teething .	34	-	2	1	1	-	6	3	2	4	1	1	-	1	-	4	2	-	1	-	-	4	1	-
ORDER 2.																								
1. Paramenia .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Childbirth (see Puerperal Fever)	40	4	3	3	-	3	9	2	1	-	1	1	-	1	1	1	-	-	-	3	1	-	3	3
ORDER 3.																								
1. Old Age .	295	31	13	10	14	18	23	14	10	8	11	21	4	9	18	3	6	23	2	17	2	9	6	23
ORDER 4.																								
1. Atrophy & Debil.	167	1	2	8	3	3	13	4	6	9	9	6	1	5	17	5	7	11	8	21	3	3	8	14
ORDER 1. (Accident or Negl.)																								
1. Fractures and Contusions .	27	1	1	1	2	2	4	-	-	1	1	3	3	1	1	-	1	-	-	2	2	1	-	-
2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Cut, Stab .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Burns and Scalds	13	1	-	2	-	-	-	1	-	-	-	-	-	1	1	1	-	1	2	2	-	-	-	1
5. Poison .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Drowning .	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2
7. Suffocation .	11	1	-	-	1	1	-	-	-	-	-	-	2	1	1	1	-	1	1	-	-	-	-	1
8. Otherwise .	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	3
ORDER 3. (Homicide.)																								
1. Murder and Manslaughter	4	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
ORDER 4. (Suicide.)																								
1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Cut, Stab .	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Poison .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4. Drowning .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
5. Hanging .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Otherwise and undefined .	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORDER 5. (Execution.)																								
1. Hanging .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained) .	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Causes not specified or ill defined .	27	1	6	-	-	-	2	-	2	-	-	1	-	-	1	2	3	1	4	1	-	1	-	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1882.—MALES.

Class.	CAUSES OF DEATH.	Total Small Town Districts.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kncardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
	All Causes	7328	36	34	184	88	47	188	268	227	58	227	249	470	57	375
	Specified Causes	7249	36	34	184	84	47	186	265	224	58	225	247	464	56	369
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1249	2	2	32	17	4	29	38	48	5	32	24	83	12	51
II.	CONSTITUTIONAL „	1285	6	9	36	9	5	25	41	34	6	35	45	78	12	66
III.	LOCAL „	3355	20	11	78	45	23	89	130	114	36	110	135	214	21	166
IV.	DEVELOPMENTAL „	918	4	8	25	5	14	33	43	13	7	35	34	60	6	58
V.	VIOLENT DEATHS . . .	442	4	4	13	8	1	10	13	15	4	13	9	29	5	28
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . . .	1177	2	2	31	17	4	28	34	47	5	31	23	79	11	46
	2. ENTHETIC „ . . .	21	-	-	-	-	-	-	2	-	-	-	1	1	-	-
	3. DIETIC „ . . .	48	-	-	1	-	-	1	1	1	-	1	-	3	1	5
	4. PARASITIC „ . . .	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
II.	1. DIATHETIC „ . . .	190	2	-	4	3	2	5	4	6	2	6	10	13	2	5
	2. TUBERCULAR „ . . .	1095	4	9	32	6	3	20	37	28	4	29	35	65	10	61
III.	1. DISEASES OF NERVOUS SYSTEM . . .	801	4	2	19	7	4	23	35	20	11	23	39	61	4	35
	2. „ OF ORGANS OF CIRCULATION . . .	534	4	3	10	3	4	18	24	18	6	21	32	37	4	18
	3. „ OF RESPIRATORY ORGANS . . .	1247	5	5	30	24	9	26	43	48	10	42	41	66	9	77
	4. „ OF DIGESTIVE ORGANS	463	3	-	10	8	3	9	14	17	4	14	14	30	2	24
	5. „ OF URINARY ORGANS	206	1	-	4	2	1	5	10	9	5	8	7	14	1	8
	6. „ OF ORGANS OF GENERATION .	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	7. „ OF ORGANS OF LOCOMOTION . . .	48	-	1	4	-	2	2	2	1	-	1	-	2	1	3
	8. „ OF INTEGUMENTARY SYSTEM . . .	50	3	-	1	1	-	1	2	1	-	1	1	4	-	1
IV.	1. DEV. DIS. OF CHILDREN .	315	-	1	4	-	4	11	17	2	2	15	9	23	2	23
	2. „ OF ADULTS . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE .	303	3	7	10	5	8	15	1	8	3	13	13	21	3	19
	4. DISEASES OF NUTRITION .	300	1	-	11	-	2	7	8	3	2	7	12	16	1	16

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—FEMALES.

Class.	CAUSES OF DEATH.	Total Small Town Districts.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
	All Causes	7457	36	44	184	94	48	177	274	209	50	269	267	537	66	379
	Specified Causes	7402	34	44	184	88	47	173	272	208	50	269	267	531	66	375
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1337	3	4	36	20	3	31	47	50	6	38	30	126	13	74
II.	CONSTITUTIONAL „	1621	7	11	20	10	11	33	50	33	11	55	65	101	8	78
III.	LOCAL „	3200	16	16	90	38	21	79	119	91	22	128	130	216	38	157
IV.	DEVELOPMENTAL „	1130	8	11	34	16	11	28	53	30	11	46	40	83	4	58
V.	VIOLENT DEATHS . .	114	—	2	4	4	1	2	3	4	—	2	2	5	3	8
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1279	3	3	36	20	3	29	45	46	6	37	26	125	12	74
	2. ENTHETIC „ . .	24	—	—	—	—	—	—	2	3	—	—	—	—	—	—
	3. DIETIC „ . .	31	—	1	—	—	—	1	—	1	—	—	3	1	1	—
	4. PARASITIC „ . .	3	—	—	—	—	—	1	—	—	—	1	1	—	—	—
II.	1. DIATHETIC „ . .	351	1	2	3	2	7	11	16	12	6	19	18	24	2	9
	2. TUBERCULAR „ . .	1270	6	9	17	8	4	22	34	21	5	36	47	77	6	69
III.	1. DISEASES OF NERVOUS SYSTEM	781	6	2	18	8	6	25	21	22	8	31	32	47	9	35
	2. „ OF ORGANS OF CIR- CULATION	553	1	1	13	1	4	12	16	9	3	28	32	45	9	16
	3. „ OF RESPIRATORY ORGANS	1135	6	7	49	20	7	23	44	47	4	35	44	79	13	56
	4. „ OF DIGESTIVE ORGANS	479	1	3	7	5	2	10	18	8	4	27	18	21	5	36
	5. „ OF URINARY ORGANS	123	1	2	2	1	1	2	11	3	1	4	1	15	—	3
	6. „ OF ORGANS OF GENERATION	34	—	—	—	1	1	1	4	1	—	1	—	2	1	2
	7. „ OF ORGANS OF LOCOMOTION	47	—	—	—	—	—	4	3	—	1	1	1	5	1	4
	8. „ OF INTEGUMENTARY SYSTEM	48	1	1	1	2	—	2	2	1	1	1	2	2	—	5
IV.	1. DEV. DIS. OF CHILDREN .	215	—	—	2	1	1	7	7	10	—	10	3	15	1	13
	2. „ OF ADULTS	98	1	—	2	2	1	2	4	6	2	3	—	3	—	10
	3. „ OF OLD PEOPLE . .	566	6	7	21	13	7	13	33	13	8	21	30	47	1	24
	4. DISEASES OF NUTRITION .	251	1	4	9	—	2	6	9	1	1	12	7	18	2	11

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	452	212	127	541	997	1022	252	523	121	54	52	63	81	121	105	97
	Specified Causes	446	208	126	535	985	1012	252	519	119	54	52	62	80	119	105	96
	(CLASSES.)																
I.	ZYMOTIC DISEASES	73	37	23	146	115	193	35	145	17	7	5	4	8	22	15	25
II.	CONSTITUTIONAL „	77	41	40	89	203	184	35	69	23	5	5	21	19	26	25	16
III.	LOCAL „	204	90	45	209	473	455	132	236	49	34	25	29	45	50	51	36
IV.	DEVELOPMENTAL „	60	24	10	64	134	121	28	52	17	6	9	6	6	15	9	12
V.	VIOLENT DEATHS . . .	32	16	8	27	60	59	22	17	13	2	8	2	2	6	5	7
	(ORDERS.)																
I.	1. Miasmatic Diseases . . .	70	29	20	140	106	187	32	137	16	6	5	4	8	20	15	22
	2. ENTHETIC „ . . .	1	—	—	2	4	5	2	1	—	1	—	—	—	—	—	1
	3 DIETIC „ . . .	2	8	3	4	4	1	1	6	1	—	—	—	—	2	—	2
	4. PARASITIC „ . . .	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ . . .	12	13	8	11	17	23	4	15	5	—	—	4	2	2	7	3
	2. TUBERCULAR „ . . .	65	28	32	78	186	161	31	54	18	5	5	17	17	24	18	13
III.	1. DISEASES OF NERVOUS SYSTEM . . .	61	20	11	48	94	104	20	55	12	15	6	6	16	17	15	9
	2. „ OF ORGANS OF CIRCULATION . . .	30	27	11	29	69	67	11	32	11	3	5	4	9	9	11	4
	3. „ OF RESPIRATORY ORGANS . . .	74	27	13	87	181	187	60	82	18	11	6	10	13	16	11	16
	4. „ OF DIGESTIVE ORGANS	30	8	5	24	80	60	24	45	3	1	4	6	3	6	9	3
	5. „ OF URINARY ORGANS	5	6	1	12	32	26	8	17	4	3	4	3	1	2	4	3
	6. „ OF ORGANS OF GENERATION .	1	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—
	7. „ OF ORGANS OF LOCOMOTION . . .	—	2	1	3	11	6	4	1	—	1	—	—	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM . . .	3	—	3	6	5	4	5	3	1	—	—	—	3	—	—	1
IV.	1. DEV. DIS. OF CHILDREN .	18	5	5	26	56	38	3	20	6	3	7	1	2	4	5	3
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE .	19	13	2	12	36	34	5	11	4	2	1	3	2	3	2	8
	4. DISEASES OF NUTRITION .	23	6	3	26	42	49	20	21	7	1	1	2	2	8	2	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Leith.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	419	225	107	564	996	985	273	466	148	60	65	59	88	159	103	106
	Specified Causes	415	223	105	562	993	980	271	465	144	60	65	59	88	157	103	104
	(CLASSES.)																
I.	ZYMOTIC DISEASES	68	29	22	122	147	214	43	112	17	11	6	3	8	26	10	18
II.	CONSTITUTIONAL „	77	46	32	131	260	236	78	97	25	10	13	16	22	39	26	20
III.	LOCAL „	183	113	40	221	420	376	102	204	74	30	33	33	47	66	53	44
IV.	DEVELOPMENTAL „	80	30	9	82	144	143	41	49	26	9	12	6	10	23	12	21
V.	VIOLENT DEATHS . . .	7	5	2	6	22	11	7	3	2	—	1	1	1	3	2	1
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . . .	63	25	22	118	139	211	40	107	14	9	5	2	8	26	9	16
	2. ENTHETIC „ . . .	2	1	—	2	4	2	2	2	2	—	1	—	—	—	—	1
	3. DIETIC „ . . .	3	3	—	2	4	1	1	3	1	2	—	1	—	—	1	1
	4. PARASITIC „ . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ . . .	15	16	5	15	42	34	12	29	5	3	1	4	10	12	9	7
	2. TUBERCULAR „ . . .	62	30	27	116	218	202	66	68	20	7	12	12	12	27	17	13
III.	1. DISEASES OF NERVOUS SYSTEM . . .	50	37	20	50	100	79	27	45	24	11	6	10	13	16	9	14
	2. „ OF ORGANS OF CIRCULATION . . .	34	17	3	34	74	62	13	44	20	4	6	8	13	14	9	8
	3. „ OF RESPIRATORY ORGANS . . .	60	35	4	91	147	156	38	62	16	5	11	6	11	19	24	16
	4. „ OF DIGESTIVE ORGANS	32	17	8	30	64	51	11	38	7	3	9	9	9	14	7	5
	5. „ OF URINARY ORGANS	4	2	1	4	19	16	5	12	4	6	—	—	—	2	1	—
	6. „ OF ORGANS OF GENERATION .	2	2	1	1	6	2	3	—	1	1	—	—	—	—	—	1
	7. „ OF ORGANS OF LOCOMOTION . . .	—	1	1	6	5	6	1	2	1	—	—	—	—	1	3	—
	8. „ OF INTEGUMENTARY SYSTEM . . .	1	2	2	5	5	4	4	1	1	—	1	—	1	—	—	—
IV.	1. DEV. DIS. OF CHILDREN .	8	2	1	16	30	36	9	19	6	2	4	1	—	4	2	5
	2. „ OF ADULTS .	9	3	1	8	13	10	4	3	2	—	4	1	1	—	—	3
	3. „ OF OLD PEOPLE .	39	18	7	45	69	50	14	18	12	4	2	3	7	15	7	12
	4. DISEASES OF NUTRITION .	24	7	—	13	32	47	14	9	6	3	2	1	2	4	3	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Town Districts.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
V.	1. ACCIDENT OR NEGLIGENCE .	418	4	3	12	8	-	9	13	14	4	12	7	26	5	28
	*															
	3. HOMICIDE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	4. SUICIDE	22	-	1	1	-	1	1	-	1	-	1	2	2	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1
	CAUSES NOT SPECIFIED	73	-	-	-	4	-	2	3	3	-	1	2	6	1	5
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	117	-	-	11	3	-	1	4	5	2	4	2	11	-	8
	3. Scarlatina	249	-	1	7	2	1	-	-	2	-	7	1	31	2	2
	4. Diphtheria	96	-	-	-	-	-	1	3	4	1	2	3	6	-	2
	5. Quinsy	8	-	-	1	-	-	-	-	1	-	-	-	1	-	-
	6. Croup	115	1	-	1	7	-	3	8	9	-	1	3	7	1	3
	7. Hooping-cough	128	-	-	-	-	-	5	10	14	1	3	1	5	4	10
	8. { Typhus Fever	14	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	8. { Enteric or Typhoid Fever	144	1	1	4	1	-	3	3	5	1	3	3	3	1	7
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	14	-	-	-	2	-	-	-	-	-	-	1	1	-	3
	9. Erysipelas	26	-	-	-	-	-	1	1	-	-	-	4	-	-	2
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	12. Influenza	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	13. Dysentery	6	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	14. Diarrhoea	203	-	-	5	1	3	11	4	5	-	10	4	11	1	3
	15. Cholera	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	16. Ague	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1
	17. Remittent Fever	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	18. Rheumatism	21	-	-	2	1	-	-	1	1	-	-	-	1	2	1
	19. Other Miasmatic Diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 2.															
	1. Syphilis	15	-	-	-	-	-	-	2	-	-	-	-	1	-	-
	2. Stricture of Urethra	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	15	-	-	-	-	-	-	1	-	-	-	-	-	1	4
	3. Purpura and Scurvy	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	23	-	-	1	-	-	-	-	1	-	1	-	3	-	1
	ORDER 4.															
	1. Thrush	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
II.	1. Gout	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	2. Dropsy	26	-	-	1	1	-	-	-	2	1	1	2	-	-	-
	3. Cancer	151	2	-	3	1	1	3	4	4	1	5	8	11	2	1
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
	5. Mortification	8	-	-	-	1	1	1	-	-	-	-	-	1	-	-

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Town Districts.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
V.	1. ACCIDENT OR NEGLIGENCE .	101	-	2	4	4	1	2	3	3	-	1	2	4	2	7
	*															
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	12	-	-	-	-	-	-	-	1	-	1	-	1	1	1
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		3	-	-	-	-	-	-	1	-	-	-	-	-	-	1
CAUSES NOT SPECIFIED		52	2	-	-	6	1	4	1	1	-	-	-	6	-	3
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	138	-	-	12	3	-	2	15	9	1	7	5	6	1	14
	3. Scarlatina	255	-	1	9	1	1	-	1	-	-	1	-	50	1	5
	4. Diphtheria	97	-	-	2	-	-	2	1	2	-	2	2	7	-	8
	5. Quinsy	5	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	6. Croup	91	-	-	1	6	-	4	5	3	-	2	1	9	-	4
	7. Hooping-cough	181	-	-	-	-	-	5	6	14	3	7	7	11	3	16
	8. { Typhus Fever	14	-	-	-	-	-	-	-	-	-	1	-	5	-	1
	8. { Enteric or Typhoid Fever	166	-	1	6	1	1	3	3	3	-	10	5	11	2	8
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	13	-	-	-	2	-	1	-	-	-	-	-	2	-	4
	9. Erysipelas	26	1	-	1	-	-	2	1	1	-	2	-	3	-	3
	10. Puerperal Fever (Metria)	43	-	-	-	2	-	1	-	3	-	-	1	5	-	1
	11. Carbuncle	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	17	-	-	-	-	-	1	1	1	-	1	-	1	-	2
	14. Diarrhoea	182	1	1	4	3	1	8	9	7	2	3	4	9	5	6
	15. Cholera	10	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	16. Ague	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
	17. Remittent Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	26	1	-	1	-	-	-	2	3	-	-	1	4	-	1
	19. Other Miasmatic Diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 2.															
	1. Syphilis	24	-	-	-	-	-	-	2	3	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	3. Purpura and Scurvy	7	-	1	-	-	-	1	-	-	-	-	-	1	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	14	-	-	-	-	-	-	-	1	-	-	2	-	1	-
	ORDER 4.															
	1. Thrush	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Gout	3	-	-	-	-	-	-	1	-	-	-	-	2	-	-
	2. Dropsy	27	-	-	-	-	2	-	2	5	1	3	1	2	-	1
	3. Cancer	302	1	2	2	2	4	11	13	6	5	16	17	17	2	7
	4. Cancrum Oris (Noma)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	18	-	-	-	-	1	-	-	1	-	-	-	3	-	1

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Hadlington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	32	16	8	25	58	54	22	16	13	1	6	2	2	6	5	7
	*																
	3. HOMICIDE	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	1	2	5	-	1	-	1	2	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		5	4	1	5	11	9	-	4	2	-	-	1	1	2	-	1
I.	ORDER 1.																
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	6	-	2	13	7	16	1	9	1	1	-	-	-	5	-	5
	3. Scarlatina	10	1	5	63	8	41	2	58	-	-	1	-	2	-	-	2
	4. Diphtheria	11	9	3	9	13	16	1	5	2	-	2	-	-	-	3	-
	5. Quinsy	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	7	3	2	3	5	20	7	7	2	-	-	1	3	-	4	7
	7. Hooping-cough	6	1	2	15	12	15	1	12	1	-	-	-	-	10	-	-
	8. { Typhus Fever	-	-	-	1	-	6	3	2	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	7	4	3	5	16	35	7	15	5	-	2	1	-	1	6	1
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	4	2	-	1	-	-	-	-	-	-	-	-
	9. Erysipelas	5	2	-	1	3	1	1	1	-	1	-	-	-	1	-	2
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-
	13. Dysentery	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	14. Diarrhoea	14	8	1	27	23	30	7	16	4	3	-	2	3	2	-	5
	15. Cholera	1	-	1	1	6	1	2	3	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	1	4	1	-	2	1	1	-	-	-	1	1	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1. Syphilis	1	-	-	1	2	4	2	1	-	-	-	-	-	-	-	1
	2. Stricture of Urethra	-	-	-	1	2	1	-	-	-	1	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	2. Want of Breast Milk	1	2	3	-	-	-	-	-	-	-	-	-	-	1	-	2
	3. Purpura and Scurvy	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
	4. Alco- { a Del. Tremens	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	6	-	2	4	-	1	3	-	-	-	-	-	-	-	-
	ORDER 4.																
	1. Thrush	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-
	2. Dropsy	-	-	-	5	1	5	-	5	-	-	-	-	-	-	-	1
	3. Cancer	12	13	8	6	16	17	4	7	3	-	-	4	2	2	6	2
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	5	4	2	6	20	11	4	3	2	-	1	1	1	3	2	1
	*																
	3. HOMICIDE	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	2	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	4	2	2	1	3	5	2	1	4	-	-	-	-	2	-	2
I.	ORDER 1.																
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	4	9	16	18	1	8	-	4	-	-	-	2	-	1
	3. Scarlatina	5	2	5	46	14	56	8	38	1	-	3	-	1	1	-	5
	4. Diphtheria	15	5	4	9	9	18	-	5	1	2	-	-	1	-	2	-
	5. Quinsy	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	6. Croup	3	3	2	5	11	19	1	3	3	-	-	-	-	2	-	4
	7. Hooping-cough	12	-	2	23	19	16	4	16	-	2	1	-	2	12	-	-
	8. { Typhus Fever	-	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	5	2	5	8	29	37	4	14	-	-	-	-	1	1	6	-
	Relapsing Fever	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Simple Continued Fever	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	9. Erysipelas	2	-	-	-	4	3	2	-	-	-	-	1	-	-	-	-
	10. Puerperal Fever (Metria)	5	1	-	4	7	8	3	2	-	-	-	-	-	-	-	-
	11. Carbuncle	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	12. Influenza	1	1	-	-	1	4	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	3	1	1	2	-	-	-	-	-	1	-	2
	14. Diarrhœa	10	8	-	10	23	21	14	12	6	1	1	1	2	6	1	3
	15. Cholera	-	-	-	3	3	1	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	18. Rheumatism	2	3	-	-	-	2	-	2	1	-	-	-	1	1	-	1
	19. Other Miasmatic Diseases	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1. Syphilis	2	1	-	2	4	2	2	2	2	-	1	-	-	-	-	1
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	1	-	-	-	1	-	-	3	1	1	-	1	-	-	-	-
	3. Purpura and Scurvy	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	4. Alcho- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	2	-	2	2	-	1	-	-	-	-	-	-	-	1	1
	ORDER 4.																
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	1	-	1	1	7	-	-	-	-	-	-	-	-	-	-
	3. Cancer	13	14	5	13	39	26	12	27	5	3	1	4	10	10	9	6
	4. Cancerum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	2	1	-	1	2	1	-	2	-	-	-	-	-	2	-	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Town Districts.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
III.	ORDER 2.															
	1. Scrofula	79	-	3	-	1	-	2	3	2	-	1	1	2	1	5
	2. Tabes Mesenterica . . .	114	-	1	-	-	-	-	2	7	-	4	2	4	-	5
	3. Phthisis	688	2	5	29	5	3	15	28	12	4	18	30	38	8	38
	4. Hydrocephalus	214	2	-	3	-	-	3	4	7	-	6	2	21	1	13
III.	ORDER 1.															
	1. Cephalitis	124	-	1	4	1	-	2	8	3	1	1	5	7	1	5
	2. Apoplexy	215	3	-	7	-	1	6	12	5	3	7	13	16	-	9
	3. Paralysis	219	1	1	4	4	3	10	6	5	3	8	14	16	-	10
	4. Insanity	9	-	-	-	-	-	1	-	-	-	-	-	1	-	2
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	35	-	-	1	1	-	-	1	-	-	-	1	3	-	5
	7. Convulsions	79	-	-	1	-	-	7	4	-	3	4	1	8	1	1
	8. Brain Disease, etc. . .	120	-	-	2	1	-	2	4	7	1	3	5	10	2	3
III.	ORDER 2.															
	1. Pericarditis	15	-	-	2	-	-	-	2	-	-	1	1	-	-	-
	2. Aneurism	11	-	-	-	-	-	-	-	1	-	1	1	2	-	-
	3. Heart Disease, etc. . .	508	4	3	8	3	4	18	22	17	6	19	30	35	4	18
III.	ORDER 3.															
	1. Laryngitis	26	-	-	-	-	-	1	1	2	-	-	-	-	2	1
	2. Bronchitis	734	3	4	21	15	7	16	23	27	5	25	29	41	1	44
	3. Pleurisy	37	-	-	1	2	1	-	1	-	-	4	-	4	-	1
	4. Pneumonia	295	-	-	8	2	1	4	11	15	3	8	8	17	3	23
	5. Asthma	35	2	-	-	3	-	-	2	1	-	1	-	-	3	2
	6. Lung Disease, etc. . .	120	-	1	-	2	-	5	5	3	2	4	4	4	-	6
III.	ORDER 4.															
	1. Gastritis	33	-	-	1	-	-	2	2	-	-	1	-	2	-	1
	2. Enteritis	126	-	-	-	2	-	4	3	2	2	2	3	5	1	4
	3. Peritonitis	49	-	-	-	-	-	-	-	6	-	1	1	8	-	3
	4. Ascites	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	27	-	-	-	1	-	-	1	1	-	2	3	2	-	3
	6. Hernia	16	1	-	1	-	-	-	-	-	-	1	-	1	-	1
	7. Ileus	39	-	-	3	1	1	-	2	2	-	3	4	3	-	2
	8. Intussusception	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	10. Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. .	60	2	-	-	1	-	1	2	2	-	1	2	3	-	4
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	25	-	-	1	1	1	-	1	1	-	1	-	1	1	3
	14. Jaundice	30	-	-	-	1	-	2	-	2	2	-	-	3	-	1
	15. Liver Disease, etc. . .	43	-	-	4	-	1	-	2	1	-	2	1	2	-	2
	16. Spleen Disease, etc. . .	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	ORDER 5.															
	1. Nephritis	22	-	-	-	-	-	-	-	2	-	-	1	3	-	1
	2. Ischuria	7	-	-	-	1	-	1	-	-	-	1	1	-	-	-
	3. Bright's Disease (Nephria)	53	-	-	-	-	1	2	2	1	-	-	1	3	-	3
	4. Diabetes	14	-	-	-	-	-	1	1	1	1	1	-	-	-	2
	5. Calculus (Stone)	6	-	-	1	1	-	-	1	-	-	-	-	1	-	-
	6. Cystitis	30	-	-	2	-	-	-	5	2	-	1	-	1	-	1
	7. Kidney Disease, etc. . .	74	1	-	1	-	-	2	1	3	3	5	4	6	1	1
III.	ORDER 6.															
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc. . .	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-
III.	ORDER 7.															
	1. Synovitis (Arthritis) . .	8	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	2. Joint Disease, etc. . . .	40	-	1	4	-	1	2	1	1	-	1	-	2	1	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Town Districts.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
III.	ORDER 2.															
	1. Scrofula	78	-	1	-	1	-	-	3	1	-	1	2	6	-	2
	2. Tabes Mesenterica	98	-	2	-	-	-	-	3	-	-	3	2	7	-	4
	3. Phthisis	918	4	5	16	7	4	19	24	16	3	28	40	52	5	52
	4. Hydrocephalus	176	2	1	1	-	-	3	4	4	2	4	3	12	1	11
	ORDER 1.															
	1. Cephalitis	107	-	-	1	-	-	2	5	5	1	4	1	7	-	3
	2. Apoplexy	227	2	1	4	-	3	5	5	8	3	14	9	15	1	6
	3. Paralysis	233	3	1	7	7	2	10	5	5	3	9	15	14	3	13
	4. Insanity	21	1	-	-	-	-	2	-	-	-	-	-	3	-	1
	5. Chorea	3	-	-	-	-	-	-	1	-	1	-	-	-	-	1
	6. Epilepsy	24	-	-	1	-	1	1	-	-	-	1	-	1	-	-
	7. Convulsions	79	-	-	2	1	-	3	4	1	-	-	1	2	1	7
	8. Brain Disease, etc.	87	-	-	3	-	-	2	1	3	-	3	6	5	4	4
	ORDER 2.															
	1. Pericarditis	12	-	-	-	-	-	-	-	1	1	2	2	-	-	1
	2. Aneurism	10	-	-	-	-	-	1	-	1	-	1	1	1	-	1
	3. Heart Disease, etc.	531	1	1	13	1	4	11	16	7	2	25	29	44	9	14
	ORDER 3.															
	1. Laryngitis	25	-	-	-	1	-	-	2	2	-	-	-	2	1	-
	2. Bronchitis	745	6	6	47	14	5	15	26	27	3	27	29	44	8	35
	3. Pleurisy	19	-	-	-	1	-	-	-	1	-	-	1	2	-	2
	4. Pneumonia	230	-	-	-	-	-	7	13	11	-	6	9	23	4	14
	5. Asthma	22	-	-	2	3	1	-	2	-	-	1	-	1	-	3
	6. Lung Disease, etc.	94	-	1	-	1	1	1	1	6	1	1	5	7	-	2
	ORDER 4.															
	1. Gastritis	47	-	-	1	-	1	1	2	-	1	4	1	1	2	5
	2. Enteritis	104	-	-	2	-	-	-	4	1	2	6	5	2	-	5
	3. Peritonitis	65	-	-	1	-	1	1	3	3	-	3	1	4	-	7
	4. Ascites	7	-	-	-	-	-	-	-	1	-	1	-	-	-	1
	5. Ulceration of Intestines . .	28	-	-	-	-	-	-	5	1	-	-	2	-	-	-
	6. Hernia	15	1	-	-	1	-	-	-	-	-	-	-	1	-	1
	7. Ileus	29	-	-	-	-	-	2	-	-	1	2	2	1	1	1
	8. Intussusception	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	9. Stricture of Intestines . .	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	10. Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. . . .	62	-	2	2	4	-	2	1	-	-	2	2	3	-	7
	12. Pancreas Disease, etc. . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	24	-	-	-	-	-	1	1	-	-	1	-	3	-	3
	14. Jaundice	18	-	-	1	-	-	-	1	-	-	4	2	1	1	1
	15. Liver Disease, etc.	66	-	1	-	-	-	3	1	2	-	4	3	2	1	4
	16. Spleen Disease, etc.	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1
	ORDER 5.															
	1. Nephritis	20	-	-	2	-	-	-	1	-	-	-	-	3	-	1
	2. Ischuria	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	3. Bright's Disease (Nephria) .	57	-	1	-	-	-	2	4	1	-	1	1	7	-	1
	4. Diabetes	9	-	-	-	1	-	-	1	-	1	1	-	1	-	-
	5. Calculus (Stone)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	8	1	-	-	-	-	-	1	1	-	1	-	-	-	-
	7. Kidney Disease, etc.	26	-	1	-	-	1	-	4	-	-	1	-	4	-	1
	ORDER 6.															
	1. Ovarian Dropsy	17	-	-	-	1	1	1	2	-	-	1	-	-	1	1
	2. Uterus Disease, etc.	17	-	-	-	-	-	-	2	1	-	-	-	2	-	1
	ORDER 7.															
	1. Synovitis (Arthritis) . . .	11	-	-	-	-	-	-	2	-	1	1	-	-	-	1
	2. Joint Disease, etc.	36	-	-	-	-	-	4	1	-	-	-	1	5	1	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
III.	ORDER 2.																
	1. Scrofula	5	1	3	6	5	19	6	3	3	-	-	-	1	4	-	2
	2. Tabes Mesenterica	5	1	9	14	21	16	3	9	3	-	-	1	1	3	2	1
	3. Phthisis	45	21	14	48	117	85	15	33	8	4	3	14	10	15	13	8
	4. Hydrocephalus	10	5	6	10	43	41	7	9	4	1	2	2	5	2	3	2
	ORDER 1.																
	1. Cephalitis	8	2	4	11	17	17	4	7	1	2	-	1	3	4	3	1
	2. Apoplexy	15	4	4	15	28	34	3	12	1	2	3	2	1	3	5	1
	3. Paralysis	14	4	2	9	20	20	4	20	6	8	3	3	7	5	4	5
	4. Insanity	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	6	-	-	2	3	4	1	4	1	-	-	-	-	2	-	-
	7. Convulsions	6	5	-	3	3	14	2	6	-	2	-	-	2	2	2	-
	8. Brain Disease, etc.	11	5	1	8	21	15	5	5	3	1	-	-	3	1	1	2
	ORDER 2.																
	1. Pericarditis	2	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	28	24	10	25	65	66	11	32	11	3	5	4	9	9	11	4
	ORDER 3.																
	1. Laryngitis	4	1	-	1	7	2	1	1	-	1	-	-	-	-	1	-
	2. Bronchitis	47	16	4	60	96	112	39	54	4	4	4	2	7	11	6	7
	3. Pleurisy	-	1	-	2	5	7	3	4	1	-	-	-	-	-	-	-
	4. Pneumonia	14	6	8	15	46	45	9	11	9	6	1	8	4	3	3	4
	5. Asthma	1	-	-	1	7	3	3	2	2	-	-	-	-	2	-	-
	6. Lung Disease, etc.	8	3	1	8	20	18	5	10	2	-	1	-	2	-	1	5
	ORDER 4.																
	1. Gastritis	-	-	-	-	7	6	3	5	-	-	1	-	-	-	1	1
	2. Enteritis	15	2	-	8	17	22	9	19	-	-	1	2	-	1	2	-
	3. Peritonitis	4	1	-	3	7	8	-	3	-	-	-	2	1	1	-	-
	4. Ascites	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
5. Ulceration of Intestines	1	1	1	1	4	1	1	2	-	-	-	1	-	-	1	-	
6. Hernia	-	-	1	-	6	2	-	1	-	-	-	-	1	-	-	-	
7. Ileus	1	-	-	-	13	1	1	-	1	-	-	-	-	-	1	-	
8. Intussusception	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-	
10. Fistula	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	4	2	2	3	8	9	4	6	-	-	1	-	-	-	2	1	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	2	-	-	4	4	3	-	-	-	-	-	-	-	-	1	-	
14. Jaundice	3	-	-	-	6	4	2	1	1	-	-	-	-	1	-	1	
15. Liver Disease, etc.	-	2	1	3	3	4	4	7	-	1	1	-	1	1	-	1	
16. Spleen Disease, etc.	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-	
ORDER 5.																	
1. Nephritis	1	1	-	1	7	1	-	3	-	-	-	-	-	-	-	1	
2. Ischuria	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	
3. Bright's Disease (Nephria)	2	-	1	4	4	14	4	8	1	1	1	1	1	-	-	-	
4. Diabetes	1	-	-	1	-	3	-	1	-	-	-	1	1	-	-	-	
5. Calculus (Stone)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	2	8	1	-	3	1	-	1	-	-	-	1	1	
7. Kidney Disease, etc.	1	5	-	4	11	6	4	2	2	2	2	2	2	1	2	1	
ORDER 6.																	
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	1	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	
ORDER 7.																	
1. Synovitis (Arthritis)	-	1	-	-	3	-	1	1	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	-	1	1	3	8	6	3	-	-	1	-	-	-	-	-	-	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
III.	ORDER 2.																
	1. Scrofula	1	1	1	5	16	12	9	8	1	-	-	-	3	2	-	2
	2. Tabes Mesenterica	3	-	4	8	13	26	4	6	2	1	3	1	2	2	2	-
	3. Phthisis	51	24	20	87	155	133	39	45	15	5	7	9	6	23	13	11
	4. Hydrocephalus	7	5	2	16	34	31	14	9	2	1	2	2	1	-	2	-
	ORDER 1.																
	1. Cephalitis	10	6	3	3	22	16	1	7	2	3	-	1	2	2	-	-
	2. Apoplexy	10	8	7	20	35	27	4	17	7	1	1	3	4	3	1	3
	3. Paralysis	14	11	3	12	22	12	10	9	7	7	2	5	5	5	4	8
	4. Insanity	3	1	-	1	1	3	1	3	-	-	1	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	3	2	4	2	1	3	-	1	2	-	-	-	-	-	1	-
	7. Convulsions	7	8	-	6	8	10	5	2	3	-	2	1	-	3	1	1
	8. Brain Disease, etc.	3	1	3	6	11	8	6	6	3	-	-	-	2	3	2	2
	ORDER 2.																
	1. Pericarditis	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	34	15	3	32	72	59	13	44	20	4	6	8	13	14	9	8
	ORDER 3.																
	1. Laryngitis	-	-	-	1	6	2	1	-	1	1	-	-	2	1	2	-
	2. Bronchitis	31	28	3	68	98	94	25	48	11	1	8	2	3	11	15	7
	3. Pleurisy	3	-	-	2	3	2	-	-	-	-	1	-	-	-	1	-
	4. Pneumonia	12	5	1	15	22	36	8	10	4	2	2	4	6	6	5	5
	5. Asthma	-	-	-	1	4	-	1	2	-	-	-	-	-	-	1	-
	6. Lung Disease, etc.	14	2	-	4	14	22	3	2	-	1	-	-	-	1	-	4
	ORDER 4.																
	1. Gastritis	3	2	1	4	6	4	-	4	-	-	-	2	1	-	1	-
	2. Enteritis	6	4	-	3	20	18	5	12	2	-	2	1	-	2	2	-
	3. Peritonitis	5	2	1	6	4	6	2	6	-	1	2	1	2	2	-	1
	4. Ascites	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	2	2	-	5	5	1	-	1	-	-	-	1	1	-	2	1
	6. Hernia	1	2	-	3	2	1	-	1	-	-	-	1	-	-	-	-
	7. Ileus	2	2	1	-	3	3	-	1	1	-	1	-	2	1	-	2
	8. Intussusception	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-
	9. Stricture of Intestines	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	5	-	-	2	7	7	1	4	3	1	1	-	2	1	2	1
	12. Pancreas Disease, etc.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	3	3	-	2	4	1	1	-	-	-	1	-	-	-	-	-
	14. Jaundice	-	-	-	-	2	5	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	3	-	3	4	8	5	2	7	1	1	1	2	1	7	-	-
	16. Spleen Disease, etc.	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
	ORDER 5.																
	1. Nephritis	-	-	-	1	2	7	1	1	-	-	-	-	-	1	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	3	2	-	-	12	6	3	8	2	3	-	-	-	1	-	-
	4. Diabetes	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	6. Cystitis	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc.	-	-	1	1	3	1	1	2	1	3	-	-	-	-	1	-
	ORDER 6.																
	1. Ovarian Dropsy	1	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	1	1	-	-	3	1	2	-	1	1	-	-	-	-	-	1
	ORDER 7.																
	1. Synovitis (Arthritis)	-	-	-	1	3	-	-	-	-	-	-	-	-	1	1	-
	2. Joint Disease, etc.	-	1	1	5	2	6	1	2	1	-	-	-	-	-	2	-

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Town Districts.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
IV.	ORDER 8.															
	1. Phlegmon	28	-	-	-	-	-	1	1	1	-	-	-	3	-	-
	2. Ulcer	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	10	-	-	-	1	-	-	1	-	-	1	1	1	-	1
	ORDER 1.															
	1. Premature Birth	207	-	-	2	-	3	5	11	2	1	9	7	19	2	12
	2. Cyanosis	22	-	-	-	-	-	-	-	-	-	1	-	1	-	2
	3. Spina Bifida	12	-	-	-	-	-	-	-	-	-	2	1	-	-	3
	4. Other Malformations . .	21	-	-	-	-	-	1	2	-	-	1	-	1	-	-
	5. Teething	53	-	1	2	-	1	5	4	-	1	2	1	2	-	6
V.	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	303	3	7	10	5	8	15	18	8	3	13	13	21	3	19
	ORDER 4.															
	1. Atrophy and Debility . .	300	1	-	11	-	2	7	8	3	2	7	12	16	1	16
	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions .	191	2	2	6	1	-	7	5	4	2	4	7	10	4	10
	2. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	35	-	-	1	-	-	-	1	2	-	1	-	1	-	4
	5. Poison	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	6. Drowning	140	2	1	3	7	-	2	5	4	2	4	-	14	-	7
	7. Suffocation	17	-	-	1	-	-	-	1	-	-	-	-	1	1	3
	8. Otherwise	30	-	-	1	-	-	-	1	4	-	1	-	-	-	4
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter .	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	6	-	1	-	-	-	1	-	-	-	-	1	-	-	-
	3. Poison	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	4. Drowning	7	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	5. Hanging	5	-	-	1	-	1	-	-	-	-	1	-	1	-	-
	6. Otherwise and undefined .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1
	Causes not specified or ill-defined	73	-	-	-	4	-	2	3	3	-	1	2	6	1	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Small Town Districts.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
IV.	ORDER 8.															
	1. Phlegmon	23	1	-	1	-	-	1	2	-	1	1	1	-	-	-
	2. Ulcer	14	-	1	-	-	-	1	-	1	-	-	1	1	-	2
	3. Skin Disease, etc.	11	-	-	-	2	-	-	-	-	-	-	-	1	-	3
	ORDER 1.															
	1. Premature Birth	132	-	-	1	-	1	2	2	5	-	7	2	8	-	9
	2. Cyanosis	7	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	3. Spina Bifida	12	-	-	-	-	-	-	1	1	-	-	1	-	-	1
	4. Other Malformations	19	-	-	-	-	-	2	1	1	-	1	-	2	1	-
	5. Teething	45	-	-	1	1	-	3	3	2	-	1	-	5	-	3
V.	ORDER 2.															
	1. Paramenia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	96	1	-	2	2	1	2	4	6	2	3	-	3	-	10
	ORDER 3.															
	1. Old Age	566	6	7	21	13	7	13	33	13	8	21	30	47	1	24
	ORDER 4.															
	1. Atrophy and Debility	251	1	4	9	-	2	6	9	1	1	12	7	18	2	11
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	32	-	1	-	3	-	1	2	2	-	-	-	3	1	3
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	14	-	-	-	1	1	-	-	-	-	-	-	-	-	1
	5. Poison	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	21	-	-	2	-	-	-	-	-	-	-	-	-	-	1
	7. Suffocation	22	-	1	2	-	-	1	1	1	-	1	2	1	1	1
	8. Otherwise	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	3. Poison	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	4. Drowning	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	5. Hanging	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		3	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Causes not specified or ill-defined		52	2	-	-	6	1	4	1	1	-	-	-	6	-	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
IV.	ORDER 8.																
	1. Phlegmon	1	-	3	5	4	2	4	-	1	-	-	-	2	-	-	-
	2. Ulcer	2	-	-	-	-	1	1	3	-	-	-	-	1	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1
	ORDER 1.																
	1. Premature Birth	12	4	4	16	37	23	2	14	4	1	3	1	2	4	5	2
	2. Cyanosis	-	-	-	2	9	3	-	2	-	-	2	-	-	-	-	-
	3. Spina Bifida	1	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-
	4. Other Malformations	1	1	1	1	2	4	1	2	1	-	1	-	-	-	-	1
	5. Teething	4	-	-	5	7	7	-	1	1	2	1	-	-	-	-	-
V.	ORDER 2.																
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Old Age	19	13	2	12	36	34	5	11	4	2	1	3	2	3	2	8
	ORDER 4.																
	1. Atrophy and Debility	23	6	3	26	42	49	20	21	7	1	1	2	2	8	2	1
	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions	11	3	4	13	33	30	12	6	7	-	-	-	2	2	1	3
	2. Gunshot Wounds	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	1	-	-	1	10	6	4	1	1	-	1	-	-	-	-	-
	5. Poison	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	18	11	3	9	9	8	5	5	4	1	3	2	-	4	4	3
	7. Suffocation	1	-	1	-	1	6	-	1	-	-	-	-	-	-	-	-
	8. Otherwise	1	2	-	1	4	3	1	3	1	-	2	-	-	-	-	1
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	3. Poison	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	ORDER 5.																
	(Execution.)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		5	4	1	5	11	9	-	4	2	-	-	1	1	2	-	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
IV.	ORDER 8.																
	1. Phlegmon	—	1	2	4	3	2	2	—	—	—	—	—	1	—	—	—
	2. Ulcer	1	—	—	—	1	1	2	—	1	—	1	—	—	—	—	—
	3. Skin Disease, etc., . . .	—	1	—	1	1	1	—	1	—	—	—	—	—	—	—	—
	ORDER 1.																
	1. Premature Birth	7	—	1	9	19	22	8	13	4	—	4	1	—	3	2	2
	2. Cyanosis	—	—	—	1	1	2	—	1	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	2	2	2	—	2	—	—	—	—	—	—	—	—
	4. Other Malformations . . .	—	1	—	—	3	1	1	1	1	—	—	—	—	—	—	3
	5. Teething	1	1	—	4	5	9	—	2	1	2	—	—	—	1	—	—
V.	ORDER 2.																
	1. Paramenia	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	8	3	1	8	13	10	4	3	1	—	4	1	1	—	—	3
	ORDER 3.																
	1. Old Age	39	18	7	45	69	50	14	18	12	4	2	3	7	15	7	12
	ORDER 4.																
	1. Atrophy and Debility . .	24	7	—	13	32	47	14	9	6	3	2	1	2	4	3	1
	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions .	—	2	1	—	3	2	3	—	1	—	1	1	1	1	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	2	—	—	1	5	1	—	—	—	—	—	—	—	—	2	—
	5. Poison	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—
	6. Drowning	3	—	—	4	7	2	—	1	—	—	—	—	—	—	—	1
	7. Suffocation	—	1	—	1	2	4	1	1	—	—	—	—	—	—	—	—
	8. Otherwise	—	—	1	—	3	—	—	1	—	—	—	—	—	1	—	—
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	1	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
	5. Hanging	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.																
	(Execution.)																
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		4	2	2	1	3	5	2	1	4	—	—	—	—	2	—	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.—MALES.

Class.	CAUSES OF DEATH.	Total Main-land-Rural Districts.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackman-nan.
	All Causes	7644	153	164	397	203	19	202	218	815	236	274	533	465	64	61
	Specified Causes	7492	150	155	385	199	18	195	217	802	235	268	521	460	64	61
	(CLASSES.)															
I.	ZYMOTIC DISEASES	993	18	21	43	24	5	28	28	119	40	33	57	64	8	14
II.	CONSTITUTIONAL „	1250	29	28	44	30	1	43	35	129	24	38	77	66	8	7
III.	LOCAL „	3545	61	45	194	77	6	87	114	388	111	125	236	229	38	22
IV.	DEVELOPMENTAL „	1225	36	53	84	53	5	27	27	116	34	42	123	70	8	10
V.	VIOLENT DEATHS . .	479	6	8	20	15	1	10	13	50	26	30	28	31	2	8
	(ORDERS.)															
I.	1. Miasmatic Diseases . .	930	17	21	40	23	5	27	28	114	38	31	53	60	8	14
	2. Enthetic „ . .	22	1	-	3	-	-	1	-	1	-	-	2	2	-	-
	3. Dietic „ . .	38	-	-	-	1	-	-	-	4	1	1	2	2	-	-
	4. Parasitic „ . .	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-
II.	1. Diathetic „ . .	280	8	11	10	10	1	8	12	27	14	5	21	21	3	-
	2. Tubercular „ . .	970	21	17	34	20	-	35	23	102	10	33	56	45	5	7
III.	1. Diseases of Nervous System . .	793	6	11	41	14	1	17	20	80	26	30	63	63	10	7
	2. „ of Organs of Circulation	609	9	5	27	15	-	20	15	56	19	16	48	49	7	2
	3. „ of Respiratory Organs . .	1179	19	20	68	20	2	24	39	122	45	44	63	74	10	8
	4. „ of Digestive Organs	556	10	7	27	19	1	15	20	58	17	23	34	28	7	3
	5. „ of Urinary Organs	289	9	1	25	5	-	9	12	55	4	8	22	13	3	1
	6. „ of Organs of Generation .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. „ of Organs of Locomotion . .	55	3	1	3	-	1	-	3	6	-	3	4	1	1	-
	8. „ of Integumentary System . .	63	5	-	3	4	1	2	5	11	-	1	2	1	-	1
IV.	1. Dev. Dis. of Children .	237	1	5	4	2	1	8	3	23	6	11	24	12	2	2
	2. „ of Adults . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ of Old People .	717	29	47	76	43	3	14	19	57	21	22	82	43	5	2
	4. Diseases of Nutrition .	271	6	1	4	8	1	5	5	36	7	9	17	15	1	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.—FEMALES.

Class.	CAUSES OF DEATH.	Total Main-land-Rural Districts.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	All Causes	7792	148	179	438	208	24	181	244	859	211	259	542	535	74	46
	Specified Causes	7646	145	167	420	200	22	176	240	844	207	257	528	530	73	46
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1036	20	23	48	19	1	22	29	128	27	35	59	80	12	15
II.	CONSTITUTIONAL „	1483	26	36	85	32	3	32	44	153	35	49	87	95	12	8
III.	LOCAL „	3442	58	52	165	77	9	76	116	403	109	118	254	224	41	18
IV.	DEVELOPMENTAL „	1527	33	55	116	70	7	43	43	141	31	50	118	121	8	4
V.	VIOLENT DEATHS . .	158	8	1	6	2	2	3	8	19	5	5	10	10	—	1
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1004	19	23	47	18	1	21	28	125	27	35	55	76	12	15
	2. ENTHETIC „ . .	9	—	—	—	—	—	—	—	—	—	—	1	3	—	—
	3. DIETIC „ . .	19	1	—	1	1	—	1	1	2	—	—	3	1	—	—
	4. PARASITIC „ . .	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—
II.	1. DIATHETIC „ . .	422	11	12	39	11	2	6	15	47	10	16	34	29	3	2
	2. TUBERCULAR „ . .	1061	15	24	46	21	1	26	29	106	25	33	53	66	9	6
III.	1. DISEASES OF NERVOUS SYSTEM . .	826	14	13	41	20	1	25	24	100	30	31	63	66	10	3
	2. „ OF ORGANS OF CIRCULATION . .	682	8	10	24	17	1	17	21	67	26	24	50	49	7	2
	3. „ OF RESPIRATORY ORGANS	1113	20	16	63	21	5	20	29	137	40	38	78	65	14	8
	4. „ OF DIGESTIVE ORGANS	542	11	8	30	15	1	10	20	60	6	14	41	26	7	4
	5. „ OF URINARY ORGANS	133	2	4	4	2	—	1	9	18	4	5	9	8	1	1
	6. „ OF ORGANS OF GENERATION .	57	1	—	—	—	—	1	5	7	2	6	6	2	1	—
	7. „ OF ORGANS OF LOCOMOTION .	38	1	—	—	2	—	—	3	7	—	—	2	4	1	—
	8. „ OF INTEGUMENTARY SYSTEM . .	51	1	1	3	—	1	2	5	7	1	—	5	4	—	—
IV.	1. DEV. DIS. OF CHILDREN .	204	4	1	1	4	1	10	6	24	1	9	12	8	2	1
	2. „ OF ADULTS . .	95	1	1	3	2	—	3	4	13	3	3	7	10	1	—
	3. „ OF OLD PEOPLE .	1024	28	47	105	61	6	26	23	81	22	29	92	92	5	3
	4. DISEASES OF NUTRITION .	204	—	6	7	3	—	4	10	23	5	9	7	11	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	367	157	312	134	504	620	107	377	130	178	24	17	192	346	186	189
	Specified Causes	359	151	299	132	501	610	106	373	126	174	23	17	188	338	180	185
	(CLASSES.)																
I.	ZYMOTIC DISEASES	53	22	36	21	57	96	13	55	13	23	3	—	21	45	12	21
II.	CONSTITUTIONAL „	48	26	52	20	116	105	22	59	23	29	4	1	32	74	40	40
III.	LOCAL „	183	62	128	62	226	300	49	187	66	83	14	12	94	158	97	91
IV.	DEVELOPMENTAL „	52	25	64	20	72	73	11	48	18	26	2	2	32	45	20	27
V.	VIOLENT DEATHS . . .	23	16	19	9	30	36	11	24	6	13	—	2	9	16	11	6
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . . .	50	21	32	19	54	91	12	46	12	23	3	—	19	40	12	17
	2. ENTHETIC „ . . .	1	—	2	—	1	2	—	3	—	—	—	—	—	2	—	1
	3. DIETIC „ . . .	2	1	2	2	2	2	1	6	1	—	—	—	2	3	—	3
	4. PARASITIC „ . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ . . .	9	4	9	3	14	20	2	8	8	8	3	—	8	15	8	10
	2. TUBERCULAR „ . . .	39	22	43	17	102	85	20	51	15	21	1	1	24	59	32	30
III.	1. DISEASES OF NERVOUS SYSTEM . . .	40	10	34	17	45	61	3	41	13	20	—	1	28	41	28	22
	2. „ OF ORGANS OF CIRCULATION . . .	28	7	24	11	44	33	13	42	18	22	3	1	18	26	19	12
	3. „ OF RESPIRATORY ORGANS . . .	70	29	26	18	65	133	20	71	21	21	6	8	30	46	24	33
	4. „ OF DIGESTIVE ORGANS	29	8	26	10	48	46	10	19	10	16	4	1	9	22	12	17
	5. „ OF URINARY ORGANS	9	6	9	5	20	18	3	10	1	2	1	—	8	15	8	7
	6. „ OF ORGANS OF GENERATION .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . . .	6	—	3	1	2	6	—	2	2	1	—	—	—	4	2	—
	8. „ OF INTEGUMENTARY SYSTEM . . .	1	2	6	—	2	2	—	2	1	1	—	1	1	4	4	—
IV.	1. DEV. DIS. OF CHILDREN .	11	5	6	4	24	18	2	18	4	11	—	1	9	14	4	2
	2. „ OF ADULTS . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE .	19	15	50	11	19	28	5	19	8	13	2	1	12	18	13	21
	4. DISEASES OF NUTRITION .	22	5	8	5	29	27	4	11	6	2	—	—	11	13	3	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Hadlington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	356	146	296	152	456	539	113	372	159	203	35	17	202	352	216	230
	Specified Causes	354	141	286	151	452	535	111	371	153	202	33	17	201	347	214	223
	(CLASSES.)																
I.	ZYMOTIC DISEASES	64	17	26	28	61	89	23	61	19	22	7	1	27	43	19	11
II.	CONSTITUTIONAL „	78	24	54	22	105	117	19	68	24	44	7	3	43	66	61	51
III.	LOCAL „	132	57	117	68	206	238	48	180	75	96	16	9	96	174	98	112
IV.	DEVELOPMENTAL „	66	38	79	31	73	80	17	54	33	38	3	4	30	62	32	47
V.	VIOLENT DEATHS . .	14	5	10	2	7	11	4	8	2	2	-	-	5	2	4	2
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . .	61	17	25	26	61	88	23	55	18	22	7	1	27	42	19	10
	2. ENTHETIC „ . .	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-
	3. DIETIC „ . .	2	-	1	1	-	1	-	2	-	-	-	-	-	1	-	-
	4. PARASITIC „ . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
II.	1. DIATHETIC „ . .	15	2	10	2	21	28	4	19	7	17	2	-	12	14	18	14
	2. TUBERCULAR „ . .	63	22	44	20	84	89	15	49	17	27	5	3	31	52	43	37
III.	1. DISEASES OF NERVOUS SYSTEM . .	35	10	29	12	37	56	10	50	15	27	4	-	20	39	20	21
	2. „ OF ORGANS OF CIRCULATION . .	27	10	21	16	44	35	5	33	22	20	7	-	21	48	26	24
	3. „ OF RESPIRATORY ORGANS . .	42	22	30	18	74	83	21	62	21	24	4	4	29	50	32	43
	4. „ OF DIGESTIVE ORGANS	22	9	24	16	37	49	7	27	12	20	1	1	13	27	11	13
	5. „ OF URINARY ORGANS	4	1	7	2	8	5	3	7	2	4	-	-	9	6	4	3
	6. „ OF ORGANS OF GENERATION .	2	-	3	2	3	1	-	-	-	1	-	3	4	1	1	5
	7. „ OF ORGANS OF LOCOMOTION . .	-	3	-	1	2	2	1	-	2	-	-	1	-	2	2	2
	8. „ OF INTEGUMENTARY SYSTEM . .	-	2	3	1	1	7	1	1	1	-	-	-	-	1	2	1
IV.	1. DEV. DIS. OF CHILDREN .	10	12	5	4	17	14	4	16	2	7	1	-	7	13	4	4
	2. „ OF ADULTS . .	2	3	6	3	1	6	-	5	2	2	1	-	1	9	1	2
	3. „ OF OLD PEOPLE .	33	17	64	16	38	38	9	27	24	23	1	4	16	35	25	34
	4. DISEASES OF NUTRITION .	21	6	4	8	17	22	4	6	5	6	-	-	6	5	2	7

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Main-land Rural Districts.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
V.	1. ACCIDENT OR NEGLIGENCE .	444	6	8	19	14	1	10	10	49	22	26	26	23	2	8
	*															
	3. HOMICIDE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	4. SUICIDE	33	-	-	1	1	-	-	3	1	3	4	2	2	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		5	-	-	1	-	-	-	-	3	-	-	-	-	-	-
CAUSES NOT SPECIFIED		147	3	9	11	4	1	7	1	10	1	6	12	5	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	82	2	-	3	1	-	3	2	13	10	3	5	11	-	-
	3. Scarlatina	105	-	5	4	1	1	6	-	6	-	5	3	22	3	5
	4. Diphtheria	93	1	2	9	2	-	1	6	13	1	1	8	6	-	-
	5. Quinsy	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	6. Croup	99	2	1	3	-	-	6	4	10	-	-	5	5	-	2
	7. Hooping-cough	118	1	2	-	6	-	1	2	26	11	5	6	-	3	3
	8. { Typhus Fever	7	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	146	5	6	6	2	1	3	5	15	9	1	12	4	2	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	9. Erysipelas	26	1	1	2	2	-	2	2	4	-	3	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	5	-	-	-	-	-	-	-	1	-	1	-	1	-	-
	12. Influenza	11	1	1	-	1	-	-	-	2	1	-	-	-	-	-
	13. Dysentery	12	-	-	-	-	-	-	1	2	-	1	-	-	-	-
	14. Diarrhoea	149	2	1	6	2	1	3	4	14	5	9	9	8	-	3
	15. Cholera	10	-	-	1	-	-	-	1	3	-	-	-	-	-	1
	16. Ague	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	7	-	-	-	-	-	1	-	-	-	-	3	-	-	-
	18. Rheumatism	42	2	-	6	4	1	-	1	4	1	1	2	2	-	-
	19. Other Miasmatic Diseases	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	16	1	-	3	-	-	-	-	1	-	-	1	1	-	-
	2. Stricture of Urethra	6	-	-	-	-	-	1	-	-	-	-	1	1	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	8	-	-	-	1	-	-	-	1	-	1	1	-	-	-
	4. Alco- { a Del. Tremens	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	4. holism { b Intemperance	18	-	-	-	-	-	-	-	3	1	-	-	1	-	-
	ORDER 4.															
	1. Thrush	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	39	-	1	2	2	-	-	1	1	1	2	8	4	-	-
	3. Cancer	214	6	10	7	6	1	6	11	23	12	3	12	16	3	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	26	2	-	1	2	-	2	-	3	1	-	1	1	-	-

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Main-land-Rural Districts.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
V.	1. ACCIDENT OR NEGLIGENCE .	141	8	1	6	1	1	3	7	18	5	3	10	7	-	1
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	17	-	-	-	1	1	-	1	1	-	2	-	3	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	5	-	1	-	-	-	-	-	1	-	-	1	-	1	-
	CAUSES NOT SPECIFIED	141	3	11	18	8	2	5	4	14	4	2	13	5	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	85	3	-	2	1	-	3	7	13	7	4	6	8	1	-
	3. Scarlatina	112	1	9	2	1	1	4	-	10	-	4	2	24	4	7
	4. Diphtheria	123	2	1	7	1	-	-	5	22	2	5	8	11	-	-
	5. Quinsy	6	-	2	2	-	-	-	-	-	-	1	-	-	-	-
	6. Croup	78	-	1	1	-	-	4	1	6	1	1	6	6	-	-
	7. Hooping-cough	142	-	1	1	4	-	1	4	26	6	3	8	3	-	3
	8. { Typhus Fever	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	131	4	5	4	4	-	3	4	14	5	1	10	6	2	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	14	-	-	1	1	-	-	-	1	-	2	-	1	-	1
	9. Erysipelas	36	1	-	9	1	-	-	-	3	1	1	3	3	-	1
	10. Puerperal Fever (Metria)	38	2	-	1	-	-	1	-	5	-	3	1	3	-	-
	11. Carbuncle	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	7	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	13. Dysentery	20	-	-	-	-	-	1	-	6	-	2	2	1	2	-
	14. Diarrhoea	129	2	2	10	2	-	1	3	14	5	7	6	6	2	2
	15. Cholera	9	-	-	-	-	-	-	1	-	-	-	-	-	1	-
	16. Ague	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	17. Remittent Fever	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	61	4	2	6	2	-	3	-	5	-	1	2	3	-	1
	19. Other Miasmatic Diseases	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	ORDER 2.															
	1. Syphilis	9	-	-	-	-	-	-	-	-	-	-	1	3	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	6	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	11	1	-	-	-	-	1	1	2	-	-	1	1	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ORDER 4.															
	1. Thrush	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2. Worms, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	56	-	3	5	4	-	-	1	2	1	4	2	8	-	1
	3. Cancer	344	11	8	29	6	2	6	13	45	9	12	29	21	3	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	20	-	1	5	1	-	-	1	-	-	-	3	-	-	1

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	22	16	18	9	29	36	9	21	5	12	-	2	6	13	11	6
	*																
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	1	-	1	-	2	3	1	1	-	-	3	3	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		7	6	13	2	3	10	1	4	4	4	1	-	4	8	6	4
I.	ORDER 1.																
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	6	-	1	3	5	5	-	-	-	1	-	-	1	4	2	1
	3. Scarlatina	1	5	2	2	6	9	1	3	3	3	-	-	1	5	1	2
	4. Diphtheria	4	1	4	-	5	10	-	4	-	2	2	-	3	7	1	-
	5. Quinsy	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	5	3	6	1	11	12	3	2	-	5	-	-	5	4	-	4
	7. Hooping-cough	10	2	5	-	2	12	4	5	1	1	-	-	1	7	1	1
	8. { Typhus Fever	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
	8. { Enteric or Typhoid Fever	3	2	2	3	6	25	2	12	3	2	1	-	-	6	2	6
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1
	9. Erysipelas	-	-	1	-	2	2	-	1	-	1	-	-	1	1	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	12. Influenza	1	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-
	13. Dysentery	2	-	-	-	2	1	-	-	-	-	-	-	1	1	-	-
	14. Diarrhoea	15	7	5	7	7	7	2	13	3	6	-	-	2	4	3	1
	15. Cholera	1	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	18. Rheumatism	-	-	3	1	3	4	-	2	-	1	-	-	1	1	1	1
	19. Other Miasmatic Diseases	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1. Syphilis	-	-	1	-	1	1	-	3	-	-	-	-	-	2	-	1
	2. Stricture of Urethra	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	2	-	-	-	-	1	2	-	-
	3. Purpura and Scurvy	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1
	4. Alco- { a Del. Tremens	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	1	-	1	2	1	-	1	3	1	-	-	-	1	-	-	2
	ORDER 4.																
	1. Thrush	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																
	1. Gout	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	1	1	1	-	1	8	1	2	-	-	-	-	-	1	-	1
	3. Cancer	8	3	6	3	10	12	1	6	7	7	2	-	7	13	8	5
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	1	-	3	-	-	-	1	1	1	-	1	1	-	4

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	14	5	8	2	7	8	4	7	2	1	-	-	5	2	4	1
	* .																
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	2	-	-	3	-	1	-	1	-	-	-	-	-	1
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	2	5	9	1	4	4	2	1	6	1	2	-	1	5	2	7
I.	ORDER 1.																
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	5	1	-	6	5	3	-	2	2	1	-	-	-	3	1	1
	3. Scarlatina	2	1	-	3	4	9	4	5	2	-	-	-	3	2	7	1
	4. Diphtheria	3	-	4	2	11	15	2	1	1	3	3	-	5	5	-	4
	5. Quinsy	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	6. Croup	2	2	4	4	8	13	3	4	-	-	-	-	3	5	2	1
	7. Hooping-cough	23	6	5	3	4	5	5	7	4	5	-	-	3	11	1	-
	8. { Typhus Fever	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-
	8. { Enteric or Typhoid Fever	10	1	2	1	7	16	1	15	2	2	-	-	2	6	3	1
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	1	-	-	-	2	2	1	-	-	-	-	1	-	-	-	-
	9. Erysipelas	1	-	1	-	2	2	1	1	1	1	-	-	2	1	-	-
	10. Puerperal Fever (Metria)	2	2	2	3	-	4	-	2	1	1	1	-	1	2	1	-
	11. Carbuncle	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	1	-	-	-	1	-	-	-	1	1	-	-	-	1	-	1
	14. Diarrhœa	7	3	1	3	12	9	4	10	1	5	2	-	3	2	4	1
	15. Cholera	1	-	-	-	1	2	-	2	-	-	-	-	1	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
	18. Rheumatism	1	1	3	1	2	7	-	6	3	1	1	-	3	3	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1. Syphilis	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-
	3. Purpura and Scurvy	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																
	1. Thrush	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
II.	ORDER 1.																
	1. Gout	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	2. Dropsy	3	1	1	1	2	4	-	2	-	3	-	-	2	-	3	3
	3. Cancer	11	1	9	1	19	22	4	15	7	13	2	-	10	12	14	10
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	-	-	2	-	2	-	-	-	-	-	2	-	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Main-land-Rural Districts.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
III.	ORDER 2.															
	1. Scrofula	64	1	—	4	3	—	—	1	5	—	2	1	2	1	1
	2. Tabes Mesenterica	72	—	—	1	1	—	1	1	2	—	2	2	3	—	—
	3. Phthisis	692	17	15	25	15	—	31	16	85	9	25	46	35	3	5
	4. Hydrocephalus	142	3	2	4	1	—	3	5	10	1	4	7	5	—	1
	ORDER 1.															
	1. Cephalitis	92	—	2	7	3	—	2	2	13	3	4	5	3	1	2
	2. Apoplexy	227	2	2	7	3	—	3	2	23	12	9	24	25	2	2
	3. Paralysis	226	3	6	18	4	—	4	11	19	5	9	20	19	2	—
	4. Insanity	14	—	—	—	—	—	—	1	—	—	—	1	2	—	—
	5. Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	27	1	—	3	—	1	2	—	2	—	—	1	1	1	—
	7. Convulsions	83	—	1	3	2	—	4	1	8	3	4	4	6	—	3
	8. Brain Disease, etc.	123	—	—	3	2	—	2	3	15	3	4	8	7	4	—
	ORDER 2.															
	1. Pericarditis	16	1	—	—	—	—	—	—	2	—	—	1	1	—	—
	2. Aneurism	17	1	—	—	—	—	—	2	1	—	—	3	3	—	—
	3. Heart Disease, etc.	576	7	5	27	15	—	20	13	53	19	16	44	45	7	2
	ORDER 3.															
	1. Laryngitis	26	—	—	2	—	—	—	—	—	1	—	4	1	—	—
	2. Bronchitis	658	12	12	31	10	1	16	29	59	18	36	34	54	1	6
	3. Pleurisy	39	—	—	1	1	—	—	—	6	2	1	—	1	1	—
	4. Pneumonia	318	2	5	22	6	—	7	6	38	18	5	20	12	7	1
	5. Asthma	48	1	1	4	3	—	—	—	6	1	—	1	3	—	1
	6. Lung Disease, etc.	90	1	2	8	—	1	1	4	13	5	2	4	3	1	—
	ORDER 4.															
	1. Gastritis	38	—	1	3	—	—	1	2	5	—	—	4	—	1	—
	2. Enteritis	100	—	3	5	4	—	2	7	10	2	—	5	7	1	2
	3. Peritonitis	70	2	—	4	4	1	2	1	8	3	2	4	2	—	—
	4. Ascites	7	—	—	—	—	—	—	1	2	—	—	—	—	—	—
	5. Ulceration of Intestines	40	1	—	1	1	—	4	2	6	2	3	4	2	—	—
	6. Hernia	18	—	1	—	—	—	—	—	2	—	—	1	1	—	—
	7. Ileus	56	—	—	3	2	—	1	3	7	2	2	3	5	1	1
	8. Intussusception	11	—	—	—	—	—	2	—	1	3	—	—	—	1	—
	9. Stricture of Intestines	9	—	—	1	1	—	—	2	1	—	—	—	1	—	—
	10. Fistula	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	11. Stomach Disease, etc.	67	3	1	4	2	—	1	1	3	—	4	7	2	1	—
	12. Pancreas Disease, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	30	—	1	1	1	—	—	—	2	—	2	—	—	—	—
	14. Jaundice	23	—	—	2	2	—	—	—	4	1	3	4	1	1	—
	15. Liver Disease, etc.	77	4	—	3	2	—	2	1	6	4	6	1	7	—	—
	16. Spleen Disease, etc.	6	—	—	—	—	—	—	—	—	—	1	—	—	1	—
	ORDER 5.															
	1. Nephritis	28	1	—	2	1	—	1	1	2	—	2	6	2	—	—
	2. Ischuria	13	—	—	—	1	—	—	—	3	—	—	1	1	—	—
	3. Bright's Disease (Nephria)	65	1	—	6	1	—	2	3	10	1	1	3	4	1	—
	4. Diabetes	36	1	—	5	—	—	2	—	5	1	1	1	2	—	—
	5. Calculus (Stone)	15	2	1	2	—	—	—	2	5	—	—	—	—	—	—
	6. Cystitis	47	3	—	1	—	—	—	1	10	1	1	5	2	2	—
	7. Kidney Disease, etc.	85	1	—	9	2	—	4	5	20	1	3	6	2	—	1
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	12	—	—	—	—	—	—	—	1	—	1	1	—	—	—
	2. Joint Disease, etc.	43	3	1	3	—	1	—	3	5	—	2	3	1	1	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Main-land-Rural Districts.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
III.	ORDER 2.															
	1. Scrofula	56	—	1	1	3	—	1	2	12	—	2	4	3	3	—
	2. Tabes Mesenterica	69	2	—	2	—	—	—	1	1	—	3	3	4	1	1
	3. Phthisis	795	11	21	40	18	1	21	22	78	22	25	36	48	5	4
	4. Hydrocephalus	141	2	2	3	—	—	4	4	15	3	3	10	11	—	1
	ORDER 1.															
	1. Cephalitis	103	2	1	6	3	—	2	2	12	5	7	8	12	1	—
	2. Apoplexy	225	1	—	7	5	1	4	6	27	9	9	21	13	4	3
	3. Paralysis	270	8	8	16	9	—	15	9	32	11	9	20	27	2	—
	4. Insanity	22	—	—	1	1	—	—	—	—	—	—	—	2	—	—
	5. Chorea	6	—	—	1	—	—	—	1	1	—	—	—	—	—	—
	6. Epilepsy	28	1	2	1	1	—	—	1	3	—	1	3	2	—	—
	7. Convulsions	61	—	1	3	—	—	2	1	6	2	2	2	1	1	—
	8. Brain Disease, etc. . . .	111	2	1	6	1	—	2	4	19	2	3	9	9	—	—
	ORDER 2.															
	1. Pericarditis	15	—	—	1	—	—	—	1	6	—	—	1	—	—	—
	2. Aneurism	11	—	—	1	2	—	—	—	1	—	1	1	2	—	—
	3. Heart Disease, etc. . . .	656	8	10	22	15	1	17	20	60	26	23	48	47	7	2
	ORDER 3.															
	1. Laryngitis	14	—	—	—	—	—	—	—	1	1	—	3	2	—	—
	2. Bronchitis	708	15	8	47	16	4	11	21	92	23	37	50	43	8	6
	3. Pleurisy	22	1	—	—	—	—	1	1	5	1	—	—	—	1	—
	4. Pneumonia	246	1	1	5	2	—	8	7	30	10	—	14	15	3	2
	5. Asthma	44	3	7	9	2	—	—	—	4	—	1	2	1	1	—
	6. Lung Disease, etc. . . .	79	—	—	2	1	1	—	—	5	5	—	9	4	1	—
	ORDER 4.															
	1. Gastritis	34	2	—	3	1	—	1	—	3	—	1	3	2	1	—
	2. Enteritis	102	1	1	3	—	—	1	8	13	2	2	5	6	2	—
	3. Peritonitis	89	3	1	4	1	—	2	3	10	1	3	6	5	3	2
	4. Ascites	8	—	1	—	—	—	1	1	1	—	—	—	1	—	—
	5. Ulceration of Intestines	24	—	—	—	1	—	1	1	4	1	1	2	—	—	—
	6. Hernia	19	2	1	—	—	—	—	—	2	—	1	3	1	—	—
	7. Ileus	32	—	—	3	1	—	1	—	3	1	—	4	1	—	—
	8. Intussusception	7	—	—	—	—	—	—	—	2	—	1	—	—	—	—
	9. Stricture of Intestines	6	—	—	1	1	—	—	—	1	—	—	—	—	—	—
	10. Fistula	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—
	11. Stomach Disease, etc. . . .	86	—	3	11	5	—	2	1	6	—	1	10	3	1	1
	12. Pancreas Disease, etc. . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	25	—	—	1	—	1	—	1	1	—	1	2	1	—	1
	14. Jaundice	29	—	—	2	—	—	—	3	4	—	1	2	3	—	—
	15. Liver Disease, etc. . . .	72	2	1	2	5	—	1	1	10	1	1	3	2	—	—
	16. Spleen Disease, etc. . . .	6	—	—	—	—	—	—	—	—	—	1	—	1	—	—
	ORDER 5.															
	1. Nephritis	20	—	—	—	1	—	—	2	2	—	1	1	2	1	—
	2. Ischuria	3	—	—	—	—	—	—	1	1	—	1	—	—	—	1
	3. Bright's Disease (Nephria)	41	2	2	3	—	—	1	2	6	1	2	—	1	—	—
	4. Diabetes	22	—	—	—	—	—	—	2	3	1	1	4	1	—	—
	5. Calculus (Stone)	3	—	—	—	1	—	—	—	1	—	—	—	—	—	—
	6. Cystitis	8	—	—	1	—	—	—	1	—	—	—	1	1	—	—
	7. Kidney Disease, etc. . . .	36	—	2	—	—	—	—	1	5	2	—	3	3	—	—
	ORDER 6.															
	1. Ovarian Dropsy	21	—	—	—	—	—	—	—	3	—	1	2	2	1	—
	2. Uterus Disease, etc. . . .	36	1	—	—	—	—	1	5	4	2	5	4	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	5	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	2. Joint Disease, etc. . . .	33	1	—	—	2	—	—	2	6	—	—	2	4	1	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
III.	ORDER 2.																
	1. Scrofula	2	1	2	1	4	4	3	8	—	3	—	—	2	2	2	9
	2. Tabes Mesenterica	7	5	1	1	13	16	3	3	2	—	1	1	—	3	1	1
	3. Phthisis	20	11	35	15	59	47	8	34	10	16	—	—	19	45	26	20
	4. Hydrocephalus	10	5	5	—	26	18	6	6	3	2	—	—	3	9	3	—
	ORDER 1.																
	1. Cephalitis	6	1	4	4	7	9	1	3	1	2	—	—	2	4	1	—
	2. Apoplexy	16	5	6	5	11	20	1	4	2	6	—	—	5	9	13	8
	3. Paralysis	6	2	9	2	6	15	—	20	6	9	—	—	6	9	7	9
	4. Insanity	—	—	7	—	1	—	—	—	—	—	—	—	1	1	—	—
	5. Chorea	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	—	1	—	—	3	—	—	1	—	1	—	—	2	5	1	1
	7. Convulsions	8	—	3	5	5	4	1	4	1	1	—	—	4	5	2	1
	8. Brain Disease, etc.	4	1	5	1	12	12	—	9	3	1	—	1	8	8	4	3
	ORDER 2.																
	1. Pericarditis	3	1	1	—	1	—	—	1	—	1	1	—	—	—	1	1
	2. Aneurism	—	1	1	—	1	—	—	2	—	—	—	—	1	—	1	—
	3. Heart Disease, etc.	25	5	22	11	42	33	13	39	18	21	2	1	17	26	17	11
	ORDER 3.																
	1. Laryngitis	4	—	—	1	—	3	—	3	—	2	—	—	1	1	2	1
	2. Bronchitis	31	23	12	9	38	77	11	42	6	7	2	5	17	29	11	19
	3. Pleurisy	2	—	1	—	3	4	2	4	—	2	1	—	1	2	—	1
	4. Pneumonia	25	4	4	7	14	31	5	17	11	8	1	3	10	10	9	10
	5. Asthma	3	1	4	—	4	7	—	3	3	1	—	—	—	1	—	—
	6. Lung Disease, etc.	5	1	5	1	6	11	2	2	1	1	2	—	1	3	2	2
	ORDER 4.																
	1. Gastritis	4	—	2	—	2	1	—	3	—	—	—	—	1	5	1	2
	2. Enteritis	5	1	2	1	11	13	5	1	—	2	2	1	1	3	—	4
	3. Peritonitis	10	1	—	1	4	4	1	4	3	1	—	—	2	2	2	2
	4. Ascites	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	1
	5. Ulceration of Intestines	—	—	—	1	6	1	—	2	—	3	—	—	—	1	—	—
	6. Hernia	—	1	2	2	—	2	—	1	1	1	—	—	1	2	1	—
	7. Ileus	2	1	4	—	4	5	—	1	—	2	1	—	1	1	1	3
	8. Intussusception	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	4	1	5	1	5	5	1	3	1	4	—	—	1	—	5	2
	12. Pancreas Disease, etc.	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
	13. Hepatitis	1	1	3	3	6	3	—	—	—	—	—	—	1	1	—	—
	14. Jaundice	—	—	1	1	1	3	—	1	1	—	—	—	—	1	—	—
	15. Liver Disease, etc.	2	2	4	—	6	5	3	3	4	3	1	—	1	3	1	3
	16. Spleen Disease, etc.	1	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—
	ORDER 5.																
	1. Nephritis	1	—	—	—	2	4	—	—	—	1	—	—	1	1	—	—
	2. Ischuria	1	1	—	—	1	1	—	1	—	—	—	—	—	2	—	—
	3. Bright's Disease (Nephria)	1	1	3	3	6	7	—	2	—	—	—	—	2	3	2	2
	4. Diabetes	4	1	—	—	2	2	1	2	1	—	—	—	—	1	2	2
	5. Calculus (Stone)	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—
	6. Cystitis	1	—	2	1	3	3	1	1	—	—	1	—	1	5	1	1
	7. Kidney Disease, etc.	1	2	3	1	6	1	1	4	—	1	—	—	3	3	3	2
	ORDER 6																
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	ORDER 7.																
	1. Synovitis (Arthritis)	2	—	2	—	1	1	—	1	1	—	—	—	—	1	—	—
	2. Joint Disease, etc.	4	—	1	1	1	5	—	1	1	1	—	—	—	3	2	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
III.	ORDER 2																
	1. Scrofula	1	-	1	1	2	4	2	2	-	2	-	-	4	-	3	2
	2. Tabes Mesenterica	13	2	1	1	6	10	2	1	-	3	-	-	1	9	1	1
	3. Phthisis	41	15	39	18	60	60	8	40	16	17	2	3	19	38	36	31
	4. Hydrocephalus	8	5	3	-	16	15	3	6	1	5	3	-	7	5	3	3
	ORDER 1.																
	1. Cephalitis	5	3	3	3	8	11	-	1	-	1	-	-	-	3	2	2
	2. Apoplexy	9	2	5	4	10	11	2	12	6	15	2	-	5	13	8	11
	3. Paralysis	14	2	7	3	8	17	2	20	3	7	2	-	6	7	4	2
	4. Insanity	-	-	8	-	-	1	-	2	-	-	-	-	4	1	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	1	-	-	1	-	1	-	3	-	-	1	4	-	2
	7. Convulsions	5	2	2	-	5	5	4	6	1	-	-	-	2	6	-	2
	8. Brain Disease, etc.	2	1	3	2	6	10	1	8	5	1	-	-	2	5	5	2
	ORDER 2.																
	1. Pericarditis	-	1	1	1	-	-	-	-	1	-	-	-	1	1	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
	3. Heart Disease, etc.	27	9	20	15	44	35	5	33	21	19	7	-	20	45	26	24
	ORDER 3.																
	1. Laryngitis	1	1	-	-	-	1	-	1	-	2	1	-	-	-	-	-
	2. Bronchitis	23	17	20	13	42	42	11	37	13	11	-	2	18	36	19	23
	3. Pleurisy	1	1	-	-	1	-	-	2	-	1	-	-	2	1	2	1
	4. Pneumonia	13	3	5	4	26	22	8	18	7	8	2	2	7	9	7	7
	5. Asthma	1	-	2	-	1	6	-	-	1	-	-	-	-	1	2	-
	6. Lung Disease, etc.	3	-	3	1	4	12	2	4	-	2	1	-	2	3	2	12
	ORDER 4.																
	1. Gastritis	1	-	1	1	-	4	-	1	2	1	-	-	1	3	-	2
	2. Enteritis	4	2	5	5	9	8	3	5	2	3	-	1	4	5	1	1
	3. Peritonitis	3	1	2	2	4	5	2	8	2	5	-	-	4	3	2	2
	4. Ascites	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	1	-	5	-	-	3	-	-	-	1	-	-	-	2	1	-
	6. Hernia	-	-	-	-	1	-	-	2	2	1	-	-	1	1	1	-
	7. Ileus	2	-	4	2	1	3	-	-	-	3	-	-	-	-	-	3
	8. Intussusception	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	9. Stricture of Intestines	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	6	2	3	1	5	8	-	2	-	4	-	-	3	5	2	1
	12. Pancreas Disease, etc.	-	-	-	-	4	4	2	2	-	-	-	-	-	1	-	-
	13. Hepatitis	2	-	-	1	3	3	-	2	-	1	-	-	-	1	1	-
	14. Jaundice	-	-	1	2	3	3	-	2	-	1	-	-	-	1	1	-
	15. Liver Disease, etc.	1	1	2	1	10	9	-	5	3	1	-	-	-	6	1	3
	16. Spleen Disease, etc.	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-
	ORDER 5.																
	1. Nephritis	-	-	-	-	2	1	-	1	-	2	-	-	2	2	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	2	1	2	-	3	-	2	3	1	1	-	-	2	2	-	1
	4. Diabetes	-	-	2	-	2	1	1	1	-	-	-	-	2	-	1	-
	5. Calculus (Stone)	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	6. Cystitis	-	-	1	-	1	-	-	1	-	-	-	-	-	1	3	-
	7. Kidney Disease, etc.	2	-	2	2	-	2	-	1	1	1	-	-	3	1	3	2
	ORDER 6.																
	1. Ovarian Dropsy	2	-	1	2	1	-	-	-	-	-	-	-	3	1	-	3
	2. Uterus Disease, etc.	-	-	2	-	2	1	-	-	-	1	-	3	1	1	1	2
	ORDER 7.																
	1. Synovitis (Arthritis)	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	2. Joint Disease, etc.	-	2	-	1	2	2	1	-	1	-	-	1	-	1	2	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1882,—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Total Main-land-Rural Districts.	Caithness	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackman-nan.
IV.	ORDER 8.															
	1. Phlegmon	27	1	-	2	1	-	-	3	5	-	1	-	1	-	1
	2. Ulcer	18	3	-	-	-	1	2	2	1	-	-	-	-	-	-
	3. Skin Disease, etc.	18	1	-	1	3	-	-	-	5	-	-	2	-	-	-
	ORDER 1.															
	1. Premature Birth	135	-	2	1	-	-	5	-	17	4	8	14	8	-	2
	2. Cyanosis	8	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	3. Spina Bifida	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	30	-	1	-	-	-	-	2	3	-	1	2	1	-	-
	5. Teething	60	1	1	3	2	1	3	1	3	2	-	8	3	2	-
V.	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	717	29	47	76	43	3	14	19	57	21	22	82	43	5	2
	ORDER 4.															
	1. Atrophy and Debility	271	6	1	4	8	1	5	5	36	7	9	17	15	1	6
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	205	2	2	8	5	-	2	4	23	4	14	12	14	2	3
	2. Gunshot Wounds	4	-	-	1	-	-	-	-	1	-	1	-	1	-	-
	3. Cut, Stab	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	4. Burns and Scalds	23	1	-	1	1	-	3	-	1	-	1	1	3	-	-
	5. Poison	3	-	-	1	-	-	-	-	-	-	-	2	-	-	-
	6. Drowning	150	2	6	7	7	1	2	3	16	16	8	9	8	-	2
	7. Suffocation	23	-	-	-	-	-	1	2	5	2	2	-	-	-	2
	8. Otherwise	34	1	-	1	1	-	2	1	3	-	-	1	2	-	1
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	2. Cut, Stab	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	3. Poison	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	4. Drowning	9	-	-	-	1	-	-	-	-	3	1	1	1	-	-
	5. Hanging	10	-	-	-	-	-	-	2	1	-	1	-	1	-	-
	6. Otherwise and undefined	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		5	-	-	1	-	-	-	-	3	-	-	-	-	-	-
Causes not specified or ill-defined		147	3	9	11	4	1	7	1	10	1	6	12	5	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1882.--FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH	Total Main-land-Rural Districts.	Gaithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV.	ORDER 8															
	1. Phlegmon	26	1	-	2	-	1	-	2	3	1	-	3	-	-	-
	2. Ulcer	19	-	1	1	-	-	2	2	2	-	-	1	4	-	-
	3. Skin Disease, etc.	6	-	-	-	-	-	-	1	2	-	-	1	-	-	-
	ORDER 1.															
	1. Premature Birth	114	-	-	1	-	1	4	3	19	-	7	7	4	1	-
	2. Cyanosis	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	3. Spina Bifida	9	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	4. Other Malformations	17	-	1	-	2	-	1	1	2	-	-	-	-	-	-
	5. Teething	57	4	-	-	2	-	5	1	2	1	2	4	3	1	1
V.	ORDER 2.															
	1. Paramenia	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Childbirth (<i>see</i> Puerperal Fever)	93	1	1	3	2	-	3	4	13	2	3	7	10	1	-
	ORDER 3.															
	1. Old Age	1024	28	47	105	61	6	26	23	81	22	29	92	92	5	3
	ORDER 4.															
	1. Atrophy and Debility	204	-	6	7	3	-	4	10	23	5	9	7	11	-	-
	ORDER 1.															
	(<i>Accident or Negligence.</i>)															
	1. Fractures and Contusions	48	3	-	-	-	-	-	1	8	1	2	7	1	-	-
	2. Gunshot Wounds	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	31	2	-	3	1	1	2	2	2	1	-	2	3	-	1
	5. Poison	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	22	-	-	1	-	-	-	-	2	2	1	-	2	-	-
	7. Suffocation	15	2	-	-	-	-	-	2	4	1	-	-	1	-	-
	8. Otherwise	21	1	1	1	-	-	-	1	2	-	-	1	-	-	-
	ORDER 3.															
	(<i>Homicide.</i>)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(<i>Suicide.</i>)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	3. Poison	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	4. Drowning	10	-	-	-	1	1	-	-	-	-	1	-	2	-	-
	5. Hanging	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(<i>Execution.</i>)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		5	-	1	-	-	-	-	-	1	-	-	1	-	1	-
Causes not specified or ill-defined		141	3	11	18	8	2	5	4	14	4	2	13	5	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dunbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
IV.	ORDER 8.																
	1. Phlegmon	-	1	3	-	2	2	-	-	1	-	-	-	1	1	1	-
	2. Ulcer	-	1	2	-	-	-	-	2	-	1	-	1	-	1	1	-
	3. Skin Disease, etc.	1	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-
	ORDER 1.																
	1. Premature Birth	6	3	1	2	13	10	2	9	-	6	-	1	5	11	3	2
	2. Cyanosis	1	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-
	3. Spina Bifida	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	6	4	-	2	2	1	-	-	4	1	-	-
	5. Teething	4	2	3	2	3	3	-	6	2	2	-	-	-	2	1	-
V.	ORDER 2.																
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1. Old Age	19	15	50	11	19	28	5	19	8	13	2	1	12	18	13	21
	ORDER 4.																
	1. Atrophy and Debility	22	5	8	5	29	27	4	11	6	2	-	-	11	13	3	4
	ORDER 1. (Accident or Negligence.)																
	1. Fractures and Contusions	15	6	2	3	22	25	6	7	1	5	-	1	3	8	3	3
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	1	-	-	-	2	3	1	2	-	-	-	-	-	1	1	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	5	10	12	5	5	3	-	7	2	3	-	-	1	1	6	3
	7. Suffocation	-	-	1	-	-	-	1	2	1	3	-	-	-	1	-	-
	8. Otherwise	1	-	2	1	-	5	1	3	1	1	-	1	2	2	1	-
	ORDER 3. (Homicide.)																
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)																
	1. Gunshot Wounds	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-
	3. Poison	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	4. Drowning	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	5. Hanging	1	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	7	6	13	2	3	10	1	4	4	4	1	-	4	8	6	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during
the YEAR 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
IV.	ORDER 8.																
	1. Phlegmon	-	2	3	1	1	4	-	-	1	-	-	-	-	-	-	1
	2. Ulcer	-	-	-	-	-	2	1	1	-	-	-	-	-	1	1	-
	3. Skin Disease, etc.	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	ORDER 1.																
	1. Premature Birth	8	2	2	2	15	5	2	6	1	5	-	-	4	7	4	4
	2. Cyanosis	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-	-
	3. Spina Bifida	-	-	1	-	-	-	-	4	-	1	-	-	-	1	-	-
	4. Other Malformations	-	4	-	1	-	1	-	2	1	-	-	-	1	-	-	-
	5. Teething	2	6	2	-	1	7	2	3	-	1	1	-	1	5	-	-
V.	ORDER 2.																
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	2. Childbirth (see Puerperal Fever)	2	3	6	3	1	6	-	5	2	2	1	-	1	8	1	2
	ORDER 3.																
	1. Old Age	33	17	64	16	38	38	9	27	24	23	1	4	16	35	25	34
	ORDER 4.																
	1. Atrophy and Debility	21	6	4	8	17	22	4	6	5	6	-	-	6	5	2	7
	ORDER 1.																
	(Accident or Negligence.)																
	1. Fractures and Contusions	3	3	2	1	4	4	1	1	-	1	-	-	1	-	3	1
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	2	-	1	-	1	1	1	2	1	-	-	-	2	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	6. Drowning	5	2	1	1	1	1	2	1	-	-	-	-	-	-	-	-
	7. Suffocation	1	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-
	8. Otherwise	3	-	4	-	1	2	-	2	-	-	-	-	1	-	1	-
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Drowning	-	-	2	-	-	1	-	1	-	1	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 5.																
	(Execution.)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		2	5	9	1	4	4	2	1	6	1	2	-	1	5	2	7

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1882.

Class.	CAUSES OF DEATH.	MALES.							FEMALES.						
		Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
	All Causes . . .	953	169	159	100	289	152	84	1064	207	216	112	289	154	86
	Specified Causes . . .	852	147	151	80	255	138	81	981	177	212	102	262	142	86
	(CLASSES.)														
I.	ZYMOTIC DISEASES	76	6	6	19	33	4	8	101	10	10	20	42	15	4
II.	CONSTITUTIONAL „	151	32	24	17	36	29	13	182	36	30	25	50	22	19
III.	LOCAL „	327	51	62	22	111	43	38	343	41	87	21	95	51	48
IV.	DEVELOPMENTAL „	236	52	51	14	64	38	17	336	85	80	34	71	53	13
V.	VIOLENT DEATHS . .	62	6	8	8	11	24	5	19	5	5	2	4	1	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	72	5	5	19	32	4	7	99	10	9	20	42	15	3
	2. ENTHETIC „ . .	3	—	1	—	1	—	1	—	—	—	—	—	—	—
	3. DIETIC „ . .	1	1	—	—	—	—	—	2	—	1	—	—	—	1
	4. PARASITIC „ . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ . .	37	9	7	1	11	6	3	50	13	2	5	18	7	5
	2. TUBERCULAR „ . .	114	23	17	16	25	23	10	132	23	28	20	32	15	14
III.	1. DISEASES OF NERVOUS SYSTEM . .	65	15	12	7	16	9	6	57	7	20	3	10	9	8
	2. „ OF ORGANS OF CIRCULATION . .	50	7	8	2	13	9	11	52	5	11	4	9	12	11
	3. „ OF RESPIRATORY ORGANS . .	120	19	23	8	49	14	7	146	17	39	10	52	14	14
	4. „ OF DIGESTIVE ORGANS	64	5	11	2	25	9	12	57	8	13	2	16	8	10
	5. „ OF URINARY ORGANS	24	5	8	3	4	2	2	15	—	1	1	2	6	5
	6. „ OF ORGANS OF GENERATION .	—	—	—	—	—	—	—	2	—	1	—	1	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	3	—	—	—	3	—	—	7	2	2	—	3	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	1	—	—	—	1	—	—	7	2	—	1	2	2	—
IV.	1. DEV. DIS. OF CHILDREN .	15	4	2	1	3	2	3	8	—	3	1	—	3	1
	2. „ OF ADULTS .	—	—	—	—	—	—	—	22	2	4	2	8	5	1
	3. „ OF OLD PEOPLE	202	48	47	11	50	32	14	290	83	68	28	57	44	10
	4. DISEASES OF NUTRITION	19	—	2	2	11	4	—	16	—	5	3	6	1	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1882.

Class.	CAUSES OF DEATH.	MALES.							FEMALES.						
		Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
V.	1. ACCIDENT OR NEGLIGENCE .	61	6	8	8	11	24	4	19	5	5	2	4	1	2
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	4	3	1	-	-	-	-
CAUSES NOT SPECIFIED		101	22	8	20	34	14	3	79	27	3	10	27	12	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	14	-	-	5	9	-	-	11	-	-	4	7	-	-
	3. Scarlatina	2	-	2	-	-	-	-	2	-	2	-	-	-	-
	4. Diphtheria	2	-	-	-	2	-	-	4	-	-	-	-	4	-
	5. Quinsy	3	1	-	-	1	-	1	2	1	-	-	1	-	-
	6. Croup	12	-	-	5	5	2	-	9	-	-	4	2	3	-
	7. Hooping-cough	13	-	-	2	9	1	1	18	-	-	2	14	2	-
	8. { Typhus Fever	2	-	-	2	-	-	-	1	-	-	1	-	-	-
	8. { Enteric or Typhoid Fever	4	2	-	-	1	-	1	15	4	3	-	4	3	1
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	9. Erysipelas	3	-	1	-	1	-	1	5	-	-	2	2	1	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	7	3	-	2	2	-	-
	11. Carbuncle	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	12. Influenza	5	-	-	3	2	-	-	9	-	1	3	4	1	-
	13. Dysentery	3	1	1	1	-	-	-	1	-	1	-	-	-	-
	14. Diarrhoea	6	1	1	-	1	-	3	7	-	2	-	2	1	2
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	2	-	-	1	-	1	-	6	2	-	2	2	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	3	-	1	-	1	-	1	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	1	1	-	-	-	-	-	1	-	1	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	-	-	-	-	-	-	1	-	-	-	-	-	1
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	2. Dropsy	11	4	2	-	4	1	-	25	11	1	-	9	4	-
	3. Cancer	24	5	4	1	6	5	3	22	2	1	4	8	3	4
	4. Cancrum Orris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	2	-	1	-	1	-	-	2	-	-	-	1	-	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1882. (Continued.)

Class.	CAUSES OF DEATH.	MALES.						FEMALES.							
		Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
III.	ORDER 2.														
	1. Scrofula	11	2	1	-	5	2	1	9	2	2	-	3	2	-
	2. Tabes Mesenterica	1	-	-	-	1	-	-	5	1	1	-	1	1	1
	3. Phthisis	93	20	15	15	19	17	7	111	20	25	20	26	11	9
	4. Hydrocephalus	9	1	1	1	-	4	2	7	-	-	-	2	1	4
	ORDER 1.														
	1. Cephalitis	13	3	2	2	3	1	2	9	-	4	-	3	2	-
	2. Apoplexy	12	3	2	1	3	-	3	15	2	5	-	3	2	3
	3. Paralysis	22	6	5	2	3	5	1	21	4	5	2	3	3	4
	4. Insanity	1	-	-	-	1	-	-	1	1	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	3	1	-	-	1	1	-	2	-	2	-	-	-	-
	7. Convulsions	6	-	1	1	2	2	-	2	-	-	-	-	2	-
	8. Brain Disease, etc.	8	2	2	1	3	-	-	7	-	4	1	1	-	1
	ORDER 2.														
	1. Pericarditis	2	1	-	1	-	-	-	1	-	-	-	-	-	1
	2. Aneurism	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	46	5	8	1	12	9	11	51	5	11	4	9	12	10
	ORDER 3.														
	1. Laryngitis	2	-	1	-	1	-	-	2	-	1	-	1	-	-
	2. Bronchitis	53	10	13	3	14	9	4	74	9	25	7	19	6	8
	3. Pleurisy	14	-	-	1	13	-	-	8	-	1	-	7	-	-
	4. Pneumonia	25	3	8	2	7	4	1	23	2	6	-	6	4	5
	5. Asthma	14	4	-	-	9	-	1	27	4	8	3	15	2	-
	6. Lung Disease, etc.	12	2	1	2	5	1	1	12	2	3	-	4	2	1
	ORDER 4.														
	1. Gastritis	1	-	-	-	1	-	-	5	-	-	-	3	-	2
	2. Enteritis	10	3	-	2	4	1	-	5	2	-	-	-	2	1
	3. Peritonitis	7	-	2	-	2	2	1	5	1	-	-	4	-	-
	4. Ascites	-	-	-	-	-	-	-	3	1	1	-	-	-	1
	5. Ulceration of Intestines	5	-	-	-	-	-	5	1	-	-	-	-	-	1
	6. Hernia	1	-	-	-	1	-	-	3	-	1	-	-	2	-
	7. Ileus	8	-	4	-	2	1	1	8	-	3	-	3	1	1
	8. Intussusception	3	-	-	-	3	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11. Stomach Disease, etc.	10	1	1	-	5	-	3	16	3	5	1	4	1	2	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	5	-	2	-	1	2	-	8	-	1	-	1	1	-	
14. Jaundice	1	-	-	-	-	-	1	3	-	1	-	-	1	1	
15. Liver Disease, etc.	12	1	2	-	6	2	1	4	1	1	-	1	-	1	
16. Spleen Disease, etc.	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
ORDER 5.															
1. Nephritis	3	1	-	1	-	-	1	5	-	1	-	1	1	2	
2. Ischuria	2	-	1	-	-	1	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	5	1	2	1	-	1	-	6	-	-	1	-	2	3	
4. Diabetes	4	2	-	-	2	-	-	8	-	-	-	-	3	-	
5. Calculus (Stone)	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	2	-	1	-	-	-	1	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	5	1	1	1	2	-	-	1	-	-	-	1	-	-	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
2. Uterus Disease, etc.	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
ORDER 7.															
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
2. Joint Disease, etc.	3	-	-	-	3	-	-	6	2	2	-	2	-	-	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1882. (Continued.)

Class.	CAUSES OF DEATH.	MALES.						FEMALES.							
		Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
IV.	ORDER 8.														
	1. Phlegmon	-	-	-	-	-	-	-	4	1	-	1	1	1	-
	2. Ulcer	1	-	-	-	1	-	-	3	1	-	-	1	1	-
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	10	3	1	-	2	1	3	1	-	-	-	-	-	1
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	3	-	1	1	-	1	-	1	-	-	1	-	-	-
	5. Teething	2	1	-	-	1	-	-	6	-	3	-	-	3	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	22	2	4	2	8	5	1
	ORDER 3.														
	1. Old Age	202	48	47	11	50	32	14	290	83	68	28	57	44	10
	ORDER 4.														
	1. Atrophy and Debility	19	-	2	2	11	4	-	16	-	5	3	6	1	1
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	8	1	3	-	3	-	1	5	1	1	2	1	-	-
	2. Gunshot Wounds	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	2	-	-	1	-	1	-	7	3	2	-	-	-	2
	5. Poison	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	6. Drowning	46	4	4	7	8	21	2	4	-	-	-	3	1	-
	7. Suffocation	1	-	-	-	-	-	1	1	-	1	-	-	-	-
	8. Otherwise	2	1	1	-	-	-	-	2	1	1	-	-	-	-
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	(Execution.)														
1. Hanging	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	4	3	1	-	-	-	-
Causes not specified or ill-defined		101	22	8	20	34	14	3	79	27	3	10	27	12	-

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	36325	4110	1539	2637	3121	1298	898	644	1726	836	1148	1349	1163	1026
	Specified Causes . .	35872	3918	1510	2611	3104	1286	894	643	1720	831	1141	1341	1158	1019
	(CLASSES.)														
I.	ZYMOTIC DISEASES	5994	462	367	773	1148	540	403	311	617	187	137	109	108	81
II.	CONSTITUTIONAL „	6541	98	177	321	457	237	171	121	404	255	548	668	571	397
III.	LOCAL „	16721	1169	766	1220	1219	440	269	186	580	297	334	369	341	400
IV.	DEVELOPMENTAL „	4700	2107	178	277	243	37	12	5	17	6	3	3	1	1
V.	VIOLENT DEATHS .	1916	82	22	20	37	32	39	20	102	86	119	192	137	140
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	5566	334	325	742	1133	536	400	310	610	182	132	100	93	65
	2. ENTHETIC „ .	162	63	19	21	8	4	2	-	-	-	2	4	2	1
	3. DIETIC „ .	252	56	20	10	6	-	1	1	6	5	3	5	13	15
	4. PARASITIC „ .	14	9	3	-	1	-	-	-	1	-	-	-	-	-
II.	1. DIATHETIC „ .	949	9	5	3	5	7	8	4	11	10	16	9	12	18
	2. TUBERCULAR „ .	5592	89	172	318	452	230	163	117	393	245	532	659	559	379
III.	1. DISEASES OF NERVOUS SYSTEM . .	3918	259	155	218	272	99	69	57	194	82	64	78	61	71
	2. „ OF ORGANS OF CIRCULATION .	2515	20	9	3	2	2	2	6	48	38	59	60	59	88
	3. „ OF RESPIRATORY ORGANS . .	6679	542	450	834	791	280	157	93	189	58	84	113	111	122
	4. „ OF DIGESTIVE ORGANS	2173	303	135	140	116	37	21	11	71	49	56	52	56	69
	5. „ OF URINARY ORGANS	961	3	4	5	10	9	11	13	35	22	28	38	35	33
	6. „ OF ORGANS OF GENERATION .	15	4	1	2	-	-	-	-	-	-	1	1	-	3
	7. „ OF ORGANS OF LOCOMOTION . .	248	2	1	-	11	4	9	4	37	38	34	21	12	10
	8. „ OF INTEGUMENTARY SYSTEM . .	212	36	11	18	17	9	-	2	6	10	8	6	7	4
IV.	1. DEV. DIS. OF CHILDREN	1520	1122	43	172	162	12	3	-	2	2	1	1	-	-
	2. „ OF ADULTS .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OLD PEOPLE .	1757	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION .	1423	985	135	105	81	25	9	5	15	4	2	2	1	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	36664	3164	1158	2257	2941	1301	856	606	1613	942	1250	1345	1328	1225
	Specified Causes . .	36285	3026	1138	2242	2922	1290	852	604	1600	936	1246	1339	1320	1218
	(CLASSES.)														
I.	ZYMOTIC DISEASES	6268	382	299	750	1131	604	427	309	647	215	187	174	160	141
II.	CONSTITUTIONAL „	7654	85	115	268	442	193	124	110	407	396	707	776	657	554
III.	LOCAL „	16133	891	564	992	1096	422	272	166	497	297	316	318	389	403
IV.	DEVELOPMENTAL „	5580	1589	134	216	215	41	10	4	15	6	19	56	98	103
V.	VIOLENT DEATHS .	650	79	26	16	38	30	19	15	34	22	17	15	16	17
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	5979	294	263	726	1117	595	424	306	643	210	184	174	154	135
	2. ENTHETIC „	112	46	25	18	8	2	—	1	—	—	1	—	2	—
	3. DIETIC „ .	155	33	9	5	3	5	1	—	4	5	2	—	4	6
	4. PARASITIC „ .	22	9	2	1	3	2	2	2	—	—	—	—	—	—
II.	1. DIATHETIC „ .	1638	9	4	4	8	5	6	2	15	11	15	14	26	40
	2. TUBERCULAR „ .	6016	76	111	264	434	188	118	108	392	385	692	762	631	514
III.	1. DISEASES OF NERVOUS SYSTEM . .	3749	209	116	179	222	98	68	62	158	79	70	52	56	53
	2. „ OF ORGANS OF CIRCULATION .	2634	6	3	3	6	6	3	4	42	56	61	68	79	96
	3. „ OF RESPIRATORY ORGANS . .	6290	427	319	664	756	276	161	75	175	61	85	78	95	99
	4. „ OF DIGESTIVE ORGANS .	2319	225	117	131	88	31	26	17	68	36	51	67	76	85
	5. „ OF URINARY ORGANS . . .	576	4	1	4	8	4	3	4	28	28	23	22	46	37
	6. „ OF ORGANS OF GENERATION .	188	—	—	—	1	1	—	—	—	2	5	11	20	17
	7. „ OF ORGANS OF LOCOMOTION . .	188	3	—	—	6	2	5	3	17	33	19	14	13	7
	8. „ OF INTEGUMENTARY SYSTEM . .	189	17	8	11	9	4	6	1	9	2	2	6	4	9
IV.	1. DEV. DIS. OF CHILDREN	1163	826	32	133	151	17	2	—	1	1	—	—	—	—
	2. „ OF ADULTS .	410	—	—	—	—	—	—	—	—	1	16	51	96	101
	3. „ OF OLD PEOPLE	2826	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	1181	763	102	83	64	24	8	4	14	4	3	5	2	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued).

Class.	CAUSES OF DEATH.	ALL AGES.	MALES.													
			AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
V.	1. ACCIDENT OR NEGLIGENCE	1797	80	22	20	36	32	39	20	102	85	117	184	124	126	
	*															
	3. HOMICIDE	6	2	-	-	1	-	-	-	-	-	-	-	1	-	
	4. SUICIDE	113	-	-	-	-	-	-	-	-	1	2	8	12	14	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		41	8	3	3	-	1	1	-	-	-	-	-	1	-	
CAUSES NOT SPECIFIED		412	184	26	23	17	11	3	1	6	5	7	8	4	7	
I.	ORDER 1.															
	1. Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
	2. Measles	641	7	18	142	260	78	55	24	49	5	1	-	-	1	
	3. Scarlatina	799	4	8	49	115	136	105	109	207	42	9	5	5	1	
	4. Diphtheria	476	9	3	39	94	87	70	47	93	21	7	-	2	-	
	5. Quinsy	31	-	3	4	6	2	3	4	3	1	-	1	-	1	
	6. Croup	478	13	10	70	135	70	65	46	65	2	1	1	-	-	
	7. Hooping-cough	933	69	81	199	306	114	64	39	60	-	-	-	-	-	
	8. { Typhus Fever	97	-	-	1	1	1	1	-	4	1	11	7	11	10	
		{ Enteric or Typhoid Fever	587	4	2	8	16	12	17	26	81	74	84	69	48	35
			{ Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	40	-	1	-	3	3	1	1	5	6	3	-	3	-	
	9. Erysipelas	152	27	8	5	3	-	2	2	6	3	-	2	4	3	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	21	2	-	2	-	-	-	-	-	-	-	1	-	-	
	12. Influenza	29	1	1	-	3	-	1	1	-	1	-	-	1	-	
	13. Dysentery	46	4	5	2	1	-	-	-	-	-	2	-	1	3	
	14. Diarrhoea	1015	184	174	210	178	28	8	6	19	15	4	10	4	6	
	15. Cholera	42	6	7	7	4	1	1	1	1	1	1	1	1	-	
	16. Ague	9	-	-	-	1	1	1	-	2	-	-	-	-	-	
	17. Remittent Fever	23	-	2	1	5	2	5	2	4	-	-	-	-	-	
	18. Rheumatism	130	2	1	-	-	-	-	2	7	10	9	3	11	5	
	19. Other Miasmatic Diseases	14	2	1	3	2	1	1	-	3	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis	132	63	19	21	8	4	2	-	-	-	-	2	-	1	
	2. Stricture of Urethra	28	-	-	-	-	-	-	-	-	-	1	2	1	-	
	3. Hydrophobia	2	-	-	-	-	-	-	-	-	-	1	-	1	-	
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.															
	1. Privation	4	1	-	-	-	-	-	-	-	-	-	-	1	-	
	2. Want of Breast Milk	81	53	20	8	-	-	-	-	-	-	-	-	-	-	
	3. Purpura and Scurvy	36	2	-	2	6	-	1	1	6	4	3	3	1	1	
	4. Alco- { a Del. Tremens	31	-	-	-	-	-	-	-	-	-	-	1	5	3	
		holism { b Intemperance	100	-	-	-	-	-	-	-	1	-	1	6	11	
	ORDER 4.															
	1. Thrush	12	9	3	-	-	-	-	-	-	-	-	-	-	-	
	2. Worms, etc. . . .	2	-	-	-	1	-	-	-	1	-	-	-	-	-	
II.	ORDER 1.															
	1. Gout	9	-	-	-	-	-	-	-	-	-	1	-	-	-	
	2. Dropsy	145	8	3	1	3	4	4	4	10	8	4	3	2	3	
	3. Cancer	724	-	2	1	1	3	1	-	1	1	7	4	9	14	
	4. Cancrum Oris (Noma)	2	-	-	-	-	-	-	-	-	-	-	-	-	1	
	5. Mortification	69	1	-	1	1	-	3	-	-	1	4	2	1	-	

* See page 52, note.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	590	77	26	16	38	30	19	15	34	22	14	8	12	15
	*														
	3. HOMICIDE	6	2	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	54	—	—	—	—	—	—	—	—	—	3	7	4	2
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	35	8	2	2	1	—	1	—	2	—	2	1	1	1
	CAUSES NOT SPECIFIED	344	130	18	31	18	11	3	2	11	6	2	5	7	6
I.	ORDER 1.														
	1. Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	1
	2. Measles	648	8	13	148	253	91	45	29	45	2	6	5	1	1
	3. Scarlatina	784	4	9	35	118	117	104	85	221	48	17	10	6	5
	4. Diphtheria	485	6	2	36	76	67	63	54	128	26	10	5	2	4
	5. Quinsy	23	1	1	2	2	3	3	2	3	—	1	—	—	—
	6. Croup	428	10	8	48	105	91	61	45	58	2	—	—	—	—
	7. Hooping-cough	1175	87	85	236	389	158	105	54	59	1	1	—	—	—
	8. { Typhus Fever	83	—	—	—	—	—	1	—	5	6	7	5	11	8
	8. { Enteric or Typhoid Fever	617	1	1	6	13	23	23	19	82	101	97	66	51	29
	8. { Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	50	—	—	1	1	3	2	5	6	4	3	1	1	3
	9. Erysipelas	144	25	7	9	5	2	1	1	4	4	2	6	3	2
	10. Puerperal Fever (Metria)	267	—	—	—	—	—	—	—	—	—	11	57	68	64
	11. Carbuncle	11	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	37	3	—	3	4	—	3	2	2	1	—	—	—	—
	13. Dysentery	60	5	1	7	2	—	1	1	—	—	1	—	2	1
	14. Diarrhoea	928	141	130	182	141	34	9	8	17	3	9	8	5	8
	15. Cholera	32	1	6	9	5	1	—	—	1	—	—	—	—	—
	16. Ague	7	—	—	—	—	1	—	—	2	—	—	—	—	—
	17. Remittent Fever	10	—	—	—	1	2	2	—	3	1	1	—	—	—
	18. Rheumatism	178	—	—	—	1	1	—	1	7	11	17	11	4	9
	19. Other Miasmatic Diseases	10	2	—	4	1	1	1	—	—	—	1	—	—	—
	ORDER 2.														
	1. Syphilis	112	46	25	18	8	2	—	1	—	—	1	—	2	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	5	—	—	—	—	—	—	—	1	1	—	—	—	—
	2. Want of Breast Milk	42	31	6	4	1	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	36	2	3	1	2	5	1	—	3	4	2	—	1	2
	4. Alco- { a Del. Tremens	4	—	—	—	—	—	—	—	—	—	—	—	1	1
	4. holism { b Intemperance	68	—	—	—	—	—	—	—	—	—	—	—	2	3
	ORDER 4.														
	1. Thrush	16	9	2	1	2	2	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	6	—	—	—	1	—	2	2	—	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	6	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	216	7	4	—	3	3	5	2	8	5	8	4	8	9
	3. Cancer	1332	—	—	2	—	1	1	—	5	6	7	9	16	29
	4. Cancrum Oris (Noma)	5	—	—	—	4	—	—	—	—	—	—	—	—	—
	5. Mortification	79	2	—	2	1	1	—	—	2	—	—	1	2	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	157	115	115	98	100	81	52	35	28	16	7	—	—	—	6
	*															
	3. HOMICIDE	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	4. SUICIDE	6	6	10	13	14	11	9	4	1	1	1	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS (CAUSE UNASCERTAINED)		2	2	7	4	1	5	—	2	1	—	—	—	—	—	—
CAUSES NOT SPECIFIED.		9	13	8	16	18	21	16	6	3	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	8. { Typhus Fever	9	6	13	5	11	2	2	1	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	23	21	19	7	11	7	11	7	3	1	1	—	—	—	—
	8. { Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	1	1	2	2	1	4	—	3	—	—	—	—	—	—	—
	9. Erysipelas	2	11	6	14	15	11	8	3	8	6	3	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	3	1	1	3	3	2	3	—	—	—	—	—	—
	12. Influenza	—	—	1	2	—	3	1	4	1	—	4	2	2	—	—
	13. Dysentery	1	1	1	3	2	1	4	2	4	4	3	—	1	—	—
	14. Diarrhoea	9	5	5	13	12	20	24	22	35	14	5	5	—	—	—
	15. Cholera	—	—	4	1	1	1	1	—	1	1	—	—	—	—	—
	16. Ague	—	2	—	—	—	—	—	1	1	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	18. Rheumatism	11	9	3	8	6	11	4	18	5	4	1	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	5	4	2	—	—	—	—	1	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	4	—	1	2	5	1	3	4	3	1	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	2	1	1	2	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	7	8	2	1	2	1	—	1	—	—	—	—	—	—	—
	holism { b Intemperance	8	12	16	15	13	4	7	4	1	—	1	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	1	—	—	—	—	2	1	4	—	—	—	—	—	—
	2. Dropsy	4	4	5	7	11	7	21	11	8	7	3	—	—	—	—
	3. Cancer	16	38	65	74	98	107	96	79	60	35	11	—	1	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	5. Mortification	3	—	3	2	3	11	6	5	13	7	2	—	—	—	—

* See page 52, note.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	15	15	19	24	20	29	26	34	27	31	16	6	2	—	—
	*															
	3. HOMICIDE	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	4. SUICIDE	8	4	5	5	6	6	2	1	—	—	1	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS (CAUSE UNASCERTAINED)		—	1	1	3	2	3	—	2	2	—	—	—	—	—	—
CAUSES NOT SPECIFIED		9	8	10	9	13	22	13	8	2	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	3. Scarlatina	2	1	—	—	—	—	—	2	—	—	—	—	—	—	—
	4. Diphtheria	1	—	1	2	—	—	1	—	—	1	—	—	—	—	—
	5. Quinsy	1	—	—	1	1	1	—	—	—	—	—	1	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	5	11	5	9	3	3	2	2	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	23	23	9	10	6	13	8	5	3	4	1	—	—	—	—
	8. { Relapsing Fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	2	1	3	3	1	2	3	3	1	1	—	—	—	—	—
	9. Erysipelas	2	9	6	7	10	6	9	6	8	2	7	—	1	—	—
	10. Puerperal Fever (Metria)	40	24	3	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	1	1	—	—	3	1	1	1	2	1	—	—	—	—
	12. Influenza	2	—	—	—	1	3	1	4	3	3	2	—	—	—	—
	13. Dysentery	—	1	3	1	2	5	9	3	7	6	2	—	—	—	—
	14. Diarrhoea	8	8	12	14	14	26	29	32	34	31	18	4	3	—	—
	15. Cholera	1	—	—	1	1	2	3	—	1	—	—	—	—	—	—
	16. Ague	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	7	13	8	12	14	10	13	15	12	7	4	1	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	1	1	1	4	—	2	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	1	—	2	2	2	2	—	—	1	—	—	—	—	—	—
	4. Alcoholism { a Del. Tremens	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alcoholism { b Intemperance	13	8	10	14	5	5	3	4	1	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	2	—	1	2	1	—	—	—	—	—
	2. Dropsy	5	17	10	15	15	18	22	17	14	14	2	1	—	—	—
	3. Cancer	70	117	139	161	158	167	147	144	79	54	13	7	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	5. Mortification	1	4	—	2	5	7	8	10	14	8	6	1	—	—	—

* See page 52, note.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	368	14	9	27	32	28	11	9	40	34	39	45	27	11
	2. Tabes Mesenterica	552	32	43	58	127	66	41	32	72	34	17	14	2	3
	3. Phthisis	3668	7	15	35	74	38	26	29	128	142	461	595	526	363
	4. Hydrocephalus	1004	36	105	198	219	98	85	47	153	35	15	5	4	2
	ORDER 1.														
	1. Cephalitis	709	20	48	102	117	50	43	32	118	34	29	18	13	8
	2. Apoplexy	969	18	17	19	23	13	10	6	15	7	8	10	9	19
	3. Paralysis	979	1	1	3	2	1	—	1	3	8	5	9	5	19
	4. Insanity	52	—	—	—	—	—	—	—	1	—	3	—	5	3
	5. Chorea	2	—	—	—	—	—	—	—	1	1	—	—	—	—
	6. Epilepsy	141	4	1	1	7	1	1	1	5	5	7	13	17	9
	7. Convulsions	550	195	79	75	109	28	11	12	16	3	1	4	2	1
	8. Brain Disease, etc.	516	21	9	18	14	6	4	5	35	24	11	24	10	12
	ORDER 2.														
	1. Pericarditis	75	1	2	—	—	—	—	2	13	5	7	5	7	6
	2. Aneurism	88	—	—	—	—	—	1	—	—	—	1	1	2	7
	3. Heart Disease, etc.	2352	19	7	3	2	2	1	4	35	33	51	54	50	75
	ORDER 3.														
	1. Laryngitis	152	9	12	23	24	14	8	7	9	2	2	4	2	3
	2. Bronchitis	3707	393	320	518	493	146	76	43	80	13	12	14	19	29
	3. Pleurisy	177	8	2	4	3	8	1	3	8	4	9	9	10	11
	4. Pneumonia	1906	67	93	233	213	79	67	33	76	32	50	71	56	67
	5. Asthma	156	—	—	—	—	1	—	—	—	3	1	1	4	1
	6. Lung Disease, etc.	581	65	23	56	58	32	5	7	16	4	10	14	20	11
ORDER 4.															
1. Gastritis	143	11	17	14	16	2	4	—	7	1	1	2	5	6	
2. Enteritis	515	123	73	81	63	18	8	8	16	11	8	4	10	9	
3. Peritonitis	249	20	9	10	9	5	2	—	22	18	21	15	9	6	
4. Ascites	20	1	—	—	2	1	—	—	2	1	2	1	2	—	
5. Ulceration of Intestines	130	1	2	5	2	—	—	—	2	2	6	3	7	7	
6. Hernia	70	5	1	2	2	—	1	—	1	2	3	4	1	1	
7. Ileus	169	14	2	3	2	—	2	—	4	4	5	10	10	8	
8. Intussusception	37	4	7	5	1	—	—	—	3	1	4	1	2	1	
9. Stricture of Intestines	23	1	1	—	—	—	—	—	1	—	1	1	1	—	
10. Fistula	9	—	—	—	—	—	—	—	—	—	—	1	—	2	
11. Stomach Disease, etc.	290	52	18	18	10	9	3	1	4	3	—	3	2	4	
12. Pancreas Disease, etc.	3	—	—	—	—	—	—	—	—	—	—	1	—	—	
13. Hepatitis	109	9	—	—	3	1	1	—	3	2	—	2	2	5	
14. Jaundice	122	57	2	1	5	1	—	—	4	—	1	—	1	3	
15. Liver Disease, etc.	260	5	3	1	1	—	—	2	1	2	2	3	4	15	
16. Splcen Disease, etc.	24	—	—	—	—	—	—	—	1	2	2	1	—	2	
ORDER 5.															
1. Nephritis	130	—	1	3	6	2	4	7	14	5	7	6	2	5	
2. Ischuria	39	—	—	1	—	—	—	—	2	—	—	—	—	1	
3. Bright's Disease (Nephria)	263	1	—	1	1	3	4	4	9	13	6	16	12	10	
4. Diabetes	85	—	2	—	1	—	—	—	1	2	7	6	6	8	
5. Calculus (Stone)	32	1	—	—	—	—	—	—	1	—	—	—	—	—	
6. Cystitis	130	1	—	—	—	—	—	—	3	—	—	2	2	1	
7. Kidney Disease, etc.	282	—	1	—	2	4	3	2	5	2	8	8	13	8	
ORDER 6.															
1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc.	15	4	1	2	—	—	—	—	—	—	1	1	—	3	
ORDER 7.															
1. Synovitis (Arthritis)	33	1	—	—	2	1	2	—	4	5	3	1	1	1	
2. Joint Disease, etc.	215	1	1	—	9	3	7	4	33	33	31	20	11	9	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	333	12	9	22	49	20	10	10	37	56	28	22	18	8
	2. Tabes Mesenterica	508	27	30	45	122	54	31	24	68	42	22	20	10	2
	3. Phthisis	4344	8	12	28	62	36	29	21	155	253	629	716	599	503
	4. Hydrocephalus	831	29	60	169	201	78	48	53	132	34	13	4	4	1
	ORDER 1.														
	1. Cephalitis	610	21	41	84	89	48	42	37	99	38	26	18	15	3
	2. Apoplexy	1016	6	6	20	31	8	5	3	12	7	7	8	10	10
	3. Paralysis	1016	-	-	1	2	1	2	3	10	1	4	2	5	15
	4. Insanity	73	-	-	-	-	-	-	1	1	2	2	4	1	3
	5. Chorea	18	-	-	-	-	-	-	-	5	4	2	2	1	1
	6. Epilepsy	117	6	-	3	1	1	1	-	4	5	11	7	12	9
	7. Convulsions	455	158	60	62	87	32	16	13	9	3	1	1	3	1
	8. Brain Disease, etc.	444	18	9	9	12	8	2	5	18	19	17	10	9	11
	ORDER 2.														
	1. Pericarditis	65	-	-	-	-	-	-	2	8	6	9	3	6	3
	2. Aneurism	28	-	-	-	-	-	-	-	-	-	-	-	3	-
	3. Heart Disease, etc.	2541	6	3	3	6	6	3	2	34	50	52	65	70	93
	ORDER 3.														
	1. Laryngitis	103	7	4	15	14	11	9	7	12	1	1	3	3	1
	2. Bronchitis	4008	285	242	442	470	164	89	39	81	25	22	26	20	32
	3. Pleurisy	110	3	2	3	7	2	2	1	3	4	7	4	9	5
	4. Pneumonia	1436	74	51	154	208	86	43	21	63	23	37	31	49	45
	5. Asthma	124	-	-	-	1	-	-	-	-	-	5	1	2	3
	6. Lung Disease, etc.	509	58	20	50	56	13	18	7	16	8	13	13	12	13
	ORDER 4.														
	1. Gastritis	194	20	9	20	13	3	1	4	8	2	2	3	3	9
	2. Enteritis	481	97	67	68	53	15	16	8	14	8	11	8	10	8
	3. Peritonitis	319	18	5	8	4	4	2	2	19	12	20	25	39	25
	4. Ascites	42	-	-	-	-	1	-	-	-	3	-	2	-	1
	5. Ulceration of Intestines . .	111	3	1	1	1	1	-	-	2	2	6	7	3	10
	6. Hernia	81	-	-	2	-	-	-	-	-	1	-	-	2	2
	7. Ileus	139	7	4	4	3	-	-	-	2	1	4	4	3	5
	8. Intussusception	25	2	5	6	-	-	-	-	2	-	1	-	1	-
	9. Stricture of Intestines . .	14	-	-	-	-	-	-	-	-	-	-	-	-	1
	10. Fistula	8	-	1	-	-	-	-	1	-	1	-	1	-	1
11. Stomach Disease, etc. . . .	324	34	20	13	10	5	5	1	7	2	2	6	7	5	
12. Pancreas Disease, etc. . .	4	-	-	2	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	121	4	1	-	-	2	-	-	8	2	2	5	1	7	
14. Jaundice	131	31	3	2	2	-	-	-	1	-	-	1	2	3	
15. Liver Disease, etc.	308	9	1	4	2	-	1	1	5	2	2	3	4	8	
16. Spleen Disease, etc.	17	-	-	1	-	-	1	-	-	-	1	2	1	-	
ORDER 5.															
1. Nephritis	106	2	1	2	3	2	2	1	8	8	6	4	10	9	
2. Ischuria	9	-	-	-	-	-	-	-	1	-	-	-	1	1	
3. Bright's Disease (Nephria)	217	-	-	2	1	1	1	1	12	11	11	11	13	12	
4. Diabetes	62	-	-	-	-	1	-	-	2	-	2	3	12	7	
5. Calculus (Stone)	5	-	-	-	-	-	-	-	1	-	-	-	-	1	
6. Cystitis	30	-	-	-	-	-	-	-	1	1	-	-	2	2	
7. Kidney Disease, etc.	147	2	-	-	4	-	-	2	3	8	4	4	8	5	
ORDER 6.															
1. Ovarian Dropsy	81	-	-	-	-	-	-	-	-	1	-	-	7	6	
2. Uterus Disease, etc.	107	-	-	-	1	1	-	-	-	1	5	11	13	11	
ORDER 7.															
1. Synovitis (Arthritis)	34	-	-	-	2	-	1	-	3	4	1	1	1	2	
2. Joint Disease, etc.	154	3	-	-	4	2	4	3	14	29	18	13	12	5	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	7	9	6	6	5	4	1	2	1	—	—	1	—	—	—
	2. Tabes Mesenterica	3	3	1	1	1	1	—	1	—	—	—	—	—	—	—
	3. Phthisis	298	284	205	147	111	75	66	29	5	7	2	—	—	—	—
	4. Hydrocephalus	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
III.	ORDER 1.															
	1. Cephalitis	10	11	15	8	12	4	8	5	2	1	1	—	—	—	—
	2. Apoplexy	25	33	51	64	80	118	111	121	102	60	25	4	1	—	—
	3. Paralysis	32	42	47	72	75	131	142	134	125	78	32	8	2	1	—
	4. Insanity	3	10	6	6	5	1	3	3	1	1	1	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	12	10	7	6	11	4	8	6	4	1	—	—	—	—	—
	7. Convulsions	1	5	4	—	1	1	1	—	1	—	—	—	—	—	—
	8. Brain Disease, etc.	14	20	29	32	27	53	39	40	43	22	3	1	—	—	—
	ORDER 2.															
	1. Pericarditis	2	5	3	4	5	2	1	3	1	1	—	—	—	—	—
	2. Aneurism	10	12	8	14	12	9	6	3	1	1	—	—	—	—	—
	3. Heart Disease, etc.	96	137	167	202	224	277	275	293	193	116	29	6	1	—	—
	ORDER 3.															
	1. Laryngitis	4	3	9	2	4	3	2	5	1	—	—	—	—	—	—
	2. Bronchitis	51	73	114	161	171	223	219	214	173	94	44	11	1	2	—
	3. Pleurisy	14	16	8	8	13	16	9	5	5	2	—	—	—	—	1
	4. Pneumonia	85	101	101	98	88	114	68	51	33	19	8	1	1	—	1
	5. Asthma	4	4	15	16	20	21	20	23	14	4	4	—	—	—	—
	6. Lung Disease, etc.	19	28	22	23	28	30	30	35	21	18	4	2	—	—	—
	ORDER 4.															
	1. Gastritis	2	6	8	3	7	9	10	10	2	—	—	—	—	—	—
	2. Enteritis	2	10	10	12	14	7	10	10	3	3	2	—	—	—	—
	3. Peritonitis	10	14	14	13	10	9	9	11	7	6	—	—	—	—	—
	4. Ascites	—	1	—	1	—	2	2	2	—	—	—	—	—	—	—
	5. Ulceration of Intestines	6	9	13	3	13	17	11	8	7	5	1	—	—	—	—
	6. Hernia	3	—	4	5	4	7	5	9	7	2	1	—	—	—	—
	7. Ileus	8	11	7	9	6	10	16	15	9	11	3	—	—	—	—
	8. Intussusception	1	1	2	2	1	—	—	—	1	—	—	—	—	—	—
	9. Stricture of Intestines	2	3	—	1	2	3	2	3	1	—	—	—	—	—	—
	10. Fistula	—	1	—	2	—	1	1	1	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	8	9	14	12	22	24	24	27	18	3	2	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	13. Hepatitis	4	10	7	10	9	9	14	9	5	2	2	—	—	—	—
	14. Jaundice	2	3	2	2	6	6	6	12	5	2	1	—	—	—	—
	15. Liver Disease, etc.	23	17	20	25	37	35	27	22	10	4	1	—	—	—	—
	16. Spleen Disease, etc.	2	3	2	—	1	4	2	1	1	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	3	7	8	2	14	10	5	7	9	3	—	—	—	—	—
	2. Ischuria	—	2	1	—	3	2	3	3	7	9	5	—	—	—	—
	3. Bright's Disease(Nephria)	22	16	30	21	18	29	16	21	7	2	1	—	—	—	—
	4. Diabetes	7	6	4	8	7	5	7	3	3	1	1	—	—	—	—
	5. Calculus (Stone)	—	2	1	2	2	5	4	5	7	1	1	—	—	—	—
	6. Cystitis	3	—	3	2	6	20	16	26	26	13	4	2	—	—	—
	7. Kidney Disease, etc.	10	14	12	17	22	20	28	29	34	28	10	2	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	1	2	1	1	3	3	—	1	—	—	—	—	—	—
	2. Joint Disease, etc.	3	5	4	7	4	7	8	10	3	2	—	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	6	4	7	3	2	3	3	—	2	2	—	—	—	—	—
	2. Tabes Mesenterica	2	3	3	—	—	—	2	1	—	—	—	—	—	—	—
	3. Phthisis	366	304	207	132	103	85	44	33	13	5	1	—	—	—	—
	4. Hydrocephalus	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—
III.	ORDER 1.															
	1. Cephalitis	8	9	6	9	5	2	2	3	1	2	2	—	—	—	—
	2. Apoplexy	18	33	49	81	91	125	114	136	136	69	28	4	1	—	—
	3. Paralysis	15	24	35	53	86	114	142	171	162	101	55	10	2	—	—
	4. Insanity	1	9	6	5	7	12	6	5	4	3	1	—	—	—	—
	5. Chorea	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—
	6. Epilepsy	6	9	9	3	7	8	5	8	1	—	—	1	—	—	—
	7. Convulsions	3	1	1	2	1	1	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	16	19	22	27	23	43	38	42	36	24	2	—	—	—	—
III.	ORDER 2.															
	1. Pericarditis	3	5	3	2	3	2	5	1	1	3	—	—	—	—	—
	2. Aneurism	2	2	1	5	4	3	1	4	2	—	1	—	—	—	—
	3. Heart Disease, etc.	124	155	141	209	217	265	282	314	238	154	42	5	2	—	—
III.	ORDER 3.															
	1. Laryngitis	1	3	—	1	1	6	3	—	—	—	—	—	—	—	—
	2. Bronchitis	55	81	113	180	201	313	261	306	248	202	80	25	4	2	—
	3. Pleurisy	4	7	4	6	8	9	10	4	2	2	2	—	—	—	—
	4. Pneumonia	46	74	50	58	55	62	48	79	41	23	8	4	3	—	—
	5. Asthma	—	4	9	7	14	17	18	22	12	8	1	—	—	—	—
	6. Lung Disease, etc.	16	14	16	13	21	23	29	32	17	20	10	1	—	—	—
III.	ORDER 4.															
	1. Gastritis	7	9	8	9	12	16	12	11	10	3	—	—	—	—	—
	2. Enteritis	7	12	4	11	11	8	14	14	10	4	2	1	—	—	—
	3. Peritonitis	21	18	12	21	12	7	20	11	8	3	3	—	—	—	—
	4. Ascites	4	4	4	4	2	5	5	4	2	1	—	—	—	—	—
	5. Ulceration of Intestines	5	6	5	8	13	15	10	4	5	3	—	—	—	—	—
	6. Hernia	1	2	5	6	11	16	8	9	9	4	2	—	—	—	1
	7. Ileus	4	7	10	10	6	20	16	4	12	7	5	1	—	—	—
	8. Intussusception	—	1	1	1	1	—	—	1	1	2	—	—	—	—	—
	9. Stricture of Intestines	—	—	2	1	2	1	3	—	2	1	1	—	—	—	—
	10. Fistula	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—
	11. Stomach Disease, etc.	12	11	18	17	29	32	36	22	19	7	3	1	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	13. Hepatitis	4	8	12	14	16	13	9	8	4	1	—	—	—	—	—
	14. Jaundice	2	9	5	7	13	14	6	12	13	4	—	1	—	—	—
	15. Liver Disease, etc.	13	27	29	33	32	42	27	33	15	10	4	1	—	—	—
	16. Spleen Disease, etc.	2	2	1	1	1	3	1	—	—	—	—	—	—	—	—
III.	ORDER 5.															
	1. Nephritis	7	6	5	4	9	5	6	3	2	1	—	—	—	—	—
	2. Ischuria	—	1	1	—	2	—	1	1	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	14	18	17	22	16	16	11	14	5	7	1	—	—	—	—
	4. Diabetes	2	5	3	6	4	2	6	5	2	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
	6. Cystitis	1	2	—	1	3	3	4	1	3	4	1	—	1	—	—
	7. Kidney Disease, etc.	8	8	10	8	16	12	16	8	12	4	4	1	—	—	—
III.	ORDER 6.															
	1. Ovarian Dropsy	9	6	10	6	6	14	7	6	1	2	—	—	—	—	—
	2. Uterus Disease, etc.	13	10	13	8	6	6	4	—	—	4	—	—	—	—	—
III.	ORDER 7.															
	1. Synovitis (Arthritis)	1	—	3	3	2	—	2	2	5	1	—	—	—	—	—
	2. Joint Disease, etc.	6	6	6	6	1	4	7	3	5	3	—	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
IV.	ORDER 8.														
	1. Phlegmon	107	9	4	6	7	4	—	2	5	8	7	5	5	3
	2. Ulcer	50	17	—	—	—	—	—	—	1	1	—	1	1	—
	3. Skin Disease, etc.	55	10	7	12	10	5	—	—	—	1	1	—	1	1
	ORDER 1.														
	1. Premature Birth	956	949	6	—	—	1	—	—	—	—	—	—	—	—
	2. Cyanosis	54	45	3	1	—	—	2	—	1	2	—	—	—	—
	3. Spina Bifida	35	25	5	2	1	—	—	—	1	—	1	—	—	—
	4. Other Malformations	108	101	3	2	1	—	—	—	—	—	—	1	—	—
	5. Teething	367	2	26	167	160	11	1	—	—	—	—	—	—	—
V.	ORDER 2.														
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Old Age	1757	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility	1423	985	135	105	81	25	9	5	15	4	2	2	1	1
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	837	3	1	—	9	6	7	10	47	42	65	97	61	61
2. Gunshot Wounds	6	—	—	—	—	—	—	—	—	—	1	1	1	1	
3. Cut, Stab	5	1	—	—	—	1	—	—	—	—	1	—	—	1	
4. Burns and Scalds	123	—	—	5	21	16	15	5	14	7	4	2	7	5	
5. Poison	26	1	—	—	1	—	1	—	—	—	—	—	1	2	
6. Drowning	521	2	1	2	5	6	14	5	31	29	38	70	38	44	
7. Suffocation	131	64	17	13	—	2	—	—	3	2	—	3	3	2	
8. Otherwise	148	9	3	—	—	1	2	—	7	5	8	11	13	10	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	6	2	—	—	1	—	—	—	—	—	—	—	1	—
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	8	—	—	—	—	—	—	—	—	—	—	—	1	3
	2. Cut, Stab	28	—	—	—	—	—	—	—	—	—	—	—	3	2
	3. Poison	10	—	—	—	—	—	—	—	—	—	1	—	1	—
	4. Drowning	21	—	—	—	—	—	—	—	—	—	—	2	4	4
	5. Hanging	38	—	—	—	—	—	—	—	—	1	1	4	3	4
6. Otherwise and undefined	8	—	—	—	—	—	—	—	—	—	—	2	—	1	
	ORDER 5.														
	(Execution.)														
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		41	8	3	3	—	1	1	—	—	—	—	—	1	—
Causes not specified or ill-defined		412	184	26	23	17	11	3	1	6	5	7	8	4	7

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	95	6	2	4	5	1	3	—	6	2	2	5	4	7
	2. Ulcer	62	6	1	1	—	1	1	—	1	—	—	1	—	1
	3. Skin Disease, etc.	32	5	5	6	4	2	2	1	2	—	—	—	—	1
	ORDER 1.														
	1. Premature Birth	721	714	3	3	1	—	—	—	—	—	—	—	—	—
	2. Cyanosis	28	21	3	2	—	—	—	—	1	1	—	—	—	—
	3. Spina Bifida	37	29	4	3	1	—	—	—	—	—	—	—	—	—
	4. Other Malformations	64	61	1	1	—	—	1	—	—	—	—	—	—	—
	5. Teething	313	1	21	124	149	17	1	—	—	—	—	—	—	—
V.	ORDER 2.														
	1. Paramenia	7	—	—	—	—	—	—	—	—	1	3	1	—	—
	2. Childbirth (see Puerperal Fever)	403	—	—	—	—	—	—	—	—	—	13	50	96	101
	ORDER 3.														
	1. Old Age	2826	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility	1181	763	102	83	64	24	8	4	14	4	3	5	2	2
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	205	3	1	2	7	9	2	4	21	9	6	2	3	3
2. Gunshot Wounds	3	—	—	—	—	—	—	—	1	—	1	—	—	—	
3. Cut, Stab	3	—	—	—	—	—	—	1	—	—	1	—	—	—	
4. Burns and Scalds	117	—	1	6	18	11	11	6	9	3	—	—	2	1	
5. Poison	15	—	—	—	—	—	2	1	—	—	—	1	1	2	
6. Drowning	72	—	—	—	11	8	1	2	2	5	4	2	3	5	
7. Suffocation	119	67	21	5	1	—	2	1	—	—	1	—	2	1	
8. Otherwise	56	7	3	3	1	2	1	—	1	5	1	3	1	3	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	6	2	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	7	—	—	—	—	—	—	—	—	—	—	1	—	—
	3. Poison	11	—	—	—	—	—	—	—	—	—	1	—	2	2
	4. Drowning	22	—	—	—	—	—	—	—	—	—	2	5	1	—
	5. Hanging	8	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Otherwise and undefined	6	—	—	—	—	—	—	—	—	—	—	1	1	—	
	ORDER 5.														
	(Execution.)														
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	35	8	2	2	1	—	1	—	2	—	2	1	1	1
	Causes not specified or ill-defined	344	130	18	31	18	11	3	2	11	6	2	5	7	6

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	3	3	4	7	5	6	3	7	2	2	-	-	-	-	-
	2. Ulcer	3	4	4	1	1	3	3	7	2	1	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	1	-	-	-	-	1	1	3	1	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	67	124	251	382	479	297	123	29	5	-
	ORDER 4.															
	1. Atrophy and Debility . .	2	3	9	14	25	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	74	65	57	53	58	39	32	17	17	12	4	-	-	-	-
	2. Gunshot Wounds	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	4. Burns and Scalds	3	2	2	-	4	-	5	3	2	-	1	-	-	-	-
	5. Poison	5	-	8	2	-	2	2	1	-	-	-	-	-	-	-
	6. Drowning	55	41	32	34	21	25	11	7	3	1	-	-	-	-	6
	7. Suffocation	3	1	5	3	3	3	1	1	1	-	1	-	-	-	-
	8. Otherwise	17	6	10	6	13	12	1	6	4	3	1	-	-	-	-
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	3	1	5	5	2	1	2	3	-	1	-	-	-	-	-
	3. Poison	-	-	-	1	3	2	2	-	-	-	-	-	-	-	-
	4. Drowning	-	1	2	2	3	1	2	-	-	-	-	-	-	-	-
	5. Hanging	3	2	2	4	4	4	3	1	1	-	1	-	-	-	-
	6. Otherwise and undefined	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-
	ORDER (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	2	2	7	4	1	5	-	2	1	-	-	-	-	-	-
	Causes not specified or ill-defined	9	13	8	16	18	21	16	6	3	-	-	-	-	-	-

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	5	3	5	4	10	9	4	4	3	1	—	—	—	—	—
	2. Ulcer	3	1	2	10	6	6	5	5	9	1	1	—	—	—	—
	3. Skin Disease, etc.	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V.	ORDER 2,															
	1. Paramenia	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	92	46	5	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	1	112	202	407	555	803	443	219	65	19	—
	ORDER 4															
	1. Atrophy and Debility	3	13	11	34	42	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	6	2	7	11	8	13	14	22	12	22	9	5	2	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	4. Burns and Scalds	1	2	5	2	5	3	2	7	12	5	4	1	—	—	—
	5. Poison	—	3	—	1	2	—	2	—	—	—	—	—	—	—	—
	6. Drowning	5	3	4	4	3	6	2	2	—	—	—	—	—	—	—
	7. Suffocation	2	3	1	1	2	4	3	—	2	—	—	—	—	—	—
	8. Otherwise	1	2	2	4	—	3	3	3	1	3	3	—	—	—	—
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	ORDER 4,															
	(Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	2	1	1	—	—	1	—	—	—	—	1	—	—	—	—
	3. Poison	1	1	2	—	—	2	—	—	—	—	—	—	—	—	—
	4. Drowning	3	1	1	3	4	—	1	1	—	—	—	—	—	—	—
	5. Hanging	1	—	1	2	—	3	1	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	(Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		—	1	1	3	2	3	—	2	2	—	—	—	—	—	—
Causes not specified or ill-defined		9	8	10	9	13	22	13	8	2	—	—	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	UNDER AGE												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	16343	1897	772	1401	1811	722	505	331	810	349	492	585	519	500
	Specified Causes . . .	16259	1868	767	1400	1810	722	502	330	810	349	491	585	517	499
	(CLASSES.)														
I.	ZYMOTIC DISEASES	2928	248	192	407	663	266	199	129	250	62	52	53	51	47
II.	CONSTITUTIONAL „	3108	45	93	165	250	141	102	81	203	109	252	302	264	188
III.	LOCAL „	7670	545	380	666	750	284	184	109	301	145	143	156	148	195
IV.	DEVELOPMENTAL „	1804	989	86	150	135	24	5	2	11	3	1	-	-	-
V.	VIOLENT DEATHS .	749	41	16	12	12	7	12	9	45	30	43	74	54	69
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	2671	164	165	384	650	263	198	129	246	62	47	46	42	38
	2. ENTHETIC „ .	109	47	14	15	6	3	1	-	-	-	2	3	2	-
	3. DIETIC „ .	142	34	12	8	6	-	-	-	3	-	3	4	7	9
	4. PARASITIC „ .	6	3	1	-	1	-	-	-	1	-	-	-	-	-
II.	1. DIATHETIC „ .	335	1	1	2	1	4	7	4	5	3	4	3	7	12
	2. TUBERCULAR „ .	2773	44	92	163	249	137	95	77	198	106	248	299	257	176
III.	1. DISEASES OF NERVOUS SYSTEM . .	1808	141	100	127	173	64	42	35	109	37	20	28	19	33
	2. „ OF ORGANS OF CIRCULATION .	1036	6	5	-	1	1	1	3	27	16	23	26	25	41
	3. „ OF RESPIRATORY ORGANS . .	3422	254	222	474	510	186	122	58	91	28	43	48	63	68
	4. „ OF DIGESTIVE ORGANS . . .	843	123	45	57	51	22	8	5	31	26	23	20	25	31
	5. „ OF URINARY ORGANS . . .	354	2	1	1	6	4	5	7	18	12	12	18	10	14
	6. „ OF ORGANS OF GENERATION .	7	1	1	1	-	-	-	-	-	-	1	1	-	1
	7. „ OF ORGANS OF LOCOMOTION . .	118	1	-	-	6	3	6	1	24	20	18	11	2	5
	8. „ OF INTEGUMENTARY SYSTEM . .	82	17	6	6	3	4	-	-	1	6	3	4	4	2
IV.	1. DEV. DIS. OF CHILDREN .	780	565	21	91	91	7	2	-	2	-	1	-	-	-
	2. „ OF ADULTS .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE	379	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION .	645	424	65	59	44	17	3	2	9	3	-	-	-	-

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	16354	1483	572	1227	1686	728	456	319	757	392	542	659	671	575
	Specified Causes	16288	1468	568	1220	1684	726	455	318	756	390	540	658	670	572
	(CLASSES.)														
I.	ZYMOTIC DISEASES .	3085	183	158	423	637	321	215	149	265	69	72	89	91	74
II.	CONSTITUTIONAL „	3541	40	61	129	255	115	59	63	209	155	320	370	325	267
III.	LOCAL „	7416	450	276	542	660	252	164	94	259	151	138	166	207	183
IV.	DEVELOPMENTAL „	1960	757	56	120	115	23	7	3	9	2	5	28	40	38
V.	VIOLENT DEATHS .	286	38	17	6	17	15	10	9	14	13	5	5	7	10
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	2914	127	136	405	630	319	214	147	264	69	71	89	88	69
	2. ENTHETIC „ .	72	33	14	12	3	1	—	1	—	—	1	—	1	—
	3. DIETIC „ .	86	17	7	5	2	1	—	—	1	—	—	—	2	5
	4. PARASITIC „ .	13	6	1	1	2	—	1	1	—	—	—	—	—	—
II.	1. DIATHETIC „ .	651	3	—	1	2	2	5	2	11	4	4	6	16	21
	2. TUBERCULAR „ .	2890	37	61	128	253	113	54	61	198	151	316	364	309	246
III.	1. DISEASES OF NERVOUS SYSTEM . .	1658	119	64	111	129	63	39	34	85	31	31	21	22	16
	2. „ OF ORGANS OF CIRCULATION .	1060	2	1	—	—	2	1	—	25	32	29	38	48	46
	3. „ OF RESPIRATORY ORGANS . . .	3234	209	160	366	479	167	103	47	87	29	45	43	56	54
	4. „ OF DIGESTIVE ORGANS	993	109	50	61	41	15	13	10	35	21	17	40	38	41
	5. „ OF URINARY ORGANS	249	1	—	1	5	3	1	1	14	18	11	13	23	15
	6. „ OF ORGANS OF GENERATION .	77	—	—	—	—	—	—	—	—	1	—	4	16	7
	7. „ OF ORGANS OF LOCOMOTION . .	77	1	—	—	3	2	4	2	10	19	4	5	2	2
	8. „ OF INTEGUMENTARY SYSTEM . .	68	9	1	3	3	—	3	—	3	—	1	2	2	2
IV.	1. DEV. DIS. OF CHILDREN .	611	429	12	81	79	9	—	—	—	1	—	—	—	—
	2. „ OF ADULTS .	155	—	—	—	—	—	—	—	—	—	5	26	40	37
	3. „ OF OLD PEOPLE	651	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION .	543	328	44	39	36	14	7	3	9	1	—	2	—	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		L S. AGE	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	700	41	16	12	12	7	12	9	45	30	41	73	49	61
	*														
	3. HOMICIDE	2	-	-	-	-	-	-	-	-	-	-	-	1	-
	4. SUICIDE	47	-	-	-	-	-	-	-	-	-	2	1	4	8
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		24	1	2	-	-	-	1	-	-	-	-	-	1	-
CAUSES NOT SPECIFIED		60	28	3	1	1	-	2	1	-	-	1	-	1	1
I.	ORDER 1.														
	1. Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	2. Measles	335	2	8	64	158	38	32	9	22	2	-	-	-	-
	3. Scarlatina	304	1	4	17	44	43	43	39	79	21	5	2	1	-
	4. Diphtheria	232	3	1	25	59	48	34	19	37	4	2	-	-	-
	5. Quinsy	7	-	1	-	3	-	2	-	-	-	-	-	-	-
	6. Croup	183	4	3	30	54	32	23	17	20	-	-	-	-	-
	7. Hooping-cough	588	28	49	114	213	78	46	26	34	-	-	-	-	-
	8. { Typhus Fever	71	-	-	1	1	1	-	-	3	-	6	5	9	10
	8. { Enteric or Typhoid Fever	213	-	1	2	9	3	8	9	29	22	28	28	22	18
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	11	-	1	-	-	1	1	1	1	2	1	-	1	-
	9. Erysipelas	74	15	3	3	1	-	-	2	4	1	-	1	2	2
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	10	-	-	2	-	-	-	-	-	-	-	1	-	-
	12. Influenza	4	-	-	-	1	-	-	-	-	-	-	-	-	-
	13. Dysentery	22	3	2	1	-	-	-	-	1	-	-	-	-	2
	14. Diarrhoea	537	104	89	118	105	14	4	4	13	7	3	7	2	2
	15. Cholera	14	1	2	5	1	-	1	1	-	-	-	-	-	-
	16. Ague	3	-	-	-	-	-	1	-	-	-	-	-	-	-
	17. Remittent Fever	5	-	-	-	-	-	3	1	-	-	-	-	-	-
	18. Rheumatism	50	2	-	-	-	-	-	1	3	3	2	2	3	4
	19. Other Miasmatic Diseases	5	1	1	2	1	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	94	47	14	15	6	3	1	-	-	-	-	1	-	-
	2. Stricture of Urethra	13	-	-	-	-	-	-	-	-	-	1	2	1	-
	3. Hydrophobia	2	-	-	-	-	-	-	-	-	-	1	-	1	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	2. Want of Breast Milk	51	33	12	6	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	22	1	-	2	6	-	-	-	3	-	3	2	1	1
	4. Alco- { a Del. Tremens	19	-	-	-	-	-	-	-	-	-	-	1	2	3
	holism { b Intemperance	49	-	-	-	-	-	-	-	-	-	-	1	3	5
	ORDER 4.														
	1. Thrush	4	3	1	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	2	-	-	-	1	-	-	-	1	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	49	1	-	1	1	3	3	4	4	2	1	-	2	3
	3. Cancer	259	-	1	1	-	1	1	-	1	-	3	1	5	8
	4. Cancrum Oris (Noma)	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	5. Mortification	23	-	-	-	-	-	3	-	-	1	-	2	-	-

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	264	38	17	6	17	15	10	9	14	13	4	2	6	8
	*														
	3. HOMICIDE	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	21	—	—	—	—	—	—	—	—	—	1	3	1	2
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	21	5	1	1	—	—	1	—	—	—	2	1	—	1
	CAUSES NOT SPECIFIED	45	10	3	6	2	2	—	1	1	2	—	—	1	2
I.	ORDER 1.														
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	324	4	5	75	141	39	23	16	20	—	1	—	—	—
	3. Scarlatina	311	2	4	15	41	46	44	38	87	19	5	5	2	3
	4. Diphtheria	213	1	1	19	38	43	31	26	41	7	2	1	1	1
	5. Quinsy	9	—	1	1	1	2	—	—	2	—	—	—	—	—
	6. Croup	184	4	1	22	50	45	26	13	22	1	—	—	—	—
	7. Hooping-cough	723	28	46	142	258	108	69	40	32	—	—	—	—	—
	8. { Typhus Fever	56	—	—	—	—	—	1	—	3	3	5	3	8	8
	8. { Enteric or Typhoid Fever	242	—	1	3	6	9	11	7	40	33	35	32	29	11
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	15	—	—	1	—	1	1	1	1	—	1	1	1	—
	9. Erysipelas	64	9	2	6	3	1	1	1	1	2	2	3	2	2
	10. Puerperal Fever (Metria)	154	—	—	—	—	—	—	—	—	—	7	38	38	34
	11. Carbuncle	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	8	1	—	2	1	—	—	—	—	—	—	—	—	—
	13. Dysentery	16	—	1	3	1	—	—	1	—	—	—	—	—	1
	14. Diarrhoea	496	76	72	111	86	22	5	4	9	1	5	3	4	3
	15. Cholera	11	—	2	5	1	1	—	—	—	—	—	—	—	—
	16. Ague	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	17. Remittent Fever	6	—	—	—	1	1	1	—	2	1	—	—	—	—
	18. Rheumatism	70	—	—	—	1	—	—	—	3	2	8	3	3	6
	19. Other Miasmatic Diseases	5	2	—	—	1	1	1	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	72	33	14	12	3	1	—	1	—	—	1	—	1	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	3	—	—	—	—	—	—	—	1	—	—	—	—	—
	2. Want of Breast Milk	23	15	4	4	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	15	2	3	1	2	1	—	—	—	—	—	—	—	1
	4. Alco- { a Del. Tremens	4	—	—	—	—	—	—	—	—	—	—	—	1	1
	holism { b Intemperance	41	—	—	—	—	—	—	—	—	—	—	—	1	3
	ORDER 4.														
	1. Thrush	9	6	1	1	1	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	4	—	—	—	1	—	1	1	—	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	76	2	—	—	—	—	4	2	6	1	2	2	5	3
	3. Cancer	545	—	—	1	—	1	1	—	3	3	2	4	11	18
	4. Cancrum Oris (Noma)	2	—	—	—	2	—	—	—	—	—	—	—	—	—
	5. Mortification	28	1	—	—	—	1	—	—	2	—	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	63	39	54	37	36	32	12	7	3	5	3	-	-	-	1
	*															
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	3	3	5	6	4	6	-	4	1	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		2	1	7	3	-	4	-	1	1	-	-	-	-	-	-
CAUSES NOT SPECIFIED		2	4	1	5	4	3	1	-	1	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	8	6	11	2	7	-	1	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	9	6	6	3	4	2	2	1	-	-	1	-	-	-	-
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	6	3	8	7	7	2	-	1	3	2	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	1	-	1	3	2	-	-	-	-	-	-	-	-
	12. Influenza	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	13. Dysentery	1	1	-	2	2	1	2	1	1	1	1	-	-	-	-
	14. Diarrhoea	2	2	4	9	4	10	10	8	9	3	2	2	-	-	-
	15. Cholera	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	16. Ague	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	18. Rheumatism	6	4	2	5	3	5	1	3	1	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	3	-	-	2	3	-	1	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	4	4	1	-	2	1	-	1	-	-	-	-	-	-	-
	4. holism { b Intemperance	5	7	11	7	6	2	1	1	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	2. Dropsy	3	-	4	2	5	2	5	2	-	-	1	-	-	-	-
	3. Cancer	4	23	31	34	40	41	27	21	9	7	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	2	-	2	3	2	1	4	2	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	8	10	9	12	12	11	13	11	6	8	4	1	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	4. SUICIDE	2	1	5	1	1	4	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	3	2	2	-	1	1	-	-	-	-	-	-
CAUSES NOT SPECIFIED		2	2	3	2	4	1	-	1	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	5	7	4	4	1	-	2	2	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	4	5	4	1	2	5	-	3	-	1	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	1	2	1	1	1	-	1	-	-	-	-	-	-
	9. Erysipelas	2	4	4	1	4	3	2	2	4	1	2	-	-	-	-
	10. Puerperal Fever (Metria)	20	16	1	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-
	12. Influenza	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-
	13. Dysentery	-	1	3	-	1	2	1	-	1	-	-	-	-	-	-
	14. Diarrhoea	2	3	7	8	8	15	12	15	12	9	3	1	-	-	-
	15. Cholera	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	6	7	3	6	7	3	6	3	2	1	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	6	6	4	8	5	4	3	1	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	3	6	6	2	5	8	4	4	5	5	1	-	-	-	-
	3. Cancer	34	72	64	68	61	69	51	52	17	11	1	1	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	1	-	1	-	4	5	6	3	2	2	-	-	-	-

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	179	6	3	9	17	15	7	5	21	19	18	28	10	2
	2. Tabes Mesenterica	307	17	25	26	76	39	25	24	35	18	10	5	1	1
	3. Phthisis	1780	1	10	20	45	27	15	21	76	61	215	264	245	173
	4. Hydrocephalus	507	20	54	108	111	56	48	27	66	8	5	2	1	-
	ORDER 1.														
	1. Cephalitis	397	14	30	60	75	32	30	21	63	12	10	6	4	3
	2. Apoplexy	395	5	13	13	20	12	5	3	9	3	2	4	5	9
	3. Paralysis	406	-	-	3	1	-	-	1	-	3	1	2	3	12
	4. Insanity	16	-	-	-	-	-	-	-	-	-	1	-	1	1
	5. Chorea	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	6. Epilepsy	62	1	1	-	3	-	1	1	2	3	2	4	3	2
	7. Convulsions	317	112	51	37	66	16	4	6	11	2	1	3	-	-
	8. Brain Disease, etc.	214	9	5	14	8	4	2	3	23	14	3	9	3	6
	ORDER 2.														
	1. Pericarditis	35	-	2	-	-	-	-	-	9	2	2	2	1	3
	2. Aneurism	46	-	-	-	-	-	-	-	-	-	-	1	1	3
	3. Heart Disease, etc.	955	6	3	-	1	1	1	3	18	14	21	23	23	35
	ORDER 3.														
	1. Laryngitis	81	4	7	16	14	9	5	2	1	-	1	2	2	2
	2. Bronchitis	1829	179	145	267	300	98	55	27	40	8	8	5	12	13
	3. Pleurisy	68	-	1	2	1	2	1	3	1	1	3	1	5	4
	4. Pneumonia	1110	39	58	150	153	54	57	21	40	17	27	35	32	40
	5. Asthma	37	-	-	-	-	1	-	-	-	-	-	-	-	1
	6. Lung Disease, etc.	297	32	11	39	42	22	4	5	9	2	4	5	12	8
	ORDER 4.														
1. Gastritis	50	4	5	4	4	1	1	-	3	1	-	2	2	4	
2. Enteritis	220	50	30	36	30	12	4	3	5	6	3	1	6	5	
3. Peritonitis	97	5	1	5	4	3	-	-	13	9	12	9	6	2	
4. Ascites	9	1	-	-	1	-	-	-	1	1	1	-	-	-	
5. Ulceration of Intestines	42	-	-	-	1	-	-	-	1	-	1	1	2	4	
6. Hernia	28	3	1	-	1	-	-	-	1	1	-	1	1	-	
7. Ileus	46	7	1	1	1	-	1	-	-	2	2	-	1	4	
8. Intussusception	16	-	-	3	-	-	-	-	2	1	2	1	1	1	
9. Stricture of Intestines	8	1	1	-	-	-	-	-	-	-	1	-	-	-	
10. Fistula	5	-	-	-	-	-	-	-	-	-	-	1	-	2	
11. Stomach Disease, etc.	112	24	5	6	5	4	2	-	1	2	-	1	1	-	
12. Pancreas Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
13. Hepatitis	40	2	-	-	2	1	-	-	3	1	-	1	1	1	
14. Jaundice	51	23	-	1	2	1	-	-	-	-	-	-	1	-	
15. Liver Disease, etc.	109	3	1	1	-	-	-	2	1	1	1	1	3	7	
16. Spleen Disease, etc.	9	-	-	-	-	-	-	-	-	1	-	-	-	1	
ORDER 5.															
1. Nephritis	64	-	-	-	4	-	2	5	9	2	2	4	-	2	
2. Ischuria	12	-	-	1	-	-	-	-	1	-	-	-	-	-	
3. Bright's Disease (Nephria)	117	1	-	-	-	2	2	1	3	9	2	6	4	6	
4. Diabetes	22	-	1	-	-	-	-	-	-	1	3	4	1	2	
5. Calculus (Stone)	7	-	-	-	-	-	-	-	1	-	-	-	-	-	
6. Cystitis	38	1	-	-	-	-	-	-	1	-	-	2	1	1	
7. Kidney Disease, etc.	94	-	-	-	2	2	1	1	3	-	5	2	4	3	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	7	1	1	1	-	-	-	-	-	-	1	1	-	1	
ORDER 7.															
1. Synovitis (Arthritis)	10	-	-	-	2	-	1	-	3	2	-	-	-	-	
2. Joint Disease, etc.	108	1	-	-	4	3	5	1	21	18	18	11	2	5	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
		3	6	12											
III.	ORDER 2.														
	1. Scrofula	145	3	4	10	29	13	4	5	15	24	10	3	9	3
	2. Tabes Mesenterica	274	12	11	21	72	32	16	15	46	18	12	12	4	—
	3. Phthisis	2060	6	9	15	40	27	9	11	82	100	290	349	296	243
	4. Hydrocephalus	411	16	37	82	112	41	25	30	55	9	4	—	—	—
	ORDER 1.														
	1. Cephalitis	331	13	25	50	57	30	24	28	52	11	12	6	5	1
	2. Apoplexy	424	5	3	13	18	3	5	1	8	3	3	3	4	4
	3. Paralysis	376	—	—	1	1	—	—	—	4	1	1	2	1	6
	4. Insanity	19	—	—	—	—	—	—	—	—	—	—	2	—	—
	5. Chorea	8	—	—	—	—	—	—	—	1	3	1	1	1	—
	6. Epilepsy	50	1	—	2	1	—	1	—	3	2	6	3	3	2
	7. Convulsions	255	89	30	38	47	23	9	3	7	2	—	1	2	1
	8. Brain Disease, etc.	195	11	6	7	5	7	—	2	10	9	8	3	6	2
	ORDER 2.														
	1. Pericarditis	29	—	—	—	—	—	—	—	5	4	3	2	2	2
	2. Aneurism	7	—	—	—	—	—	—	—	—	—	—	—	1	—
	3. Heart Disease, etc.	1024	2	1	—	—	2	1	—	20	28	26	36	45	44
	ORDER 3.														
	1. Laryngitis	57	4	3	12	10	5	6	1	5	—	—	1	2	1
	2. Bronchitis	2040	141	117	233	279	93	49	23	34	16	12	17	13	20
	3. Pleurisy	57	—	1	1	5	—	2	1	2	1	5	3	6	2
	4. Pneumonia	800	37	27	93	143	58	31	16	38	7	20	19	28	19
	5. Asthma	17	—	—	—	—	—	—	—	—	—	1	—	1	2
	6. Lung Disease, etc.	263	27	12	27	42	11	15	6	8	5	7	3	6	10
	ORDER 4.														
	1. Gastritis	91	15	6	7	9	1	1	3	4	2	—	3	1	6
	2. Enteritis	220	41	26	36	24	8	9	3	6	5	6	2	7	5
	3. Peritonitis	131	5	1	3	1	2	1	1	10	6	4	15	18	11
	4. Ascites	22	—	—	—	—	—	—	—	—	1	—	2	—	—
	5. Ulceration of Intestines	50	1	—	—	—	—	—	—	1	1	3	6	2	6
	6. Hernia	33	—	—	—	—	—	—	—	—	—	—	—	2	1
	7. Ileus	53	3	4	1	3	—	—	—	2	1	1	3	2	1
	8. Intussusception	13	1	2	4	—	—	—	—	1	—	1	—	—	—
	9. Stricture of Intestines	6	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	4	—	1	—	—	—	—	1	—	1	—	1	—	—
	11. Stomach Disease, etc.	121	22	9	4	3	3	1	1	3	1	—	3	2	2
	12. Pancreas Disease, etc.	2	—	—	2	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	53	3	—	—	—	1	—	—	4	2	1	4	1	3
	14. Jaundice	63	14	1	1	1	—	—	—	—	—	—	1	—	3
	15. Liver Disease, etc.	126	4	—	3	—	—	1	1	4	1	1	—	2	3
	16. Spleen Disease, etc.	5	—	—	—	—	—	—	—	—	—	—	—	1	—
	ORDER 5.														
	1. Nephritis	47	1	—	1	2	1	—	—	6	5	—	3	6	2
	2. Ischuria	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	3. Bright's Disease (Nephria)	92	—	—	—	—	1	1	—	3	6	6	7	4	6
	4. Diabetes	23	—	—	—	—	1	—	—	1	—	1	—	7	3
	5. Calculus (Stone)	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	6. Cystitis	11	—	—	—	—	—	—	—	1	1	—	—	1	2
	7. Kidney Disease, etc.	73	—	—	—	3	—	—	1	1	6	4	3	5	2
	ORDER 6.														
	1. Ovarian Dropsy	34	—	—	—	—	—	—	—	—	1	—	—	6	3
	2. Uterus Disease, etc.	43	—	—	—	—	—	—	—	—	—	—	4	10	4
	ORDER 7.														
	1. Synovitis (Arthritis)	15	—	—	—	1	—	—	—	2	4	—	—	—	—
	2. Joint Disease, etc.	62	1	—	—	2	2	4	2	8	15	4	5	2	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														?
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	
III.	ORDER 2.															
	1. Scrofula	3	2	4	3	2	2	1	1	-	-	-	1	-	-	-
	2. Tabes Mesenterica	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	158	171	117	64	52	22	14	5	1	2	1	-	-	-	-
	4. Hydrocephalus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	5	3	6	4	9	3	3	3	-	-	1	-	-	-	-
	2. Apoplexy	8	16	21	26	39	52	46	40	21	18	3	1	1	-	-
	3. Paralysis	21	27	24	28	33	67	57	56	44	18	4	1	-	-	-
	4. Insanity	2	5	4	-	-	1	-	1	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	6	7	6	2	8	3	3	4	-	-	-	-	-	-	-
	7. Convulsions	1	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	5	9	14	16	10	18	14	14	7	2	2	-	-	-	-
	ORDER 2.															
	1. Pericarditis	2	4	1	2	3	-	-	2	-	-	-	-	-	-	-
	2. Aneurism	7	7	6	10	5	5	-	1	-	-	-	-	-	-	-
	3. Heart Disease, etc.	57	80	89	98	110	130	90	89	41	16	5	1	-	-	-
	ORDER 3.															
	1. Laryngitis	1	2	3	2	2	3	-	3	-	-	-	-	-	-	-
	2. Bronchitis	34	45	53	86	74	113	94	85	48	20	15	4	-	1	-
	3. Pleurisy	10	9	5	3	4	8	2	1	-	1	-	-	-	-	-
	4. Pneumonia	53	63	64	59	38	50	29	14	7	5	3	1	1	-	-
	5. Asthma	2	2	5	3	7	6	6	3	1	-	-	-	-	-	-
	6. Lung Disease, etc.	12	13	13	10	10	11	14	10	5	4	-	-	-	-	-
	ORDER 4.															
	1. Gastritis	1	3	5	2	1	2	4	-	1	-	-	-	-	-	-
	2. Enteritis	-	5	5	6	5	2	3	2	1	-	-	-	-	-	-
	3. Peritonitis	6	3	7	4	-	-	3	4	1	-	-	-	-	-	-
	4. Ascites	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	2	5	6	1	4	6	3	2	2	1	-	-	-	-	-
	6. Hernia	1	-	3	-	2	3	3	4	3	-	-	-	-	-	-
	7. Ileus	2	2	-	4	3	4	5	1	3	1	1	-	-	-	-
	8. Intussusception	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-
	9. Stricture of Intestines	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	7	5	10	3	7	10	9	7	1	1	1	-	-	-	-
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	2	5	2	5	2	4	4	3	1	-	-	-	-	-	-
	14. Jaundice	-	2	1	1	5	4	1	5	3	1	-	-	-	-	-
	15. Liver Disease, etc.	14	9	7	11	10	16	11	8	1	-	1	-	-	-	-
	16. Spleen Disease, etc.	2	2	-	-	-	2	-	-	1	-	-	-	-	-	-
	ORDER 5.															
	1. Nephritis	2	7	4	2	9	4	-	3	3	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	2	1	1	-	4	2	-	-	-	-	-
	3. Bright's Disease(Nephria)	17	10	14	9	9	8	6	8	-	-	-	-	-	-	-
	4. Diabetes	1	2	1	2	1	1	1	-	1	-	-	-	-	-	-
	5. Calculus (Stone)	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-
	6. Cystitis	1	-	1	2	2	5	7	5	8	-	1	-	-	-	-
	7. Kidney Disease, etc.	4	8	6	6	8	9	10	6	7	4	2	1	-	-	-
	ORDER 6.															
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 7.															
	1. Synovitis (Arthritis)	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	2	2	-	2	3	3	4	3	-	-	-	-	-	-	-

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	2	2	5	—	—	2	—	—	1	1	—	—	—	—	—
	2. Tabes Mesenterica	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	189	153	96	57	39	26	10	12	1	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	6	2	3	1	3	1	1	—	—	—	—	—	—	—	—
	2. Apoplexy	5	18	25	47	41	58	43	54	38	16	5	1	—	—	—
	3. Paralysis	9	11	20	28	37	51	57	59	52	25	9	—	1	—	—
	4. Insanity	—	1	4	2	2	3	1	2	1	1	—	—	—	—	—
	5. Chorea	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	3	7	4	1	5	1	2	3	—	—	—	—	—	—	—
	7. Convulsions	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	4	10	7	10	16	16	16	15	13	11	1	—	—	—	—
	ORDER 2.															
	1. Pericarditis	2	4	—	1	—	1	1	—	1	1	—	—	—	—	—
	2. Aneurism	2	—	—	2	1	—	—	1	—	—	—	—	—	—	—
	3. Heart Disease, etc.	70	81	65	103	90	102	105	96	62	40	4	—	1	—	—
	ORDER 3.															
	1. Laryngitis	1	2	—	—	1	2	1	—	—	—	—	—	—	—	—
	2. Bronchitis	39	58	77	116	114	184	119	121	85	53	20	6	1	—	—
	3. Pleurisy	2	5	3	4	3	4	6	1	—	—	—	—	—	—	—
	4. Pneumonia	25	46	25	37	28	24	20	28	15	9	3	3	1	—	—
	5. Asthma	—	1	3	2	2	3	2	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	11	8	3	8	7	10	11	13	6	4	2	1	—	—	—
	ORDER 4.															
	1. Gastritis	2	3	3	5	3	9	1	5	1	1	—	—	—	—	—
	2. Enteritis	4	7	2	6	3	3	5	6	5	—	—	1	—	—	—
	3. Peritonitis	9	13	4	8	4	3	8	2	1	—	1	—	—	—	—
	4. Ascites	4	2	2	2	1	3	1	2	1	1	—	—	—	—	—
	5. Ulceration of Intestines	3	3	3	4	6	7	2	2	—	—	—	—	—	—	—
	6. Hernia	1	1	1	2	6	10	3	2	2	1	1	—	—	—	—
	7. Ileus	2	2	8	2	—	9	6	—	2	1	—	—	—	—	—
	8. Intussusception	—	1	1	1	—	—	—	—	1	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	2	—	1	1	1	—	—	—	1	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	10	7	7	5	11	13	6	3	2	—	2	1	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	2	6	4	5	5	5	5	2	—	—	—	—	—	—	—
	14. Jaundice	2	6	4	2	7	6	2	5	7	1	—	—	—	—	—
	15. Liver Disease, etc.	5	17	14	16	11	15	11	10	4	2	—	1	—	—	—
	16. Spleen Disease, etc.	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	2	5	2	3	3	2	2	1	—	—	—	—	—	—	—
	2. Ischuria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	3	8	7	10	9	6	3	7	2	2	1	—	—	—	—
	4. Diabetes	1	1	—	—	1	1	4	2	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	1	—	—	1	1	1	—	1	1	—	—	—	—	—	—
	7. Kidney Disease, etc.	5	5	7	4	8	7	7	1	2	—	1	1	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	5	4	3	4	4	2	1	1	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	4	3	5	6	3	2	1	—	—	1	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	1	—	3	1	1	—	1	—	1	—	—	—	—	—	—
	2. Joint Disease, etc.	2	2	3	1	1	1	1	1	2	1	—	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND
during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	41	2	2	2	2	1	-	-	1	5	2	3	3	2	
	2. Ulcer	16	7	-	-	-	-	-	-	-	-	-	1	-	-	
	3. Skin Disease, etc.	25	8	4	4	1	3	-	-	-	1	1	-	1	-	
	ORDER 1.															
	1. Premature Birth	501	497	3	-	-	1	-	-	-	-	-	-	-	-	
	2. Cyanosis	18	15	1	-	-	-	1	-	1	-	-	-	-	-	
	3. Spina Bifida	15	8	3	1	1	-	-	-	1	-	1	-	-	-	
	4. Other Malformations	45	44	1	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	201	1	13	90	90	6	1	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.															
	1. Old Age	379	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Atrophy and Debility	645	424	65	59	44	17	3	2	9	3	-	-	-	-	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	344	1	-	-	4	3	3	5	22	18	26	45	29	29	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
	4. Burns and Scalds	50	-	-	2	7	3	6	3	9	1	1	1	5	4	
	5. Poison	16	1	-	-	1	-	-	-	-	-	-	-	-	2	
	6. Drowning	135	1	1	2	-	-	2	1	9	8	11	18	5	15	
	7. Suffocation	79	35	12	8	-	1	-	-	2	1	-	3	2	2	
	8. Otherwise	75	3	3	-	-	-	1	-	3	2	3	6	8	8	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	4	-	-	-	-	-	-	-	-	-	-	-	1	2	
	2. Cut, Stab	14	-	-	-	-	-	-	-	-	-	-	-	1	1	
	3. Poison	3	-	-	-	-	-	-	-	-	-	1	-	1	-	
	4. Drowning	3	-	-	-	-	-	-	-	-	-	-	-	-	1	
	5. Hanging	18	-	-	-	-	-	-	-	-	-	1	1	1	3	
	6. Otherwise and undefined	5	-	-	-	-	-	-	-	-	-	-	-	-	1	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		24	1	2	-	-	-	1	-	-	-	-	-	1	-
	Causes not specified or ill-defined.		60	23	3	1	1	-	2	1	-	-	1	-	1	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
IV.	ORDER 8.														
	1. Phlegmon	33	2	1	1	1	—	1	—	1	—	1	2	2	1
	2. Ulcer	24	4	—	1	—	—	1	—	1	—	—	—	—	—
	3. Skin Disease, etc.	11	3	—	1	2	—	1	—	1	—	—	—	—	1
	ORDER 1.														
	1. Premature Birth	393	390	—	2	1	—	—	—	—	—	—	—	—	—
	2. Cyanosis	10	6	1	2	—	—	—	—	—	1	—	—	—	—
	3. Spina Bifida	16	12	1	2	1	—	—	—	—	—	—	—	—	—
	4. Other Malformations	21	21	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	171	—	10	75	77	9	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Paramenia	3	—	—	—	—	—	—	—	—	—	1	—	—	—
	2. Childbirth (see Puerperal Fever)	152	—	—	—	—	—	—	—	—	—	4	26	40	37
	ORDER 3.														
	1. Old Age	651	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility	543	328	44	39	36	14	7	3	9	1	—	2	—	1
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	93	—	—	2	2	5	—	2	10	7	3	—	1	1
	2. Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	1	—	—	—	—	—	—	—	—	—	1	—	—	—
	4. Burns and Scalds	52	—	1	1	12	7	6	5	3	2	—	—	1	1
	5. Poison	10	—	—	—	—	—	1	1	—	—	—	—	1	1
	6. Drowning	18	—	—	—	1	1	—	—	—	1	—	1	1	4
	7. Suffocation	70	37	16	3	1	—	2	1	—	—	—	—	2	1
	8. Otherwise	19	1	—	—	1	2	1	—	1	3	—	1	—	—
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
(Suicide.)															
1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Cut, Stab	3	—	—	—	—	—	—	—	—	—	—	1	—	—	
3. Poison	7	—	—	—	—	—	—	—	—	—	—	—	1	2	
4. Drowning	5	—	—	—	—	—	—	—	—	—	1	1	—	—	
5. Hanging	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Otherwise and undefined	3	—	—	—	—	—	—	—	—	—	—	1	—	—	
ORDER 5.															
(Execution.)															
1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sudden Deaths (cause unascertained)		21	5	1	1	—	—	1	—	—	—	2	1	—	1
Causes not specified or ill-defined		45	10	3	6	2	2	—	1	1	2	—	—	1	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the YEAR 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	2	1	3	1	1	3	1	3	-	1	-	-	-	-	-
	2. Ulcer	-	2	2	-	-	2	1	-	1	-	-	-	-	-	-
	3. Skin Disease, etc.	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	35	40	88	92	72	33	15	3	1	-
	ORDER 4.															
	1. Atrophy and Debility	-	2	4	4	9	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	32	29	27	20	23	13	8	1	-	5	1	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	2	-	-	2	-	1	2	1	-	-	-	-	-	-
	5. Poison	3	-	5	2	-	1	1	-	-	-	-	-	-	-	-
	6. Drowning	17	6	15	9	4	9	1	-	-	-	-	-	-	-	1
	7. Suffocation	3	-	1	2	2	2	1	1	-	-	1	-	-	-	-
	8. Otherwise	8	2	6	4	5	7	-	3	2	-	1	-	-	-	-
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	1	4	2	1	-	-	3	-	-	-	-	-	-	-
	3. Poison	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	5. Hanging	2	1	-	2	2	3	-	1	1	-	-	-	-	-	-
	6. Otherwise and undefined	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	2	1	7	3	-	4	-	1	1	-	-	-	-	-	-
	Causes not specified or ill-defined	2	4	1	5	4	3	1	-	1	-	-	-	-	-	-

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	3	1	1	1	7	3	1	1	1	1	—	—	—	—	—
	2. Ulcer	—	—	—	6	2	2	2	—	4	—	1	—	—	—	—
	3. Skin Disease, etc.	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V.	ORDER 2.															
	1. Paramenia	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	32	12	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	45	74	126	125	167	74	34	6	—	—
	ORDER 4.															
	1. Atrophy and Debility	1	10	9	17	22	—	—	—	—	—	—	—	—	—	—
	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	4	2	3	5	8	7	8	8	3	8	3	1	—	—	—
	2. Gunshot Wounds	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	2	3	2	—	2	1	1	2	—	—	—	—	—	—
	5. Poison	—	2	—	1	2	—	1	—	—	—	—	—	—	—	—
	6. Drowning	2	1	1	1	1	1	2	—	—	—	—	—	—	—	—
	7. Suffocation	1	2	1	—	1	1	—	—	1	—	—	—	—	—	—
	8. Otherwise	1	1	1	2	—	—	1	2	—	—	1	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	3. Poison	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—
	4. Drowning	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	—	—	—	3	2	2	—	1	1	—	—	—	—	—	—
	Causes not specified or ill-defined	2	2	3	2	4	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	4057	482	184	330	334	172	101	77	213	113	136	147	124	114
	Specified Causes . .	4020	463	181	329	332	171	101	77	212	113	136	147	124	114
	(CLASSES.)														
I.	ZYMOTIC DISEASES	748	44	43	108	126	84	52	47	92	30	15	15	11	4
II.	CONSTITUTIONAL „	747	11	17	42	55	32	19	9	49	38	73	71	52	45
III.	LOCAL „	1824	154	96	149	108	44	21	19	59	33	38	43	46	56
IV.	DEVELOPMENTAL „	517	247	24	29	37	8	3	—	1	—	—	—	—	—
V.	VIOLENT DEATHS .	184	7	1	1	6	3	6	2	11	12	10	18	15	9
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	716	34	39	105	125	83	52	47	92	29	15	15	9	4
	2. ENTHETIC „ .	7	2	—	3	1	1	—	—	—	—	—	—	—	—
	3. DIETIC „ .	23	6	4	—	—	—	—	—	—	1	—	—	2	—
	4. PARASITIC „ .	2	2	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	107	3	1	1	1	1	—	—	—	2	2	2	—	3
	2. TUBERCULAR „ .	640	8	16	41	54	31	19	9	49	36	71	69	52	42
III.	1. DISEASES OF NERVOUS SYSTEM . .	451	30	16	28	25	8	6	8	19	15	10	9	9	9
	2. „ OF ORGANS OF CIRCULATION .	286	3	1	1	—	—	—	—	2	4	6	6	11	13
	3. „ OF RESPIRATORY ORGANS . .	711	70	56	99	72	28	11	6	21	5	6	13	14	16
	4. „ OF DIGESTIVE ORGANS . . .	247	45	23	18	8	6	3	1	11	3	8	10	6	10
	5. „ OF URINARY ORGANS . . .	88	—	—	—	1	1	1	3	4	2	4	2	4	7
	6. „ OF ORGANS OF GENERATION .	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION .	24	—	—	—	1	—	—	1	2	3	4	3	2	1
	8. „ OF INTEGUMENTARY SYSTEM . .	16	5	—	3	1	1	—	—	—	1	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN .	173	120	6	16	27	4	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	156	—	—	—	—	—	—	—	—	—	—	—	—	—
	4 DISEASES OF NUTRITION	188	127	18	13	10	4	3	—	1	—	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	3997	386	151	277	344	146	91	76	174	97	126	125	130	129
	Specified Causes . .	3968	376	146	276	344	145	89	76	173	97	126	124	130	129
	(CLASSES.)														
I.	ZYMOTIC DISEASES	709	41	36	94	138	71	46	44	72	17	13	14	15	15
II.	CONSTITUTIONAL „	827	11	12	48	48	20	11	9	44	49	76	78	71	59
III.	LOCAL „	1732	113	69	114	125	49	28	19	52	30	34	26	32	44
IV.	DEVELOPMENTAL „	627	203	24	19	29	2	2	—	—	—	1	5	10	11
V.	VIOLENT DEATHS .	73	8	5	1	4	3	2	4	5	1	2	1	2	—
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	683	34	32	93	138	69	46	44	72	16	13	14	14	15
	2. ENTHETIC „ .	7	4	2	1	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	17	2	2	—	—	1	—	—	—	1	—	—	1	—
	4. PARASITIC „ .	2	1	—	—	—	1	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	164	1	2	—	2	2	—	—	2	1	2	1	1	3
	2. TUBERCULAR „ .	663	10	10	48	46	18	11	9	42	48	74	77	70	56
III.	1. DISEASES OF NERVOUS SYSTEM . .	427	20	15	18	26	6	8	12	13	11	8	3	6	7
	2. „ OF ORGANS OF CIRCULATION .	287	—	—	—	2	1	—	3	4	7	6	5	6	11
	3. „ OF RESPIRATORY ORGANS . .	662	64	39	76	83	35	16	4	21	6	10	8	5	7
	4. „ OF DIGESTIVE ORGANS . . .	248	28	12	20	11	5	3	—	9	—	4	3	7	8
	5. „ OF URINARY ORGANS . . .	56	—	1	—	1	—	—	—	2	4	4	1	5	6
	6. „ OF ORGANS OF GENERATION .	18	—	—	—	—	—	—	—	—	—	1	2	—	2
	7. „ OF ORGANS OF LOCOMOTION . .	19	1	—	—	—	—	1	—	3	2	1	3	3	1
	8. „ OF INTEGUMENTARY SYSTEM . .	15	—	2	—	2	2	—	—	—	—	—	1	—	2
IV.	1. DEV. DIS. OF CHILDREN .	125	88	4	10	22	—	1	—	—	—	—	—	—	—
	2. „ OF ADULTS .	40	—	—	—	—	—	—	—	—	—	1	5	9	11
	3. „ OF OLD PEOPLE	295	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	167	115	20	9	7	2	1	—	—	—	—	—	1	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	174	7	1	1	6	3	6	2	11	12	10	17	14	9
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	10	-	-	-	-	-	-	-	-	-	-	1	1	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	6	3	1	1	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	31	16	2	-	2	1	-	-	1	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	93	2	3	24	30	16	8	6	4	-	-	-	-	-
	3. Scarlatina	139	-	-	4	22	26	20	21	38	4	2	1	-	-
	4. Diphtheria	53	1	-	3	7	15	7	6	10	1	-	-	1	-
	5. Quinsy	6	-	1	2	-	-	-	1	1	1	-	-	-	-
	6. Croup	69	1	1	12	15	8	11	6	13	2	-	-	-	-
	7. Hooping-cough	86	10	10	28	20	8	2	2	6	-	-	-	-	-
	8. { Typhus Fever	3	-	-	-	-	-	1	-	1	-	-	-	-	-
	{ Enteric or Typhoid Fever	80	-	-	2	2	2	1	4	13	11	12	11	4	3
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	9	-	-	-	2	1	-	-	-	2	-	-	1	-
	9. Erysipelas	23	3	3	1	-	-	-	-	-	1	-	-	-	-
	10. Puerperal Fever (Metria).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	3	-	-	-	-	-	-	-	-	-	-	-	1	-
	13. Dysentery	3	-	1	-	-	-	-	-	-	-	-	-	1	-
	14. Diarrhoea	120	16	19	29	27	5	-	-	2	4	-	3	1	-
	15. Cholera	2	-	1	-	-	-	-	-	-	-	1	-	-	-
	16. Ague	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	17. Remittent Fever	5	-	-	-	-	1	2	-	2	-	-	-	-	-
	18. Rheumatism	15	-	-	-	-	-	-	1	-	3	-	-	-	1
	19. Other Miasmatic Diseases	4	1	-	-	-	-	-	-	2	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	7	2	-	3	1	1	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	10	6	4	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	4. Alco- { a Del. Tremens	2	-	-	-	-	-	-	-	-	-	-	-	1	-
	holism { b Intemperance	10	-	-	-	-	-	-	-	-	-	-	-	1	-
	ORDER 4.														
	1. Thrush	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	20	3	1	-	1	1	-	-	-	1	1	1	-	-
	3. Cancer	76	-	-	-	-	-	-	-	-	1	-	1	-	3
	4. Cancrum Oris (Noma)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	10	-	-	1	-	-	-	-	-	-	1	-	-	-

* See page 52, note.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	65	7	5	1	4	3	2	4	5	1	1	1	1	—
	*														
	3. HOMICIDE	4	1	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	4	—	—	—	—	—	—	—	—	—	1	—	1	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	2	1	—	—	—	—	—	—	1	—	—	—	—	—
	CAUSES NOT SPECIFIED	27	9	5	1	—	1	2	—	—	—	—	1	—	—
I.	ORDER 1.														
	1. Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	1
	2. Measles	90	—	2	26	33	13	7	3	6	—	—	—	—	—
	3. Scarlatina	104	1	1	6	24	15	8	16	20	8	2	1	2	—
	4. Diphtheria	48	—	—	2	16	9	6	6	8	—	1	—	—	—
	5. Quinsy	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	6. Croup	66	1	2	5	15	9	14	9	11	—	—	—	—	—
	7. Hooping-cough	111	13	10	24	31	14	9	3	7	—	—	—	—	—
	8. { Typhus Fever	8	—	—	—	—	—	—	—	—	1	—	1	—	—
	8. { Enteric or Typhoid Fever	63	—	—	3	—	4	1	1	10	6	9	6	3	5
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	6	—	—	—	1	—	—	1	2	—	—	—	—	1
	9. Erysipelas	13	2	1	2	1	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	25	—	—	—	—	—	—	—	—	—	1	3	8	6
	11. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	6	—	—	—	1	—	1	1	—	—	—	—	—	—
	13. Dysentery	6	—	—	1	—	—	—	—	—	—	—	—	—	—
	14. Diarrhoea	114	17	16	22	15	5	—	3	5	—	—	2	1	2
	15. Cholera	2	—	—	—	1	—	—	—	1	—	—	—	—	—
	16. Ague	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	15	—	—	—	—	—	—	1	1	1	—	1	—	—
	19. Other Miasmatic Diseases	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	7	4	2	1	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	2. Want of Breast Milk	4	2	2	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	2	—	—	—	—	1	—	—	—	—	—	—	1	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	10	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Thrush	2	1	—	—	—	1	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	32	—	2	—	—	2	—	—	2	1	1	1	1	1
	3. Cancer	119	—	—	—	—	—	—	—	—	—	1	—	—	2
	4. Cancrum Oris (Noma)	2	—	—	—	2	—	—	—	—	—	—	—	—	—
	5. Mortification	11	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	11	7	8	16	7	10	7	.5	.3	1	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	2	1	2	-	-	1	-	-	-	1	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	1	3	2	2	-	1	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	-	4	5	2	1	2	1	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	3	1	2	2	2	1	-	3	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	14. Diarrhoea	2	-	-	1	1	2	1	1	2	3	1	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	2	-	2	1	1	1	2	1	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	2	-	1	2	-	3	-	1	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	2	2	-	4	1	1	1	-	-	-	-	-
	3. Cancer	2	1	10	12	8	11	10	10	6	1	-	-	-	-	-
	4. Calcrum Oris (Noma)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	1	-	-	2	-	1	3	-	-	-	-	-	-

*. See page 52, note.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	2	2	4	3	3	4	4	2	3	1	2	-	-	-	-
	*															
	3. HOMICIDE	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	4. SUICIDE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	1	1	1	1	1	3	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	5	4	-	3	1	1	-	-	1	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	1	-	1	1	1	1	-	-	1	1	-	-	-	-
	10. Puerperal Fever (Metria)	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	12. Influenza	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-
	14. Diarrhoea	3	1	3	1	3	2	1	4	3	3	2	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	1	1	-	1	2	3	1	2	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	5	1	1	2	-	1	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	1	2	5	-	3	4	2	2	2	-	-	-	-	-
	3. Cancer	10	8	10	15	15	17	15	14	6	4	2	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	1	-	1	1	5	-	1	1	-	-	-

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882. —MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
III.	ORDER 2.														
	1. Scrofula	35	1	1	6	4	4	2	1	3	4	4	2	-	-
	2. Tabes Mesenterica	58	2	6	8	9	13	4	-	8	3	1	4	-	-
	3. Phthisis	415	1	-	3	11	2	1	4	13	22	62	63	52	42
	4. Hydrocephalus	132	4	9	24	30	12	12	4	25	7	4	-	-	-
	ORDER 1.														
	1. Cephalitis	83	-	4	14	13	4	2	3	12	6	7	3	4	1
	2. Apoplexy	120	4	2	2	1	1	3	1	1	1	-	1	1	3
	3. Paralysis	106	-	-	-	-	-	-	-	1	2	-	1	1	2
	4. Insanity	12	-	-	-	-	-	-	-	-	-	1	-	1	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	14	1	-	1	1	-	-	-	1	-	-	1	1	1
	7. Convulsions	65	22	9	10	10	3	1	4	2	1	-	-	1	1
	8. Brain Disease, etc.	51	3	1	1	-	-	-	-	2	5	2	3	-	1
	ORDER 2.														
	1. Pericarditis	7	-	-	-	-	-	-	-	-	-	1	1	4	1
	2. Aneurism	12	-	-	-	-	-	-	-	-	-	-	-	-	3
	3. Heart Disease, etc.	267	3	1	1	-	-	-	-	2	4	5	5	7	9
	ORDER 3.														
	1. Laryngitis	17	2	2	1	2	-	1	-	3	-	-	1	-	1
	2. Bronchitis	433	52	51	64	49	17	4	4	10	2	1	1	2	4
	3. Pleurisy	19	-	-	1	1	2	-	-	1	1	-	2	-	3
	4. Pneumonia	158	5	2	27	13	7	5	1	6	1	4	8	9	7
	5. Asthma	22	-	-	-	-	-	-	-	-	1	-	-	-	-
	6. Lung Disease, etc.	62	11	1	6	7	2	1	1	1	-	1	1	3	1
	ORDER 4.														
	1. Gastritis	21	2	4	3	-	1	1	-	-	-	1	-	2	2
	2. Enteritis	59	16	13	9	3	2	1	-	4	2	-	1	-	-
	3. Peritonitis	26	5	1	-	1	-	-	-	3	1	4	2	-	-
	4. Ascites	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines . .	16	-	-	1	-	-	-	-	-	-	-	-	1	2
	6. Hernia	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	20	-	-	-	-	-	-	-	1	-	1	4	2	2
	8. Intussusception	6	1	2	-	-	-	-	-	1	-	1	-	1	-
	9. Stricture of Intestines . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. . . .	41	9	3	5	3	2	1	1	1	-	-	1	-	1
	12. Pancreas Disease, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	9	2	-	-	-	-	-	-	-	-	-	1	-	-
	14. Jaundice	17	9	-	-	1	-	-	-	-	-	-	-	-	2
	15. Liver Disease, etc.	19	-	-	-	-	-	-	-	-	-	-	1	-	-
	16. Spleen Disease, etc.	4	-	-	-	-	-	-	-	1	-	1	-	-	1
	ORDER 5.														
	1. Nephritis	13	-	-	-	1	-	-	1	-	-	2	-	1	3
	2. Ischuria	5	-	-	-	-	-	-	-	1	-	-	-	-	-
	3. Bright's Disease (Nephria)	23	-	-	-	-	1	1	1	1	1	-	-	1	1
	4. Diabetes	9	-	-	-	-	-	-	-	-	-	-	1	1	2
	5. Calculus (Stone)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	13	-	-	-	-	-	-	-	1	-	-	-	-	-
	7. Kidney Disease, etc.	24	-	-	-	-	-	-	1	1	1	2	1	1	1
	ORDER 6.														
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.														
	1. Synovitis (Arthritis) . . .	3	-	-	-	-	-	-	-	-	1	1	-	-	-
	2. Joint Disease, etc.	21	-	-	-	1	-	-	1	2	2	3	3	2	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	45	2	2	6	5	—	2	2	6	5	4	3	1	3
	2. Tabes Mesenterica	62	5	7	6	15	6	3	—	7	5	3	2	1	1
	3. Phthisis	460	—	—	4	4	2	4	1	18	32	66	72	68	51
	3. Hydrocephalus	96	3	1	32	22	10	2	6	11	6	1	—	—	1
	ORDER 1.														
	1. Cephalitis	60	4	4	6	7	2	6	6	10	6	4	1	—	—
	2. Apoplexy	125	—	1	1	1	1	—	—	—	2	—	1	2	2
	3. Paralysis	116	—	—	—	1	1	—	2	—	—	1	—	2	1
	4. Insanity	10	—	—	—	—	—	—	—	—	—	—	—	—	1
	5. Chorea	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	6. Epilepsy	13	3	—	1	—	—	—	—	—	—	2	—	2	1
	7. Convulsions	58	12	10	9	16	2	2	2	1	1	—	—	—	—
	8. Brain Disease, etc.	44	1	—	1	1	—	—	2	1	2	1	1	—	2
	ORDER 2.														
	1. Pericarditis	8	—	—	—	—	—	—	2	1	1	1	—	—	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	279	—	—	—	2	1	—	1	3	6	5	5	6	11
	ORDER 3.														
	1. Laryngitis	5	1	—	—	1	1	—	—	1	—	—	1	—	—
	2. Bronchitis	441	44	30	54	58	27	12	2	11	3	4	1	—	3
	3. Pleurisy	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Pneumonia	137	11	7	18	20	6	3	2	6	2	4	3	4	3
	5. Asthma	14	—	—	—	—	—	—	—	—	—	—	—	—	1
	6. Lung Disease, etc.	61	8	2	4	4	1	1	—	3	1	2	3	1	—
	ORDER 4.														
	1. Gastritis	17	2	—	4	—	1	—	—	1	—	—	—	—	1
	2. Enteritis	50	13	8	6	6	2	—	—	3	—	2	1	1	—
	3. Peritonitis	29	2	—	3	1	1	—	—	2	—	1	—	4	1
	4. Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—	1
	5. Ulceration of Intestines	8	—	—	—	1	—	—	—	1	—	—	—	—	1
	6. Hernia	11	—	—	1	—	—	—	—	—	—	—	—	—	—
	7. Ileus	17	1	—	1	—	—	—	—	—	—	1	—	1	1
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	1
11. Stomach Disease, etc.	39	4	4	4	2	1	3	—	—	—	—	2	—	—	
12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	16	—	—	—	—	—	—	—	1	—	—	—	1	—	
14. Jaundice	18	4	—	—	—	—	—	—	—	—	—	—	—	—	
15. Liver Disease, etc.	40	2	—	1	1	—	—	—	1	—	—	—	—	1	
16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 5.															
1. Nephritis	14	—	1	—	—	—	—	—	—	1	3	—	2	2	
2. Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	1	—	
3. Bright's Disease (Nephria)	21	—	—	—	1	—	—	—	2	1	1	1	2	1	
4. Diabetes	5	—	—	—	—	—	—	—	—	—	—	—	—	2	
5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Kidney Disease, etc.	11	—	—	—	—	—	—	—	—	2	—	—	—	1	
ORDER 6.															
1. Ovarian Dropsy	8	—	—	—	—	—	—	—	—	—	—	—	—	2	
2. Uterus Disease, etc.	10	—	—	—	—	—	—	—	—	—	1	2	—	—	
ORDER 7.															
1. Synovitis (Arthritis)	2	—	—	—	—	—	1	—	—	—	—	—	—	1	
2. Joint Disease, etc.	17	1	—	—	—	—	—	—	3	2	1	3	3	—	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	36	30	20	13	13	12	8	4	1	2	—	—	—	—	—
	4. Hydrocephalus	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	1	3	3	—	2	—	—	1	—	—	—	—	—	—	—
	2. Apoplexy	4	4	7	11	13	14	17	9	9	4	6	1	—	—	—
	3. Paralysis	2	5	4	13	11	14	17	13	6	8	5	1	—	—	—
	4. Insanity	1	4	2	—	2	—	—	—	—	1	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	—	2	—	1	2	1	1	—	—	—	—	—	—	—	—
	7. Convulsions	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	2	3	3	4	1	7	4	1	7	1	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	1	2	1	2	1	—	—	1	—	1	—	—	—	—	—
	3. Heart Disease, etc.	10	15	24	27	19	34	35	25	26	15	—	—	—	—	—
	ORDER 3.															
	1. Laryngitis	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	1	7	15	17	31	34	19	28	15	2	3	—	—	—	—
	3. Pleurisy	1	1	1	1	2	—	2	—	—	—	—	—	—	—	—
	4. Pneumonia	4	12	3	11	8	12	5	4	—	3	1	—	—	—	—
	5. Asthma	1	—	3	1	2	5	2	2	5	—	—	—	—	—	—
	6. Lung Disease, etc.	2	3	—	2	5	3	4	3	1	3	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	1	—	1	—	—	1	2	—	—	—	—	—	—	—	—
	2. Enteritis	—	—	1	—	2	1	1	1	—	2	—	—	—	—	—
	3. Peritonitis	1	1	—	3	1	2	—	1	—	—	—	—	—	—	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	2	—	4	—	2	3	—	1	—	—	—	—	—	—	—
	6. Hernia	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	7. Ileus	2	2	1	—	—	—	3	1	—	1	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	—	1	2	3	3	1	1	3	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	1	1	—	2	—	1	—	—	—	1	—	—	—	—
	14. Jaundice	2	—	—	—	—	1	—	2	—	—	—	—	—	—	—
	15. Liver Disease, etc.	1	1	2	3	3	2	1	2	3	—	—	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	—	—	—	1	—	2	1	1	—	—	—	—	—	—
	2. Ischuria	—	—	1	—	—	1	—	—	2	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	—	1	6	2	2	2	1	—	1	1	—	—	—	—	—
	4. Diabetes	—	—	1	1	1	1	—	1	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	1	3	1	5	1	1	—	—	—	—	—
	7. Kidney Disease, etc.	1	1	—	3	4	1	2	1	1	2	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	1	—	—	—	1	—	—	3	—	1	—	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		AGE UNDER													
		40	45	50	55	60	65	70	75	80	85	90	95	100	105 ?
III.	ORDER 2.														
	1. Scrofula	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	3. Phthisis	31	27	26	18	15	7	10	1	-	3	-	-	-	-
	4. Hydrocephalus	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Cephalitis	-	-	1	3	-	-	-	-	-	-	-	-	-	-
	2. Apoplexy	3	2	10	17	16	18	18	7	9	10	4	-	-	-
	3. Paralysis	2	2	1	7	8	15	11	26	17	14	5	-	-	-
	4. Insanity	-	-	1	-	-	4	1	-	2	1	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	1	-	-	1	-	2	-	-	-	-	-	-	-	-
	7. Convulsions	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	3	5	1	4	2	6	3	3	3	2	-	-	-	-
	ORDER 2.														
	1. Pericarditis	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	12	16	15	23	26	31	36	38	24	13	5	-	-	-
	ORDER 3.														
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	-	2	5	13	31	27	28	23	38	17	6	2	-	-
	3. Pleurisy	1	-	-	-	-	1	-	1	-	1	-	-	-	-
	4. Pneumonia	9	6	3	1	6	6	2	9	5	1	-	-	-	-
	5. Asthma	-	1	-	-	3	3	3	2	1	-	-	-	-	-
	6. Lung Disease, etc.	-	4	3	1	3	1	3	4	5	6	1	-	-	-
	ORDER 4.														
	1. Gastritis	1	1	1	-	-	3	2	-	-	-	-	-	-	-
	2. Enteritis	1	-	-	-	1	1	1	2	1	1	-	-	-	-
	3. Peritonitis	6	1	2	-	2	-	1	1	1	1	-	-	-	-
	4. Ascites	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	5. Ulceration of Intestines	1	1	-	-	-	2	-	1	-	-	-	-	-	-
	6. Hernia	-	-	1	1	1	1	3	-	3	-	-	-	-	-
	7. Ileus	2	1	-	1	-	3	3	-	1	-	1	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	-	-	-	4	5	3	3	-	2	2	-	-	-	-
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	2	2	3	2	-	1	-	3	-	1	-	-	-	-
	14. Jaundice	-	1	-	1	2	4	-	2	1	2	-	-	-	-
	15. Liver Disease, etc.	1	2	2	5	6	8	4	6	-	-	-	-	-	-
	16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	2	1	-	4	2	1	1	1	-	-	-	-	-	-
	4. Diabetes	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	7. Kidney Disease, etc.	2	1	1	-	-	-	-	-	3	1	-	-	-	-
	ORDER 6.														
	1. Ovarian Dropsy	1	-	2	-	-	1	1	1	-	-	-	-	-	-
	2. Uterus Disease, etc.	4	-	1	2	-	-	-	-	-	-	-	-	-	-
	ORDER 7.														
	1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	-	-	-	1	-	-	2	-	1	-	-	-	-	-

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
			3	6	12											
IV.	ORDER 8.															
	1. Phlegmon	11	4	—	2	—	1	—	—	—	1	—	—	—	—	
	2. Ulcer	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Skin Disease, etc.	2	—	—	1	1	—	—	—	—	—	—	—	—	—	
	ORDER 1.															
	1. Premature Birth	103	102	1	—	—	—	—	—	—	—	—	—	—	—	
	2. Cyanosis	6	5	1	—	—	—	—	—	—	—	—	—	—	—	
	3. Spina Bifida	4	4	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Other Malformations	9	9	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Teething	51	—	4	16	27	4	—	—	—	—	—	—	—	—	
	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 3.															
	1. Old Age	156	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4.															
	1. Atrophy and Debility	188	127	18	13	10	4	3	—	1	—	—	—	—	—	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	89	—	—	—	3	—	1	—	6	7	7	10	6	5	
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Cut, Stab	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
	4. Burns and Scalds	13	—	—	1	3	1	3	—	—	1	—	—	—	1	
	5. Poison	3	—	—	—	—	—	1	—	—	—	—	—	—	—	
	6. Drowning	50	—	—	—	—	—	1	2	4	2	2	7	7	3	
	7. Suffocation	11	5	1	—	—	1	—	—	—	1	—	—	—	—	
	8. Otherwise	7	2	—	—	—	—	—	—	1	1	1	—	1	—	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Cut, Stab	3	—	—	—	—	—	—	—	—	—	—	—	1	—	
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Drowning	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Hanging	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
	6. Otherwise and undefined	1	—	—	—	—	—	—	—	—	—	—	1	—	—	
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sudden Deaths (cause unascertained)		6	3	1	1	—	—	—	—	—	—	—	—	—	—
	Causes not specified or ill-defined		31	16	2	—	2	1	—	—	1	—	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	9	-	-	-	1	1	-	-	-	-	-	1	-	2
	2. Ulcer	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	4	-	2	-	1	1	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	81	79	2	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	4	4	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations . .	6	5	-	-	-	-	1	-	-	-	-	-	-	-
	5. Teething	34	-	2	10	22	-	-	-	-	-	-	-	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	40	-	-	-	-	-	-	-	-	-	1	5	9	11
	ORDER 3.														
	1. Old Age	295	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility . .	167	115	20	9	7	2	1	-	-	-	-	-	1	-
	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	27	-	-	-	1	2	1	2	2	1	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Burns and Scalds	13	-	-	1	2	1	1	-	3	-	-	-	-	-	
5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Drowning	7	-	-	-	1	-	-	2	-	-	1	1	-	-	
7. Suffocation	11	5	3	-	-	-	-	-	-	-	-	-	-	-	
8. Otherwise	7	2	2	-	-	-	-	-	-	-	-	-	1	-	
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	4. Drowning	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)														
Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		2	1	-	-	-	-	-	1	-	-	-	-	-	-
Causes not specified or ill-defined		27	9	5	1	-	1	2	-	-	-	1	-	-	-

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (<i>see</i> Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	7	14	33	36	33	23	6	3	1	-
	ORDER 4.															
	1. Atrophy and Debility . .	-	1	2	3	6	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (<i>Accident or Negligence.</i>)															
	1. Fractures and Contusions	7	6	6	8	4	6	4	1	2	-	-	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	5. Poison	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	6. Drowning	2	1	1	7	2	3	2	2	1	1	-	-	-	-	-
	7. Suffocation	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	8. Otherwise	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	ORDER 3. (<i>Homicide.</i>)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (<i>Suicide.</i>)															
	1. Gunshot Wounds	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	5. Hanging	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (<i>Execution.</i>)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	-	-	-	1	3	2	2	-	1	-	-	-	-	-	-

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	7328	874	318	496	559	229	170	132	362	180	240	278	213	213
	Specified Causes . .	7249	839	310	489	555	227	170	132	361	180	240	278	212	212
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1249	95	69	138	216	116	84	84	145	43	29	27	22	19
II.	CONSTITUTIONAL „	1285	28	39	72	93	35	33	22	79	51	110	130	95	84
III.	LOCAL „	3355	237	162	225	206	59	35	20	112	60	71	77	66	75
IV.	DEVELOPMENTAL „	918	463	38	51	31	4	3	3	4	2	2	2	—	1
V.	VIOLENT DEATHS .	442	16	2	3	9	13	15	3	21	24	28	42	29	33
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1177	76	61	135	216	116	83	84	145	41	29	25	21	13
	2. ENTHETIC „ .	21	5	4	1	—	—	1	—	—	—	—	1	—	1
	3. DIETIC „ .	48	12	3	2	—	—	—	—	—	2	—	1	1	5
	4. PARASITIC „ .	3	2	1	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	190	3	1	—	2	—	1	—	2	1	6	—	1	2
	2. TUBERCULAR „ .	1095	25	38	72	91	35	32	22	77	50	104	130	94	82
III.	1. DISEASES OF NERVOUS SYSTEM . .	801	39	21	35	44	13	9	5	36	15	18	20	13	14
	2. „ OF ORGANS OF CIRCULATION .	534	6	2	2	—	1	—	1	10	9	18	13	11	17
	3. „ OF RESPIRATORY ORGANS . .	1247	116	100	142	120	34	13	7	40	14	18	18	16	16
	4. „ OF DIGESTIVE ORGANS . . .	463	68	33	39	32	4	7	2	12	8	9	11	11	16
	5. . OF URINARY ORGANS . . .	206	1	3	3	—	4	4	3	3	5	4	11	10	6
	6. „ OF ORGANS OF GENERATION .	6	1	—	1	—	—	—	—	—	—	—	—	—	2
	7. „ OF ORGANS OF LOCOMOTION . .	48	—	—	—	2	—	2	1	7	8	3	4	4	3
	8. „ OF INTEGUMENTARY SYSTEM . .	50	6	3	3	8	3	—	1	4	1	1	—	1	1
IV.	1. DEV. DIS. OF CHILDREN .	315	252	8	36	16	—	1	—	—	1	—	1	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	303	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	300	211	30	15	15	4	2	3	4	1	2	1	—	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes . . .	7457	617	230	409	544	237	173	113	353	240	301	292	278	234
	Specified Causes . .	7402	596	227	406	542	234	173	113	353	240	301	290	276	233
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1337	83	59	135	224	130	96	65	168	69	41	41	31	22
II.	CONSTITUTIONAL „	1621	15	26	46	88	29	40	18	81	110	170	173	140	106
III.	LOCAL „	3200	156	109	182	186	60	34	29	94	59	76	64	75	79
IV.	DEVELOPMENTAL „	1130	328	31	37	34	10	—	—	5	—	9	9	26	23
V.	VIOLENT DEATHS .	114	14	2	6	10	5	3	1	5	2	5	3	4	3
	(ORDERS.)														
I.	1. Miasmatic Diseases .	1279	67	52	131	220	126	95	65	168	66	41	41	29	22
	2. ENTHETIC „ .	24	6	7	4	3	1	—	—	—	—	—	—	1	—
	3. DIETIC „ .	31	8	—	—	1	2	1	—	—	3	—	—	1	—
	4. PARASITIC „ .	3	2	—	—	—	1	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	351	2	2	2	1	—	—	—	2	2	4	3	6	7
	2. TUBERCULAR „ .	1270	13	24	44	87	29	40	18	79	108	166	170	134	99
III.	1. DISEASES OF NERVOUS SYSTEM . .	781	32	17	30	42	13	10	8	32	15	12	11	17	11
	2. „ OF ORGANS OF CIRCULATION .	553	1	—	2	2	1	—	1	6	8	18	12	13	19
	3. „ OF RESPIRATORY ORGANS . .	1135	79	66	118	115	36	15	15	37	13	15	19	14	18
	4. „ OF DIGESTIVE ORGANS . . .	479	39	24	26	19	7	6	3	10	11	18	11	15	18
	5. „ OF URINARY ORGANS . . .	123	1	—	2	1	1	1	1	4	4	5	4	9	5
	6. „ OF ORGANS OF GENERATION .	34	—	—	—	1	—	—	—	—	—	1	2	1	3
	7. „ OF ORGANS OF LOCOMOTION .	47	—	—	—	2	—	—	—	3	7	6	4	6	2
	8. „ OF INTEGUMENTARY SYSTEM . .	48	4	2	4	4	2	2	1	2	1	1	1	—	3
IV.	1. DEV. DIS. OF CHILDREN .	215	164	9	17	21	4	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	98	—	—	—	—	—	—	—	—	—	6	8	26	23
	3. „ OF OLD PEOPLE	566	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	251	164	22	20	13	6	—	—	5	—	3	1	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	418	15	2	3	8	13	15	3	21	23	28	39	27	29
	*														
	3. HOMICIDE	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	4. SUICIDE	22	-	-	-	-	-	-	-	-	1	-	3	2	4
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		6	2	-	1	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		73	33	8	6	4	2	-	-	1	-	-	-	1	1
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	117	1	4	31	45	16	8	4	8	-	-	-	-	-
	3. Scarlatina	249	1	4	23	36	42	26	34	64	11	2	2	3	1
	4. Diphtheria	96	3	1	4	16	16	13	16	17	5	3	-	1	-
	5. Quinsy	8	-	-	2	2	-	-	-	1	-	-	1	-	1
	6. Croup	115	5	3	12	35	14	20	11	15	-	-	-	-	-
	7. Hooping-cough	128	13	8	26	42	15	7	9	7	-	-	-	-	-
	8. { Typhus Fever	14	-	-	-	-	-	-	-	1	-	-	-	-	-
	8. { Enteric or Typhoid Fever	144	1	-	4	3	4	6	9	19	19	18	18	10	8
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	14	-	-	-	1	1	-	-	4	1	2	-	1	-
	9. Erysipelas	26	4	2	-	-	-	-	-	2	-	-	-	2	1
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	6	1	-	-	1	-	-	-	-	1	-	-	-	-
	13. Dysentery	6	-	-	1	-	-	-	-	-	-	1	-	-	-
	14. Diarrhoea	203	44	36	30	29	6	3	1	2	-	-	-	-	2
	15. Cholera	16	2	2	2	2	1	-	-	1	1	-	1	1	-
	16. Ague	4	-	-	-	-	-	-	-	2	-	-	-	-	-
17. Remittent Fever	6	-	-	-	3	1	-	-	2	-	-	-	-	-	
18. Rheumatism	21	-	1	-	-	-	-	-	1	2	1	1	2	-	
19. Other Miasmatic Diseases	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	ORDER 2.														
	1. Syphilis	15	5	4	1	-	-	1	-	-	-	-	1	-	1
	2. Stricture of Urethra	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	15	10	3	2	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	4	1	-	-	-	-	-	-	-	1	-	1	-	-
	4. Alco- { a Del. Tremens	5	-	-	-	-	-	-	-	-	-	-	-	1	-
holism { b Intemperance	23	-	-	-	-	-	-	-	-	1	-	-	-	5	
	ORDER 4.														
	1. Thrush	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	5	-	-	-	-	-	-	-	-	-	1	-	-	-
	2. Dropsy	26	2	-	-	1	-	1	-	2	1	1	-	-	-
	3. Cancer	151	-	1	-	-	-	-	-	-	-	3	-	1	2
	4. Cancerum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	8	1	-	-	1	-	-	-	-	-	1	-	-	-

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5.	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	101	13	2	6	10	5	3	1	5	2	4	1	3	3
	*														
	3. HOMICIDE	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	12	-	-	-	-	-	-	-	-	-	1	2	1	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		3	1	-	-	-	-	-	-	-	-	-	-	1	-
CAUSES NOT SPECIFIED		52	20	3	3	2	3	-	-	-	-	-	2	1	1
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	138	1	4	32	51	20	9	5	8	1	3	4	-	-
	3. Scarlatina	255	-	2	12	40	36	36	20	85	13	5	1	1	1
	4. Diphtheria	97	-	1	9	12	10	13	11	28	7	1	3	1	-
	5. Quinsy	5	1	-	-	-	1	2	-	1	-	-	-	-	-
	6. Croup	91	1	4	11	18	23	11	11	11	1	-	-	-	-
	7. Hooping-cough	181	22	12	33	61	23	13	8	8	1	-	-	-	-
	Typhus Fever	14	-	-	-	-	-	-	-	2	2	-	-	2	-
	8. { Enteric or Typhoid Fever	166	-	-	-	4	8	8	8	17	33	23	17	12	8
	Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	13	-	-	-	-	-	1	2	2	2	1	-	-	-
	9. Erysipelas	26	5	-	1	1	1	-	-	2	2	-	2	-	-
	10. Puerperal Fever (Metria)	43	-	-	-	-	-	-	-	-	-	2	10	12	11
	11. Carbuncle	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	7	-	-	1	1	-	-	-	1	1	-	-	-	-
	13. Dysentery	17	4	-	1	1	-	1	-	-	-	1	-	1	-
	14. Diarrhoea	182	32	26	29	29	4	1	-	2	1	2	3	-	1
	15. Cholera	10	1	3	1	2	-	-	-	-	-	-	-	-	-
	16. Ague	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	18. Rheumatism	26	-	-	-	-	-	-	-	-	2	3	1	-	1
	19. Other Miasmatic Diseases	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	24	6	7	4	3	1	-	-	-	-	-	-	1	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	9	8	-	-	1	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	7	-	-	-	-	2	1	-	-	3	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	14	-	-	-	-	-	-	-	-	-	-	-	1	-
	ORDER 4.														
	1. Thrush	3	2	-	-	-	1	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	27	2	2	-	1	-	-	-	-	1	1	1	2	1
	3. Cancer	302	-	-	1	-	-	-	-	-	1	3	2	3	5
	4. Cancrum Oris (Noma)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	18	-	-	1	-	-	-	-	-	-	-	-	1	1

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	47	36	19	21	23	15	13	8	6	3	1	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	2	1	3	2	4	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	4	2	2	2	3	2	1	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	8. { Typhus Fever	1	-	2	2	1	1	1	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	10	5	3	-	2	1	2	-	1	1	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-
	9. Erysipelas	-	-	2	2	1	2	4	2	1	1	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	12. Influenza	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	14. Diarrhoea	4	1	1	2	3	7	7	2	14	7	1	1	1	-	-
	15. Cholera	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	3	2	-	-	-	2	-	3	-	3	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	2	1	3	4	3	1	1	2	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	2. Dropsy	-	3	-	1	2	1	4	3	2	2	-	-	-	-	-
	3. Cancer	8	9	11	7	15	26	25	11	15	13	3	-	1	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (*Continued.*).

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	2	2	5	5	3	4	2	7	3	5	1	4	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	3	—	—	2	2	—	—	—	—	—	1	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS (CAUSE UNASCERTAINED)		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		3	1	2	—	2	2	5	2	—	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarletina	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	—	2	—	4	1	1	—	—	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	6	5	1	3	—	5	4	1	1	1	1	—	—	—	—
	8. { Relapsing Fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—
	9. Erysipelas	—	1	1	3	1	1	3	—	—	—	2	—	—	—	—
	10. Puerperal Fever (Metria)	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	13. Dysentery	—	—	—	—	1	1	3	1	1	1	—	—	—	—	—
	14. Diarrhœa	—	3	1	3	2	6	7	7	5	9	6	1	2	—	—
	15. Cholera	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	—	—	1	4	2	1	1	2	3	3	2	—	—	—	—
	19. Other <i>Miasmatic</i> Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { <i>a</i> Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. holism { <i>b</i> Intemperance	1	1	4	4	—	—	—	2	1	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—
	2. Dropsy	—	2	2	1	2	3	2	3	—	1	—	—	—	—	—
	3. Cancer	14	19	26	32	36	39	42	37	22	15	2	1	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	1	—	1	2	3	2	—	3	3	—	—	—	—	—

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	79	4	5	4	5	5	1	2	12	7	4	6	7	4
	2. Tabes Mesenterica . . .	114	10	7	12	28	8	9	7	16	9	4	2	-	1
	3. Phthisis	688	3	3	9	9	4	6	2	21	27	94	119	85	77
	4. Hydrocephalus	214	8	23	47	49	18	16	11	28	7	2	3	2	-
	ORDER 1.														
	1. Cephalitis	124	4	11	19	14	8	4	3	24	7	10	1	1	1
	2. Apoplexy	215	6	1	2	1	-	1	2	2	3	3	2	1	5
	3. Paralysis	219	1	1	-	-	-	-	-	1	1	-	3	1	3
	4. Insanity	9	-	-	-	-	-	-	-	1	-	-	-	1	2
5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Epilepsy	35	1	-	-	2	1	-	-	-	1	2	4	8	3	
7. Convulsions	79	25	7	14	22	2	4	-	1	-	-	1	-	-	
8. Brain Disease, etc. . .	120	2	1	-	5	2	-	-	7	3	3	9	1	-	
	ORDER 2.														
	1. Pericarditis	15	-	-	-	-	-	-	-	3	3	3	1	1	-
	2. Aneurism	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc. . .	508	6	2	2	-	1	-	1	7	6	15	12	10	17
	ORDER 3.														
	1. Laryngitis	26	1	2	3	6	3	-	-	4	1	-	-	-	-
	2. Bronchitis	734	86	70	102	85	18	11	2	19	1	1	2	3	7
	3. Pleurisy	37	1	1	-	-	1	-	-	4	2	3	1	1	2
	4. Pneumonia	295	14	20	29	25	6	2	5	8	7	10	10	8	7
	5. Asthma	35	-	-	-	-	-	-	-	-	2	1	1	-	-
	6. Lung Disease, etc. . .	120	14	7	8	4	6	-	-	5	1	4	4	4	-
	ORDER 4.														
	1. Gastritis	33	3	3	3	8	-	1	-	2	-	-	-	-	-
	2. Enteritis	126	30	18	26	17	2	2	2	3	1	1	-	2	3
	3. Peritonitis	49	4	2	3	2	1	2	-	2	5	2	1	1	2
	4. Ascites	3	-	-	-	1	-	-	-	-	-	1	1	-	-
	5. Ulceration of Intestines .	27	-	-	2	-	-	-	-	-	1	2	1	2	1
	6. Hernia	16	-	-	2	-	-	1	-	-	1	-	2	-	-
	7. Ileus	39	4	-	1	-	-	-	-	1	-	1	5	4	1
	8. Intussusception	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines .	5	-	-	-	-	-	-	-	1	-	-	-	-	-
	10. Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. .	60	9	7	2	1	1	-	-	1	-	-	1	-	2
	12. Pancreas Disease, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	25	3	-	-	1	-	1	-	-	-	-	-	1	1
	14. Jaundice	30	14	1	-	2	-	-	-	2	-	1	-	-	1
	15. Liver Disease, etc. . .	43	1	1	-	-	-	-	-	-	-	1	-	1	5
	16. Spleen Disease, etc. . .	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	22	-	1	2	-	2	2	1	2	3	-	2	1	-
	2. Ischuria	7	-	-	-	-	-	-	-	-	-	-	-	-	1
	3. Bright's Disease(Nephria)	53	-	-	1	-	-	-	2	1	2	3	5	5	-
	4. Diabetes	14	-	1	-	-	-	-	-	-	-	1	-	2	2
	5. Calculus (Stone)	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	30	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc. . .	74	-	1	-	-	2	2	-	-	-	-	4	2	3
	ORDER 6.														
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc. . .	6	1	-	1	-	-	-	-	-	-	-	-	-	2
	ORDER 7.														
	1. Synovitis (Arthritis) . .	8	-	-	-	-	-	-	-	-	1	1	-	1	1
	2. Joint Disease, etc. . . .	40	-	-	-	2	-	2	1	7	7	2	4	3	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	78	3	2	2	6	4	3	2	15	19	4	11	1	2
	2. Tabes Mesenterica . . .	98	5	6	10	25	9	9	4	6	10	5	2	4	-
	3. Phthisis	918	-	3	3	12	3	12	5	28	68	154	155	127	97
	4. Hydrocephalus	176	5	13	29	44	13	16	7	30	11	3	2	2	-
	ORDER 1.														
	1. Cephalitis	107	1	6	16	18	9	5	-	21	8	3	3	7	1
	2. Apoplexy	227	-	1	4	7	1	-	2	1	-	2	1	2	2
	3. Paralysis	233	-	-	-	-	-	2	-	2	-	1	-	2	5
	4. Insanity	21	-	-	-	-	-	-	1	1	1	-	1	1	-
	5. Chorea	3	-	-	-	-	-	-	-	2	-	-	1	-	-
	6. Epilepsy	24	1	-	-	-	-	-	-	-	2	-	2	4	2
	7. Convulsions	79	29	9	10	16	3	3	5	1	-	1	-	-	-
	8. Brain Disease, etc. . .	87	1	1	-	1	-	-	-	4	4	5	3	1	1
	ORDER 2.														
	1. Pericarditis	12	-	-	-	-	-	-	-	1	-	3	-	1	-
	2. Aneurism	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc. . .	531	1	-	2	2	1	-	1	5	8	15	12	12	19
	ORDER 3.														
	1. Laryngitis	25	2	1	2	2	3	1	2	4	1	1	-	1	-
	2. Bronchitis	745	53	50	87	82	20	11	9	19	2	1	7	2	4
	3. Pleurisy	19	-	1	-	1	1	-	-	1	-	2	1	-	1
	4. Pneumonia	230	14	9	18	20	12	2	3	9	8	6	5	10	12
	5. Asthma	22	-	-	-	-	-	-	-	-	-	2	1	-	-
	6. Lung Disease, etc. . .	94	10	5	11	10	-	1	1	4	2	3	5	1	1
	ORDER 4.														
1. Gastritis	47	-	2	5	2	1	-	1	3	-	1	-	1	1	
2. Enteritis	104	26	18	15	11	4	4	2	2	3	9	3	-	1	
3. Peritonitis	65	3	2	1	1	1	-	-	2	4	-	-	6	6	
4. Ascites	7	-	-	-	-	-	-	-	-	1	-	-	-	-	
5. Ulceration of Intestines .	28	2	-	1	-	1	-	-	-	1	2	-	-	2	
6. Hernia	15	-	-	1	-	-	-	-	-	1	-	-	-	1	
7. Ileus	29	1	-	-	-	-	-	-	-	-	2	1	-	2	
8. Intussusception	5	-	-	2	-	-	-	-	-	-	-	-	1	-	
9. Stricture of Intestines .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc. .	62	4	2	-	3	-	1	-	1	1	2	1	5	-	
12. Pancreas Disease, etc. .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	24	-	-	-	-	-	-	-	2	-	1	1	-	2	
14. Jaundice	18	3	-	-	1	-	-	-	-	-	-	1	2	3	
15. Liver Disease, etc. . .	66	-	-	-	1	-	-	-	-	-	1	1	-	-	
16. Spleen Disease, etc. . .	5	-	-	1	-	-	1	-	-	-	-	1	-	-	
ORDER 5.															
1. Nephritis	20	1	-	1	1	1	1	-	1	1	1	1	1	2	
2. Ischuria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease(Nephria)	57	-	-	1	-	-	-	1	2	3	3	2	5	2	
4. Diabetes	9	-	-	-	-	-	-	-	-	-	1	-	1	-	
5. Calculus (Stone)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc. . .	26	-	-	-	-	-	-	-	1	-	-	1	2	1	
ORDER 6.															
1. Ovarian Dropsy	17	-	-	-	-	-	-	-	-	-	-	-	1	1	
2. Uterus Disease etc. . .	17	-	-	-	1	-	-	-	-	-	1	2	-	2	
ORDER 7.															
1. Synovitis (Arthritis) . .	11	-	-	-	1	-	-	-	1	-	1	1	1	1	
2. Joint Disease, etc. . .	36	-	-	-	1	-	-	-	2	7	5	3	5	1	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	2	4	2	1	2	1	—	—	1	—	—	—	—	—	—
	2. Tabes Mesenterica	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	3. Phthisis	56	42	25	35	30	17	16	6	—	2	—	—	—	—	—
III.	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	3	3	1	4	1	1	1	—	2	1	—	—	—	—	—
	2. Apoplexy	5	5	12	16	14	29	21	36	28	14	4	2	—	—	—
	3. Paralysis	7	9	11	15	16	26	31	27	37	17	8	3	—	1	—
	4. Insanity	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	3	1	—	2	1	—	2	2	1	1	—	—	—	—	—
	7. Convulsions	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	6	5	8	3	6	10	16	7	15	11	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	—	—	1	1	—	—	—	1	1	—	—	—	—	—
	2. Aneurism	1	1	—	2	1	2	4	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	11	24	33	46	45	57	61	70	41	30	10	1	—	—	—
	ORDER 3.															
	1. Laryngitis	1	1	2	—	1	—	1	—	—	—	—	—	—	—	—
	2. Bronchitis	8	6	20	31	44	35	50	37	51	33	10	2	—	—	—
	3. Pleurisy	—	4	1	2	3	3	3	2	2	1	—	—	—	—	—
	4. Pneumonia	18	14	16	14	17	22	15	16	8	4	—	—	—	—	—
	5. Asthma	—	—	3	5	5	5	4	4	3	1	2	—	—	—	—
	6. Lung Disease, etc.	4	7	6	7	9	5	4	11	4	4	1	1	—	—	—
	ORDER 4.															
	1. Gastritis	—	1	—	—	3	4	—	5	—	—	—	—	—	—	—
	2. Enteritis	—	3	2	3	3	2	1	3	1	1	—	—	—	—	—
	3. Peritonitis	—	3	4	1	3	1	3	2	3	2	—	—	—	—	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	1	3	—	1	2	3	3	—	2	3	—	—	—	—	—
	6. Hernia	—	—	1	2	2	1	—	1	3	—	—	—	—	—	—
	7. Ileus	3	3	1	—	2	2	2	5	—	3	1	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	4	1	3	7	5	4	10	1	1	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	2	2	2	1	2	2	4	1	2	—	—	—	—	—	—
	14. Jaundice	—	1	—	1	1	—	3	2	1	—	—	—	—	—	—
	15. Liver Disease, etc.	2	2	5	4	8	7	4	—	1	1	—	—	—	—	—
	16. Spleen Disease, etc.	—	1	1	—	1	1	1	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	1	—	3	—	1	—	1	—	—	—	—	—	—	—	—
	2. Ischuria	—	1	—	—	—	—	—	—	—	1	4	—	—	—	—
	3. Bright's Disease (Nephria)	1	1	7	7	1	6	4	4	3	—	—	—	—	—	—
	4. Diabetes	3	—	—	2	2	—	1	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—
	6. Cystitis	1	—	2	—	—	6	2	6	7	5	1	—	—	—	—
	7. Kidney Disease, etc.	2	3	2	4	6	5	4	10	11	10	3	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	—	2	1	2	—	—	2	2	1	—	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	3. Phthisis	60	59	41	25	19	24	10	10	3	-	-	-	-	-	-
	4. Hydrocephalus	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	-	3	-	-	1	1	1	1	1	1	-	-	-	-	-
	2. Apoplexy	5	10	9	10	14	22	22	44	40	17	9	2	-	-	-
	3. Paralysis	2	5	7	5	21	20	27	37	44	26	20	7	-	-	-
	4. Insanity	1	4	1	1	2	3	1	2	1	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	1	2	2	-	1	3	2	2	-	-	-	-	-	-	-
	7. Convulsions	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	3	3	5	9	6	7	8	11	9	5	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	-	3	-	2	1	-	-	-	1	-	-	-	-	-
	2. Aneurism	-	1	1	-	3	1	1	2	1	-	-	-	-	-	-
	3. Heart Disease, etc.	16	31	38	41	43	58	50	76	47	39	11	2	1	-	-
	ORDER 3.															
	1. Laryngitis	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-
	2. Bronchitis	9	11	18	30	28	48	58	72	55	43	21	4	1	-	-
	3. Pleurisy	1	-	-	1	2	4	1	1	-	-	1	-	-	-	-
	4. Pneumonia	6	9	11	8	10	12	14	18	10	4	-	-	-	-	-
	5. Asthma	-	-	2	-	4	1	6	5	1	-	-	-	-	-	-
	6. Lung Disease, etc.	3	2	2	1	5	6	7	6	3	2	3	-	-	-	-
	ORDER 4.															
	1. Gastritis	2	3	2	4	6	1	4	3	3	2	-	-	-	-	-
	2. Enteritis	1	1	1	2	4	1	2	1	2	-	-	-	-	-	-
	3. Peritonitis	3	1	2	6	3	-	5	2	3	1	1	-	-	-	-
	4. Ascites	-	2	-	1	1	1	1	1	-	-	-	-	-	-	-
	5. Ulceration of Intestines	-	2	1	2	2	2	5	-	3	2	-	-	-	-	-
	6. Hernia	-	1	1	1	3	-	1	2	-	1	1	-	-	-	1
	7. Ileus	-	3	1	4	-	2	4	2	2	2	3	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	11. Stomach Disease, etc.	1	-	6	1	4	5	9	6	7	2	1	-	-	-	-
	12. Pancreas Disease, etc.	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	-	2	1	6	3	3	1	2	-	-	-	-	-	-
	14. Jaundice	-	2	1	2	2	2	1	2	2	-	-	-	-	-	-
	15. Liver Disease, etc.	2	4	6	3	8	11	6	8	6	4	-	-	-	-	-
	16. Spleen Disease, etc.	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 5.															
	1. Nephritis	-	-	1	1	3	1	1	-	1	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	5	3	4	5	2	6	4	4	3	2	-	-	-	-	-
	4. Diabetes	-	1	-	2	2	-	1	-	1	-	-	-	-	-	-
	5. Calculus (Stone)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	6. Cystitis	-	2	-	-	1	2	2	-	-	1	-	-	-	-	-
	7. Kidney Disease, etc.	-	2	1	2	4	-	4	3	3	1	1	-	-	-	-
	ORDER 6.															
	1. Ovarian Dropsy	1	2	3	-	1	4	1	2	1	-	-	-	-	-	-
	2. Uterus Disease, etc.	1	1	3	-	3	1	1	-	-	1	-	-	-	-	-
	ORDER 7.															
	1. Synovitis (Arthritis)	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-
	2. Joint Disease, etc.	1	2	2	2	-	2	2	1	-	-	-	-	-	-	-

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	28	1	1	1	4	2	-	1	3	1	1	-	-	1
	2. Ulcer	12	5	-	-	-	-	-	-	1	-	-	-	1	-
	3. Skin Disease, etc.	10	-	2	2	4	1	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	207	206	1	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	22	19	-	1	-	-	1	-	-	1	-	-	-	-
	3. Spina Bifida	12	9	2	1	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	21	17	1	2	-	-	-	-	-	-	-	1	-	-
	5. Teething	53	1	4	32	16	-	-	-	-	-	-	-	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	303	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	I. Atrophy and Debility	300	211	30	15	15	4	2	3	4	1	2	1	-	1
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	191	-	-	-	2	2	3	2	9	6	17	20	13	12
2. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
4. Burns and Scalds	35	-	-	1	5	7	4	-	5	5	1	1	1	-	
5. Poison	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Drowning	140	-	-	-	1	3	8	1	6	11	8	15	12	16	
7. Suffocation	17	11	2	2	-	-	-	-	-	-	-	-	-	-	
8. Otherwise	30	3	-	-	-	1	-	-	1	1	2	3	1	1	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	6	-	-	-	-	-	-	-	-	-	-	-	1	1
	3. Poison	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	7	-	-	-	-	-	-	-	-	-	-	1	1	2
	5. Hanging	5	-	-	-	-	-	-	-	-	1	-	1	-	1
6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
	ORDER 5.														
	(Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	6	2	-	1	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	73	33	8	6	4	2	-	-	1	-	-	-	1	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882 —FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
IV.	ORDER 8.														
	1. Phlegmon	23	1	-	1	3	-	1	-	1	1	1	-	2	
	2. Ulcer	14	2	1	-	-	1	-	-	-	-	-	-	1	
	3. Skin Disease, etc. . . .	11	1	1	3	1	1	1	1	-	-	-	-	-	
	ORDER 1.														
	1. Premature Birth	132	132	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	7	5	2	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	12	9	3	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	19	18	-	1	-	-	-	-	-	-	-	-	-	
	5. Teething	45	-	4	16	21	4	-	-	-	-	-	-	-	
	ORDER 2.														
	1. Paramenia	2	-	-	-	-	-	-	-	-	2	-	-	-	
	2. Childbirth (see Puerperal Fever)	96	-	-	-	-	-	-	-	-	4	8	26	23	
	ORDER 3.														
	1. Old Age	566	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.														
	1. Atrophy and Debility	251	164	22	20	13	6	-	-	5	-	3	1	-	-
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	32	-	-	-	2	1	-	-	4	-	1	1	1	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	2	-	-	-	-	-	1	-	-	-	-	-	-	
	4. Burns and Scalds	14	-	-	2	4	1	1	-	-	-	-	1	-	
	5. Poison	3	-	-	-	-	-	1	-	-	-	-	-	1	
	6. Drowning	21	-	-	-	4	3	1	-	1	1	2	1	1	
	7. Suffocation	22	13	2	1	-	-	-	-	-	1	-	-	-	
	8. Otherwise	7	-	-	3	-	-	-	-	1	-	-	-	-	
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	1	1	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	2	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	6	-	-	-	-	-	-	-	-	1	2	-	-	
	5. Hanging	2	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	1	-	
	ORDER 5. (Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		3	1	-	-	-	-	-	-	-	-	-	1	-	
Causes not specified or ill-defined		52	20	3	3	2	3	-	-	-	-	2	1	1	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	1	1	—	4	2	—	1	2	—	1	—	—	—	—	—
	2. Ulcer	—	2	2	—	—	—	—	1	—	—	—	—	—	—	—
	3. Skin Disease, etc.	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth <i>see</i> Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	11	15	40	59	92	55	26	5	—	—
	ORDER 4.															
	1. Atrophy and Debility	1	—	—	6	4	—	—	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	19	18	9	15	11	8	8	8	6	2	1	—	—	—	—
	2. Gunshot Wounds	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	2	—	1	—	1	—	1	—	—	—	—	—	—	—	—
	5. Poison	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	6. Drowning	21	16	4	6	6	2	4	—	—	—	—	—	—	—	—
	7. Suffocation	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	8. Otherwise	4	1	3	—	4	4	—	—	—	1	—	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
	5. Hanging	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	5. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sudden Deaths (cause unascertained)	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—
	Causes not specified or ill-defined	1	4	2	2	2	3	2	1	—	—	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	2	3	2	1	1	1	1	-	-	-	-	-	-
	2. Ulcer	-	-	-	2	2	1	-	2	2	-	-	-	-	-	-
	3. <i>Skin Disease, etc.</i>	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (<i>see</i> Puerperal Fever)	23	9	3	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	1	23	42	75	111	152	95	48	13	6	-
	ORDER 4.															
	1. Atrophy and Debility	2	-	1	6	8	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (<i>Accident or Negligence.</i>)															
	1. Fractures and Contusions	1	-	1	2	-	2	-	6	1	4	1	3	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	4. Burns and Scalds	-	-	2	-	1	-	-	1	-	-	-	1	-	-	-
	5. Poison	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	6. Drowning	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-
	7. Suffocation	1	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	8. Otherwise	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	ORDER 3. (<i>Homicide.</i>)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (<i>Suicide.</i>)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	5. Hanging	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (<i>Execution.</i>)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	3	1	2	-	2	2	5	2	-	-	-	-	-	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	7644	760	254	376	387	163	115	101	319	181	255	296	261	167
	Specified Causes . .	7492	686	244	369	381	159	115	101	317	178	251	290	259	166
	(CLASSES.)														
I.	ZYMOTIC DISEASES	993	67	59	108	132	72	64	50	124	49	38	14	21	11
II.	CONSTITUTIONAL „	1250	14	26	40	56	26	17	8	69	55	105	144	131	63
III.	LOCAL „	3545	211	127	171	144	52	27	37	99	54	76	79	71	67
IV.	DEVELOPMENTAL „	1225	377	29	46	40	—	1	—	1	1	—	1	1	—
V.	VIOLENT DEATHS .	479	17	3	4	9	9	6	6	24	19	32	52	35	25
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	930	52	56	106	131	72	63	49	122	47	38	14	18	10
	2. ENTHETIC „ .	22	9	1	2	1	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	38	4	1	—	—	—	1	1	2	2	—	—	3	1
	4. PARASITIC „ .	3	2	1	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	280	2	2	—	1	1	—	—	3	4	4	3	4	1
	2. TUBERCULAR „ .	970	12	24	40	55	25	17	8	66	51	101	141	127	62
III.	1. DISEASES OF NERVOUS SYSTEM . .	793	43	18	27	29	13	11	9	28	13	14	16	16	14
	2. „ OF ORGANS OF CIRCULATION .	609	5	1	—	1	—	1	2	8	8	12	14	11	15
	3. „ OF RESPIRATORY ORGANS . .	1179	89	71	112	84	32	11	21	33	10	15	27	17	19
	4. „ OF DIGESTIVE ORGANS . . .	556	64	34	25	20	5	2	3	16	11	15	10	12	11
	5. „ OF URINARY ORGANS . . .	289	—	—	1	3	—	1	—	10	3	7	7	10	6
	6. „ OF ORGANS OF GENERATION .	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	55	1	1	—	2	1	1	1	3	7	9	3	3	1
	8. „ OF INTEGUMENTARY SYSTEM . .	63	8	2	6	5	1	—	1	1	2	4	2	2	1
IV.	1. DEV. DIS. OF CHILDREN	237	173	7	28	28	—	—	—	—	1	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	717	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	271	204	22	18	12	—	1	—	1	—	—	1	1	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	7792	612	201	332	341	175	131	93	309	193	250	244	202	258
	Specified Causes . . .	7646	555	195	314	331	173	130	92	300	190	249	244	200	256
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1036	70	45	86	124	76	68	48	131	55	52	27	18	29
II.	CONSTITUTIONAL „	1483	18	16	43	48	26	14	20	69	73	127	141	98	108
III.	LOCAL „	3442	162	109	145	122	58	45	22	89	52	62	57	67	87
IV.	DEVELOPMENTAL „	1527	286	23	37	31	6	1	1	1	4	4	13	15	28
V.	VIOLENT DEATHS .	158	19	2	3	6	7	2	1	10	6	4	6	2	4
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1004	61	42	85	121	76	67	47	128	54	50	27	18	28
	2. ENTHETIC „ .	9	3	2	1	2	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	19	6	—	—	—	—	—	—	3	1	2	—	—	1
	4. PARASITIC „ .	4	—	1	—	1	—	1	1	—	—	—	—	—	—
II.	1. DIATHETIC „ .	422	3	—	1	3	1	1	—	—	2	5	3	3	6
	2. TUBERCULAR „ .	1061	15	16	42	45	25	13	20	69	71	122	138	95	102
III.	1. DISEASES OF NERVOUS SYSTEM . .	826	36	20	20	24	16	11	6	26	18	16	17	8	17
	2. „ OF ORGANS OF CIRCULATION .	682	3	2	1	2	2	2	—	7	9	8	13	11	19
	3. „ OF RESPIRATORY ORGANS . .	1113	69	53	96	77	35	26	9	30	12	12	7	17	17
	4. „ OF DIGESTIVE ORGANS	542	47	31	23	17	4	4	4	14	4	12	11	16	15
	5. „ OF URINARY ORGANS	133	2	—	1	1	—	1	2	7	2	3	4	9	10
	6. „ OF ORGANS OF GENERATION .	57	—	—	—	—	1	—	—	—	1	3	3	2	5
	7. „ OF ORGANS OF LOCOMOTION . .	38	1	—	—	1	—	—	1	1	5	8	1	2	2
	8. „ OF INTEGUMENTARY SYSTEM . .	51	4	3	4	—	—	1	—	4	1	—	1	2	2
IV.	1. DEV. DIS. OF CHILDREN	204	143	7	22	26	4	1	—	1	—	—	—	—	—
	2. „ OF ADULTS .	95	—	—	—	—	—	—	—	—	1	4	11	14	27
	3. „ OF OLD PEOPLE	1024	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	204	143	16	15	5	2	—	1	—	3	—	2	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
V.	1. ACCIDENT OR NEGLIGENCE	444	16	3	4	9	9	6	6	24	19	32	49	30	23	
	*															
	3. HOMICIDE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	33	-	-	-	-	-	-	-	-	-	-	3	5	2	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		5	2	-	1	-	1	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		147	72	10	6	6	3	-	-	2	3	4	6	2	1	
I.	ORDER 1															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	82	1	3	19	22	7	6	5	15	2	1	-	-	1	
	3. Scarlatina	105	2	-	5	13	20	15	15	25	6	-	-	1	-	
	4. Diphtheria	93	2	1	7	12	8	16	6	27	11	2	-	-	-	
	5. Quinsy	7	-	-	-	1	2	-	3	1	-	-	-	-	-	
	6. Croup	99	1	2	12	28	16	11	12	16	-	-	1	-	-	
	7. Hooping-cough	118	15	13	28	29	12	8	1	12	-	-	-	-	-	
	8. {	Typhus Fever	7	-	-	-	-	-	-	-	-	3	-	1	-	-
		Enteric or Typhoid Fever	146	3	1	-	2	3	2	4	20	21	25	12	10	6
		Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Simple Continued Fever	6	-	-	-	-	-	-	-	-	1	-	-	-	-
	9. Erysipelas	26	5	-	1	2	-	2	-	-	1	-	1	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	11	-	1	-	-	-	1	1	-	-	-	-	-	-	
	13. Dysentery	12	1	2	-	1	-	-	-	-	-	-	-	-	1	
	14. Diarrhoea	149	18	29	32	17	3	1	1	2	4	1	-	-	2	
	15. Cholera	10	3	2	-	1	-	-	-	-	-	-	-	-	-	
	16. Ague	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	7	-	2	1	2	-	-	1	-	-	-	-	-	-	
	18. Rheumatism	42	-	-	-	-	-	-	-	3	1	6	-	6	-	
	19. Other Miasmatic Diseases	4	-	-	1	-	1	1	-	1	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis	16	9	1	2	1	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	8	-	-	-	-	-	1	1	2	2	-	-	-	-	-
	4. Alco- { a Del. Tremens	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		holism { b Intemperance	18	-	-	-	-	-	-	-	-	-	-	-	2	1
	ORDER 4.															
	1. Thrush	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	39	2	2	-	-	-	-	-	3	4	1	1	-	-	
	3. Cancer	214	-	-	-	1	1	-	-	-	-	1	2	3	1	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	26	-	-	-	-	-	-	-	-	-	2	-	1	-	

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	141	19	2	3	6	7	2	1	10	6	4	4	1	4
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	17	-	-	-	-	-	-	-	-	-	-	2	1	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		5	-	1	1	1	-	-	-	1	-	-	-	-	-
CAUSES NOT SPECIFIED		141	57	5	17	9	2	1	1	8	3	1	-	2	2
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	85	3	2	13	25	18	6	5	10	1	-	1	1	-
	3. Scarlatina	112	1	2	2	13	20	16	11	29	7	4	3	1	1
	4. Diphtheria	123	5	-	6	10	5	13	11	47	12	6	1	-	3
	5. Quinsy	6	-	-	-	1	-	1	2	-	-	1	-	-	-
	6. Croup	78	2	1	7	20	13	10	11	14	-	-	-	-	-
	7. Hooping-cough	142	23	16	31	37	11	13	3	8	-	-	-	-	-
	8. { Typhus Fever	4	-	-	-	-	-	-	-	-	-	-	-	1	-
	8. { Enteric or Typhoid Fever	131	1	-	-	3	2	3	3	15	25	26	10	4	5
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	14	-	-	-	-	1	-	-	1	2	1	-	-	2
	9. Erysipelas	36	9	4	-	-	-	-	-	1	-	-	-	1	-
	10. Puerperal Fever (Metria). . . .	38	-	-	-	-	-	-	-	-	-	1	5	8	13
	11. Carbuncle	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	7	-	-	-	-	-	1	-	-	-	-	-	-	-
	13. Dysentery	20	1	-	2	-	-	-	-	-	-	-	-	1	-
	14. Diarrhoea	129	16	16	19	11	3	3	1	1	1	2	-	-	2
	15. Cholera	9	-	1	3	1	-	-	-	-	-	-	-	-	-
	16. Ague	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	17. Remittent Fever	3	-	-	-	-	1	1	-	-	-	1	-	-	-
	18. Rheumatism	61	-	-	-	-	1	-	-	2	6	6	6	1	2
	19. Other Miasmatic Diseases	3	-	-	2	-	-	-	-	-	-	1	-	-	-
	ORDER 2.														
	1. Syphilis	9	3	2	1	2	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	6	6	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	11	-	-	-	-	-	-	-	3	1	2	-	-	1
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	2	-	-	-	-	-	1	1	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	56	3	-	-	2	1	1	-	-	1	4	-	-	2
	3. Cancer	344	-	-	-	-	-	-	-	-	1	1	3	2	3
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	20	-	-	1	1	-	-	-	-	-	-	-	1	1

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	29	28	30	20	30	19	18	13	13	6	3	-	-	-	5
	*															
	3. HOMICIDE	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	4. SUICIDE	2	1	2	3	7	3	4	-	-	1	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		5	3	3	4	7	5	2	2	1	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarletina	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	4	6	5	2	4	2	6	6	2	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-
	9. Erysipelas	-	2	-	2	3	-	-	1	3	2	1	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	1	1	1	-	2	2	1	-	-
	13. Dysentery	-	-	-	-	-	-	-	1	3	2	1	1	2	-	-
	14. Diarrhoea	1	2	-	1	4	1	5	11	10	1	1	2	-	-	-
	15. Cholera	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	18. Rheumatism	2	1	1	1	2	2	2	10	3	1	1	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	1	-	1	-	1	-	1	2	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	1	2	2	3	2	1	2	1	-	-	1	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2. Dropsy	-	1	1	2	1	4	6	3	3	4	1	-	-	-	-
	3. Cancer	1	5	12	18	34	24	33	33	26	11	8	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	1	1	5	2	3	4	4	2	-	-	-	-

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	1	-	2	1	9	6	12	13	16	7	-	2	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	2	3	-	2	2	2	2	1	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		3	3	4	5	1	9	3	4	1	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
	5. Quinsy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	6	9	3	3	3	2	4	1	1	2	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	2	-	2	1	-	-	-	2	-	-	-	-	-	-	-
	9. Erysipelas	-	2	-	2	3	1	3	4	4	-	2	-	-	-	-
	10. Puerperal Fever (Metria)	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	12. Influenza	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	1	3	1	5	4	2	-	-	-	-
	14. Diarrhoea	3	-	1	2	1	3	9	4	13	10	6	2	-	-	-
	15. Cholera	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	1	5	3	2	4	4	2	8	4	2	1	1	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	2. Dropsy	2	2	-	6	5	2	9	5	5	4	1	1	-	-	-
	3. Cancer	12	17	38	42	41	41	35	40	32	24	8	4	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	2	-	-	2	-	-	3	3	3	2	-	-	-	-

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	64	3	—	8	6	3	1	—	4	3	11	7	7	5
	2. Tabes Mesenterica	72	3	5	12	14	6	3	1	13	4	2	2	1	1
	3. Phthisis	692	2	2	3	7	4	4	2	18	31	84	132	118	55
	4. Hydrocephalus	142	4	17	17	28	12	9	5	31	13	4	—	1	1
	ORDER 1.														
	1. Cephalitis	92	2	3	8	14	6	6	5	18	7	2	4	2	3
	2. Apoplexy	227	3	1	2	1	—	1	—	2	—	3	2	1	2
	3. Paralysis	226	—	—	—	1	1	—	—	1	2	3	3	—	2
	4. Insanity	14	—	—	—	—	—	—	—	—	—	1	—	2	—
	5. Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	6. Epilepsy	27	1	—	—	1	—	—	—	2	1	2	4	4	3
	7. Convulsions	83	32	12	14	11	6	2	2	2	—	—	—	1	—
	8. Brain Disease, etc.	123	5	2	3	1	—	2	2	3	2	3	3	6	4
	ORDER 2.														
	1. Pericarditis	16	1	—	—	—	—	—	2	1	—	1	1	1	1
	2. Aneurism	17	—	—	—	—	—	1	—	—	—	1	—	—	1
	3. Heart Disease, etc.	576	4	1	—	1	—	—	—	7	8	10	13	10	13
	ORDER 3.														
	1. Laryngitis	26	2	1	3	2	2	2	4	1	1	1	1	—	—
	2. Bronchitis	658	71	53	80	57	13	6	10	10	2	2	4	1	5
	3. Pleurisy	39	—	—	1	—	3	—	—	1	—	3	5	4	1
	4. Pneumonia	318	9	13	25	20	12	3	6	20	6	9	15	7	12
	5. Asthma	48	—	—	—	—	—	—	—	—	—	—	—	4	—
	6. Lung Disease, etc.	90	7	4	3	5	2	—	1	1	1	—	2	1	1
	ORDER 4.														
	1. Gastritis	38	2	5	4	4	—	1	—	2	—	—	—	1	—
	2. Enteritis	100	27	12	9	10	2	—	3	3	2	4	2	2	1
	3. Peritonitis	70	6	5	2	1	1	—	—	4	3	3	2	2	2
	4. Ascites	7	—	—	—	—	—	—	—	1	—	—	—	2	—
	5. Ulceration of Intestines . .	40	—	2	2	1	—	—	—	1	1	3	1	—	—
	6. Hernia	18	1	—	—	1	—	—	—	—	3	1	—	—	1
	7. Ileus	56	3	1	1	—	—	1	—	2	2	1	1	3	1
	8. Intussusception	11	2	4	2	1	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines . .	9	—	—	—	—	—	—	—	—	—	—	1	1	—
	10. Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc. . . .	67	9	3	5	1	2	—	—	1	—	—	—	1	1
	12. Pancreas Disease, etc. . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	30	2	—	—	—	—	—	—	—	1	—	—	—	3
	14. Jaundice	23	11	1	—	—	—	—	—	2	—	—	—	—	—
	15. Liver Disease, etc.	77	1	1	—	1	—	—	—	—	1	—	1	—	2
	16. Spleen Disease, etc.	6	—	—	—	—	—	—	—	—	1	1	1	—	—
	ORDER 5.														
	1. Nephritis	28	—	—	1	1	—	—	—	3	—	2	—	—	—
	2. Ischuria	13	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	65	—	—	—	1	—	1	—	4	1	1	5	2	3
	4. Diabetes	36	—	—	—	1	—	—	—	1	1	3	1	1	2
	5. Calculus (Stone)	15	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	47	—	—	—	—	—	—	—	1	—	—	—	1	—
	7. Kidney Disease, etc.	85	—	—	—	—	—	—	—	1	1	1	1	6	1
	ORDER 6.														
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.														
	1. Synovitis (Arthritis) . . .	12	1	—	—	—	1	1	—	1	1	1	1	—	—
	2. Joint Disease, etc.	43	—	1	—	2	—	—	1	2	6	8	2	3	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	56	4	1	4	8	3	1	1	1	7	9	3	3	—
	2. Tabes Mesenterica	69	5	6	7	9	7	3	5	9	7	2	3	1	1
	3. Phthisis	795	2	—	6	6	4	4	4	24	49	106	130	89	101
	4. Hydrocephalus	141	4	9	25	22	11	5	10	35	8	5	2	2	—
	ORDER 1.														
	1. Cephalitis	103	3	6	12	7	7	7	2	15	11	5	8	2	1
	2. Apoplexy	225	1	1	2	4	3	—	—	3	—	1	3	2	2
	3. Paralysis	270	—	—	—	—	—	—	1	4	—	1	—	—	2
	4. Insanity	22	—	—	—	—	—	—	—	—	1	2	1	—	2
	5. Chorea	6	—	—	—	—	—	—	—	1	1	1	—	—	1
	6. Epilepsy	28	1	—	—	—	1	—	—	1	1	3	2	2	4
	7. Convulsions	61	27	11	5	8	4	2	2	—	—	—	—	1	—
	8. Brain Disease, etc.	111	4	2	1	5	1	2	1	2	4	3	3	1	5
	ORDER 2.														
	1. Pericarditis	15	—	—	—	—	—	—	—	1	1	2	1	3	1
	2. Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	2	—
	3. Heart Disease, etc.	656	3	2	1	2	2	2	—	6	8	6	12	6	18
	ORDER 3.														
	1. Laryngitis	14	—	—	1	1	2	2	4	2	—	—	1	—	—
	2. Bronchitis	708	45	44	64	50	23	16	5	17	3	3	1	4	5
	3. Pleurisy	22	1	—	—	—	1	—	—	—	3	—	—	2	1
	4. Pneumonia	246	11	8	23	25	8	7	—	10	6	6	4	6	10
	5. Asthma	44	—	—	—	1	—	—	—	—	—	2	—	1	—
	6. Lung Disease, etc.	79	12	1	8	—	1	1	—	1	—	1	1	4	1
	ORDER 4.														
	1. Gastritis	34	3	1	3	2	—	—	—	—	—	1	—	1	1
	2. Enteritis	102	17	15	11	12	1	3	3	3	—	3	2	2	2
	3. Peritonitis	89	8	2	1	1	—	1	1	5	2	6	5	11	5
	4. Ascites	8	—	—	—	—	1	—	—	—	1	—	—	—	—
5. Ulceration of Intestines . .	24	—	1	—	—	—	—	—	—	—	1	1	1	1	
6. Hernia	19	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Ileus	32	1	—	2	—	—	—	—	—	—	—	—	—	—	
8. Intussusception	7	1	3	—	—	—	—	—	1	—	—	—	—	—	
9. Stricture of Intestines . .	6	—	—	—	—	—	—	—	—	—	—	—	—	1	
10. Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Stomach Disease, etc. . . .	86	3	5	5	2	1	—	—	3	—	—	—	—	3	
12. Pancreas Disease, etc. . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	25	1	1	—	—	1	—	—	1	—	—	—	—	1	
14. Jaundice	29	10	2	1	—	—	—	—	1	—	—	—	1	—	
15. Liver Disease, etc.	72	3	1	—	—	—	—	—	—	1	—	2	—	1	
16. Spleen Disease, etc.	6	—	—	—	—	—	—	—	—	—	1	1	—	—	
ORDER 5.															
1. Nephritis	20	—	—	—	—	—	1	1	—	1	2	—	1	2	
2. Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—	1	
3. Bright's Disease(Nephria)	41	—	—	1	—	—	—	—	5	1	1	1	2	3	
4. Diabetes	22	—	—	—	—	—	—	—	1	—	—	3	4	2	
5. Calculus (Stone)	3	—	—	—	—	—	—	—	—	—	—	—	—	1	
6. Cystitis	8	—	—	—	—	—	—	—	—	—	—	—	1	—	
7. Kidney Disease, etc.	36	2	—	—	1	—	—	1	1	—	—	—	1	1	
ORDER 6.															
1. Ovarian Dropsy	21	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc.	36	—	—	—	—	1	—	—	—	1	3	3	2	5	
ORDER 7.															
1. Synovitis (Arthritis) . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Joint Disease, etc.	33	1	—	—	1	—	—	1	1	5	8	1	2	2	

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued).

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	2	3	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	2	—	—	1	1	—	—	1	—	—	—	—	—	—	—
	3. Phthisis	45	36	40	34	12	22	25	12	2	1	1	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	1	2	5	—	—	—	3	1	—	—	—	—	—	—	—
	2. Apoplexy	8	8	11	10	13	22	26	36	42	22	11	—	—	—	—
	3. Paralysis	2	1	7	15	14	21	36	35	36	28	13	3	2	—	—
	4. Insanity	—	—	—	2	3	—	2	2	1	—	1	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	3	—	1	1	—	—	1	—	3	—	—	—	—	—	—
	7. Convulsions	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	—	3	4	9	9	18	5	17	13	8	1	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	1	2	—	1	2	1	1	—	—	—	—	—	—	—
	2. Aneurism	1	2	1	—	5	2	1	1	1	—	—	—	—	—	—
	3. Heart Disease, etc.	18	15	20	29	44	51	82	101	78	52	14	4	1	—	—
	ORDER 3.															
	1. Laryngitis	1	—	1	—	—	—	1	2	1	—	—	—	—	—	—
	2. Bronchitis	6	11	22	26	19	39	50	59	55	35	15	5	1	1	—
	3. Pleurisy	3	1	1	1	3	4	2	2	3	—	—	—	—	—	1
	4. Pneumonia	8	11	16	12	23	28	19	15	17	7	4	—	—	—	1
	5. Asthma	—	2	4	6	6	4	7	8	3	2	2	—	—	—	—
	6. Lung Disease, etc.	1	5	3	3	4	8	6	10	11	7	3	1	—	—	—
	ORDER 4.															
	1. Gastritis	—	2	2	1	3	2	4	4	1	—	—	—	—	—	—
	2. Enteritis	1	2	2	1	4	2	4	4	1	—	2	—	—	—	—
	3. Peritonitis	2	6	3	5	5	6	3	4	2	3	—	—	—	—	—
	4. Ascites	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—
	5. Ulceration of Intestines	1	1	2	1	5	4	5	5	3	1	1	—	—	—	—
	6. Hernia	2	—	—	2	—	—	—	3	1	2	1	—	—	—	—
	7. Ileus	—	4	2	5	1	3	4	8	6	6	1	—	—	—	—
	8. Intussusception	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	1	—	—	—	1	—	1	3	1	—	—	—	—	—	—
	10. Fistula	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	1	—	2	4	3	6	9	6	11	1	1	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	2	2	4	2	3	4	3	2	1	1	—	—	—	—
	14. Jaundice	—	—	1	—	—	1	1	3	1	1	1	—	—	—	—
	15. Liver Disease, etc.	5	5	5	6	13	8	10	10	5	3	—	—	—	—	—
	16. Spleen Disease, etc.	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	—	1	—	3	5	2	3	4	3	—	—	—	—	—
	2. Ischuria	—	1	—	—	—	—	2	3	1	5	1	—	—	—	—
	3. Bright's Disease (Nephria)	3	4	2	3	5	12	5	9	2	1	1	—	—	—	—
	4. Diabetes	3	4	2	1	3	3	5	1	2	1	1	—	—	—	—
	5. Calculus (Stone)	—	1	—	—	—	1	2	4	5	1	1	—	—	—	—
	6. Cystitis	1	—	—	—	3	6	6	10	10	6	1	2	—	—	—
	7. Kidney Disease, etc.	2	2	4	4	3	5	11	11	15	11	5	1	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	1	—	—	1	2	—	1	—	—	—	—	—	—
	2. Joint Disease, etc.	—	1	2	3	—	4	2	2	2	1	—	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	3	1	1	1	1	1	1	—	1	1	—	—	—	—	—
	2. Tabes Mesenterica	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—
	3. Phthisis	72	58	39	26	26	24	10	5	8	2	—	—	—	—	—
	4. Hydrocephalus	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
III.	ORDER 1.															
	1. Cephalitis	2	4	2	3	1	—	—	2	—	1	2	—	—	—	—
	2. Apoplexy	4	3	5	7	20	25	28	30	46	26	7	1	1	—	—
	3. Paralysis	2	6	6	11	17	24	45	48	48	31	20	3	1	—	—
	4. Insanity	—	4	—	2	2	2	3	1	—	1	1	—	—	—	—
	5. Chorea	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
	6. Epilepsy	1	—	3	1	1	2	1	2	1	—	—	1	—	—	—
	7. Convulsions	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	6	1	9	4	4	13	11	12	10	6	1	—	—	—	—
III.	ORDER 2.															
	1. Pericarditis	—	1	—	1	—	—	2	1	—	1	—	—	—	—	—
	2. Aneurism	—	1	—	3	—	2	—	1	1	—	1	—	—	—	—
	3. Heart Disease, etc.	25	23	21	38	48	68	85	99	99	58	21	3	—	—	—
III.	ORDER 3.															
	1. Laryngitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	5	9	11	18	26	46	50	78	59	83	28	12	1	2	—
	3. Pleurisy	—	2	1	1	3	—	2	1	2	1	1	—	—	—	—
	4. Pneumonia	6	11	11	12	7	14	11	24	10	9	4	1	2	—	—
	5. Asthma	—	—	2	3	1	5	5	7	9	7	1	—	—	—	—
	6. Lung Disease, etc.	2	—	6	3	5	6	5	6	3	8	4	—	—	—	—
III.	ORDER 4.															
	1. Gastritis	2	2	2	—	3	2	2	3	6	—	—	—	—	—	—
	2. Enteritis	1	4	1	3	2	2	5	5	1	3	1	—	—	—	—
	3. Peritonitis	2	3	4	7	3	4	6	6	4	1	1	—	—	—	—
	4. Ascites	—	—	1	—	1	1	2	1	1	—	—	—	—	—	—
	5. Ulceration of Intestines	1	—	1	2	5	3	3	1	2	1	—	—	—	—	—
	6. Hernia	—	—	2	2	1	4	1	3	4	2	—	—	—	—	—
	7. Ileus	—	1	1	3	4	4	2	2	7	4	—	1	—	—	—
	8. Intussusception	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	1	—	2	—	1	1	—	—	—	—	—
	10. Fistula	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	2	3	7	7	10	13	13	7	2	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	—	3	4	4	4	1	2	2	—	—	—	—	—	—
	14. Jaundice	—	—	—	2	1	1	2	3	3	1	—	1	—	—	—
	15. Liver Disease, etc.	4	4	7	7	7	8	6	8	5	4	4	—	—	—	—
	16. Spleen Disease, etc.	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—
III.	ORDER 5.															
	1. Nephritis	5	—	1	—	2	1	1	—	1	1	—	—	—	—	—
	2. Ischuria	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	3	4	6	3	2	1	3	2	—	3	—	—	—	—	—
	4. Diabetes	—	3	2	1	1	1	1	3	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	—	1	—	1	3	1	—	1	—	—
	7. Kidney Disease, etc.	1	—	1	2	4	5	5	3	4	2	2	—	—	—	—
III.	ORDER 6.															
	1. Ovarian Dropsy	2	—	2	2	1	7	3	2	—	2	—	—	—	—	—
	2. Uterus Disease, etc.	4	6	4	—	—	3	2	—	—	2	—	—	—	—	—
III.	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	1	1	—	—	1	2	—	—	—	—	—	—
	2. Joint Disease, etc.	3	2	—	—	—	1	2	1	1	1	—	—	—	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
IV.	ORDER 8.														
	1. Phlegmon	27	2	1	1	1	—	—	1	1	1	4	2	2	—
	2. Ulcer	18	4	—	—	—	—	—	—	—	1	—	—	—	—
	3. Skin Disease, etc. . . .	18	2	1	5	4	1	—	—	—	—	—	—	—	1
	ORDER 1.														
	1. Premature Birth	135	135	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	8	6	1	—	—	—	—	—	—	1	—	—	—	—
	3. Spina Bifida	4	4	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations . .	30	28	1	—	1	—	—	—	—	—	—	—	—	—
	5. Teething	60	—	5	28	27	—	—	—	—	—	—	—	—	—
V.	ORDER 2.														
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Old Age	717	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility . .	271	204	22	18	12	—	1	—	1	—	—	1	1	—
	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	205	2	1	—	—	1	—	3	10	11	14	21	12	14
	2. Gunshot Wounds	4	—	—	—	—	—	—	—	—	—	1	1	1	—
3. Cut, Stab	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Burns and Scalds	23	—	—	1	5	5	2	2	—	—	2	—	1	—	
5. Poison	3	—	—	—	—	—	—	—	—	—	—	—	1	—	
6. Drowning	150	1	—	—	4	3	3	1	11	7	12	25	11	8	
7. Suffocation	23	12	2	3	—	—	—	—	1	—	—	—	1	—	
8. Otherwise	34	1	—	—	—	—	1	—	2	1	2	2	3	1	
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	3	—	—	—	—	—	—	—	—	—	—	—	—	1
	2. Cut, Stab	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	9	—	—	—	—	—	—	—	—	—	1	3	1	
	5. Hanging	10	—	—	—	—	—	—	—	—	—	2	2	—	
	6. Otherwise and undefined	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)														
1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sudden Deaths (cause unascertained)		5	2	—	1	—	1	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		147	72	10	6	6	3	—	—	2	3	4	6	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	26	3	1	2	—	—	1	—	4	1	—	—	2	2
	2. Ulcer	19	—	—	—	—	—	—	—	—	—	—	1	—	—
	3. Skin Disease, etc.	6	1	2	2	—	—	—	—	—	—	—	—	—	—
	ORDER 1.														
	1. Premature Birth	114	112	1	1	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	7	6	—	—	—	—	—	—	1	—	—	—	—	—
	3. Spina Bifida	9	8	—	1	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	17	16	1	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	57	1	5	20	26	4	1	—	—	—	—	—	—	—
	ORDER 2.														
	1. Paramenia	2	—	—	—	—	—	—	—	—	1	—	1	—	—
	2. Childbirth (see Puerperal Fever)	93	—	—	—	—	—	—	—	—	—	4	10	14	27
	ORDER 3.														
	1. Old Age	1024	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility	204	143	16	15	5	2	—	1	—	3	—	2	1	1
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	48	3	1	—	1	1	1	—	5	1	1	1	1	1
	2. Gunshot Wounds	2	—	—	—	—	—	—	—	1	—	1	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	31	—	—	2	—	2	1	1	3	1	—	—	—	—
	5. Poison	2	—	—	—	—	—	—	—	—	—	—	1	—	—
	6. Drowning	22	—	—	—	5	4	—	—	1	3	1	—	—	—
	7. Suffocation	15	12	—	1	—	—	—	—	—	—	—	—	—	—
	8. Otherwise	21	4	1	—	—	—	—	—	—	1	1	2	—	3
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	2	—	—	—	—	—	—	—	—	—	—	—	1	—
	4. Drowning	10	—	—	—	—	—	—	—	—	—	—	2	—	—
	5. Hanging	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)														
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		5	—	1	1	1	—	—	—	1	—	—	—	—	—
Causes not specified or ill-defined		141	57	5	17	9	2	1	1	8	3	1	—	2	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	2	2	2	1	2	2	-	-	-	-	-	-
	2. Ulcer	2	-	-	1	1	1	2	4	1	1	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	12	45	77	156	215	139	56	15	2	-
	ORDER 4.															
	1. Atrophy and Debility . . .	1	-	3	1	6	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	16	12	15	10	20	12	12	6	7	4	2	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	4. Burns and Scalds	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-
	5. Poison	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	6. Drowning	8	13	9	9	5	6	3	4	2	-	-	-	-	-	5
	7. Suffocation	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-
	8. Otherwise	5	3	1	1	4	1	1	2	1	2	-	-	-	-	-
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	2	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	3. Poison	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-
	4. Drowning	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	1	-	2	1	2	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	5	3	3	4	7	5	2	2	1	-	-	-	-	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	2	1	1	—	1	3	1	1	—	—	—	—	—	—	—
	2. Ulcer	3	1	1	1	2	2	2	2	3	1	—	—	—	—	—
	3. Skin Disease, etc.	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	23	14	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	20	49	108	205	314	193	98	31	6	—
	ORDER 4.															
	1. Atrophy and Debility	—	2	—	6	7	—	—	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	—	—	—	—	—	3	4	5	5	9	3	—	2	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	—	—	—	—	—	—	5	8	5	3	—	—	—	—
	5. Poison	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	3	—	—	—	—	4	—	1	—	—	—	—	—	—	—
	7. Suffocation	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	8. Otherwise	—	—	—	2	—	1	2	1	—	2	1	—	—	—	—
	ORDER 3. (Homicide).															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	4. Drowning	2	1	—	1	2	—	1	1	—	—	—	—	—	—	—
	5. Hanging	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		3	3	4	5	1	9	3	4	1	—	—	—	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
V.	1. ACCIDENT OR NEGLIGENCE	61	1	-	-	1	-	-	-	1	1	6	6	4	4	
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		101	35	3	10	4	5	1	-	2	2	2	2	-	4	
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	14	1	-	4	5	1	1	-	-	1	-	-	-	-	
	3. Scarlatina	2	-	-	-	-	-	1	-	1	-	-	-	-	-	
	4. Diphtheria	2	-	-	-	-	-	-	-	2	-	-	-	-	-	
	5. Quinsy	3	-	1	-	-	-	1	-	-	-	-	-	-	-	
	6. Croup	12	2	1	4	3	-	-	-	1	-	1	-	-	-	
	7. Hooping-cough	13	3	1	3	2	1	1	1	1	-	-	-	-	-	
	8. {	Typhus Fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		Enteric or Typhoid Fever	4	-	-	-	-	-	-	-	1	1	-	2	-	-
		Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	5	-	-	-	1	-	-	-	-	-	-	-	-	-	
	13. Dysentery	3	-	-	-	-	-	-	-	-	-	1	-	-	-	
	14. Diarrhoea	6	2	1	1	-	-	-	-	-	-	-	-	1	-	
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	2	-	-	-	-	-	-	-	-	1	-	-	-	-	
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		ORDER 2.														
		1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2. Stricture of Urethra	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ORDER 3.														
		1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		3. Purpura and Scurvy	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		4. Alco- {	a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-
			holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-
		ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	11	-	-	-	-	-	-	2	1	-	-	1	-	-	
	3. Cancer	24	-	-	-	-	1	-	-	-	-	-	-	-	-	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	2	-	-	-	-	-	-	-	-	-	-	-	-	-	

* See page 52, note.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	19	-	-	-	1	-	2	-	-	-	1	-	1	-
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	79	34	2	4	5	3	-	-	2	1	1	2	3	1
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	11	-	-	2	3	1	-	-	1	-	2	-	-	1
	3. Scarlatina	2	-	-	-	-	-	-	-	-	1	1	-	-	-
	4. Diphtheria	4	-	-	-	-	-	-	-	4	-	-	-	-	-
	5. Quinsy	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	9	2	-	3	2	1	-	1	-	-	-	-	-	-
	7. Hooping-cough	18	1	1	6	2	2	1	-	4	-	1	-	-	-
	8. { Typhus Fever	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	8. { Enteric or Typhoid Fever	15	-	-	-	-	-	-	-	-	4	4	1	3	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	2	-	-	-	-	1	-	1	-	-	-	-	-	-
	9. Erysipelas	5	-	-	-	-	-	-	-	-	-	-	1	-	-
	10. Puerperal Fever (Metria)	7	-	-	-	-	-	-	-	-	-	-	1	2	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	9	2	-	-	1	-	1	1	1	-	-	-	-	-
	13. Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	7	-	-	1	-	-	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	6	-	-	-	-	-	-	-	1	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	25	-	-	-	-	-	-	-	-	1	-	-	-	2
	3. Cancer	22	-	-	-	-	-	-	-	-	1	-	-	-	1
	4. Cancerum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	2	-	-	-	-	-	-	-	-	-	-	1	-	-

* See page 52, note.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	7	5	4	4	4	5	2	2	3	1	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	2	2	4	2	8	9	3	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	12. Influenza	-	-	-	1	-	-	1	-	-	1	-	1	-	1	-
	13. Dysentery	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	1	-	-	-	1	-	2	2	2	-	1	-	-	-	-
	3. Cancer	1	-	1	3	1	5	1	4	4	3	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	-	1	2	1	1	1	2	2	1	2	1	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	1	-	1	5	7	5	1	1	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-
	10. Puerperal Fever (Metria)	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	13. Dysentery	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	1	-	-	-	-	-	2	1	-	1	-	1	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alcoholism { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alcoholism { b Intemperance	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	2. Dropsy	-	6	-	1	3	2	3	3	2	2	-	-	-	-	-
	3. Cancer	-	1	1	4	5	1	4	1	2	-	-	1	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	11	-	-	-	-	1	-	1	-	1	2	2	3	-
	2. Tabes Mesenterica	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	3. Phthisis	93	-	-	-	2	1	-	-	-	1	6	17	26	16
	4. Hydrocephalus	9	-	2	2	1	-	-	-	3	-	-	-	-	1
	ORDER 1.														
	1. Cephalitis	13	-	-	1	1	-	1	-	1	2	-	4	2	-
	2. Apoplexy	12	-	-	-	-	-	-	-	1	-	-	1	1	-
	3. Paralysis	22	-	-	-	-	-	-	-	-	-	1	-	-	-
	4. Insanity	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	3	-	-	-	-	-	-	-	-	-	1	-	1	-
	7. Convulsions	6	4	-	-	-	1	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	8	2	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 2.														
	1. Pericarditis	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	2. Aneurism	2	-	-	-	-	-	-	-	-	-	-	-	1	-
	3. Heart Disease, etc.	46	-	-	-	-	-	-	-	1	1	-	1	-	1
	ORDER 3.														
	1. Laryngitis	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	2. Bronchitis	53	5	1	5	2	-	-	-	1	-	-	2	1	-
	3. Pleurisy	14	7	-	-	1	-	-	-	1	-	-	-	-	1
	4. Pneumonia	25	-	-	2	2	-	-	-	2	1	-	3	-	1
	5. Asthma	14	-	-	-	-	-	-	-	-	-	1	-	-	-
	6. Lung Disease, etc.	12	1	-	-	-	-	-	-	-	-	1	2	-	1
	ORDER 4.														
	1. Gastritis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Enteritis	10	-	-	1	3	-	1	-	1	-	-	-	-	-
	3. Peritonitis	7	-	-	-	1	-	-	-	-	-	-	1	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	5	1	-	-	-	-	-	-	-	-	-	-	2	-
	6. Hernia	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	8	-	-	-	1	-	-	-	-	-	-	-	-	-
	8. Intussusception	3	1	-	-	-	-	-	-	-	-	1	-	-	-
	9. Stricture of Intestines	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	10	1	-	-	-	-	-	-	-	1	-	-	-	-
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Jaundice	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	12	-	-	-	-	-	-	-	-	-	-	-	-	1
	16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	3	-	-	-	-	-	-	-	-	-	1	-	-	-
	2. Ischuria	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diabetes	4	-	-	-	-	-	-	-	-	-	-	-	1	-
	5. Calculus (Stone)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc.	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 6.														
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.														
	1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	3	-	-	-	-	-	-	-	1	-	-	-	1	-

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
			3	6	12											
IV.	ORDER 8.															
	1. Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Skin Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 1.															
	1. Premature Birth	10	9	1	—	—	—	—	—	—	—	—	—	—	—	
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Other Malformations	3	3	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Teething	2	—	—	1	—	1	—	—	—	—	—	—	—	—	
	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 3.															
	1. Old Age	202	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4.															
	1. Atrophy and Debility	19	19	—	—	—	—	—	—	—	—	—	—	—	—	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	8	—	—	—	—	—	—	—	—	—	1	1	1	1	
	2. Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	1	
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Burns and Scalds	2	—	—	—	1	—	—	—	—	—	—	—	—	—	
	5. Poison	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	6. Drowning	46	—	—	—	—	—	—	—	1	1	5	5	3	2	
	7. Suffocation	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
	8. Otherwise	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Hanging	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sudden Deaths (cause unascertained)		—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Causes not specified or ill-defined		101	35	3	10	4	5	1	—	2	2	2	2	—	4

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	4	-	-	-	-	-	-	-	-	-	-	1	-	-
	2. Ulcer	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	6	-	-	3	3	-	-	-	-	-	-	-	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	22	-	-	-	-	-	-	-	-	-	-	1	7	3
	ORDER 3.														
	1. Old Age	290	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	16	13	-	-	3	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	5	-	-	-	1	-	-	-	-	-	1	-	-	-
2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Burns and Scalds	7	-	-	-	-	-	2	-	-	-	-	-	-	-	
5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Drowning	4	-	-	-	-	-	-	-	-	-	-	-	1	-	
7. Suffocation	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. Otherwise	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5.														
	(Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		4	1	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		79	34	2	4	5	3	-	-	2	1	1	2	3	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (sec Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	2	10	13	39	67	47	20	3	1	-
V.	ORDER 4.															
	1. Atrophy and Debility	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	5. Poison	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	7	5	3	3	4	5	1	1	-	-	-	-	-	-	-
	7. Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Otherwise	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		1	2	2	4	2	8	9	3	-	-	-	-	-	-	-

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1882.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	2. Ulcer	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever).	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	4	11	39	49	98	50	23	9	7	-
	ORDER 4.															
	1. Atrophy and Debility . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	7. Suffocation	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	8. Otherwise	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Causes not specified or ill-defined	-	1	-	1	5	7	5	1	1	-	-	-	-	-	-

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	6610	710	325	600	793	343	244	146	362	144	212	229	241	219
	Specified Causes . .	6556	696	322	600	793	343	241	146	362	144	211	229	239	218
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1212	86	74	167	281	119	102	54	119	26	23	20	17	20
II.	CONSTITUTIONAL „	1326	17	42	82	126	79	51	40	88	45	119	113	124	75
III.	LOCAL „	3080	209	160	296	337	133	81	46	131	57	54	60	69	87
IV.	DEVELOPMENTAL „	620	369	41	50	46	10	4	1	4	1	—	—	—	—
V.	VIOLENT DEATHS .	318	15	5	5	3	2	3	5	20	15	15	36	29	36
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1109	57	64	159	275	119	102	54	117	26	21	16	13	14
	2. ENTHETIC „ .	48	18	7	5	3	—	—	—	—	—	2	2	2	—
	3. DIETIC „ .	53	11	3	3	2	—	—	—	1	—	—	2	2	6
	4. PARASITIC „ .	2	—	—	—	1	—	—	—	1	—	—	—	—	—
II.	1. DIATHETIC „ .	102	—	1	—	1	1	2	2	1	1	2	—	1	4
	2. TUBERCULAR „ .	1224	17	41	82	125	78	49	38	87	44	117	113	123	71
III.	1. DISEASES OF NERVOUS SYSTEM . .	678	50	36	59	75	27	24	18	51	12	6	10	9	14
	2. „ OF ORGANS OF CIRCULATION .	366	3	2	—	—	1	1	1	6	4	11	8	11	16
	3. „ OF RESPIRATORY ORGANS . .	1467	91	95	213	236	90	46	21	44	10	15	25	26	36
	4. „ OF DIGESTIVE ORGANS	360	56	23	22	19	12	6	3	14	10	7	7	17	11
	5. „ OF URINARY ORGANS	126	1	—	—	3	3	—	2	6	6	2	5	5	9
	6. „ OF ORGANS OF GENERATION .	3	—	1	1	—	—	—	—	—	—	1	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	54	—	—	—	4	—	4	1	9	13	9	4	—	1
	8. „ OF INTEGUMENTARY SYSTEM . .	26	8	3	1	—	—	—	—	1	2	3	1	1	—
IV.	1. DEV. DIS. OF CHILDREN	285	207	10	30	31	4	2	—	1	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	87	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION .	248	162	31	20	15	6	2	1	3	1	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	6436	591	211	522	769	347	214	149	350	145	222	251	263	234
	Specified Causes . .	6390	582	209	518	768	346	213	148	350	144	221	250	263	231
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1303	63	58	174	281	165	106	68	126	23	30	32	36	21
II.	CONSTITUTIONAL „	1382	21	19	63	108	55	23	41	88	58	128	144	124	102
III.	LOCAL „	2904	199	108	233	310	110	76	34	122	59	58	62	84	86
IV.	DEVELOPMENTAL „	694	291	20	44	60	8	2	2	7	1	3	9	17	16
V.	VIOLENT DEATHS .	107	8	4	4	9	8	6	3	7	3	2	3	2	6
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1243	45	50	171	280	163	106	67	126	23	29	32	34	18
	2. ENTHETIC „ .	25	13	2	3	1	1	-	-	-	-	1	-	1	-
	3. DIETIC „ .	33	5	5	-	-	1	-	-	-	-	-	-	1	3
	4. PARASITIC „ .	2	-	1	-	-	-	-	1	-	-	-	-	-	-
II.	1. DIATHETIC „ .	218	-	-	-	-	-	2	2	6	1	3	3	4	8
	2. TUBERCULAR „ .	1164	21	19	63	108	55	21	39	82	57	125	141	120	94
III.	1. DISEASES OF NERVOUS SYSTEM . .	574	46	23	44	58	28	10	11	37	9	12	7	11	9
	2. „ OF ORGANS OF CIRCULATION .	375	1	-	-	-	-	-	-	11	13	9	15	18	25
	3. „ OF RESPIRATORY ORGANS . .	1384	85	66	156	228	76	55	18	43	14	20	15	22	27
	4. „ OF DIGESTIVE ORGANS . .	405	64	19	31	20	4	7	3	20	8	11	18	14	15
	5. „ OF URINARY ORGANS . .	90	-	-	-	-	2	-	1	4	7	3	4	8	5
	6. „ OF ORGANS OF GENERATION .	29	-	-	-	-	-	-	-	-	-	-	2	10	4
	7. „ OF ORGANS OF LOCOMOTION . .	33	-	-	-	3	-	4	1	6	8	3	1	-	1
	8. „ OF INTEGUMENTARY SYSTEM . .	14	3	-	2	1	-	-	-	1	-	-	-	1	-
IV.	1 DEV. DIS. OF CHILDREN .	235	155	6	29	41	4	-	-	-	-	-	-	-	-
	2. „ OF ADULTS .	60	-	-	-	-	-	-	-	-	-	3	8	17	15
	3. „ OF OLD PEOPLE .	178	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION .	221	136	14	15	19	4	2	2	7	1	-	1	-	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	305	15	5	5	3	2	3	5	20	15	14	36	28	33
	*														
	3. HOMICIDE	2	-	-	-	-	-	-	-	-	-	-	-	1	-
	4. SUICIDE	11	-	-	-	-	-	-	-	-	-	1	-	-	3
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		18	-	1	-	-	-	1	-	-	-	-	-	1	-
CAUSES NOT SPECIFIED		36	14	2	-	-	-	2	-	-	-	1	-	1	1
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	103	1	1	15	52	13	9	4	7	1	-	-	-	-
	3. Scarlatina	139	-	1	9	22	13	26	14	43	6	3	1	1	-
	4. Diphtheria	110	2	-	12	29	23	20	7	15	2	-	-	-	-
	5. Quinsy	3	-	1	-	-	-	1	-	-	-	-	-	-	-
	6. Croup	77	1	3	14	22	14	5	7	11	-	-	-	-	-
	7. Hooping-cough	321	19	23	59	105	45	31	15	24	-	-	-	-	-
	8. { Typhus Fever	16	-	-	-	1	-	-	-	-	-	1	1	2	1
	{ Enteric or Typhoid Fever	77	-	-	1	3	1	6	2	10	10	13	11	7	7
	{ Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	5	-	-	-	-	1	-	1	-	2	1	-	-	-
	9. Erysipelas	27	4	-	2	1	-	-	-	1	1	-	1	2	2
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	12. Influenza	4	-	-	-	1	-	-	-	-	-	-	-	-	-
	13. Dysentery	10	1	1	1	-	-	-	-	-	-	-	-	-	1
	14. Diarrhœa	189	29	33	42	39	9	2	2	5	4	3	2	1	-
	15. Cholera	4	-	1	2	-	-	1	-	-	-	-	-	-	-
	16. Ague	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	17. Remittent Fever	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	18. Rheumatism	17	-	-	-	-	-	-	1	1	-	-	-	-	3
	19. Other Miasmatic Diseases	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	39	18	7	5	3	-	-	-	-	-	-	1	-	-
	2. Stricture of Urethra	7	-	-	-	-	-	-	-	-	-	1	1	1	-
	3. Hydrophobia	2	-	-	-	-	-	-	-	-	-	1	-	1	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	17	11	3	3	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	5	-	-	-	2	-	-	-	1	-	-	1	-	1
	4. Alco- { a Del. Tremens	7	-	-	-	-	-	-	-	-	-	-	1	1	1
	holism { b Intemperance	24	-	-	-	-	-	-	-	-	-	-	-	1	4
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	2	-	-	-	1	-	-	-	1	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	19	-	-	-	1	1	1	2	1	1	-	-	-	2
	3. Cancer	77	-	1	-	-	-	-	-	-	-	2	-	1	2
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	5	-	-	-	-	-	1	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	99	8	4	4	9	8	6	3	7	3	2	1	2	5
	*														
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	7	-	-	-	-	-	-	-	-	-	-	2	-	1
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	19	4	1	1	-	-	1	-	-	-	1	1	-	1
	CAUSES NOT SPECIFIED	27	5	1	3	1	1	-	1	-	1	-	-	-	2
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	124	1	-	26	47	21	12	8	9	-	-	-	-	-
	3. Scarlatina	133	-	1	6	15	18	18	18	40	11	3	2	-	1
	4. Diphtheria	84	-	-	7	16	19	11	9	18	2	-	-	1	-
	5. Quinsy	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	6. Croup	87	1	1	10	29	25	10	4	7	-	-	-	-	-
	7. Hooping-cough	388	11	22	74	130	61	46	23	21	-	-	-	-	-
	8. { Typhus Fever	15	-	-	-	-	-	-	-	2	-	2	3	2	2
	{ Enteric or Typhoid Fever	98	-	1	3	2	4	6	2	22	9	16	10	14	2
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	5	-	-	-	-	1	1	-	1	-	-	-	1	-
	9. Erysipelas	27	3	1	2	1	-	-	-	1	-	-	1	-	1
	10. Puerperal Fever (Metria)	53	-	-	-	-	-	-	-	-	-	2	15	13	7
	11. Carbuncle	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	5	-	-	2	1	-	-	-	-	-	-	-	-	-
	13. Dysentery	5	-	1	1	-	-	-	1	-	-	-	-	-	1
	14. Diarrhoea	182	28	22	36	37	11	1	2	3	1	2	-	2	2
	15. Cholera	8	-	1	3	1	1	-	-	-	-	-	-	-	-
	16. Ague	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	18. Rheumatism	20	-	-	-	-	-	-	-	2	-	4	1	1	2
	19. Other Miasmatic Diseases	2	1	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	25	13	2	3	1	1	-	-	-	-	1	-	1	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	7	5	2	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	9	-	3	-	-	1	-	-	-	-	-	-	-	1
	4. Alco- { a Del. Tremens	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	holism { b Intemperance	14	-	-	-	-	-	-	-	-	-	-	-	1	1
	ORDER 4.														
	1. Thrush	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	1	-	-	-	-	-	-	1	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Dropsy	36	-	-	-	-	-	2	2	4	1	1	1	2	2
	3. Cancer	175	-	-	-	-	-	-	-	1	-	2	2	2	6
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	7	-	-	-	-	-	-	-	1	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		AGE UNDER													
		40	45	50	55	60	65	70	75	80	85	90	95	100	105 ?
V.	1. ACCIDENT OR NEGLIGENCE	28	17	24	14	14	14	7	-	1	1	1	-	-	-
	*														
	3. HOMICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	1	3	2	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		2	1	5	3	-	3	-	1	-	-	-	-	-	-
CAUSES NOT SPECIFIED		2	3	-	5	3	1	-	-	1	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	2	1	5	-	2	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	3	2	-	-	-	-	1	-	-	-	-	-	-	-
	8. { Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	1	1	3	2	3	1	-	-	1	1	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	12. Influenza	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	13. Dysentery	-	1	-	-	1	1	2	-	1	-	-	-	-	-
	14. Diarrhoea	-	1	2	3	2	1	3	4	2	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	2	2	1	3	1	1	1	1	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	2	-	-	1	1	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	1	2	-	-	-	-	-	1	-	-	-	-	-	-
	4. holism { b Intemperance	3	1	8	3	2	-	1	1	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	1	-	3	1	1	-	3	-	-	-	1	-	-	-
	3. Cancer	3	6	13	14	11	10	3	7	3	1	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	-	-	-	1	-	2	-	-	-	-	-

* See page 52, Note.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	4	4	5	6	3	4	2	2	3	-	1	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	3	2	2	-	1	1	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	2	2	2	4	-	-	1	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	-	3	-	-	1	3	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	2	1	2	1	2	3	1	2	1	-	2	-	-	-	-
	10. Puerperal Fever (Metria)	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	12. Influenza	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	2	1	4	3	7	6	2	5	3	1	-	1	-	-	-
	15. Cholera	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	1	3	1	-	-	1	1	1	1	1	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
	4. Alcoholism { a Del. Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alcoholism { b Intemperance	2	1	2	3	2	2	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	1	2	2	2	2	4	2	2	1	3	-	-	-	-	-
	3. Cancer	14	22	28	20	16	26	14	16	3	2	1	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-

* See page 52, note.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	77	2	1	6	8	11	5	2	7	6	9	8	3	1
	2. Tabes Mesenterica . . .	161	8	13	11	39	23	13	9	22	9	8	4	-	-
	3. Phthisis	772	1	9	13	31	21	11	12	34	26	98	99	119	70
	4. Hydrocephalus	214	6	18	52	47	23	20	15	24	3	2	2	1	-
	ORDER 1.														
	1. Cephalitis	162	9	12	25	31	10	15	12	31	3	3	-	2	-
	2. Apoplexy	150	1	6	4	13	5	4	1	6	1	1	3	4	5
	3. Paralysis	137	-	-	2	-	-	-	1	-	1	-	-	-	5
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	6. Epilepsy	22	-	1	-	1	-	1	-	1	1	-	1	2	-
	7. Convulsions	119	38	15	20	26	8	3	3	3	-	1	-	-	-
	8. Brain Disease, etc. . .	87	2	2	8	4	4	1	1	9	6	1	6	1	4
	ORDER 2.														
	1. Pericarditis	13	-	1	-	-	-	-	-	3	-	1	1	1	1
	2. Aneurism	17	-	-	-	-	-	-	-	-	-	-	-	-	3
	3. Heart Disease, etc. . .	336	3	1	-	-	1	1	1	3	4	10	7	10	12
	ORDER 3.														
	1. Laryngitis	31	1	3	8	5	3	1	-	-	-	1	-	1	-
	2. Bronchitis	770	58	56	107	136	47	18	11	18	2	4	4	7	10
	3. Pleurisy	22	-	1	2	1	-	-	1	-	1	1	1	1	2
	4. Pneumonia	489	17	28	78	75	27	23	7	22	6	8	17	13	20
	5. Asthma	13	-	-	-	-	-	-	-	-	-	-	-	-	1
	6. Lung Disease, etc. . .	142	15	7	18	19	13	4	2	4	1	1	3	4	3
	ORDER 4.														
	1. Gastritis	20	1	2	-	1	-	1	-	2	1	-	2	-	3
	2. Enteritis	105	27	15	14	13	7	3	2	4	1	1	-	4	-
	3. Peritonitis	28	2	1	-	-	2	-	-	4	3	2	2	4	-
	4. Ascites	3	-	-	-	-	-	-	-	1	-	1	-	-	-
	5. Ulceration of Intestines .	18	-	-	-	1	-	-	-	1	-	-	-	1	2
	6. Hernia	12	1	1	-	-	-	-	-	-	1	-	-	-	-
	7. Ileus	20	1	-	1	1	-	-	-	-	1	2	-	1	4
	8. Intussusception	6	-	-	2	-	-	-	-	-	-	1	1	1	-
	9. Stricture of Intestines .	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	2	-	-	-	-	-	-	-	-	-	-	1	-	-
11. Stomach Disease, etc. .	61	15	3	4	2	3	2	-	-	2	-	1	1	-	
12. Pancreas Disease, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	16	1	-	-	-	-	-	-	1	1	-	-	1	-	
14. Jaundice	15	5	-	1	1	-	-	-	-	-	-	-	1	-	
15. Liver Disease, etc. . .	47	2	-	-	-	-	-	1	1	-	-	-	3	2	
16. Spleen Disease, etc. . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	20	-	-	-	2	-	-	1	2	-	1	-	-	1	
2. Ischuria	4	-	-	-	-	-	-	-	1	-	-	-	-	-	
3. Bright's Disease (Nephria)	44	-	-	-	-	2	-	-	2	5	-	2	3	4	
4. Diabetes	6	-	-	-	-	-	-	-	-	1	-	1	-	1	
5. Calculus (Stone)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	12	1	-	-	-	-	-	-	-	-	-	1	-	1	
7. Kidney Disease, etc. . .	39	-	-	-	1	1	-	1	1	-	1	1	2	2	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc. . .	3	-	1	1	-	-	-	-	-	-	1	-	-	-	
ORDER 7.															
1. Synovitis (Arthritis) . .	6	-	-	-	2	-	-	-	2	2	-	-	-	-	
2. Joint Disease, etc. . . .	48	-	-	-	2	-	4	1	7	11	9	4	-	1	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	58	—	3	6	14	5	1	4	8	7	2	—	2	—
	2. Tabes Mesenterica	125	9	2	10	34	15	5	10	20	8	5	4	2	—
	3. Phthisis	815	3	2	10	21	16	3	6	36	42	117	137	116	94
	4. Hydrocephalus	166	9	12	37	39	19	12	19	18	—	1	—	—	—
	ORDER 1.														
	1. Cephalitis	121	6	8	22	20	13	4	9	23	3	2	1	2	—
	2. Apoplexy	155	—	2	7	10	2	2	—	3	—	2	—	1	4
	3. Paralysis	103	—	—	—	—	—	—	—	1	—	1	—	1	3
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	2	—	—	—	—	—	—	—	—	1	—	1	—	—
	6. Epilepsy	21	—	—	2	—	—	1	—	1	—	4	2	3	1
	7. Convulsions	104	36	9	13	25	7	3	1	5	1	—	1	1	1
	8. Brain Disease, etc.	68	4	4	—	3	6	—	1	4	4	3	2	3	—
	ORDER 2.														
	1. Pericarditis	11	—	—	—	—	—	—	—	3	1	1	—	1	2
	2. Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	1	—
	3. Heart Disease, etc.	360	1	—	—	—	—	—	—	8	12	8	15	16	23
	ORDER 3.														
	1. Laryngitis	22	2	1	4	6	1	1	—	—	—	—	1	—	1
	2. Bronchitis	858	53	47	88	128	40	27	10	14	10	7	7	5	9
	3. Pleurisy	27	—	1	—	5	—	1	—	1	—	3	—	4	1
	4. Pneumonia	323	17	13	44	58	27	15	4	22	3	7	5	9	9
	5. Asthma	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	150	13	4	20	31	8	11	4	6	1	3	2	4	7
	ORDER 4.														
	1. Gastritis	41	11	—	4	3	—	1	1	4	—	—	—	1	4
	2. Enteritis	100	21	11	16	14	4	4	1	4	1	3	2	1	1
	3. Peritonitis	42	2	—	1	—	—	—	—	6	—	3	7	8	3
	4. Ascites	9	—	—	—	—	—	—	—	—	1	—	1	—	—
5. Ulceration of Intestines	15	1	—	—	—	—	—	—	—	1	2	2	1	1	
6. Hernia	10	—	—	—	—	—	—	—	—	—	—	—	1	—	
7. Ileus	21	1	2	—	2	—	—	—	1	1	—	1	1	1	
8. Intussusception	6	1	1	3	—	—	—	—	—	—	1	—	—	—	
9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Fistula	3	—	1	—	—	—	—	—	—	1	—	1	—	—	
11. Stomach Disease, etc.	56	13	3	3	—	—	1	1	3	1	—	1	1	2	
12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	18	2	—	—	—	—	—	—	1	1	1	3	—	—	
14. Jaundice	27	10	1	1	1	—	—	—	—	—	—	—	—	2	
15. Liver Disease, etc.	57	2	—	3	—	—	1	—	1	1	1	—	—	1	
16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 5.															
1. Nephritis	12	—	—	—	—	1	—	—	2	—	—	—	1	—	
2. Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Bright's Disease	29	—	—	—	—	—	—	—	1	3	1	4	1	1	
4. Diabetes	8	—	—	—	—	1	—	—	—	—	—	—	3	2	
5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
6. Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Kidney Disease, etc.	37	—	—	—	—	—	—	1	1	4	2	—	3	1	
ORDER 6.															
1. Ovarian Dropsy	12	—	—	—	—	—	—	—	—	—	—	—	4	1	
2. Uterus Disease, etc.	17	—	—	—	—	—	—	—	—	—	—	2	6	3	
ORDER 7.															
1. Synovitis (Arthritis)	9	—	—	—	1	—	—	—	2	2	—	—	—	—	
2. Joint Disease, etc.	24	—	—	—	2	—	4	1	4	6	3	1	—	1	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	-	1	3	1	1	-	1	-	-	-	-	1	-	-	-
	2. Tabes Mesenterica	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	60	56	48	28	22	7	5	2	-	-	-	-	-	-	-
	4. Hydrocephalus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	1	2	2	-	3	-	1	-	-	-	-	-	-	-	-
	2. Apoplexy	-	6	8	9	13	19	12	12	7	8	1	-	1	-	-
	3. Paralysis	6	7	8	11	11	21	22	19	17	6	-	-	-	-	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	1	3	6	1	1	1	1	-	-	-	-	-	-	-	-
	7. Convulsions	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	2	3	6	4	4	6	4	5	3	1	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	2	-	-	2	-	-	1	-	-	-	-	-	-	-
	2. Aneurism	3	3	1	4	2	1	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	25	28	40	40	34	38	33	26	13	6	-	-	-	-	-
	ORDER 3.															
	1. Laryngitis	1	2	1	1	1	1	-	1	-	-	-	-	-	-	-
	2. Bronchitis	21	32	32	40	33	45	28	34	15	5	6	1	-	-	-
	3. Pleurisy	2	3	1	1	-	4	-	-	-	-	-	-	-	-	-
	4. Pneumonia	24	27	29	25	14	16	7	2	1	2	1	-	-	-	-
	5. Asthma	-	-	3	-	2	2	3	1	1	-	-	-	-	-	-
	6. Lung Disease, etc.	6	7	10	4	2	4	8	5	-	2	-	-	-	-	-
	ORDER 4.															
	1. Gastritis	1	1	2	-	1	-	2	-	-	-	-	-	-	-	-
	2. Enteritis	-	1	2	3	3	2	1	1	1	-	-	-	-	-	-
	3. Peritonitis	2	2	3	-	-	-	-	-	1	-	-	-	-	-	-
	4. Ascites	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	2	2	3	1	1	2	-	1	1	-	-	-	-	-	-
	6. Hernia	-	-	1	-	-	2	1	3	2	-	-	-	-	-	-
	7. Ileus	-	1	-	1	1	2	1	-	1	1	1	-	-	-	-
	8. Intussusception	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	3	3	5	2	1	7	2	4	-	-	1	-	-	-	-
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	1	2	3	1	2	1	2	-	-	-	-	-	-	-
	14. Jaundice	-	1	-	-	3	2	-	-	1	-	-	-	-	-	-
	15. Liver Disease, etc.	7	4	4	5	2	7	5	4	-	-	-	-	-	-	-
	16. Spleen Disease, etc.	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	1. Nephritis	2	2	1	1	5	1	-	1	-	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	5	5	5	4	2	3	1	1	-	-	-	-	-	-	-
	4. Diabetes	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	5. Calculus (Stone)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	-	-	-	1	1	-	2	1	3	-	1	-	-	-	-
	7. Kidney Disease, etc..	1	3	3	3	2	2	6	2	4	2	1	-	-	-	-
	ORDER 6.															
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.															
	1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	1	1	-	-	2	2	2	1	-	-	-	-	-	-	-

Class.	CAUSES OF DEATH.	FEMALES.													
		AGE UNDER													
		40	45	50	55	60	65	70	75	80	85	90	95	100	105
III.	ORDER 2.														
	1. Scrofula	2	1	2	-	-	-	-	-	-	1	-	-	-	-
	2. Tabes Mesenterica	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	62	65	39	23	8	8	3	3	1	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Cephalitis	3	1	2	-	2	-	-	-	-	-	-	-	-	-
	2. Apoplexy	2	10	16	14	14	19	14	12	14	6	1	-	-	-
	3. Paralysis	3	3	6	7	12	17	22	11	10	6	-	-	-	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Epilepsy	1	1	3	-	1	-	-	1	-	-	-	-	-	-	
7. Convulsions	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
8. Brain Disease, etc.	2	3	1	4	7	2	6	5	3	1	-	-	-	-	
	ORDER 2.														
	1. Pericarditis	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	2. Aneurism	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	25	31	21	36	40	38	37	27	11	10	1	-	-	-
	ORDER 3.														
	1. Laryngitis	1	2	-	-	-	1	1	-	-	-	-	-	-	-
	2. Bronchitis	18	28	38	70	48	71	43	44	28	19	3	3	-	-
	3. Pleurisy	1	2	1	2	1	3	1	-	-	-	-	-	-	-
	4. Pneumonia	9	18	11	18	6	7	3	10	5	3	-	-	-	-
	5. Asthma	-	-	3	-	-	-	1	-	-	-	-	-	-	-
	6. Lung Disease, etc.	5	3	3	5	2	3	7	3	1	3	1	-	-	-
	ORDER 4.														
	1. Gastritis	2	1	1	2	-	4	1	-	-	1	-	-	-	-
	2. Enteritis	2	3	1	2	1	2	2	2	2	-	-	-	-	-
	3. Peritonitis	3	1	1	3	1	1	2	-	-	-	-	-	-	-
	4. Ascites	1	1	1	1	1	-	-	1	1	-	-	-	-	-
	5. Ulceration of Intestines	1	-	1	2	1	-	1	1	-	-	-	-	-	-
	6. Hernia	-	-	-	2	4	3	-	-	-	-	-	-	-	-
	7. Ileus	1	1	2	1	-	3	3	-	-	-	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	3	4	5	3	5	5	1	1	-	-	-	-	-	-
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	1	-	2	2	3	1	-	-</					

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	13	-	2	-	-	-	-	-	1	2	2	-	1	-	
	2. Ulcer	6	4	-	-	-	-	-	-	-	-	-	1	-	-	
	3. Skin Disease, etc.	7	4	1	1	-	-	-	-	-	-	1	-	-	-	
	ORDER 1.															
	1. Premature Birth	182	182	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	12	9	1	-	-	-	1	-	1	-	-	-	-	-	
	3. Spina Bifida	4	2	2	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	15	14	1	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	72	-	6	30	31	4	1	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.															
	1. Old Age	87	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 4.																
1. Atrophy and Debility	248	162	31	20	15	6	2	1	3	1	-	-	-	-		
V.	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	162	-	-	-	1	1	-	4	11	9	8	26	15	16	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	22	-	-	1	2	1	3	1	2	-	1	-	4	4	
	5. Poison	9	1	-	-	-	-	-	-	-	-	-	-	-	1	
	6. Drowning	55	-	1	1	-	-	-	-	3	4	5	6	3	8	
	7. Suffocation	26	13	3	3	-	-	-	-	1	1	-	1	1	1	
	8. Otherwise	31	1	1	-	-	-	-	-	3	1	-	3	5	3	
	ORDER 3.															
	(Homicide.)															
	I. Murder and Manslaughter	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	7	-	-	-	-	-	-	-	-	-	-	-	-	2	
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		18	-	1	-	-	-	1	-	-	-	-	-	1	-
	Causes not specified or ill-defined		36	14	2	-	-	-	2	-	-	-	1	-	1	-

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	5	1	-	1	-	-	-	-	-	-	-	-	1	-
	2. Ulcer	6	2	-	-	-	-	-	-	1	-	-	-	-	-
	3. Skin Disease, etc.	3	-	-	1	1	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	147	146	-	-	1	-	-	-	-	-	-	-	-	-
	2. Cyanosis	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	8	5	1	1	1	-	-	-	-	-	-	-	-	-
	4. Other Malformations	4	4	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	75	-	5	27	39	4	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	2. Childbirth (see Puerperal Fever)	59	-	-	-	-	-	-	-	-	-	2	8	17	15
	ORDER 3.														
	1. Old Age	178	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	221	136	14	15	19	4	2	2	7	1	-	1	-	1
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	33	-	-	1	2	2	-	-	4	1	2	-	-	1
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	21	-	-	1	5	5	4	1	2	1	-	-	-	1
	5. Poison	6	-	-	-	-	-	1	1	-	-	-	-	1	-
	6. Drowning	10	-	-	-	1	-	-	-	-	1	-	1	-	2
	7. Suffocation	22	8	4	2	-	-	1	1	-	-	-	-	1	1
	8. Otherwise	7	-	-	-	1	1	-	-	1	-	-	-	-	-
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	3. Poison	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Drowning	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		19	4	1	1	-	-	1	-	-	-	1	1	-	1
Causes not specified or ill-defined		27	5	1	3	1	1	-	1	-	1	-	-	-	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	2	1	—	—	1	1	—	—	—	—	—	—	—	—	—
	2. Ulcer	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Premature Birth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Old Age	—	—	—	—	—	11	14	19	24	13	2	2	1	1	—
	ORDER 4.															
	1. Atrophy and Debility	—	—	2	2	3	—	—	—	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	16	13	13	7	10	5	5	—	—	1	1	—	—	—	—
	2. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Burns and Scalds	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—
	5. Poison	1	—	2	2	—	1	1	—	—	—	—	—	—	—	—
	6. Drowning	7	2	7	2	1	4	1	—	—	—	—	—	—	—	—
	7. Suffocation	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Otherwise	2	—	2	3	3	4	—	—	—	—	—	—	—	—	—
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	1	—	—	2	2	—	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)															
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		2	1	5	3	—	3	—	1	—	—	—	—	—	—	—
Causes not specified or ill-defined		2	3	—	5	3	1	—	—	1	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever).	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	15	21	37	35	38	25	6	1	-	-
	ORDER 4.															
	1. Atrophy and Debility . .	-	5	2	4	8	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	(Accident or Negligence.)															
	1. Fractures and Contusions	1	-	2	3	3	3	2	1	1	3	-	1	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	5. Poison	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	6. Drowning	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-
	7. Suffocation	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	8. Otherwise	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	ORDER 3.															
	(Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	(Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	-	-	3	2	2	-	1	1	-	-	-	-	-	-
Causes not specified or ill-defined		1	2	2	2	4	-	-	1	-	-	-	-	-	-	-

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different
Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	2053	256	90	214	260	97	55	46	128	34	57	66	63	48
	Specified Causes . .	2042	250	89	214	259	97	55	46	128	34	57	66	63	48
	(CLASSES.)														
I.	ZYMOTIC DISEASES	370	22	17	60	87	36	24	14	39	7	4	9	8	4
II.	CONSTITUTIONAL „	410	5	15	28	40	16	13	12	45	12	33	38	29	19
III.	LOCAL „	929	83	49	99	109	42	17	20	34	11	12	13	20	19
IV.	DEVELOPMENTAL „	256	136	8	26	19	1	1	-	1	1	-	-	-	-
V.	VIOLENT DEATHS .	77	4	-	1	4	2	-	-	9	3	8	6	6	6
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	349	16	16	57	83	35	24	14	38	7	4	9	7	3
	2. ENTHETIC „ .	10	4	1	2	2	1	-	-	-	-	-	-	-	-
	3. DIETIC „ .	11	2	-	1	2	-	-	-	1	-	-	-	1	1
	4. PARASITIC „ .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC „ .	26	-	-	1	-	-	2	-	-	-	-	-	2	1
	2. TUBERCULAR „ .	384	5	15	27	40	16	11	12	45	12	33	38	27	18
III.	1. DISEASES OF NERVOUS SYSTEM -- . .	255	21	20	24	26	12	2	7	11	3	3	1	1	4
	2. „ OF ORGANS OF CIRCULATION .	89	-	1	-	-	-	-	1	3	-	-	4	-	5
	3. „ OF RESPIRATORY ORGANS . . .	422	41	24	69	70	24	14	12	6	4	6	3	12	5
	4. „ OF DIGESTIVE OR- GANS. . . .	104	19	3	5	10	3	1	-	6	3	3	2	4	4
	5. „ OF URINARY OR- GANS. . . .	35	-	1	-	-	-	-	-	-	1	-	1	2	-
	6. „ OF ORGANS OF GENERATION .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. „ OF ORGANS OF LO- COMOTION . .	16	-	-	-	1	1	-	-	8	-	-	2	1	1
	8. „ OF INTEGUMENTARY SYSTEM . . .	8	2	-	1	2	2	-	-	-	-	-	-	-	-
IV.	1. DEV. DIS. OF CHILDREN	79	59	2	8	10	-	-	-	-	-	-	-	-	-
	2. „ OF ADULTS .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE	60	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION	117	77	6	18	9	1	1	-	1	1	-	-	-	-

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different
Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	2035	198	96	160	227	115	59	47	99	39	81	94	89	69
	Specified Causes . . .	2032	197	95	160	226	115	59	47	99	39	81	94	89	69
	(CLASSES.)														
I.	ZYMOTIC DISEASES	412	29	25	55	88	41	26	24	39		12	12	10	15
II.	CONSTITUTIONAL „	467	4	14	20	38	21	11	6	23	16	56	55	48	38
III.	LOCAL „	837	61	47	71	85	43	20	14	34	11	12	20	22	10
IV.	DEVELOPMENTAL „	295	100	9	14	13	6	2	1	2	1	1	7	9	4
V.	VIOLENT DEATHS .	21	3	—	—	2	4	—	2	1	3	—	—	—	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	393	21	20	52	86	41	26	23	39	8	12	12	10	15
	2. ENTHETIC „ .	9	3	3	1	1	—	—	1	—	—	—	—	—	—
	3. DIETIC „ .	8	3	2	2	1	—	—	—	—	—	—	—	—	—
	4. PARASITIC „ .	2	2	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	68	—	—	—	—	1	1	—	1	—	—	1	5	1
	2. TUBERCULAR „ .	399	4	14	20	38	20	10	6	22	16	56	54	43	37
III.	1. DISEASES OF NERVOUS SYSTEM . .	216	27	12	15	16	13	6	6	10	4	—	2	1	1
	2. „ OF ORGANS OF CIRCULATION .	87	—	—	—	—	1	—	—	3	—	5	5	1	1
	3. „ OF RESPIRATORY ORGANS . .	364	24	27	49	63	26	11	4	11	1	6	8	13	4
	4. „ OF DIGESTIVE ORGANS . . .	124	7	8	6	4	3	1	4	6	1	—	3	5	4
	5. „ OF URINARY ORGANS . . .	22	1	—	1	1	—	1	—	2	3	—	1	1	—
	6. „ OF ORGANS OF GENERATION .	8	—	—	—	—	—	—	—	—	—	—	—	1	—
	7. „ OF ORGANS OF LOCOMOTION . .	7	1	—	—	—	—	—	—	1	2	1	1	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	9	1	—	—	1	—	1	—	1	—	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN	63	44	1	9	7	1	—	—	—	1	—	—	—	—
	2. „ OF ADULTS .	28	—	—	—	—	—	—	—	—	—	1	7	9	4
	3. „ OF OLD PEOPLE	107	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	97	56	8	5	6	5	2	1	2	—	—	—	—	—

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different
Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE . . .	75	4	—	1	4	2	—	—	9	3	8	6	6	5
	*														
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	2	—	—	—	—	—	—	—	—	—	—	—	—	1
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS (CAUSE UNASCERTAINED)		2	—	1	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		9	6	—	—	1	—	—	—	—	—	—	—	—	—
I.	ORDER 1.														
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	40	—	2	10	15	3	5	1	4	—	—	—	—	—
	3. Scarlatina	27	—	—	2	5	6	2	2	7	3	—	—	—	—
	4. Diphtheria	47	—	1	4	12	9	6	4	11	—	—	—	—	—
	5. Quinsy	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	6. Croup	23	—	—	5	6	3	5	2	2	—	—	—	—	—
	7. Hooping-cough	74	1	7	14	30	11	5	1	5	—	—	—	—	—
	8. { Typhus Fever	10	—	—	—	—	1	—	—	1	—	—	3	2	—
	8. { Enteric or Typhoid Fever	33	—	—	1	3	1	—	2	6	3	4	4	3	1
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	11	2	1	1	—	—	—	—	1	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhoea	68	12	5	19	11	1	—	1	1	—	—	2	1	1
	15. Cholera	4	1	—	1	—	—	—	1	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	18. Rheumatism	8	—	—	—	—	—	—	—	—	1	—	—	1	1
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Syphilis	10	4	1	2	2	1	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.														
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	5	1	—	1	2	—	—	—	1	—	—	—	—	—
	4. Alco- { a Del. Tremens	2	—	—	—	—	—	—	—	—	—	—	—	1	—
	holism { b Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—	1
	ORDER 4.														
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.														
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	4	—	—	1	—	—	1	—	—	—	—	—	1	—
	3. Cancer	20	—	—	—	—	—	—	—	—	—	—	—	1	—
	4. Cancrum Oris (Noma)	1	—	—	—	—	—	—	—	—	—	—	—	—	1
	5. Mortification	1	—	—	—	—	—	1	—	—	—	—	—	—	—

* See page 52, note.

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	21	3	-	-	2	4	-	2	1	3	-	-	-	2
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	3	1	1	-	1	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	27	-	2	4	9	4	2	1	4	-	1	-	-	-
	3. Scarlatina	36	2	-	4	4	5	3	7	7	1	-	1	1	1
	4. Diphtheria	43	-	-	5	9	6	8	3	10	2	-	-	-	-
	5. Quinsy	2	-	-	-	1	-	-	-	1	-	-	-	-	-
	6. Croup	21	-	-	2	4	2	3	5	5	-	-	-	-	-
	7. Hooping-cough	116	7	4	23	47	18	7	6	4	-	-	-	-	-
	8. { Typhus Fever	7	-	-	-	-	-	-	-	-	1	2	-	1	1
	8. { Enteric or Typhoid Fever	34	-	-	-	2	3	2	1	8	1	5	4	4	3
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	3	-	-	-	-	-	-	-	-	-	1	-	-	-
	9. Erysipelas	11	2	1	-	1	1	1	-	-	1	1	1	-	-
	10. Puerperal Fever (Metria)	25	-	-	-	-	-	-	-	-	-	1	5	4	9
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	57	10	13	12	9	2	-	-	-	-	1	-	-	-
	15. Cholera	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	8	-	-	-	-	-	-	-	-	2	-	1	-	1
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	9	3	3	1	1	-	-	1	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	6	2	2	2	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	9	-	-	-	-	-	-	-	1	-	-	-	1	1
	3. Cancer	56	-	-	-	-	1	1	-	-	-	-	1	4	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	3	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different
Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														?
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	
V.	1. ACCIDENT OR NEGLIGENCE	8	3	6	2	4	4	-	-	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	1	-	3	1	-	1	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	14. Diarrhoea	1	-	1	1	1	2	2	1	3	1	1	-	-	-	-
	15. Cholera	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Cancer	1	1	3	5	4	1	3	-	1	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
V.	1. ACCIDENT OR NEGLIGENCE	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	
	*																
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
I.	ORDER 1																
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Typhus Fever	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
	8. { Enteric or Typhoid Fever	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
	9. Erysipelas	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
	10. Puerperal Fever (Metria)	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13. Dysentery	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	14. Diarrhoea	-	1	1	-	1	-	3	1	2	1	-	-	-	-	-	
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	
	19. Other <i>Miasmatic</i> Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.																
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.																
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Alco- { <i>a.</i> Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. holism { <i>b.</i> Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.																
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
II.	ORDER 1.																
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	-	1	2	-	1	-	-	1	1	-	-	-	-	-	-	
	3. Cancer	4	8	6	8	10	5	3	2	2	1	-	-	-	-	-	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	

* See page 52, note.

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different
Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	25	1	1	—	3	3	—	—	6	7	—	1	1	—
	2. Tabes Mesenterica . . .	37	1	2	4	10	3	3	4	5	1	2	1	—	1
	3. Phthisis	228	—	1	2	4	2	2	3	20	3	29	36	26	17
	4. Hydrocephalus	94	3	11	21	23	8	6	5	14	1	2	—	—	—
	ORDER 1.														
	1. Cephalitis	53	2	9	8	14	7	2	2	3	1	1	—	—	1
	2. Apoplexy	56	1	1	6	2	2	—	2	1	—	1	1	—	1
	3. Paralysis	62	—	—	—	1	—	—	—	—	—	1	—	1	1
	4. Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	5	—	—	—	—	—	—	1	—	—	—	—	—	—
	7. Convulsions	57	17	10	9	9	3	—	1	4	1	—	—	—	—
	8. Brain Disease, etc. . .	21	1	—	1	—	—	—	1	3	1	—	—	—	1
	ORDER 2.														
	1. Pericarditis	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	6	—	—	—	—	—	—	—	—	—	—	1	—	—
	3. Heart Disease, etc. . .	80	—	1	—	—	—	—	1	3	—	—	3	—	5
	ORDER 3.														
	1. Laryngitis	6	—	—	—	2	2	—	—	1	—	—	—	—	—
	2. Bronchitis	221	31	13	37	35	9	5	7	2	1	1	—	2	1
	3. Pleurisy	7	—	—	—	—	—	—	—	—	—	1	—	2	—
	4. Pneumonia	137	6	10	21	20	8	9	4	3	3	3	3	5	3
	5. Asthma	6	—	—	—	—	1	—	—	—	—	—	—	—	—
	6. Lung Disease, etc. . .	45	4	1	11	13	4	—	1	—	—	1	—	2	1
	ORDER 4.														
	1. Gastritis	9	—	1	1	2	1	—	—	1	—	—	—	1	—
	2. Enteritis	23	6	1	3	4	—	—	—	1	1	2	—	1	1
	3. Peritonitis	15	—	—	1	1	—	—	—	4	2	1	2	1	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines .	5	—	—	—	—	—	—	—	—	—	—	—	1	1
	6. Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	7	3	—	—	—	—	1	—	—	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines .	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	12	5	—	—	2	—	—	—	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	7	—	—	—	1	1	—	—	—	—	—	—	—	—
	14. Jaundice	9	5	—	—	—	1	—	—	—	—	—	—	—	—
	15. Liver Disease, etc. . .	13	—	1	—	—	—	—	—	—	—	—	—	—	2
	16. Spleen Disease, etc. . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.														
	1. Nephritis	8	—	—	—	—	—	—	—	—	1	—	—	—	—
	2. Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	10	—	—	—	—	—	—	—	—	—	—	1	1	—
	4. Diabetes	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc. . .	9	—	—	—	—	—	—	—	—	—	—	—	1	—
	ORDER 6.														
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.														
	1. Synovitis (Arthritis) . .	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	2. Joint Disease, etc. . . .	14	—	—	—	1	1	—	—	7	—	—	2	1	1

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	20	2	—	2	5	2	1	1	2	—	4	—	1	—
	2. Tabes Mesenterica . . .	42	—	1	5	11	4	3	1	8	3	2	3	1	—
	3. Phthisis	280	1	4	2	9	2	3	—	10	12	49	51	41	37
	4. Hydrocephalus	57	1	9	11	13	12	3	4	2	1	1	—	—	—
	ORDER 1.														
	1. Cephalitis	51	3	6	7	11	5	2	5	7	2	—	1	1	—
	2. Apoplexy	45	1	—	1	1	—	1	1	—	1	—	—	—	—
	3. Paralysis	43	—	—	—	—	—	—	—	2	—	—	—	—	1
	4. Insanity	8	—	—	—	—	—	—	—	—	—	—	1	—	—
5. Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Epilepsy	7	1	—	—	—	—	—	—	—	—	—	—	—	—	
7. Convulsions	49	22	6	6	4	8	3	—	—	—	—	—	—	—	
8. Brain Disease, etc. . .	12	—	—	1	—	—	—	—	1	1	—	—	—	—	
	ORDER 2.														
	1. Pericarditis	3	—	—	—	—	—	—	—	1	—	—	1	—	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc. . .	84	—	—	—	—	1	—	—	2	—	5	4	1	1
	ORDER 3.														
	1. Laryngitis	5	1	2	—	—	—	—	—	2	—	—	—	—	—
	2. Bronchitis	206	12	14	30	31	12	6	3	5	—	2	5	4	1
	3. Pleurisy	6	—	—	—	—	—	—	—	—	—	1	—	2	—
	4. Pneumonia	111	7	7	15	25	12	4	1	4	—	1	3	7	2
	5. Asthma	2	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Lung Disease, etc. . .	34	4	4	4	7	2	1	—	—	1	2	—	—	1	
	ORDER 4.														
	1. Gastritis	13	—	2	1	2	—	—	1	—	—	—	—	—	—
	2. Enteritis	17	3	2	2	—	2	1	1	1	—	—	—	1	—
	3. Peritonitis	19	—	—	—	1	—	—	1	1	—	—	2	3	2
	4. Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines .	6	—	—	—	—	—	—	—	1	—	—	—	—	—
	6. Hernia	4	—	—	—	—	—	—	—	—	—	—	—	—	1
	7. Ileus	7	—	—	—	—	—	—	—	—	—	—	1	—	—
	8. Intussusception	3	—	1	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc. .	19	3	3	1	1	—	—	—	—	—	—	—	—	—
	12. Pancreas Disease, etc. .	2	—	—	2	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	12	—	—	—	—	1	—	—	3	1	—	—	1	—
	14. Jaundice	5	1	—	—	—	—	—	—	—	—	—	—	—	1
	15. Liver Disease, etc. . .	15	—	—	—	—	—	—	1	—	—	—	—	—	—
16. Spleen Disease, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 5.														
	1. Nephritis	7	1	—	1	—	—	—	—	1	2	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	6	—	—	—	—	—	1	—	—	—	—	1	1	—
	4. Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	7. Kidney Disease, etc. . .	5	—	—	—	1	—	—	—	—	1	—	—	—	—
	ORDER 6.														
	1. Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc. . .	6	—	—	—	—	—	—	—	—	—	—	—	1	—
	ORDER 7.														
	1. Synovitis (Arthritis) . .	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	2. Joint Disease, etc. . . .	6	1	—	—	—	—	—	—	1	1	1	1	—	—

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different
Periods of Life, in 1882.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	18	21	22	9	3	4	3	2	-	1	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	2. Apoplexy	-	3	6	3	3	6	6	7	3	1	-	-	-	-	-
	3. Paralysis	6	6	2	9	6	11	6	6	3	3	-	-	-	-	-
	4. Insanity	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	2	-	-	3	-	1	3	3	1	-	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	3. Heart Disease, etc.	2	6	10	8	12	11	8	7	1	2	-	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	3	1	8	12	10	17	7	9	6	2	1	-	-	1	-
	3. Pleurisy	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	4. Pneumonia	6	6	6	7	3	6	3	2	-	-	-	-	-	-	-
	5. Asthma	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	-	1	2	-	3	-	-	1	-	-	-	-	-	-	-
	ORDER 4.															
	1. Gastritis	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Enteritis	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	3. Peritonitis	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	6. Hernia	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	7. Pleus	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-
	14. Jaundice	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
15. Liver Disease, etc.	1	1	-	1	1	3	3	-	-	-	-	-	-	-	-	
16. Spleen Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.																
1. Nephritis	-	2	-	1	1	2	-	-	1	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	
3. Bright's Disease (Nephria)	2	1	-	1	2	1	1	-	-	-	-	-	-	-	-	
4. Diabetes	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	-	3	1	-	3	-	-	1	-	-	-	-	-	-	-	
ORDER 6.																
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.																
1. Synovitis (Arthritis)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in GLASGOW (LANDWARD AND SUBURBAN), at different
Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	7	-	-	-	1	-	-	-	1	-	-	-	-	-	
	2. Ulcer	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
	3. Skin Disease, etc.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.															
	1. Premature Birth	39	38	-	1	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	4	3	-	-	-	-	-	-	-	1	-	-	-	-	
	3. Spina Bifida	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	17	-	1	8	7	1	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever)	28	-	-	-	-	-	-	-	-	-	1	7	9	4	
	ORDER 3.															
	1. Old Age	107	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Atrophy and Debility	97	56	8	5	6	5	2	1	2	-	-	-	-	-	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	8	-	-	-	-	1	-	1	1	2	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	4	-	-	-	2	1	-	1	-	-	-	-	-	-	
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Drowning	4	-	-	-	-	1	-	-	-	-	-	-	-	2	
	7. Suffocation	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Otherwise	2	-	-	-	-	1	-	-	-	1	-	-	-	-	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined		3	1	1	-	1	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	2250	244	88	149	197	71	66	34	85	41	66	100	84	85
	Specified Causes . .	2247	243	88	149	197	71	66	34	85	41	66	100	84	85
	(CLASSES.)														
I.	ZYMOTIC DISEASES	386	44	25	44	75	30	21	16	25	8	10	11	13	11
II.	CONSTITUTIONAL „	468	9	9	14	22	11	12	7	23	9	23	50	39	39
III.	LOCAL „	1077	74	41	71	87	26	31	11	31	21	29	30	23	25
IV.	DEVELOPMENTAL „	218	108	11	17	11	3	—	—	1	—	—	—	—	—
V	VIOLENT DEATHS .	98	8	2	3	2	1	2	—	5	3	4	9	9	10
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	335	27	18	41	74	30	21	16	24	8	9	10	9	9
	2. ÉNTHETIC „ .	16	9	3	2	1	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	35	8	4	1	—	—	—	—	1	—	1	1	4	2
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	87	—	—	—	—	—	—	—	2	1	1	1	2	4
	2. TUBERCULAR „ .	381	9	9	14	22	11	12	7	21	8	22	49	37	35
III.	1. DISEASES OF NERVOUS SYSTEM . .	222	20	14	9	17	5	5	—	9	7	5	7	2	2
	2. „ OF ORGANS OF CIRCULATION .	202	—	—	—	1	—	—	—	8	4	3	7	2	7
	3. „ OF RESPIRATORY ORGANS . .	437	32	24	54	54	19	24	8	7	6	9	3	12	9
	4. „ OF DIGESTIVE ORGANS . . .	123	18	3	7	11	2	—	1	4	2	6	4	1	3
	5. „ OF URINARY ORGANS . . .	68	1	—	—	3	—	2	2	1	1	2	6	3	3
	6. „ OF ORGANS OF GENERATION .	2	1	—	—	—	—	—	—	—	—	—	1	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	10	—	—	—	—	—	—	—	2	1	3	1	—	1
	8. „ OF INTEGUMENTARY SYSTEM . .	13	2	—	1	1	—	—	—	—	—	—	1	3	—
IV.	1. DEV. DIS. OF CHILDREN	104	79	3	14	7	1	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	66	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	48	29	8	3	4	2	—	—	1	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	2315	205	69	133	185	79	56	39	92	54	64	97	84	87
	Specified Causes . .	2314	204	69	133	185	79	56	39	92	54	64	97	84	87
	(CLASSES.)														
I.	ZYMOTIC DISEASES	372	24	23	39	70	36	26	15	26	8	11	17	14	13
II.	CONSTITUTIONAL „	508	4	7	12	37	12	10	7	32	18	30	52	29	43
III.	LOCAL „	1130	64	33	64	67	28	18	15	31	26	21	24	37	28
IV.	DEVELOPMENTAL „	252	102	5	17	10	2	1	—	—	—	—	4	2	3
V.	VIOLENT DEATHS .	52	10	1	1	1	1	1	2	3	2	2	—	2	—
	(ORDERS.)														
I.	1. Miasmatic Diseases .	346	16	22	36	69	36	25	15	26	8	11	17	13	13
	2. ENTHETIC „ .	5	3	1	—	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	18	4	—	3	—	—	—	—	—	—	—	—	1	—
	4. PARASITIC „ .	3	1	—	—	1	—	1	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	140	1	—	—	1	1	—	—	2	1	1	1	3	5
	2. TUBERCULAR „ .	368	3	7	12	36	11	10	7	30	17	29	51	26	38
III.	1. DISEASES OF NERVOUS SYSTEM . .	246	15	7	14	15	8	8	4	10	8	5	—	3	—
	2. „ OF ORGANS OF CIRCULATION .	208	—	—	—	—	—	—	—	5	5	6	6	12	5
	3. „ OF RESPIRATORY ORGANS . .	440	37	15	44	49	16	9	9	9	3	7	6	9	7
	4. „ OF DIGESTIVE ORGANS	150	10	11	6	1	4	—	1	2	4	2	7	6	8
	5. „ OF URINARY ORGANS	44	—	—	—	2	—	—	—	4	3	—	2	4	4
	6. „ OF ORGANS OF GENERATION .	15	—	—	—	—	—	—	—	—	—	—	1	2	3
	7. „ OF ORGANS OF LOCOMOTION . .	14	—	—	—	—	—	—	1	1	3	—	1	1	1
	8. „ OF INTEGUMENTARY SYSTEM . .	13	2	—	—	—	—	1	—	—	—	1	1	—	—
IV.	1. DEV. DIS. OF CHILDREN	92	74	1	9	7	1	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	15	—	—	—	—	—	—	—	—	—	—	4	2	3
	3. „ OF OLD PEOPLE	90	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	55	28	4	8	3	1	1	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
V.	1. ACCIDENT OR NEGLIGENCE	81	8	2	3	2	1	2	-	5	3	4	9	6	8	
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	17	-	-	-	-	-	-	-	-	-	-	-	3	2	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		2	1	-	-	-	-	-	-	-	-	-	-	-	-	
I.	ORDER 1.															
	1. Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	2. Measles	50	-	1	9	23	11	4	1	1	-	-	-	-	-	
	3. Scarlatina	40	1	-	3	3	5	4	7	13	1	2	1	-	-	
	4. Diphtheria	18	-	-	4	3	3	2	2	2	1	1	-	-	-	
	5. Quinsy	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	6. Croup	23	2	-	4	7	4	4	-	2	-	-	-	-	-	
	7. Hooping-cough	62	3	3	11	26	6	7	5	1	-	-	-	-	-	
	8. { Typhus Fever	12	-	-	1	-	-	-	-	2	-	1	1	2	2	
	8. { Enteric or Typhoid Fever	42	-	-	-	1	1	-	1	3	4	4	7	5	7	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
	9. Erysipelas	8	1	1	-	-	-	-	-	-	-	-	-	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	3	-	-	1	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13. Dysentery	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhœa	57	18	11	8	9	-	-	-	-	1	-	-	-	-	
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	9	1	-	-	-	-	-	-	-	1	1	1	1	-	
	19. Other Miasmatic Diseases	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis		15	9	3	2	1	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra		1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation		1	-	-	-	-	-	-	-	-	-	-	-	1	-
	2. Want of Breast Milk		13	8	4	1	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy		4	-	-	-	-	-	-	-	1	-	1	-	1	-
	4. Alco- { a Del. Tremens		5	-	-	-	-	-	-	-	-	-	-	-	-	2
	holism { b Intemperance		12	-	-	-	-	-	-	-	-	-	1	2	-	-
	ORDER 4.															
	1. Thrush		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	7	-	-	-	-	-	-	-	1	1	-	-	1	-	
	3. Cancer	72	-	-	-	-	-	-	-	1	-	1	1	1	4	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	7	-	-	-	-	-	-	-	-	-	-	-	-	-	

* See page 52, note.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882 —FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	ALL AGES.	FEMALES.												
			AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE *	50	10	1	1	1	1	1	2	3	2	2	-	1	-
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	2	-	-	-	-	-	-	-	-	-	-	-	1	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	44	1	1	13	19	5	5	-	-	-	-	-	-	-
	3. Scarlatina	50	-	2	-	8	9	8	5	14	1	-	1	1	1
	4. Diphtheria	22	1	1	2	2	4	1	4	4	1	1	-	-	1
	5. Quinsy	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	6. Croup	22	-	-	3	5	5	7	1	1	-	-	-	-	-
	7. Hooping-cough	57	3	5	7	29	9	2	2	-	-	-	-	-	-
	8. { Typhus Fever	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	42	-	-	-	2	1	2	2	3	4	7	9	4	2
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	5	-	-	2	-	-	-	1	-	1	-	-	-	-
	10. Puerperal Fever (Metria)	26	-	-	-	-	-	-	-	-	-	2	5	7	8
	11. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	53	10	13	8	2	2	-	-	3	-	1	1	1	1
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	18. Rheumatism	9	-	-	-	1	-	-	-	1	-	-	1	-	-
	19. Other Miasmatic Diseases	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	5	3	1	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	5	3	-	2	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	holism { b Intemperance	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	1	1	-	-	1	-	1	-	-	-	-	-	-	-
	2. Worms, etc. . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	1	1	1	-
	2. Dropsy	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	122	-	-	-	-	-	-	-	2	1	-	-	2	5
	4. Cancrum Oris (Noma)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	5. Mortification	8	-	-	-	-	1	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	2	4	5	7	3	1	2	1	-	2	1	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	1	3	-	-	4	-	3	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	{ Enteric or Typhoid Fever	1	1	2	1	3	-	1	-	-	-	-	-	-	-	-
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	1	1	-	1	2	-	-	-	1	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhœa	1	-	-	1	-	1	1	-	2	1	1	2	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	18. Rheumatism	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	5	-	1	2	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	2. Dropsy	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	3. Cancer	-	6	6	10	10	17	7	4	2	2	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	1	-	1	1	-	1	2	1	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	—	3	3	3	1	3	3	5	—	—	4	—	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS (CAUSE UNASCERTAINED)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	1	—	—	1	1	—	—	2	—	1	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	9. Erysipelas	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
	13. Dysentery	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhoea	—	—	1	1	—	1	2	1	—	3	2	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	—	—	2	—	1	—	2	1	—	—	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	1	2	—	3	2	1	1	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	—	2	1	—	—	1	—	—	—	1	—	—	—	—	—
	3. Cancer	4	19	7	17	15	12	14	17	4	2	—	1	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	1	—	1	—	2	—	2	1	—	—	—	—	—	—

* See page 52, note.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	18	1	-	-	2	1	1	-	2	-	2	4	2	1
	2. Tabes Mesenterica	21	5	2	1	4	1	1	2	3	2	-	-	-	-
	3. Phthisis	274	-	-	1	4	1	-	2	5	5	19	45	35	34
	4. Hydrocephalus	68	3	7	12	12	8	10	3	11	1	1	-	-	-
	ORDER 1.														
	1. Cephalitis	53	3	3	6	8	3	3	-	8	2	3	3	-	-
	2. Apoplexy	53	-	3	-	-	1	-	-	-	1	-	-	-	-
	3. Paralysis	38	-	-	-	-	-	-	-	-	1	-	2	-	1
	4. Insanity	3	-	-	-	-	-	-	-	-	-	1	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	17	-	-	-	1	-	-	-	-	1	1	-	1	1
	7. Convulsions	38	16	7	2	8	1	1	-	-	-	-	1	-	-
	8. Brain Disease, etc.	20	1	1	1	-	-	1	-	1	2	-	1	1	-
	ORDER 2.														
	1. Pericarditis	3	-	-	-	-	-	-	-	2	-	-	-	-	-
	2. Aneurism	13	-	-	-	-	-	-	-	-	-	-	-	1	-
	3. Heart Disease, etc.	186	-	-	-	1	-	-	-	6	4	3	7	1	7
	ORDER 3.														
	1. Laryngitis	16	1	1	5	2	2	-	1	-	-	-	-	-	1
	2. Bronchitis	221	24	20	35	35	11	12	5	4	3	1	-	1	-
	3. Pleurisy	18	-	-	-	-	-	1	1	1	-	1	-	1	1
	4. Pneumonia	142	5	2	11	15	4	11	1	1	3	7	3	9	5
	5. Asthma	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	33	2	1	3	2	2	-	-	1	-	-	-	1	2
	ORDER 4.														
	1. Gastritis	5	2	1	1	-	-	-	-	-	-	-	-	-	-
	2. Enteritis	20	5	2	2	7	1	-	1	-	-	-	-	-	-
3. Peritonitis	17	2	-	2	1	1	-	-	1	1	3	2	-	-	
4. Ascites	4	1	-	-	1	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines . .	9	-	-	-	-	-	-	-	-	-	-	-	-	1	
6. Hernia	8	1	-	-	1	-	-	-	-	-	-	1	1	-	
7. Ileus	9	1	-	-	-	-	-	-	-	-	-	-	-	-	
8. Intussusception	6	-	-	1	-	-	-	-	2	-	1	-	-	-	
9. Stricture of Intestines . .	2	-	-	-	-	-	-	-	-	-	1	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc. . . .	10	1	-	1	-	-	-	-	1	-	-	-	-	-	
12. Pancreas Disease, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
14. Jaundice	8	3	-	-	1	-	-	-	-	-	-	-	-	-	
15. Liver Disease, etc.	19	1	-	-	-	-	-	-	-	1	1	1	-	2	
16. Spleen Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	12	-	-	-	2	2	-	1	1	1	1	2	-	1	
2. Ischuria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	29	1	-	-	-	-	2	1	-	-	-	2	-	1	
4. Diabetes	4	-	-	-	-	-	-	-	-	-	1	1	1	-	
5. Calculus (Stone)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	6	-	-	-	-	-	-	-	-	-	-	-	1	-	
7. Kidney Disease, etc.	13	-	-	-	1	-	-	-	-	-	1	1	1	1	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	2	1	-	-	-	-	-	-	-	-	-	1	-	-	
ORDER 7.															
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	10	-	-	-	-	-	-	-	2	1	3	1	-	1	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	24	1	1	—	7	4	1	—	2	3	—	2	1	1
	2. Tabes Mesenterica	28	2	2	1	6	3	3	2	4	3	1	—	—	—
	3. Phthisis	252	—	1	—	3	1	—	2	9	9	27	49	25	37
	4. Hydrocephalus	64	—	3	11	20	3	6	3	15	2	1	—	—	—
	ORDER 1.														
	1. Cephalitis	42	—	1	4	7	5	8	3	7	2	2	—	1	—
	2. Apoplexy	76	2	—	1	2	—	—	—	1	1	—	—	—	—
	3. Paralysis	43	—	—	1	—	—	—	—	1	1	—	—	—	—
	4. Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	3	—	—	—	—	—	—	—	—	2	1	—	—	—
	6. Epilepsy	8	—	—	—	1	—	—	—	—	1	1	—	—	—
	7. Convulsions	31	11	6	6	5	2	—	1	—	—	—	—	—	—
	8. Brain Disease, etc.	41	2	—	2	—	1	—	—	1	1	1	—	2	—
	ORDER 2.														
	1. Pericarditis	5	—	—	—	—	—	—	—	—	—	1	1	1	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	203	—	—	—	—	—	—	—	5	5	5	5	11	5
	ORDER 3.														
	1. Laryngitis	4	—	—	1	—	1	—	—	—	—	—	—	1	—
	2. Bronchitis	284	29	12	35	35	10	5	4	5	1	1	2	—	2
	3. Pleurisy	10	—	—	1	—	—	1	1	—	—	1	1	—	—
	4. Pneumonia	114	4	3	6	13	5	3	3	4	1	4	3	7	2
	5. Asthma	5	—	—	—	—	—	—	—	—	—	—	—	1	1
	6. Lung Disease, etc.	23	4	—	1	1	—	—	1	—	1	1	—	—	2
	ORDER 4.														
	1. Gastritis	13	1	1	1	—	1	—	—	—	1	—	2	—	1
	2. Enteritis	22	4	5	4	1	—	—	—	—	1	1	—	—	2
	3. Peritonitis	29	—	1	1	—	2	—	—	1	2	—	2	4	2
	4. Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	10	—	—	—	—	—	—	—	—	—	—	1	—	1
	6. Hernia	6	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	14	1	2	—	—	—	—	—	1	—	1	1	1	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	1	—	—	—	—	—	—	1	—	—	—	—	—	—
	11. Stomach Disease, etc.	16	2	2	—	—	1	—	—	—	—	—	1	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	5	1	—	—	—	—	—	—	—	—	—	—	—	2
	14. Jaundice	11	1	—	—	—	—	—	—	—	—	—	—	—	—
	15. Liver Disease, etc.	17	—	—	—	—	—	—	—	—	—	—	—	1	—
	16. Spleen Disease, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.														
	1. Nephritis	13	—	—	—	1	—	—	—	2	1	—	1	1	2
	2. Ischuria	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	3. Bright's Disease (Nephria)	11	—	—	—	—	—	—	—	—	—	—	—	1	—
	4. Diabetes	7	—	—	—	—	—	—	—	1	—	—	—	1	1
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	4	—	—	—	—	—	—	—	—	1	—	—	1	—
	7. Kidney Disease, etc.	8	—	—	—	1	—	—	—	—	1	—	1	—	1
	ORDER 6.														
	1. Ovarian Dropsy	6	—	—	—	—	—	—	—	—	—	—	—	1	2
	2. Uterus Disease, etc.	9	—	—	—	—	—	—	—	—	—	—	1	1	1
	ORDER 7.														
	1. Synovitis (Arthritis)	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	13	—	—	—	—	—	—	1	1	3	—	1	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	36	45	20	7	9	4	—	—	1	1	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	3	1	—	1	3	1	1	1	—	—	—	—	—	—	—
	2. Apoplexy	1	2	3	2	7	9	12	3	4	4	1	—	—	—	—
	3. Paralysis	—	2	3	—	3	2	8	8	5	2	1	—	—	—	—
	4. Insanity	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	1	3	—	—	3	2	1	2	—	—	—	—	—	—	—
	7. Convulsions	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	1	—	2	2	—	2	1	1	2	—	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	2	2	1	3	1	3	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	8	23	9	20	20	27	18	19	6	4	3	—	—	—	—
	ORDER 3.															
	1. Laryngitis	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—
	2. Bronchitis	1	3	3	5	6	13	12	8	11	3	4	1	—	—	—
	3. Pleurisy	5	2	2	—	3	—	—	—	—	—	—	—	—	—	—
	4. Pneumonia	6	10	7	13	6	10	5	3	4	—	1	—	—	—	—
	5. Asthma	1	2	1	—	—	1	2	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	—	2	—	2	3	4	3	2	2	1	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
	3. Peritonitis	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—
	4. Ascites	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	1	—	—	2	3	1	—	—	1	—	—	—	—	—
	6. Hernia	—	—	1	—	1	—	—	1	1	—	—	—	—	—	—
	7. Ileus	—	1	—	2	—	1	2	1	1	—	—	—	—	—	—
	8. Intussusception	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	1	1	1	1	1	—	1	1	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	1	—	—	—	2	—	—	1	—	—	—	—	—	—
	14. Jaundice	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—
	15. Liver Disease, etc.	3	—	—	2	4	1	1	1	1	—	—	—	—	—	—
	16. Spleen Disease, etc.	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	3. Bright's Disease (Nephria)	5	3	4	2	2	—	2	4	—	—	—	—	—	—	—
	4. Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—
	7. Kidney Disease, etc.	1	—	1	1	1	2	—	1	—	—	—	1	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	30	20	17	7	7	3	1	4	—	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Apoplexy	2	3	4	7	8	9	10	11	9	2	3	1	—	—	—
	3. Paralysis	1	1	—	2	2	6	6	8	8	4	2	—	—	—	—
	4. Insanity	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	—	1	1	—	1	—	1	1	—	—	—	—	—	—	—
	7. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	1	1	2	—	4	4	5	4	3	6	1	—	—	—	—
	ORDER 2.															
	1. Pericarditis	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	9	12	13	13	18	13	28	28	17	14	2	—	—	—	—
	ORDER 3.															
	1. Laryngitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	3	5	11	10	11	20	20	21	22	9	8	2	1	—	—
	3. Pleurisy	—	1	—	—	2	—	2	—	—	—	—	—	—	—	—
	4. Pneumonia	6	4	5	8	6	5	5	6	6	1	1	3	—	—	—
	5. Asthma	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	1	1	—	1	1	1	1	4	2	—	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	—	1	1	—	—	2	—	1	—	—	—	—	—	—	—
	2. Enteritis	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—
	3. Peritonitis	1	2	1	1	1	1	3	2	1	—	1	—	—	—	—
	4. Ascites	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	1	—	—	1	3	1	1	1	—	—	—	—	—	—	—
	6. Hernia	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
	7. Ileus	1	—	3	—	—	—	1	—	2	—	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	1	—	—	—	2	3	2	1	—	—	1	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
	14. Jaundice	—	1	—	1	2	2	—	—	4	—	—	—	—	—	—
15. Liver Disease, etc.	—	1	1	7	2	2	—	1	1	1	—	—	—	—	—	
16. Spleen Disease, etc.	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
ORDER 5.																
1. Nephritis	—	1	1	2	—	1	—	—	—	—	—	—	—	—	—	
2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Bright's Disease (Nephria)	1	1	—	1	1	2	—	3	—	1	—	—	—	—	—	
4. Diabetes	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	
5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Cystitis	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
7. Kidney Disease, etc.	1	—	—	1	—	1	—	—	—	—	—	1	—	—	—	
ORDER 6.																
1. Ovarian Dropsy	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc.	—	3	2	—	—	—	—	—	—	1	—	—	—	—	—	
ORDER 7.																
1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
2. Joint Disease, etc.	—	—	2	—	—	1	—	1	—	1	—	—	—	—	—	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	7	—	—	—	—	—	—	—	—	—	1	1	—	—
	2. Ulcer	4	2	—	—	—	—	—	—	—	—	—	—	—	—
	3. Skin Disease, etc.	2	—	—	—	—	—	1	—	—	—	—	—	—	—
	ORDER 1.														
	1. Premature Birth	61	61	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	3. Spina Bifida	3	3	—	—	—	—	—	—	—	—	—	—	—	—
	4. Other Malformations	9	9	—	—	—	—	—	—	—	—	—	—	—	—
	5. Teething	18	—	1	9	7	1	—	—	—	—	—	—	—	—
	ORDER 2.														
	1. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Childbirth (see Puerperal Fever)	14	—	—	—	—	—	—	—	—	—	—	4	2	3
	ORDER 3.														
	1. Old Age	90	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.														
	1. Atrophy and Debility	55	28	4	8	3	1	1	—	—	—	—	—	—	—
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	19	—	—	—	—	—	—	—	3	1	1	—	—	—
	2. Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Cut, Stab	1	—	—	—	—	—	—	—	—	—	1	—	—	—
	4. Burns and Scalds	8	—	—	—	1	1	1	2	—	—	—	—	—	—
	5. Poison	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Suffocation	14	10	1	1	—	—	—	—	—	—	—	—	1	—
	8. Otherwise	5	—	—	—	—	—	—	—	—	1	—	—	—	—
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Cut, Stab	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Poison	1	—	—	—	—	—	—	—	—	—	—	—	1	—
	4. Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Otherwise and undefined	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5. (Execution.)														
	1. Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sudden Deaths (cause unascertained)		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Causes not specified or ill-defined		1	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	2. Ulcer	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	5	3	16	13	17	10	1	1	-	-
	ORDER 4.															
	1. Atrophy and Debility	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	1	3	2	6	1	-	2	-	-	2	-	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Suffocation	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	8. Otherwise	-	1	2	1	-	-	-	-	-	-	1	-	-	-	-
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	1	1	-	-	-	3	-	1	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill defined	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1882.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
IV.	ORDER 8.																
	1. Phlegmon	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	
	2. Ulcer	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.																
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
V.	ORDER 2.																
	1. Paramenia	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever).	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.																
	1. Old Age	-	-	-	-	-	2	2	12	15	39	12	6	2	-	-	
	ORDER 4.																
	1. Atrophy and Debility	1	1	-	5	3	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.																
	(Accident or Negligence).																
	1. Fractures and Contusions	-	2	1	-	1	1	2	4	-	-	3	-	-	-	-	
2. Gunshot Wounds	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4. Burns and Scalds	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-		
5. Poison	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
6. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7. Suffocation	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
8. Otherwise	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-		
	ORDER 3.																
	(Homicide.)																
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.																
	(Suicide.)																
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	ORDER 5.																
	(Execution.)																
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Causes not specified or ill-defined		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in EDINBURGH (LANDW.), at different Periods of Life, in 1882.—MALES.

[illegible]

CAUSES of DEATH in EDINBURGH (LANDW.), at different Periods of Life, in 1882.—MALES. (Con.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	3	-	-	2	1	-	-	-	-	-	-	-	-	-
	3. Scarlatina	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Enteric or Typhoid Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhœa	4	1	-	1	-	-	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.														
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism } b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Cancrum Oris (loma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in EDINBURGH (LANDW.), at different Periods of Life, in 1882.—FEMALES. (Con.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	3. Scarlatina	3	-	-	-	1	2	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Enteric or Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	6	1	-	1	1	-	-	1	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in EDINBURGH (LANDW.), at different Periods of Life, in 1882.—MALES. (Con.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OF NEGLIGENCE	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in EDINBURGH (LANDW.), at different Periods of Life, in 1882.—FEMALES. (Con.)

Class.	CAUSES OF DEATH.	FE MALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
V.	1. ACCIDENT OR NEGLIGENCE *	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	I.	ORDER 1.															
		1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Scarlatina		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Diphtheria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Quinsy		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Croup		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Hooping-cough		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. { Typhus Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. { Enteric or Typhoid Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. { Relapsing Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. { Simple Continued Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9. Erysipelas		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Puerperal Fever (Metria)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Carbuncle		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12. Influenza		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Dysentery		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14. Diarrhoea		-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
15. Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16. Ague		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	ORDER 2.																
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.																
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.																
1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
II.	ORDER 1.																
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cancer	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* See page 52, note.

CAUSES of DEATH in EDINBURGH (LANDW.), at different Periods of Life in 1882.—FEMALES. (Con.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	35
III.	ORDER 2.														
	1. Scrofula	2	-	-	-	-	-	-	-	-	1	-	-	-	
	2. Tabes Mesenterica	2	-	-	-	-	1	-	-	1	-	-	-	-	
	3. Phthisis	18	-	-	-	-	-	-	-	1	1	1	4	1	
	4. Hydrocephalus	1	-	-	-	-	-	-	-	1	-	-	-	-	
	ORDER 1.														
	1. Cephalitis	2	-	1	-	-	-	-	-	-	-	-	-	-	
	2. Apoplexy	4	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Paralysis	9	-	-	-	-	-	-	-	-	-	-	1	-	
	4. Insanity	5	-	-	-	-	-	-	-	-	-	-	-	1	
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Epilepsy	5	-	-	-	-	-	-	-	-	1	-	-	-	
	7. Convulsions	3	1	-	1	-	-	-	-	-	-	-	-	-	
	8. Brain Disease, etc.	13	-	-	-	-	-	-	-	-	-	-	-	2	
	ORDER 2.														
	1. Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-	-	
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Heart Disease, etc.	13	-	-	-	-	-	-	-	-	-	-	-	1	
	ORDER 3.														
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Bronchitis	22	2	-	2	1	-	-	-	-	-	-	-	-	
	3. Pleurisy	1	-	-	-	-	-	-	-	-	-	-	1	-	
	4. Pneumonia	4	-	-	2	-	-	-	-	-	-	-	-	1	
	5. Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Lung Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.														
	1. Gastritis	1	-	1	-	-	-	-	-	-	-	-	-	-	
	2. Enteritis	1	-	-	-	1	-	-	-	-	-	-	-	-	
	3. Peritonitis	2	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Ulceration of Intestines	1	-	-	-	-	-	-	-	-	-	-	-	1	
	6. Hernia	1	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Pleur	1	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	
	9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-		
11. Stomach Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-		
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-		
13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-		
14. Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-		
15. Liver Disease, etc.	3	-	-	-	-	-	-	-	-	-	-	-	-		
16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 5.															
1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-		
3. Bright's Disease (Nephria)	1	-	-	-	-	-	-	-	-	-	-	-	-		
4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-		
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-		
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-		
7. Kidney Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 7.															
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Joint Disease, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-		

CAUSES of DEATH in EDINBURGH (LANDW.), at different Periods of Life, in 1882.—FEMALES. (Con.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	1	3	1	2	3	—	—	—	—	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	2. Apoplexy	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—
	3. Paralysis	—	1	1	—	—	2	2	—	1	—	—	—	—	—	—
	4. Insanity	—	1	1	—	—	1	—	1	1	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—
	7. Convulsions	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	—	1	—	1	—	3	3	2	1	—	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	—	1	—	3	1	—	5	—	2	—	—	—	—	—	—
	ORDER 3.															
	1. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	—	1	—	1	3	5	3	—	2	—	2	—	—	—	—
	3. Pleurisy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Pneumonia	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	5. Asthma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Peritonitis	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Hernia	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	7. Ileus	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	15. Liver Disease, etc.	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	4. Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH (LANDW.), at different Periods of Life, in 1882.—FEMALES. (Con.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
			3	6	12											
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Ulcer	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc. . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
	ORDER 1.															
	1. Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.															
	1. Old Age	18	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Atrophy and Debility . . .	4	2	1	1	-	-	-	-	-	-	-	-	-	-	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Otherwise	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined		-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	1459	212	80	122	187	64	35	27	70	26	38	45	25	42
	Specified Causes . .	1457	210	80	122	187	64	35	27	70	26	38	45	25	42
	(CLASSES.)														
I.	ZYMOTIC DISEASES	282	32	28	52	78	19	10	10	21	4	1	2	-	2
II.	CONSTITUTIONAL „	242	4	5	9	15	6	6	7	13	6	21	30	17	20
III.	LOCAL „	669	53	34	52	81	37	17	10	29	14	13	6	8	17
IV.	DEVELOPMENTAL „	197	114	7	8	12	1	-	-	2	-	-	-	-	-
V.	VIOLENT DEATHS . .	67	7	6	1	1	1	2	-	5	2	3	7	-	3
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	263	25	27	49	77	18	9	10	21	4	1	2	-	2
	2. ENTHETIC „ .	11	4	1	2	-	1	1	-	-	-	-	-	-	-
	3. DIETIC „ .	8	3	-	1	1	-	-	-	-	-	-	-	-	-
	4. PARASITIC „ .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC „ .	28	1	-	-	-	-	1	-	-	-	1	1	-	1
	2. TUBERCULAR „ .	214	3	5	9	15	6	5	7	13	6	20	29	17	19
III.	1. DISEASES OF NERVOUS SYSTEM . .	160	15	9	9	15	10	2	1	9	1	-	2	-	3
	2. „ OF ORGANS OF CIRCULATION .	88	1	1	-	-	-	-	-	2	4	4	1	5	5
	3. „ OF RESPIRATORY ORGANS . .	326	31	20	40	63	23	12	7	14	1	4	-	1	5
	4. „ OF DIGESTIVE ORGANS . . .	61	5	4	2	2	2	1	1	1	4	2	2	2	4
	5. „ OF URINARY ORGANS . . .	24	-	-	1	-	-	1	1	2	2	1	1	-	-
	6. „ OF ORGANS OF GENERATION .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. „ OF ORGANS OF LOCOMOTION . .	7	-	-	-	1	1	1	-	1	1	2	-	-	-
	8. „ OF INTEGUMENTARY SYSTEM . .	3	1	-	-	-	1	-	-	-	1	-	-	-	-
IV.	1. DEV. DIS. OF CHILDREN	78	63	3	4	7	-	-	-	1	-	-	-	-	-
	2. „ OF ADULTS .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE	49	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION	70	51	4	4	5	1	-	-	1	-	-	-	-	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	1595	137	61	107	163	54	31	21	55	33	60	57	66	53
	Specified Causes . .	1593	137	61	107	163	53	31	21	55	33	60	57	66	53
	(CLASSES.)														
I.	ZYMOTIC DISEASES	275	23	17	43	65	25	12	9	14	4	6	3	4	7
II.	CONSTITUTIONAL „	351	3	6	8	19	5	3	2	14	14	40	38	41	32
III.	LOCAL „	752	29	25	54	70	21	14	8	26	15	13	15	14	11
IV.	DEVELOPMENTAL „	174	73	4	2	6	1	—	—	—	—	1	1	6	3
V.	VIOLENT DEATHS . .	41	9	9	—	3	1	2	2	1	—	—	—	1	—
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	255	17	14	39	65	25	12	9	14	4	6	3	4	6
	2. ENTHETIC „ .	11	4	3	4	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	9	2	—	—	—	—	—	—	—	—	—	—	—	1
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	50	1	—	—	—	—	—	—	—	1	—	—	—	1
	2. TUBERCULAR „ .	301	2	6	8	19	5	3	2	14	13	40	38	41	31
III.	1. DISEASES OF NERVOUS SYSTEM . .	155	5	6	11	14	5	4	2	9	2	5	4	1	1
	2. „ OF ORGANS OF CIRCULATION .	116	—	—	—	—	—	—	—	1	5	2	2	7	1
	3. „ OF RESPIRATORY ORGANS . .	364	16	19	37	48	13	9	6	10	4	2	5	3	6
	4. „ OF DIGESTIVE ORGANS . . .	69	7	—	5	6	1	1	—	2	2	2	1	—	—
	5. „ OF URINARY ORGANS . . .	28	—	—	—	2	—	—	—	2	1	2	2	2	2
	6. „ OF ORGANS OF GENERATION .	4	—	—	—	—	—	—	—	—	—	—	—	1	—
	7. „ OF ORGANS OF LOCOMOTION . .	9	—	—	—	—	2	—	—	2	1	—	1	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	7	1	—	1	—	—	—	—	—	—	—	—	—	1
IV.	1. DEV. DIS. OF CHILDREN	46	37	1	2	6	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	14	—	—	—	—	—	—	—	—	—	1	1	6	3
	3. „ OF OLD PEOPLE	66	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	48	36	3	—	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
			3	6	12	2	3	4	5	10	15	20	25	30	35	
V.	1. ACCIDENT OR NEGLIGENCE	59	7	6	1	1	1	2	-	5	2	2	6	-	2	
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	8	-	-	-	-	-	-	-	-	-	1	1	-	1	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-	
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	61	1	3	16	29	5	2	1	4	-	-	-	-	-	
	3. Scarlatina	15	-	1	1	2	3	1	1	3	3	-	-	-	-	
	4. Diphtheria	19	-	-	1	5	5	1	2	4	1	-	-	-	-	
	5. Quinsy	2	-	-	-	1	-	1	-	-	-	-	-	-	-	
	6. Croup	12	-	-	-	7	1	1	2	1	-	-	-	-	-	
	7. Hooping-cough	36	1	4	7	13	4	1	3	3	-	-	-	-	-	
	8. { Typhus Fever	5	-	-	-	-	-	-	-	-	-	-	-	-	1	
	8. { Enteric or Typhoid Fever	8	-	1	-	-	-	-	1	3	-	1	-	-	1	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	9. Erysipelas	3	1	-	-	-	-	-	-	1	-	-	-	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13. Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhoea	96	21	18	24	20	-	2	-	2	-	-	2	-	-	
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis	9	4	1	2	-	1	1	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	6	1	-	-	-	-	-	-	-	-	1	-	-	1	
	3. Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	4	-	-	-	-	-	1	-	-	-	-	1	-	-	

* See page 52, note.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	38	9	9	-	3	1	2	2	1	-	-	-	1	-
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		2	-	-	-	-	1	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	40	-	-	9	25	2	1	2	1	-	-	-	-	-
	3. Scarlatina	16	-	-	-	3	5	2	2	2	1	1	-	-	-
	4. Diphtheria	16	-	-	1	3	5	3	2	2	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	8	-	-	1	-	5	1	-	-	1	-	-	-	-
	7. Hooping-cough	40	1	3	8	16	4	3	3	2	-	-	-	-	-
	8. { Typhus Fever	8	-	-	-	-	-	-	-	-	-	-	-	1	3
	8. { Enteric or Typhoid Fever	13	-	-	-	-	-	-	-	3	2	3	1	1	1
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	8	3	-	1	1	-	-	-	-	-	-	-	-	1
	10. Puerperal Fever (Metria)	5	-	-	-	-	-	-	-	-	-	1	-	1	1
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	81	12	11	19	17	3	2	-	2	-	-	2	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	17. Remittent Fever	2	-	-	-	-	1	-	-	1	-	-	-	-	-
	18. Rheumatism	15	-	-	-	-	-	-	-	-	-	1	-	1	-
	19. Other Miasmatic Diseases	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	11	4	3	4	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	7	-	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	45	-	-	-	-	-	-	-	-	1	-	-	-	1
	4. Cancerum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	1	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	—	3	5	4	5	1	2	1	—	—	—	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	1	—	—	—	1	2	—	—	1	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS (CAUSE UNASCERTAINED)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhœa	—	—	1	1	—	2	2	1	—	—	—	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 2.															
	1. Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	4. holism { b Intemperance	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	3. Cancer	—	1	2	1	2	4	4	1	1	2	—	—	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	5. Mortification	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—

* See page 52, note.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	1	—	1	—	1	1	1	1	1	—	—	—	—	—
	*															
	3. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
	5. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS (CAUSE UNASCERTAINED)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CAUSES NOT SPECIFIED		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
	10. Puerperal Fever (Metria)	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Dysentery	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	14. Diarrhœa	—	—	—	2	—	3	2	3	1	1	1	—	—	—	—
	15. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism	3	1	—	4	2	—	2	—	1	—	—	—	—	—	—
	19. Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. holism { b Intemperance	2	2	—	1	—	—	1	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Dropsy	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
	3. Cancer	4	7	4	5	10	4	3	2	1	3	—	—	—	—	—
	4. Cancrum Oris (Noma)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* See page 52, note.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	11	—	—	—	1	—	—	2	2	2	—	2	1	—
	2. Tabes Mesenterica	28	1	2	4	7	3	2	4	2	1	—	—	1	—
	3. Phthisis	151	—	—	2	—	—	1	1	5	3	20	27	15	19
	4. Hydrocephalus	24	2	3	3	7	3	2	—	4	—	—	—	—	—
	ORDER 1.														
	1. Cephalitis	27	—	1	5	4	6	1	1	4	—	—	—	—	—
	2. Apoplexy	44	2	2	2	3	2	1	—	1	1	—	—	—	1
	3. Paralysis	43	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	3	—	—	—	1	—	—	—	—	—	—	1	—	—
	7. Convulsions	30	12	6	1	6	2	—	—	2	—	—	1	—	—
	8. Brain Disease, etc.	13	1	—	1	1	—	—	—	2	—	—	—	—	1
	ORDER 2.														
	1. Pericarditis	6	—	—	—	—	—	—	—	2	1	1	—	—	1
	2. Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	79	1	1	—	—	—	—	—	—	3	3	1	5	4
	ORDER 3.														
	1. Laryngitis	9	1	1	—	3	1	1	—	—	—	—	—	—	—
	2. Bronchitis	200	24	18	28	43	16	8	1	5	—	—	—	—	—
	3. Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—	—	1
	4. Pneumonia	98	4	1	11	16	4	3	5	8	—	4	—	—	3
	5. Asthma	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	14	2	—	1	1	2	—	1	1	1	—	—	1	1
	ORDER 4.														
	1. Gastritis	4	—	—	—	1	—	—	—	—	—	—	—	—	1
	2. Enteritis	18	3	4	2	1	2	1	—	—	2	—	—	1	1
	3. Peritonitis	12	—	—	—	—	—	—	—	1	1	2	1	1	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	8. Intussusception	2	—	—	—	—	—	—	—	—	1	—	—	—	—
	9. Stricture of Intestines . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc. . . .	8	1	—	—	—	—	—	—	—	—	—	—	—	—
	12. Pancreas Disease, etc. . . .	1	—	—	—	—	—	—	—	—	—	—	1	—	—
	13. Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	15. Liver Disease, etc.	6	—	—	—	—	—	—	1	—	—	—	—	—	1
	16. Spleen Disease, etc.	3	—	—	—	—	—	—	—	—	—	—	—	—	1
	ORDER 5.														
	1. Nephritis	5	—	—	—	—	—	—	1	2	—	—	—	—	—
	2. Ischuria	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	7	—	—	—	—	—	—	—	—	2	1	—	—	—
	4. Diabetes	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	3	—	—	—	—	—	—	—	—	—	—	1	—	—
	7. Kidney Disease, etc.	4	—	—	—	—	—	1	—	—	—	—	—	—	—
	ORDER 6.														
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.														
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	7	—	—	—	1	1	1	—	1	1	2	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	12	—	—	1	—	1	1	—	1	2	1	1	—	1
	2. Tabes Mesenterica	21	1	3	2	5	2	—	—	3	1	2	1	—	—
	3. Phthisis	240	—	—	—	2	1	1	—	7	10	37	36	41	30
	4. Hydrocephalus	28	1	3	5	12	1	1	2	3	—	—	—	—	—
	ORDER 1.														
	1. Cephalitis	23	—	1	1	5	1	2	1	5	1	4	1	—	—
	2. Apoplexy	44	1	1	2	2	1	2	—	2	1	—	1	—	—
	3. Paralysis	49	—	—	—	1	—	—	—	—	—	—	1	—	1
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	6. Epilepsy	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	7. Convulsions	20	3	2	6	6	3	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	17	1	2	2	—	—	—	1	—	—	1	1	1	—
	ORDER 2.														
	1. Pericarditis	4	—	—	—	—	—	—	—	—	1	—	—	—	—
	2. Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	109	—	—	—	—	—	—	—	1	4	2	2	7	1
	ORDER 3.														
	1. Laryngitis	8	1	—	2	1	1	1	—	2	—	—	—	—	—
	2. Bronchitis	237	11	16	24	31	8	5	1	2	1	1	1	2	4
	3. Pleurisy	8	—	—	—	—	—	—	—	1	1	—	—	—	—
	4. Pneumonia	91	1	2	11	15	4	3	4	3	1	1	3	1	2
	5. Asthma	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	19	3	1	—	1	—	—	1	2	1	—	1	—	—
	ORDER 4.														
	1. Gastritis	4	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	22	4	—	3	5	—	1	—	1	1	2	—	—	—
	3. Peritonitis	5	1	—	—	—	—	—	—	—	1	—	—	—	—
	4. Ascites	3	—	—	—	—	—	—	—	—	—	—	1	—	—
	5. Ulceration of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	4	—	—	1	—	—	—	—	—	—	—	—	—	—
	8. Intussusception	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Stomach Disease, etc.	5	—	—	—	1	1	—	—	—	—	—	—	—	—	
12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	6	—	—	—	—	—	—	—	—	—	—	—	—	—	
14. Jaundice	4	1	—	—	—	—	—	—	—	—	—	—	—	—	
15. Liver Disease, etc.	7	—	—	—	—	—	—	—	1	—	—	—	—	—	
16. Spleen Disease, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
ORDER 5.															
1. Nephritis	3	—	—	—	1	—	—	—	—	1	—	1	—	—	
2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Bright's Disease (Nephria)	12	—	—	—	—	—	—	—	1	—	1	—	—	2	
4. Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	1	—	
5. Calculus (Stone)	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
6. Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Kidney Disease, etc.	10	—	—	—	1	—	—	—	—	—	1	1	1	—	
ORDER 6.															
1. Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Uterus Disease, etc.	2	—	—	—	—	—	—	—	—	—	—	—	1	—	
ORDER 7.															
1. Synovitis (Arthritis)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Joint Disease, etc.	8	—	—	—	—	2	—	—	2	1	—	1	—	—	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	27	19	11	9	5	2	1	1	-	-	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Apoplexy	1	2	3	5	5	4	3	3	3	2	-	-	-	-	-
	3. Paralysis	-	1	6	4	8	6	2	5	7	3	3	-	1	-	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	-	1	1	1	1	2	-	-	2	-	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Aneurism	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	3. Heart Disease, etc.	12	10	11	10	9	12	7	8	7	6	-	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	10	13	9	14	18	19	21	16	5	4	2	-	-	-	-
	3. Pleurisy	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	2	8	7	2	2	4	4	7	2	2	-	-	-	-	-
	5. Asthma	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	-	-	-	-	1	2	-	3	2	-	-	1	-	-	-
	ORDER 4.															
	1. Gastritis	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	2. Enteritis	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-
	3. Peritonitis	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	4. Ascites	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	6. Hernia	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	7. Ileus	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	-	2	2	-	1	1	-	-	-	-	-	-	-	-
	14. Jaundice	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-
	16. Spleen Disease, etc.	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	-	1	2	2	1	1	1	-	-	-	-	-	-	-	-
	4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	7. Kidney Disease, etc.	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-
	ORDER 6.															
	1. Ovarian Dropsy	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.															
	1. Synovitis (Arthritis)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
			3	6	12											
IV.	ORDER 8.															
	1. Phlegmon	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc.	2	1	-	-	-	1	-	-	-	-	-	-	-	-	
	ORDER 1.															
	1. Premature Birth	56	55	1	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	3	-	1	1	-	-	-	-	1	-	-	-	-	-	
	4. Other Malformations	8	8	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	11	-	1	3	7	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.															
	1. Old Age	49	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 4.																
1. Atrophy and Debility	70	51	4	4	5	1	-	-	1	-	-	-	-	-		
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	24	-	-	-	-	1	-	-	1	2	2	4	-	1	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	5	-	-	-	-	1	-	3	-	-	-	-	-	-	
	5. Poison	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	6. Drowning	8	-	-	-	-	-	1	-	-	-	-	2	-	1	
	7. Suffocation	16	6	5	1	-	-	-	-	1	-	-	-	-	-	
	8. Otherwise	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
	2. Cut, Stab	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	3	-	-	-	-	-	-	-	-	1	1	-	-	-	
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined		2	2	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	2. Ulcer	4	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	33	33	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	8	-	-	2	6	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	14	-	-	-	-	-	-	-	-	-	1	1	6	3
	ORDER 3.														
	1. Old Age	66	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	48	36	3	-	-	1	-	-	-	-	-	-	-	-
V.	ORDER 1. (Accident or Negligence.)														
	1. Fractures and Contusions	10	-	-	-	-	1	-	1	1	-	-	-	1	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	7	-	-	-	2	-	-	1	-	-	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Suffocation	20	9	9	-	1	-	1	-	-	-	-	-	-	-
	8. Otherwise	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	ORDER 3. (Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4. (Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5. (Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		2	-	-	-	-	1	-	-	-	-	-	-	-	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1882.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (<i>see</i> Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Old Age	-	-	-	-	-	3	7	7	11	14	6	1	-	-	-
	ORDER 4.															
	1. Atrophy and Debility . .	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	(<i>Accident or Negligence.</i>)															
	1. Fractures and Contusions	3	-	1	3	3	3	-	-	-	-	-	-	-	-	-
2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Burns and Scalds	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Drowning	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	
7. Suffocation	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	
8. Otherwise	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	
V.	ORDER 3.															
	(<i>Homicide.</i>)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	(<i>Suicide.</i>)															
	1. Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
V.	ORDER 5.															
	(<i>Execution.</i>)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	1061	131	48	91	89	37	26	16	47	25	27	39	27	36
	Specified Causes . .	1057	130	47	90	89	37	26	16	47	25	27	39	27	36
	(CLASSES.)														
I.	ZYMOTIC DISEASES	199	26	15	32	42	20	12	6	13	5	1	3	4	4
II.	CONSTITUTIONAL „	175	3	5	5	8	4	3	2	10	9	16	19	16	13
III.	LOCAL „	525	37	23	39	30	12	10	6	23	11	9	15	5	16
IV.	DEVELOPMENTAL „	127	63	4	14	9	1	—	1	—	—	—	—	—	—
V.	VIOLENT DEATHS . .	31	1	—	—	—	—	1	1	1	—	1	2	2	3
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	176	13	12	30	41	19	12	6	13	5	—	2	4	4
	2. ENTHETIC „ .	10	6	1	2	—	1	—	—	—	—	—	—	—	—
	3. DIETIC „ .	9	4	1	—	1	—	—	—	—	—	1	1	—	—
	4. PARASITIC „ .	4	3	1	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	26	—	—	—	—	1	—	—	1	—	—	—	—	1
	2. TUBERCULAR „ .	149	3	5	5	8	3	3	2	9	9	16	19	16	12
III.	1. DISEASES OF NERVOUS SYSTEM . .	142	14	8	10	11	2	4	3	9	2	1	3	1	4
	2. „ OF ORGANS OF CIRCULATION .	74	—	—	—	—	—	—	—	2	1	1	3	2	3
	3. „ OF RESPIRATORY ORGANS . .	192	12	12	25	18	9	6	3	6	2	—	5	1	3
	4. „ OF DIGESTIVE ORGANS . . .	56	9	3	3	1	1	—	—	2	3	3	—	1	4
	5. „ OF URINARY ORGANS . . .	37	—	—	—	—	—	—	—	2	—	2	1	—	—
	6. „ OF ORGANS OF GENERATION .	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	13	1	—	—	—	—	—	—	2	2	2	2	—	1
	8. „ OF INTEGUMENTARY SYSTEM . .	10	1	—	1	—	—	—	—	—	1	—	1	—	1
IV.	1. DEV. DIS. OF CHILDREN	65	46	—	11	7	1	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	33	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	29	17	4	3	2	—	—	1	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	1115	111	37	82	88	28	22	18	48	30	33	47	47	40
	Specified Causes . .	1110	110	36	81	88	28	22	18	47	30	33	47	47	40
	(CLASSES.)														
I.	ZYMOTIC DISEASES	199	14	14	29	43	10	9	9	16	3	3	9	6	6
II.	CONSTITUTIONAL „	231	—	2	9	6	2	3	4	16	9	18	25	25	14
III.	LOCAL „	519	32	16	34	36	15	10	5	14	17	12	12	14	16
IV.	DEVELOPMENTAL „	147	61	4	9	3	1	—	—	—	—	—	1	1	4
V.	VIOLENT DEATHS .	14	3	—	—	—	—	—	—	1	1	—	—	1	—
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	181	6	12	28	40	10	9	9	15	3	3	9	6	6
	2. ENTHETIC „ .	11	5	2	1	1	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	4	1	—	—	1	—	—	—	1	—	—	—	—	—
	4. PARASITIC „ .	3	2	—	—	1	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	65	—	—	1	—	—	—	—	2	—	—	1	2	2
	2. TUBERCULAR „ .	166	—	2	8	6	2	3	4	14	9	18	24	23	12
III.	1. DISEASES OF NERVOUS SYSTEM . .	131	12	4	12	6	3	5	3	6	4	4	2	1	1
	2. „ OF ORGANS OF CIRCULATION .	80	—	—	—	—	1	—	—	—	4	1	3	1	4
	3. „ OF RESPIRATORY ORGANS . .	192	14	9	18	25	11	4	2	4	2	5	1	5	5
	4. „ OF DIGESTIVE ORGANS. . .	75	5	3	4	5	—	1	—	3	2	—	5	3	4
	5. „ OF URINARY ORGANS. . .	26	—	—	—	—	—	—	—	1	3	2	—	3	2
	6 „ OF ORGANS OF GENERATION .	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	5	—	—	—	—	—	—	—	—	2	—	—	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	6	1	—	—	—	—	—	—	—	—	—	1	1	—
IV.	1. DEV. DIS. OF CHILDREN	53	42	1	8	2	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	9	—	—	—	—	—	—	—	—	—	—	1	1	4
	3. „ OF OLD PEOPLE	56	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	29	19	3	1	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—MALES. (Continued.)																		
Class.	CAUSES OF DEATH.				MALES.													
					ALL AGES.	AGE UNDER												
						MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12																
V.	1. ACCIDENT OR NEGLIGENCE				28	1	-	-	-	-	1	1	1	-	1	2	1	3
	*																	
	3. HOMICIDE				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE				3	-	-	-	-	-	-	-	-	-	-	-	1	-
	5. EXECUTION				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED				4	1	1	1	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.																	
	1. Small-pox				1	-	-	-	-	-	-	-	-	-	-	-	1	-
	2. Measles				24	-	1	7	9	1	2	1	3	-	-	-	-	-
	3. Scarlatina				16	-	-	-	4	6	1	2	-	3	-	-	-	-
	4. Diphtheria				6	-	-	1	2	-	2	-	1	-	-	-	-	-
	5. Quinsy				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup				14	-	-	2	3	4	3	1	1	-	-	-	-	-
	7. Hooping-cough				50	3	5	14	17	8	1	1	1	-	-	-	-	-
	8. { Typhus Fever				8	-	-	-	-	-	-	-	-	-	-	-	2	3
	8. { Enteric or Typhoid Fever				6	-	-	-	-	-	-	1	1	1	-	-	-	1
	8. { Relapsing Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever				1	-	-	-	-	-	1	-	-	-	-	-	-	-
	9. Erysipelas				8	2	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle				1	-	-	-	-	-	-	-	-	-	-	1	-	-
	12. Influenza				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea				34	7	6	6	6	-	-	-	4	1	-	-	-	-
	15. Cholera				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever				2	-	-	-	-	-	2	-	-	-	-	-	-	-
	18. Rheumatism				4	-	-	-	-	-	-	-	2	-	-	1	1	-
	19. Other Miasmatic Diseases				1	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																	
	1. Syphilis				10	6	1	2	-	1	-	-	-	-	-	-	-	-
	2. Stricture of Urethra				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																	
	1. Privation				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk				5	4	1	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy				3	-	-	-	1	-	-	-	-	-	1	1	-	-
	4. Alco- { a Del. Tremens				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance				1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.																	
	1. Thrush				4	3	1	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .				-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																	
	1. Gout				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy				3	-	-	-	-	1	-	-	1	-	-	-	-	-
	3. Cancer				21	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Cancrum Oris (Noma)				-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification				2	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE * 3. HOMICIDE 4. SUICIDE 5. EXECUTION	14 - - -	3 - - -	- - - -	- - - -	- - - -	- - - -	- - - -	1 - - -	1 - - -	- - - -	- - - -	1 - - -	- - - -	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		5	1	1	1	-	-	-	-	1	-	-	-	-	
I.	ORDER 1. 1. Small-pox 2. Measles 3. Scarlatina 4. Diphtheria 5. Quinsy 6. Croup 7. Hooping-cough 8. { Typhus Fever Enteric or Typhoid Fever Relapsing Fever Simple Continued Fever 9. Erysipelas 10. Puerperal Fever (Metria) 11. Carbuncle 12. Influenza 13. Dysentery 14. Diarrhoea 15. Cholera 16. Ague 17. Remittent Fever 18. Rheumatism 19. Other Miasmatic Diseases ORDER 2. 1. Syphilis 2. Stricture of Urethra 3. Hydrophobia 4. Glanders ORDER 3. 1. Privation 2. Want of Breast Milk 3. Purpura and Scurvy 4. Alco- { a Del. Tremens holism { b Intemperance ORDER 4. 1. Thrush 2. Worms, etc. . . .	- 30 12 6 3 9 55 7 7 - 1 4 12 1 - 1 26 - - 1 6 - 11 - - - 1 1 1 - 1 3 - - - - -	- 2 - - - - 3 - - - - - - - - 1 - - - - - - 5 - - - - 1 - - - - - - - 2 - - - - - - -	- 7 - - - - 15 - - - - - - - - 1 5 - - - - - - - 1 - - - - - - - - - - - - - - - - - - -	15 1 1 - - 3 17 - - - - - - - 3 - - - - - - - - 1 - - - 1 - - - - - - - - - - - - - - -	2 2 2 - - 2 4 -<									

* See page 52, note.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	1	1	2	3	2	1	1	1	1	2	1	-	-	-	1
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Typhus Fever	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	-	-	-	2	-	-	-	1	1	1	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	3. Cancer	-	3	1	2	2	4	5	3	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	9	-	-	-	-	-	-	-	1	1	1	1	1	-
	2. Tabes Mesenterica	8	1	-	1	2	1	1	-	1	1	-	-	-	-
	3. Phthisis	105	-	-	1	2	-	-	1	2	5	15	18	15	12
	4. Hydrocephalus	27	2	5	3	4	2	2	1	6	2	-	-	-	-
	ORDER 1.														
	1. Cephalitis	25	-	-	5	4	1	4	2	4	-	-	1	-	1
	2. Apoplexy	25	-	-	-	1	1	-	-	-	-	-	-	-	-
	3. Paralysis	34	-	-	1	-	-	-	-	-	-	-	-	1	3
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	5	-	-	-	-	-	-	-	1	1	-	-	-	-
	7. Convulsions	32	14	8	2	5	-	-	1	-	1	-	1	-	-
	8. Brain Disease, etc.	21	-	-	2	1	-	-	-	4	-	1	1	-	-
	ORDER 2.														
	1. Pericarditis	3	-	-	-	-	-	-	-	-	1	-	1	-	-
	2. Aneurism	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	67	-	-	-	-	-	-	-	2	-	1	2	2	3
	ORDER 3.														
	1. Laryngitis	8	1	-	1	-	1	1	1	-	-	-	1	-	-
	2. Bronchitis	117	8	10	17	14	4	2	1	4	-	-	-	-	-
	3. Pleurisy	9	-	-	-	-	2	-	-	-	-	-	-	1	-
	4. Pneumonia	44	2	2	7	3	1	3	1	1	2	-	3	-	2
	5. Asthma	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	13	1	-	-	1	1	-	-	1	-	-	1	-	1
	ORDER 4.														
	1. Gastritis	2	-	-	1	-	-	-	-	-	-	-	-	1	-
	2. Enteritis	7	2	1	-	-	1	-	-	-	-	-	-	-	1
	3. Peritonitis	10	1	-	1	-	-	-	-	2	1	2	-	-	2
	4. Ascites	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	5. Ulceration of Intestines	5	-	-	-	-	-	-	-	-	-	1	-	-	-
	6. Hernia	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	4	-	1	-	-	-	-	-	-	1	-	-	-	-
	8. Intussusception	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11. Stomach Disease, etc.	8	1	1	1	1	-	-	-	-	-	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
14. Jaundice	7	4	-	-	-	-	-	-	-	-	-	-	-	-	
15. Liver Disease, etc.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	6	-	-	-	-	-	-	-	1	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	13	-	-	-	-	-	-	-	1	-	-	1	-	-	
4. Diabetes	2	-	-	-	-	-	-	-	-	-	1	-	-	-	
5. Calculus (Stone)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	11	-	-	-	-	-	-	-	-	-	1	-	-	-	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.															
1. Synovitis (Arthritis)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	12	1	-	-	-	-	-	-	2	2	2	2	-	1	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
III.	ORDER 2.														
	1. Scrofula	7	-	-	1	-	-	-	-	-	2	-	-	3	-
	2. Tabes Mesenterica . . .	4	-	-	-	-	-	2	-	2	-	-	-	-	-
	3. Phthisis	129	-	-	-	2	2	-	2	4	5	18	24	20	12
	4. Hydrocephalus	26	-	2	7	4	-	1	2	8	2	-	-	-	-
	ORDER 1.														
	1. Cephalitis	31	3	1	8	4	1	3	3	3	1	2	1	-	-
	2. Apoplexy	19	-	-	-	-	-	-	-	1	-	1	-	-	-
	3. Paralysis	40	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Insanity	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	6	-	-	-	-	-	-	-	1	1	-	1	-	1
	7. Convulsions	24	9	3	4	2	2	2	-	-	1	-	-	1	-
	8. Brain Disease, etc. . .	10	-	-	-	-	-	-	-	1	1	1	-	-	-
	ORDER 2.														
	1. Pericarditis	3	-	-	-	-	-	-	-	-	1	1	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc. . .	77	-	-	-	-	1	-	-	-	3	-	3	1	4
	ORDER 3														
	1. Laryngitis	5	-	-	1	1	1	2	-	-	-	-	-	-	-
	2. Bronchitis	131	10	8	15	18	6	2	-	3	1	-	-	2	2
	3. Pleurisy	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Pneumonia	42	3	-	2	6	4	-	2	1	1	4	1	1	2
	5. Asthma	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	6. Lung Disease, etc. . .	11	1	1	-	-	-	-	-	-	-	-	-	2	-
	ORDER 4.														
	1. Gastritis	8	-	1	1	1	-	-	-	-	-	-	1	-	-
	2. Enteritis	15	1	1	2	2	-	1	-	-	-	-	-	2	-
3. Peritonitis	14	1	-	1	-	-	-	-	1	2	-	2	1	2	
4. Ascites	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	3	-	-	-	-	-	-	-	-	-	-	1	-	-	
6. Hernia	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Ileus	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
8. Intussusception	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
9. Stricture of Intestines .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	8	2	1	-	1	-	-	-	-	-	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	4	-	-	-	-	-	-	-	-	-	-	1	-	1	
14. Jaundice	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
15. Liver Disease, etc. . .	8	-	-	-	-	-	-	-	1	-	-	-	-	1	
16. Spleen Disease, etc. . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	5	-	-	-	-	-	-	-	-	1	-	-	2	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	17	-	-	-	-	-	-	-	1	2	1	-	1	2	
4. Diabetes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc. . .	3	-	-	-	-	-	-	-	-	-	1	-	-	-	
ORDER 6.															
1. Ovarian Dropsy	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.															
1. Synovitis (Arthritis) . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc. . . .	4	-	-	-	-	-	-	-	-	2	-	-	-	-	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	9	10	3	3	5	2	2	—	—	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—
	2. Apoplexy	1	1	—	1	4	4	2	5	4	—	—	1	—	—	—
	3. Paralysis	2	5	—	1	2	5	6	3	3	—	2	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—
	7. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	—	3	4	1	1	2	1	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	2	2	6	4	7	11	6	10	5	2	1	1	—	—	—
	ORDER 3.															
	1. Laryngitis	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
	2. Bronchitis	1	1	—	5	4	7	19	10	8	1	1	—	—	—	—
	3. Pleurisy	—	1	1	—	—	3	—	1	—	—	—	—	—	—	—
	4. Pneumonia	—	4	3	2	4	1	1	1	—	—	—	1	—	—	—
	5. Asthma	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	2	—	—	—	1	1	1	—	2	—	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
	3. Peritonitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—
	6. Hernia	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	7. Ileus	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Jaundice	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—
	15. Liver Disease, etc.	2	2	—	1	—	2	1	—	—	—	—	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	—	—	—	2	1	—	1	1	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	1	—	2	1	1	3	1	2	—	—	—	—	—	—	—
	4. Diabetes	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—
	7. Kidney Disease, etc.	—	—	—	—	2	2	3	—	2	1	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Joint Disease etc.	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—MALES. (*Continued.*

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	7	-	-	-	-	-	-	-	-	1	-	1	-	1
	2. Ulcer	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	38	38	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	6	6	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	19	-	-	11	7	1	-	-	-	-	-	-	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	33	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	29	17	4	3	2	-	-	1	-	-	-	-	-	-
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	14	-	-	-	-	-	-	1	1	-	-	1	1	2
2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Burns and Scalds	3	-	-	-	-	-	1	-	-	-	-	-	-	-	
5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Drowning	3	-	-	-	-	-	-	-	-	-	-	1	-	-	
7. Suffocation	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
8. Otherwise	5	-	-	-	-	-	-	-	-	-	1	-	-	1	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	1	-	-	-	-	-	-	-	-	-	-	1	-	-
6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5.														
	(Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Sudden Deaths (cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined	4	1	1	1	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	MONTHS.			AGE UNDER										
			3	6	12	2	3	4	5	10	15	20	25	30	35	
IV.	ORDER 8.															
	1. Phlegmon	2	-	-	-	-	-	-	-	-	-	-	1	1	-	
	2. Ulcer	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc. . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.															
	1. Premature Birth	38	38	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations . .	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	9	-	1	6	2	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever).	8	-	-	-	-	-	-	-	-	-	-	1	1	4	
	ORDER 3.															
	1. Old Age	56	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Atrophy and Debility . .	29	19	3	1	1	1	-	-	-	-	-	-	-	-	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	6	-	-	-	-	-	-	-	-	1	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	3	-	-	-	-	-	-	-	1	-	-	-	1	-	
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Drowning	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Suffocation	4	3	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Otherwise	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined		5	1	1	1	-	-	-	-	1	-	-	-	-	-

CAUSES of DEATH IN GREENOCK, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes	827	99	40	71	87	40	19	20	40	27	29	32	21	17
	Specified Causes . . .	824	97	40	71	87	40	19	20	40	27	29	32	21	17
	(CLASSES.)														
I.	ZYMOTIC DISEASES	108	11	5	16	24	15	4	7	5	1	1	2	3	—
II.	CONSTITUTIONAL „	143	1	7	9	10	8	4	5	9	11	11	12	10	8
III.	LOCAL „	410	23	24	39	50	13	9	6	23	12	11	12	5	8
IV.	DEVELOPMENTAL „	97	59	4	7	3	3	—	—	2	—	—	—	—	—
V.	VIOLENT DEATHS .	66	3	—	—	—	1	2	2	1	3	6	6	3	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	95	7	4	15	24	15	4	7	5	1	1	1	3	—
	2. ENTHETIC „ .	5	1	—	1	—	—	—	—	—	—	—	1	—	—
	3. DIETIC „ .	8	3	1	—	—	—	—	—	—	—	—	—	—	—
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	24	—	—	1	—	2	1	1	1	1	—	—	—	—
	2. TUBERCULAR „ .	119	1	7	8	10	6	3	4	8	10	11	12	10	8
III.	1. DISEASES OF NERVOUS SYSTEM . .	109	6	6	8	15	4	2	3	11	7	2	3	1	2
	2. „ OF ORGANS OF CIRCULATION .	59	—	1	—	—	—	—	1	2	—	2	2	2	—
	3. „ OF RESPIRATORY ORGANS . .	172	13	14	22	29	8	7	2	5	1	3	5	2	4
	4. „ OF DIGESTIVE ORGANS . . .	50	3	3	9	6	—	—	—	2	1	1	—	—	2
	5. „ OF URINARY ORGANS . . .	14	—	—	—	—	—	—	—	3	2	3	1	—	—
	6. „ OF ORGANS OF GENERATION .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	2	—	—	—	—	1	—	—	—	—	—	1	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	4	1	—	—	—	—	—	—	—	1	—	—	—	—
IV.	1. DEV. DIS. OF CHILDREN	29	24	—	3	2	—	—	—	—	—	—	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	18	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION	50	35	4	4	1	3	—	—	2	—	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1882.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
	All Causes	763	65	32	65	78	35	32	14	40	22	17	27	38	27
	Specified Causes . . .	761	64	32	64	78	35	32	14	40	22	17	27	38	27
	(CLASSES.)														
I.	ZYMOTIC DISEASES	124	10	7	22	25	15	10	3	11	3	3	1	3	2
II.	CONSTITUTIONAL „	161	2	4	1	13	4	2	2	12	9	8	12	19	12
III.	LOCAL „	352	11	14	34	35	12	18	9	16	7	5	11	15	12
IV.	DEVELOPMENTAL „	99	40	7	7	4	3	1	-	-	-	-	2	1	1
V.	VIOLENT DEATHS .	25	1	-	-	1	1	1	-	1	3	1	1	-	-
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	116	6	6	20	25	15	10	3	11	3	3	1	3	2
	2. ENTHETIC „ .	5	2	1	2	-	-	-	-	-	-	-	-	-	-
	3. DIETIC „ .	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. PARASITIC „ .	1	1	-	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC „ .	35	-	-	-	1	-	1	-	-	-	-	-	2	1
	2. TUBERCULAR „ .	126	2	4	1	12	4	1	2	12	9	8	12	17	11
III.	1. DISEASES OF NERVOUS SYSTEM . . .	86	3	2	5	8	3	5	4	7	1	-	3	1	-
	2. „ OF ORGANS OF CIRCULATION .	53	-	-	-	-	-	1	-	4	1	2	3	5	6
	3. „ OF RESPIRATORY ORGANS . . .	146	5	8	28	26	8	8	5	3	3	1	1	1	1
	4. „ OF DIGESTIVE ORGANS . . .	43	3	3	1	1	1	3	-	1	-	-	3	4	4
	5. „ OF URINARY ORGANS . . .	12	-	-	-	-	-	-	-	1	-	2	1	2	1
	6. „ OF ORGANS OF GENERATION .	5	-	-	-	-	-	-	-	-	-	-	-	2	-
	7. „ OF ORGANS OF LOCOMOTION . .	2	-	-	-	-	-	-	-	-	2	-	-	-	-
	8. „ OF INTEGUMENTARY SYSTEM . . .	5	-	1	-	-	-	1	-	-	-	-	-	-	-
IV.	1. DEV. DIS. OF CHILDREN	26	19	1	2	3	1	-	-	-	-	-	-	-	-
	2. „ OF ADULTS .	4	-	-	-	-	-	-	-	-	-	-	1	1	1
	3. „ OF OLD PEOPLE	29	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION	40	21	6	5	1	2	1	-	-	-	-	1	-	-

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1882.--MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE . . .	65	3	-	-	-	1	2	2	1	3	6	6	3	1
	*														
	3. HOMICIDE . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED) . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED . . .		3	2	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles . . .	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	3. Scarlatina . . .	8	-	-	-	3	2	1	1	-	1	-	-	-	-
	4. Diphtheria . . .	16	1	-	2	4	5	1	1	1	-	1	-	-	-
	5. Quinsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup . . .	12	-	-	2	2	3	-	2	3	-	-	-	-	-
	7. Hooping-cough . . .	21	1	2	4	11	2	-	1	-	-	-	-	-	-
	8. { Typhus Fever . . .	3	-	-	-	-	-	-	-	-	-	-	-	1	-
	8. { Enteric or Typhoid Fever . . .	7	-	-	-	-	-	1	-	1	-	-	-	1	2
	8. { Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas . . .	3	1	-	-	-	-	-	1	-	-	-	-	-	-
	10. Puerperal Fever (Metria) . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea . . .	20	4	2	5	3	3	-	1	-	-	-	-	-	-
	15. Cholera . . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	16. Ague . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases . . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis . . .	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra . . .	3	-	-	-	-	-	-	-	-	-	-	1	-	-
	3. Hydrophobia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk . . .	4	3	1	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens . . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy . . .	6	-	-	-	-	1	1	1	1	-	-	-	-	-
	3. Cancer . . .	16	-	-	1	-	1	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma) . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification . . .	2	-	-	-	-	-	-	-	-	1	-	-	-	-

* See page 52, note.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
V.	1. ACCIDENT OR NEGLIGENCE	20	1	-	-	1	1	1	-	1	3	-	1	-	-	
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	5	-	-	-	-	-	-	-	-	-	1	-	-	-	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		1	1	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		1	-	-	1	-	-	-	-	-	-	-	-	-	-	
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	3	-	-	-	2	-	-	-	1	-	-	-	-	-	
	3. Scarlatina	8	-	-	2	1	-	2	-	3	-	-	-	-	-	
	4. Diphtheria	23	-	-	4	5	5	4	2	2	1	-	-	-	-	
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Croup	18	2	-	3	5	3	1	1	3	-	-	-	-	-	
	7. Hooping-cough	28	1	3	4	10	5	3	-	2	-	-	-	-	-	
	8. {	Typhus Fever	3	-	-	-	-	-	-	-	-	1	-	-	-	-
		Enteric or Typhoid Fever	5	-	-	-	-	-	-	-	-	2	-	-	2	-
		Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
	10. Puerperal Fever (Metria)	4	-	-	-	-	-	-	-	-	-	-	1	1	2	
	11. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhœa	18	3	3	7	2	2	-	-	-	-	-	-	-	-	
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	4	-	-	-	-	-	-	-	-	-	1	-	-	-	
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	8	-	-	-	-	-	1	-	-	-	-	-	-	-	
	3. Cancer	24	-	-	-	-	-	-	-	-	-	-	-	1	1	
	4. Cancrum Oris (Noma)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	5. Mortification	2	-	-	-	-	-	-	-	-	-	-	-	-	-	

* See page 52, note.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH,	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	10	6	5	3	8	4	-	1	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhœa	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	3. Cancer	-	3	3	1	3	1	2	1	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	1	1	-	1	-	3	1	-	1	3	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	1	-	-	-	-	2	1	1	1	-	-	-	-	-	-
	3. Cancer	1	3	7	1	1	2	2	4	1	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in GREENOCK, at different Periods of Life in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	14	1	1	1	1	—	—	—	1	1	1	6	—	—
	2. Tabes Mesenterica . . .	18	—	2	3	4	3	1	1	1	2	—	—	—	—
	3. Phthisis	71	—	—	1	2	1	1	1	5	7	10	6	10	8
	4. Hydrocephalus	16	—	4	3	3	2	1	2	1	—	—	—	—	—
	ORDER 1.														
	1. Cephalitis	42	—	3	6	6	3	2	3	7	5	1	2	—	1
	2. Apoplexy	19	—	1	1	—	—	—	—	1	—	—	—	1	1
	3. Paralysis	18	—	—	—	—	—	—	—	—	1	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	3	—	—	—	—	—	—	—	—	—	1	1	—	—
	7. Convulsions	15	3	1	1	7	1	—	—	1	—	—	—	—	—
	8. Brain Disease, etc. . .	12	3	1	—	2	—	—	—	2	1	—	—	—	—
	ORDER 2.														
	1. Pericarditis	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc. . .	56	—	—	—	—	—	—	1	2	—	2	2	2	—
	ORDER 3.														
	1. Laryngitis	3	—	—	—	2	—	—	—	—	—	—	1	—	—
	2. Bronchitis	75	8	5	10	14	4	5	1	1	—	—	—	—	1
	3. Pleurisy	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Pneumonia	64	2	8	9	7	4	2	1	2	1	1	3	1	3
	5. Asthma	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc. . .	24	3	1	3	6	—	—	—	2	—	2	1	1	—
	ORDER 4.														
	1. Gastritis	3	—	—	1	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	20	2	3	6	5	—	—	—	—	1	—	—	—	1
3. Peritonitis	5	—	—	1	1	—	—	—	—	—	1	—	—	—	
4. Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Ulceration of Intestines .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Hernia	4	—	—	—	—	—	—	—	1	—	—	—	—	—	
7. Ileus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9. Stricture of Intestines .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Stomach Disease, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Hepatitis	4	—	—	—	—	—	—	—	1	—	—	—	—	1	
14. Jaundice	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
15. Liver Disease, etc. . .	5	—	—	1	—	—	—	—	—	—	—	—	—	—	
16. Spleen Disease, etc. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 5.														
	1. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	6	—	—	—	—	—	—	—	2	1	—	—	—	—
	4. Diabetes	2	—	—	—	—	—	—	—	—	1	1	—	—	—
	5. Calculus (Stone) . . .	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	6. Cystitis	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	7. Kidney Disease, etc. .	3	—	—	—	—	—	—	—	1	—	1	—	—	—
	ORDER 6.														
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.														
	1. Synovitis (Arthritis) .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc. . .	2	—	—	—	—	1	—	—	—	—	—	1	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	4	-	-	-	1	-	-	-	1	-	-	-	1	-
	2. Tabes Mesenterica	13	-	-	-	5	1	-	2	2	2	-	-	1	-
	3. Phthisis	96	1	2	-	2	2	1	-	6	7	7	12	15	11
	4. Hydrocephalus	13	1	2	1	4	1	-	-	3	-	1	-	-	-
	ORDER 1.														
	1. Cephalitis	28	1	1	4	5	2	5	4	3	1	-	2	-	-
	2. Apoplexy	24	-	-	-	-	-	-	-	-	-	-	-	1	-
	3. Paralysis	16	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Insanity	2	-	-	-	-	-	-	-	-	-	-	1	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	8	1	1	-	2	1	-	-	2	-	-	-	-	-
	8. Brain Disease, etc.	8	1	-	1	1	-	-	-	2	-	-	-	-	-
	ORDER 2.														
	1. Pericarditis	2	-	-	-	-	-	-	-	1	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	51	-	-	-	-	-	1	-	3	1	2	3	5	6
	ORDER 3.														
	1. Laryngitis	10	-	-	3	2	1	2	1	1	-	-	-	-	-
	2. Bronchitis	86	3	5	18	11	6	2	3	1	2	-	1	-	-
	3. Pleurisy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	36	2	1	5	12	-	3	1	1	1	-	-	1	1
	5. Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	13	-	2	2	1	1	1	-	-	-	1	-	-	-
	ORDER 4.														
	1. Gastritis	4	1	1	-	1	-	-	-	-	-	-	-	-	1
	2. Enteritis	8	1	2	1	-	1	2	-	-	-	-	-	-	-
3. Peritonitis	9	1	-	-	-	-	1	-	1	-	-	2	1	2	
4. Ascites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines . .	4	-	-	-	-	-	-	-	-	-	-	1	-	1	
6. Hernia	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
7. Ileus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. Intussusception	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
9. Stricture of Intestines . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc. . . .	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
12. Pancreas Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
14. Jaundice	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
15. Liver Disease, etc.	6	-	-	-	-	-	-	-	-	-	-	-	1	-	
16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	2	-	-	-	-	-	-	-	1	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria) .	4	-	-	-	-	-	-	-	-	-	1	1	-	-	
4. Diabetes	4	-	-	-	-	-	-	-	-	-	1	-	2	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
7. Kidney Disease, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 6.															
1. Ovarian Dropsy	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
2. Uterus Disease, etc.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
ORDER 7.															
1. Synovitis (Arthritis)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
2. Joint Disease, etc.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	

FEMALES	
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	72
73	74
75	76
77	78
79	80
81	82
83	84
85	86
87	88
89	90
91	92
93	94
95	96
97	98
99	100

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	8	6	4	3	2	4	2	1	-	-	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Apoplexy	-	1	-	3	3	2	3	5	5	-	1	-	-	-	-
	3. Paralysis	-	3	1	3	2	3	2	1	-	-	1	-	-	-	-
	4. Insanity	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	3	4	2	5	4	5	3	4	-	-	-	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Bronchitis	-	2	7	4	5	5	6	1	1	-	3	-	-	-	-	
3. Pleurisy	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
4. Pneumonia	3	1	-	2	-	1	1	-	-	-	-	-	-	-	-	
5. Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Lung Disease, etc.	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	
ORDER 4.																
1. Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Enteritis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Peritonitis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Ascites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
6. Hernia	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
7. Ileus	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
8. Intussusception	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
14. Jaundice	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
15. Liver Disease, etc.	-	2	-	-	-	-	2	1	-	-	-	-	-	-	-	
16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.																
1. Nephritis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
4. Diabetes	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
ORDER 6.																
1. Ovarian Dropsy	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
ORDER 7.																
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	4	-	1	-	-	-	1	-	-	-	-	-	-	-	
	2. Ulcer	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.															
	1. Premature Birth	18	18	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	7	-	1	2	3	1	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever)	4	-	-	-	-	-	-	-	-	-	-	1	1	1	
	ORDER 3.															
	1. Old Age	29	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Atrophy and Debility . . .	40	21	6	5	1	2	1	-	-	-	-	1	-	-	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	10	-	-	-	-	1	-	-	1	1	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	5	-	-	-	1	-	1	-	-	1	-	-	-	-	
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Drowning	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Suffocation	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Otherwise	2	-	-	-	-	-	-	-	-	1	-	1	-	-	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	2	-	-	-	-	-	-	-	-	-	1	-	-	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined		1	-	-	1	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	607	82	38	55	61	23	16	11	21	16	17	19	12	9
	Specified Causes . .	605	82	38	55	61	23	16	11	21	16	17	19	12	9
	(CLASSES.)														
I.	ZYMOTIC DISEASES	106	8	10	10	20	11	6	6	7	2	4	-	-	3
II.	CONSTITUTIONAL „	111	3	5	12	14	2	4	-	4	5	7	9	7	3
III.	LOCAL „	291	27	20	29	20	8	6	4	8	7	2	8	3	1
IV.	DEVELOPMENTAL „	65	43	2	3	6	2	-	-	-	-	-	-	-	-
V.	VIOLENT DEATHS . .	32	1	1	1	1	-	-	1	2	2	4	2	2	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	100	7	10	9	20	11	6	6	7	2	3	-	-	3
	2. ENTHETIC „ .	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. DIETIC „ .	4	-	-	1	-	-	-	-	-	-	1	-	-	-
	4. PARASITIC „ .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC „ .	16	-	-	-	-	-	1	-	-	-	-	-	1	-
	2. TUBERCULAR „ .	95	3	5	12	14	2	3	-	4	5	7	9	6	3
III.	1. DISEASES OF NERVOUS SYSTEM . .	61	5	3	3	4	1	-	1	3	1	-	-	-	-
	2. „ OF ORGANS OF CIRCULATION .	49	2	-	-	-	-	-	-	2	3	1	1	2	-
	3. „ OF RESPIRATORY ORGANS . .	125	14	13	18	16	6	4	2	1	-	1	4	1	1
	4. „ OF DIGESTIVE ORGANS . . .	35	5	3	7	-	1	-	-	-	1	-	2	-	-
	5. „ OF URINARY ORGANS . . .	12	-	-	-	-	-	2	1	2	-	-	-	-	-
	6. „ OF ORGANS OF GENERATION .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. „ OF ORGANS OF LOCOMOTION . .	2	-	-	-	-	-	-	-	-	2	-	-	-	-
	8. „ OF INTEGUMENTARY SYSTEM . .	7	1	1	1	-	-	-	-	-	-	-	1	-	-
IV.	1. DEV. DIS. OF CHILDREN	35	29	-	3	3	-	-	-	-	-	-	-	-	-
	2. „ OF ADULTS .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION	21	14	2	-	3	2	-	-	-	-	-	-	-	-

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.- FEMALEs.

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	MONTHS.			AGE UNDER										
			3	6	12	2	3	4	5	10	15	20	25	30	35	
	All Causes . . .	570	48	25	55	50	18	11	15	17	12	11	14	29	22	
	Specified Causes . .	566	46	25	54	50	18	11	15	17	12	11	14	28	22	
	(CLASSES.)															
I.	ZYMOTIC DISEASES	113	6	7	23	15	5	6	10	7	3	-	3	7	4	
II.	CONSTITUTIONAL „	136	2	4	7	13	6	1	1	5	6	9	6	13	11	
III.	LOCAL „	239	16	12	18	18	7	3	4	5	3	2	4	7	3	
IV.	DEVELOPMENTAL „	70	20	2	6	4	-	1	-	-	-	-	-	1	3	
V.	VIOLENT DEATHS .	8	2	-	-	-	-	-	-	-	-	-	1	-	1	
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	104	5	5	22	15	5	6	10	7	3	-	3	7	3	
	2. ENTHETIC „ .	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
	3. DIETIC „ .	5	-	-	-	-	-	-	-	-	-	-	-	-	1	
	4. PARASITIC „ .	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
II.	1. DIATHETIC „ .	24	1	-	-	-	-	-	-	-	-	-	-	-	2	
	2. TUBERCULAR „ .	112	1	4	7	13	6	1	1	5	6	9	6	13	9	
III.	1. DISEASES OF NERVOUS SYSTEM . .	51	1	3	2	4	-	1	3	2	-	-	1	1	-	
	2. „ OF ORGANS OF CIRCULATION .	49	1	1	-	-	-	-	-	-	-	1	1	1	1	
	3. „ OF RESPIRATORY ORGANS . .	87	8	5	10	12	6	2	-	2	1	1	1	1	-	
	4. „ OF DIGESTIVE ORGANS . . .	37	5	3	6	1	1	-	1	-	1	-	-	2	1	
	5. „ OF URINARY ORGANS . . .	5	-	-	-	-	-	-	-	-	-	-	1	1	1	
	6. „ OF ORGANS OF GENERATION .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. „ OF ORGANS OF LOCOMOTION . .	2	-	-	-	-	-	-	-	-	1	-	-	1	-	
	8. „ OF INTEGUMENTARY SYSTEM . .	5	1	-	-	1	-	-	-	1	-	-	-	-	-	
V.	1. DEV. DIS. OF CHILDREN	21	14	-	5	2	-	-	-	-	-	-	-	-	-	
	2. „ OF ADULTS .	7	-	-	-	-	-	-	-	-	-	-	-	1	3	
	3. „ OF OLD PEOPLE	29	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. DISEASES OF NUTRITION	13	6	2	1	2	-	1	-	-	-	-	-	-	-	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	ALL AGES.	MALES.												
			AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	32	1	1	1	1	-	-	1	2	2	4	2	2	2
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		2	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	16	-	-	2	11	1	1	-	1	-	-	-	-	-
	3. Scarlatina	17	-	1	-	2	6	2	2	3	1	-	-	-	-
	4. Diphtheria	9	-	-	-	3	2	-	3	1	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	9	1	-	1	2	1	3	1	-	-	-	-	-	-
	7. Hooping-cough	4	-	1	2	-	1	-	-	-	-	-	-	-	-
	8. { Typhus Fever	15	-	-	-	-	-	-	-	-	-	3	-	-	3
	{ Enteric or Typhoid Fever	4	-	-	-	-	-	-	-	1	1	-	-	-	-
	{ Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	2	-	1	-	-	-	-	-	1	-	-	-	-	-
	14. Diarrhoea	15	4	5	4	1	-	-	-	-	-	-	-	-	-
	15. Cholera	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	3	-	-	1	-	-	-	-	-	-	1	-	-	-
	4. Alcoholism { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ b Intemperance	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	13	-	-	-	-	-	1	-	-	-	-	-	1	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE . . . * 3. HOMICIDE . . . 4. SUICIDE . . . 5. EXECUTION . . .	7 - 1 -	2 - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - 1 -	- - - -	- - - -	
	SUDDEN DEATHS (CAUSE UNASCERTAINED) . . . CAUSES NOT SPECIFIED . . .	- 4	- 2	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	
I.	ORDER 1. 1. Small-pox . . . 2. Measles . . . 3. Scarlatina . . . 4. Diphtheria . . . 5. Quinsy . . . 6. Croup . . . 7. Hooping-cough . . . 8. { Typhus Fever . . . Enteric or Typhoid Fever . . . Relapsing Fever . . . Simple Continued Fever . . . 9. Erysipelas . . . 10. Puerperal Fever (Metria) . . . 11. Carbuncle . . . 12. Influenza . . . 13. Dysentery . . . 14. Diarrhoea . . . 15. Cholera . . . 16. Ague . . . 17. Remittent Fever . . . 18. Rheumatism . . . 19. Other Miasmatic Diseases	- 15 17 4 - 8 7 12 4 - 1 2 9 - - - 21 1 - - 2 1	- - 1 - - - - - - - - - - - - - 5 - - - -	- 1 1 - - 3 4 - - - 1 - - - - 2 8 - 1 - - - -	- 5 3 - 3 1 - - - - - - - 3 - - - - - - -	- - 2 1 - - 1 - - - - - - - - 1 - - - -	- 3 2 1 - - - - - - - - - - - - 1 - - -	- 1 2 2 - - 1 - - - - - - - - - - - - -	- - 4 - - - - 1 - - - - - - - - - - - - -	- - 2 - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - 1 - - - - -		
	ORDER 2. 1. Syphilis . . . 2. Stricture of Urethra . . . 3. Hydrophobia . . . 4. Glanders . . .	3 - - -	1 - - -	2 - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	
	ORDER 3. 1. Privation . . . 2. Want of Breast Milk . . . 3. Purpura and Scurvy . . . 4. Alco- { a Del. Tremens holism { b Intemperance	1 - - 4	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - 1	
	ORDER 4. 1. Thrush . . . 2. Worms, etc. . .	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
II.	ORDER 1. 1. Gout . . . 2. Dropsy . . . 3. Cancer . . . 4. Cancrum Oris (Noma) . . . 5. Mortification . . .	- 3 18 - 3	- 1 - - -	- - - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - 2 -	

* See page 52, note.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE . . .	3	4	5	—	1	—	—	—	—	—	—	—	—	—	—
	*															
	3. HOMICIDE . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. EXECUTION . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUDDEN DEATHS (CAUSE UNASCERTAINED) . . .		—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
CAUSES NOT SPECIFIED . . .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
I.	ORDER 1.															
	1. Small-pox . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Measles . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Scarlatina . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diphtheria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Quinsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Croup . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Hooping-cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Typhus Fever . . .	1	3	3	1	1	—	—	—	—	—	—	—	—	—	—
	8. { Enteric or Typhoid Fever . . .	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	8. { Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. { Simple Continued Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Erysipelas . . .	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	10. Puerperal Fever (Metria) . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12. Influenza . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Dysentery . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Diarrhœa . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	15. Cholera . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Ague . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17. Remittent Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18. Rheumatism . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	19. Other Miasmatic Diseases . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 2.															
	1. Syphilis . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	2. Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Hydrophobia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Glanders . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.															
	1. Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Purpura and Scurvy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Alco- { a Del. Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	holism { b Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Thrush . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Worms, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	ORDER 1.															
	1. Gout . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	2. Dropsy . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	3. Cancer . . .	—	2	1	—	1	2	1	3	—	1	—	—	—	—	—
	4. Cancrum Oris (Noma) . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Mortification . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—

* See page 52, note.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping cough	1	2	2	1	-	-	-	1	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	14. Diarrhoea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alcoholism { a Del. Tremens	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	2	3	1	3	-	1	3	2	-	1	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-

* See page 52. note.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	7	1	—	1	2	—	—	—	1	—	1	1	—	—
	2. Tabes Mesenterica . . .	10	—	2	1	3	1	2	—	1	—	—	—	—	—
	3. Phthisis	50	—	—	—	—	—	—	—	—	5	6	8	6	3
	4. Hydrocephalus	28	2	3	10	9	1	1	—	2	—	—	—	—	—
	ORDER 1.														
	1. Cephalitis	8	—	—	2	2	—	—	—	2	—	—	—	—	—
	2. Apoplexy	10	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Paralysis	20	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	7. Convulsions	12	4	3	1	2	1	—	1	—	—	—	—	—	—
	8. Brain Disease, etc. . .	9	—	—	—	—	—	—	—	1	1	—	—	—	—
	ORDER 2.														
	1. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc. . .	48	2	—	—	—	—	—	—	2	3	1	1	2	—
	ORDER 3.														
	1. Laryngitis	6	—	1	2	—	—	1	—	—	—	—	—	—	1
	2. Bronchitis	56	8	7	10	8	2	—	1	—	—	1	—	—	—
	3. Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Pneumonia	52	3	4	5	8	4	3	—	1	—	—	4	—	—
	5. Asthma	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc. . .	10	3	1	1	—	—	—	1	—	—	—	—	1	—
	ORDER 4.														
	1. Gastritis	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	17	3	3	7	—	—	—	—	—	—	—	1	—	—
	3. Peritonitis	2	—	—	—	—	—	—	—	—	—	—	1	—	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Ileus	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	8. Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines .	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc. .	4	1	—	—	—	1	—	—	—	—	—	—	—	—
	12. Pancreas Disease, etc. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Jaundice	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	15. Liver Disease, etc. . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	16. Spleen Disease, etc. . .	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	ORDER 5.														
	1. Nephritis	6	—	—	—	—	—	2	1	2	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc. . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 6.														
	1. Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.														
	1. Synovitis (Arthritis) . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc. . . .	2	—	—	—	—	—	—	—	—	2	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	4	-	-	-	1	-	-	-	-	1	1	-	-	1
	2. Tabes Mesenterica	6	-	-	-	4	-	1	-	1	-	-	-	-	-
	3. Phthisis	79	1	-	2	-	3	-	1	3	3	8	6	13	8
	4. Hydrocephalus	23	-	4	5	8	3	-	-	1	2	-	-	-	-
	ORDER 1.														
	1. Cephalitis	6	-	1	1	-	-	-	2	2	-	-	-	-	-
	2. Apoplexy	13	-	-	-	2	-	-	-	-	-	-	1	-	-
	3. Paralysis	18	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Insanity	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	6. Epilepsy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	7	-	2	1	2	-	1	1	-	-	-	-	-	-
	8. Brain Disease, etc.	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	49	1	1	-	-	-	-	-	-	-	1	1	1	1
	ORDER 3.														
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	54	7	5	7	6	3	1	-	1	1	-	1	-	-
	3. Pleurisy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	25	-	-	3	5	3	-	-	1	-	1	-	1	-
	5. Asthma	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	6	1	-	-	1	-	1	-	-	-	-	-	-	-
	ORDER 4.														
	1. Gastritis	3	-	-	-	1	-	-	1	-	-	-	-	-	-
	2. Enteritis	17	3	3	6	-	1	-	-	-	1	-	-	2	-
3. Peritonitis	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Hernia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Ileus	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. Stomach Disease, etc.	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14. Jaundice	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
15. Liver Disease, etc.	5	-	-	-	-	-	-	-	-	-	-	-	-	1	
16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	2	-	-	-	-	-	-	-	-	-	-	1	1	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.															
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Joint Disease, etc.	2	-	-	-	-	-	-	-	-	1	-	-	1	-	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
III.	ORDER 2.																
	1. Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Phthisis	3	5	6	2	5	-	1	-	-	-	-	-	-	-	-	
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.																
	1. Cephalitis	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
	2. Apoplexy	2	1	2	-	1	1	-	-	3	-	-	-	-	-	-	
	3. Paralysis	1	1	1	3	-	1	3	4	3	2	1	-	-	-	-	
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Epilepsy	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Brain Disease, etc.	-	-	2	-	2	1	1	1	-	-	-	-	-	-	-	
	ORDER 2.																
	1. Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Heart Disease, etc.	4	2	4	6	5	4	3	4	4	1	-	-	-	-	-	
	ORDER 3.																
	1. Laryngitis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	2. Bronchitis	-	2	1	1	3	3	2	3	2	1	1	-	-	-	-	
	3. Pleurisy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Pneumonia	2	5	2	5	1	2	3	-	-	-	-	-	-	-	-	
	5. Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Lung Disease, etc.	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
	ORDER 4.																
	1. Gastritis	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
	2. Enteritis	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
	3. Peritonitis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6. Hernia	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
7. Ileus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8. Intussusception	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
9. Stricture of Intestines	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11. Stomach Disease, etc.	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-		
12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14. Jaundice	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-		
15. Liver Disease, etc.	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-		
16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 5.																	
1. Nephritis	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3. Bright's Disease (Nephria)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7. Kidney Disease, etc.	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-		
ORDER 6.																	
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 7.																	
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Joint Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
III.	ORDER 2.																
	1. Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Phthisis	11	5	4	2	4	4	1	-	-	-	-	-	-	-	-	
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.																
	1. Cephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Apoplexy	-	-	-	1	2	3	-	-	2	2	-	-	-	-	-	
	3. Paralysis	1	1	1	-	-	2	2	4	5	2	-	-	-	-	-	
	4. Insanity	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Epilepsy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Brain Disease, etc.	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	
	ORDER 2.																
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Heart Disease, etc.	4	3	2	3	2	13	3	6	4	3	-	-	-	-	-	
	ORDER 3.																
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Bronchitis	1	-	1	4	4	2	3	3	4	-	-	-	-	-	-	
	3. Pleurisy	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	4. Pneumonia	-	3	1	1	2	1	-	1	-	1	-	-	1	-	-	
	5. Asthma	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	6. Lung Disease etc.	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	
	ORDER 4.																
1. Gastritis	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
2. Enteritis	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
3. Peritonitis	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-		
4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6. Hernia	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
7. Ileus	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11. Stomach Disease etc.	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
12. Pancreas Disease etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14. Jaundice	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-		
15. Liver Disease etc.	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-		
16. Spleen Disease etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 5.																	
1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3. Bright's Disease (Nephria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7. Kidney Disease etc.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
ORDER 6.																	
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Uterus Disease etc.	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-		
ORDER 7.																	
1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2. Joint Lisease etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in LEITH, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
IV.	ORDER 8.														
	1. Phlegmon	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc.	2	-	-	-	1	-	-	-	1	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	15	14	-	1	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	6	-	-	4	2	-	-	-	-	-	-	-	-	-
V.	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	7	-	-	-	-	-	-	-	-	-	-	-	1	3
	ORDER 3.														
	1. Old Age	29	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	13	6	2	1	2	-	1	-	-	-	-	-	-	-
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Burns and Scalds	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
6. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Suffocation	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
8. Otherwise	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Otherwise and undefined	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
	ORDER 5.														
	(Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		4	2	-	1	-	-	-	-	-	-	-	-	1	-

[illegible]

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	729	73	25	64	77	30	25	22	33	19	26	31	25	12
	Specified Causes . .	728	72	25	64	77	30	25	22	33	19	26	31	25	12
	(CLASSES.)														
I.	ZYMOTIC DISEASES	121	3	10	11	25	12	9	12	14	3	2	1	2	1
II.	CONSTITUTIONAL „	124	2	2	3	5	11	7	5	3	9	14	19	13	2
III.	LOCAL „	325	21	8	27	20	5	9	5	14	6	7	9	8	7
IV.	DEVELOPMENTAL „	130	44	5	23	26	2	—	—	—	1	1	—	—	—
V.	VIOLENT DEATHS .	28	2	—	—	1	—	—	—	2	—	2	2	2	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	114	2	8	11	25	12	9	12	14	3	2	1	2	1
	2. ENTHETIC „ .	3	1	1	—	—	—	—	—	—	—	—	—	—	—
	3. DIETIC „ .	4	—	1	—	—	—	—	—	—	—	—	—	—	—
	4. PARASITIC „ .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. DIATHETIC „ .	13	—	—	—	—	—	—	1	—	—	—	—	1	—
	2. TUBERCULAR „ .	111	2	2	3	5	11	7	4	3	9	14	19	12	2
III.	1. DISEASES OF NERVOUS SYSTEM . .	74	7	—	3	7	1	2	1	4	3	—	—	3	2
	2. „ OF ORGANS OF CIRCULATION .	39	—	—	—	—	—	—	—	2	—	1	—	—	—
	3. „ OF RESPIRATORY ORGANS . .	152	10	8	21	13	3	7	3	5	2	4	2	5	3
	4. „ OF DIGESTIVE ORGANS . . .	27	3	—	2	—	—	—	—	1	1	—	3	—	—
	5. „ OF URINARY ORGANS . . .	25	—	—	—	—	1	—	1	1	—	1	3	—	1
	6. „ OF ORGANS OF GENERATION .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. „ OF ORGANS OF LOCOMOTION . .	4	—	—	—	—	—	—	—	1	—	1	1	—	—
	8. „ OF INTEGUMENTARY SYSTEM . .	4	1	—	1	—	—	—	—	—	—	—	—	—	1
IV.	1. DEV. DIS. OF CHILDREN	70	28	2	16	22	1	—	—	—	—	1	—	—	—
	2. „ OF ADULTS .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. „ OF OLD PEOPLE	28	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. DISEASES OF NUTRITION .	32	16	3	7	4	1	—	—	—	1	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
V.	1. ACCIDENT OR NEGLIGENCE	27	2	-	-	1	-	-	-	2	-	2	2	2	1	
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		1	1	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	16	-	-	1	10	2	2	-	1	-	-	-	-	-	
	3. Scarlatina	40	-	1	2	3	7	5	9	10	3	-	-	-	-	
	4. Diphtheria	5	-	-	1	-	1	2	-	1	-	-	-	-	-	
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Croup	7	-	-	1	3	1	-	2	-	-	-	-	-	-	
	7. Hooping-cough	7	-	2	1	4	-	-	-	-	-	-	-	-	-	
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Enteric or Typhoid Fever	11	-	-	-	2	-	-	-	1	-	2	1	1	-	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	9. Erysipelas	4	-	-	-	-	-	-	1	-	-	-	-	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13. Dysentery	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhoea	18	1	5	5	3	1	-	-	1	-	-	-	-	1	
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Syphilis		3	1	1	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk		1	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance		3	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	2	-	-	-	-	-	-	1	-	-	-	-	-	-	
	3. Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	-	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	ALL AGES.	FEMALES.												
			AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
V.	1. ACCIDENT OR NEGLIGENCE	5	-	2	1	-	-	-	-	-	-	-	-	-	-
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	CAUSES NOT SPECIFIED	1	-	-	-	-	-	-	-	-	1	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Méasles	21	-	-	7	10	1	2	-	1	-	-	-	-	-
	3. Scarlatina	36	-	-	2	5	3	7	3	12	3	-	1	-	-
	4. Diphtheria	7	-	-	-	1	2	1	-	3	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	8	1	-	-	1	1	2	1	2	-	-	-	-	-
	7. Hooping-cough	12	1	1	2	3	2	2	1	-	-	-	-	-	-
	8. { Typhus Fever	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	8. { Enteric or Typhoid Fever	13	-	-	-	-	-	-	-	1	5	1	2	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	9. Erysipelas	3	1	-	-	-	-	-	-	-	-	-	-	1	-
	10. Puerperal Fever (Metria)	15	-	-	-	-	-	-	-	-	-	-	4	5	2
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	18	3	2	5	3	-	-	-	-	-	1	-	1	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	6	-	-	-	-	-	-	-	-	-	1	-	-	1
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	3. Cancer	24	-	-	-	-	-	-	-	-	1	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in PAISLEY, at different Periods in Life, in 1882.—MALES. (Continued).

CAUSES OF DEATH.		MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	6	-	4	1	-	3	-	1	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	14. Diarrhœa	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alcoholism { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alcoholism { b Intemperance	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	3. Cancer	-	1	1	-	5	1	-	-	1	1	-	-	-	-	-
	4. Cancerum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS (CAUSE UNASCERTAINED)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CAUSES NOT SPECIFIED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Cancer	1	6	3	1	2	4	2	4	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	13	-	-	-	-	-	1	1	-	1	3	4	2	-
	2. Tabes Mesenterica	9	-	-	1	2	1	1	2	-	2	-	-	-	-
	3. Phthisis	65	-	-	-	-	2	-	-	3	5	11	15	10	2
	4. Hydrocephalus	24	2	2	2	3	8	5	1	-	1	-	-	-	-
	ORDER 1.														
	1. Cephalitis	15	-	-	2	4	1	2	-	3	1	-	-	1	-
	2. Apoplexy	17	1	-	-	1	-	-	-	-	-	-	-	-	1
	3. Paralysis	22	-	-	-	-	-	-	-	-	-	-	-	1	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	7. Convulsions	9	6	-	-	2	-	-	-	1	-	-	-	-	-
	8. Brain Disease, etc.	10	-	-	1	-	-	-	1	-	2	-	-	1	-
	ORDER 2.														
	1. Pericarditis	3	-	-	-	-	-	-	-	2	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	36	-	-	-	-	-	-	-	-	-	1	-	-	-
	ORDER 3.														
	1. Laryngitis	2	-	1	-	-	-	1	-	-	-	-	-	-	-
	2. Bronchitis	88	9	6	13	9	2	3	-	4	-	1	1	1	1
	3. Pleurisy	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	4. Pneumonia	46	-	1	6	4	1	3	2	1	2	3	1	3	2
	5. Asthma	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	10	1	-	2	-	-	-	-	-	-	-	-	1	-
	ORDER 4.														
	1. Gastritis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Enteritis	6	2	-	2	-	-	-	-	-	1	-	-	-	-
	3. Peritonitis	2	-	-	-	-	-	-	-	-	-	-	1	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines . .	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Pancreas Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	4	-	-	-	-	-	-	-	1	-	-	1	-	-
	14. Jaundice	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	7	-	-	-	-	-	-	1	1	-	-	2	-	-
	2. Ischuria	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	4	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Diabetes	2	-	-	-	-	-	-	-	-	-	-	1	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc.	3	-	-	-	-	1	-	-	-	-	1	-	-	-
	ORDER 6.														
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.														
	1. Synovitis (Arthritis).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	4	-	-	-	-	-	-	-	1	-	1	1	-	-

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1882.—MALES. (*Continued*).

[illegible]

CAUSES of DEATH in PAISLEY at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER.													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.															
	1. Premature Birth	19	19	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	25	-	1	14	8	2	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever)	10	-	-	-	-	-	-	-	-	-	-	2	2	3	
	ORDER 3.															
	1. Old Age	42	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Atrophy and Debility	22	14	2	2	2	-	-	-	-	-	-	-	-	-	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Suffocation	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
	8. Otherwise	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Causes not specified or ill-defined		1	-	-	-	-	-	-	-	1	-	-	-	-	-

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1882.—MALES. (*Continued.*)

[illegible]

[illegible]

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	350	37	18	13	33	9	9	7	7	9	8	13	10	19
	Specified Causes . .	348	37	18	13	33	9	9	6	7	9	8	13	10	19
	(CLASSES.)														
I.	ZYMOTIC DISEASES	83	8	5	6	13	3	7	4	3	5	4	3	4	2
II.	CONSTITUTIONAL „	43	-	1	-	6	3	1	1	2	1	1	6	3	4
III.	LOCAL „	159	7	10	5	11	2	-	1	1	3	3	2	3	8
IV.	DEVELOPMENTAL „	46	22	1	2	3	1	-	-	1	-	-	-	-	-
V.	VIOLENT DEATHS .	17	-	1	-	-	-	1	-	-	-	-	2	-	5
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	74	4	4	4	13	3	7	4	3	5	4	3	4	2
	2. ENTHETIC „ .	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	3. DIETIC „ .	7	3	1	1	-	-	-	-	-	-	-	-	-	-
	4. PARASITIC „ .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC „ .	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. TUBERCULAR „ .	38	-	1	-	6	3	1	1	2	1	1	6	3	4
III.	1. DISEASES OF NERVOUS SYSTEM . .	41	-	3	1	2	-	-	1	-	-	-	1	1	1
	2 „ OF ORGANS OF CIRCULATION .	34	-	-	-	-	-	-	-	-	-	-	-	1	3
	3. „ OF RESPIRATORY ORGANS . .	56	3	4	4	8	2	-	-	1	2	1	1	1	1
	4. „ OF DIGESTIVE ORGANS. . .	14	4	3	-	1	-	-	-	-	-	1	-	-	-
	5. „ OF URINARY ORGANS. . .	8	-	-	-	-	-	-	-	-	-	-	-	-	1
	6. „ OF ORGANS OF GENERATION .	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	7. „ OF ORGANS OF LOCOMOTION. .	4	-	-	-	-	-	-	-	-	1	1	-	-	1
	8. „ OF INTEGUMENTARY SYSTEM . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	1. DEV. DIS. OF CHILDREN	18	14	-	2	2	-	-	-	-	-	-	-	-	-
	2. „ OF ADULTS .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OF OLD PEOPLE	15	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. DISEASES OF NUTRITION.	13	8	1	-	1	1	-	-	1	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
V.	1. ACCIDENT OR NEGLIGENCE . . .	16	-	1	-	-	-	1	-	-	-	-	2	-	5	
	*															
	3. HOMICIDE . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. EXECUTION . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED) . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED . . .		2	-	-	-	-	-	-	1	-	-	-	-	-	-	
I.	ORDER 1.															
	1. Small-pox . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles . . .	15	-	-	1	5	2	4	1	1	1	-	-	-	-	
	3. Scarlatina . . .	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
	4. Diphtheria . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Quinsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Croup . . .	3	-	-	1	-	1	1	-	-	-	-	-	-	-	
	7. Hooping-cough . . .	10	-	1	1	7	-	1	-	-	-	-	-	-	-	
	8. { Typhus Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Enteric or Typhoid Fever . . .	21	-	-	-	-	-	1	2	2	3	4	2	4	1	
	8. { Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	9. Erysipelas . . .	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
	10. Puerperal Fever (Metria). . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13. Dysentery . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhoea . . .	15	3	3	1	1	-	-	-	-	1	-	1	-	1	
	15. Cholera . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	19. Other Miasmatic Diseases . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		ORDER 2.														
		1. Syphilis . . .	2	1	-	1	-	-	-	-	-	-	-	-	-	-
		2. Stricture of Urethra . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		3. Hydrophobia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		4. Glanders . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ORDER 3.														
		1. Privation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2. Want of Breast Milk . . .	5	3	1	1	-	-	-	-	-	-	-	-	-	-
		3. Purpura and Scurvy . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		4. Alcho- { a Del. Tremens . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
		ORDER 4.														
		1. Thrush . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2. Worms, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cancer . . .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Cancrum Oris (Noma). . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* See page 52, note.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	4	-	1	-	-	-	-	-	-	-	-	-	1	-
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	12	-	-	4	5	1	-	1	1	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	2	-	-	-	-	1	1	-	-	-	-	-	-	-
	7. Hooping-cough	16	1	-	4	5	3	1	-	2	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	24	-	-	-	-	-	1	-	1	8	3	3	3	3
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	2	-	-	-	-	-	-	-	-	-	-	-	1	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Diarrhœa	8	1	-	2	2	-	-	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	8	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	2	3	-	1	-	-	1	-	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	14. Diarrhœa	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	ORDER.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	3. Cancer	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in PERTH at different Periods of Life, in 1882.--FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	14. Diarrhœa	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alcho- { a Del. Tremens	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	1	3	-	-	2	-	-	-	-	-	-
	3. Cancer	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
III.	ORDER 2.														
	1. Scrofula	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	2. Tabes Mesenterica . . .	10	-	1	-	4	3	-	1	1	-	-	-	-	-
	3. Phthisis	24	-	-	-	-	-	-	-	1	-	1	6	3	4
	4. Hydrocephalus	3	-	-	-	2	-	1	-	-	-	-	-	-	-
	ORDER 1.														
	1. Cephalitis	6	-	2	1	1	-	-	1	-	-	-	-	1	-
	2. Apoplexy	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Paralysis	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Insanity	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc. . .	8	-	-	-	-	-	-	-	-	-	-	1	-	-
	ORDER 2.														
	1. Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	2. Aneurism	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc. . .	31	-	-	-	-	-	-	-	-	-	-	-	1	2
	ORDER 3.														
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	29	3	4	3	4	1	-	-	-	2	-	-	-	-
	3. Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	22	-	-	1	4	1	-	-	1	-	1	1	1	1
	5. Asthma	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc. . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Gastritis	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	2. Enteritis	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Peritonitis	2	-	-	-	-	-	-	-	-	-	1	-	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. .	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	12. Pancreas Disease, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	14. Jaundice	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc. . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Spleen Disease, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diabetes	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc. . .	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 6.														
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc. . .	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 7.														
	1. Synovitis (Arthritis) . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc. . . .	4	-	-	-	-	-	-	-	-	1	1	-	-	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882.—FEMALES. (Continued.)

[illegible]

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882. —MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Apoplexy	1	-	1	1	1	1	3	2	-	1	-	-	-	-	-
	3. Paralysis	-	-	2	1	2	2	2	1	1	1	-	-	-	-	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	-	-	-	1	-	1	-	2	1	-	2	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	1	4	2	1	4	4	1	4	5	1	1	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	-	2	-	3	2	4	-	-	-	1	-	-	-	-	-
	3. Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	-	2	2	1	2	1	2	1	-	-	-	-	-	-	-
	5. Asthma	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	ORDER 4.															
	1. Gastritis	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	2. Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Peritonitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	12. Pancreas Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria) . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	7. Kidney Disease, etc.	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	ORDER 6.															
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.															
	1. Synovitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
IV.	ORDER 8.														
	1. Phlegmon	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	14	14	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	4. Other Malformations . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	3	-	-	2	1	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Old Age	15	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	ORDER 4.														
	1. Atrophy and Debility . .	13	8	1	-	1	1	-	-	1	-	-	-	-	-
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	9	-	-	-	-	-	1	-	-	-	-	1	-	4
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Suffocation	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	8. Otherwise	5	-	1	-	-	-	-	-	-	-	-	1	-	-
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	(Execution.)														
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		2	-	-	-	-	-	-	1	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
IV.	ORDER 8.														
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Skin Disease, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	1. Premature Birth	7	7	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cyanosis	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Teething	3	-	-	2	1	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Childbirth (see Puerperal Fever). . . .	5	-	-	-	-	-	-	-	-	-	-	1	1	1
V.	ORDER 3.														
	1. Old Age	22	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Atrophy and Debility	11	7	1	1	2	-	-	-	-	-	-	-	-	-
	ORDER 1.														
	(Accident or Negligence.)														
	1. Fractures and Contusions	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Burns and Scalds	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Drowning	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	7. Suffocation	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8. Otherwise	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.														
	(Homicide.)														
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	(Suicide.)														
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Poison	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.														
	(Execution.)														
1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified or ill-defined		1	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1882.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATHS in KILMARNOCK, at different Periods of Life, in 1882.—MALES. (Continued).

Class.	CAUSES OF DEATH.	MALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
V.	1. ACCIDENT OR NEGLIGENCE	10	-	1	1	-	-	-	-	-	2	-	2	1	1	
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	5	-	-	1	2	-	2	-	-	-	-	-	-	-	
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Diphtheria	2	-	-	-	1	-	-	-	1	-	-	-	-	-	
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Croup	2	-	-	-	1	-	1	-	-	-	-	-	-	-	
	7. Hooping-cough	2	-	1	-	-	1	-	-	-	-	-	-	-	-	
	8. { Typhus Fever	2	-	-	-	-	-	-	-	-	-	1	-	-	-	
	8. { Enteric or Typhoid Fever	3	-	-	-	-	-	-	-	1	-	-	2	-	-	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
	9. Erysipelas	2	1	-	-	-	-	-	-	1	-	-	-	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13. Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhoea	21	4	1	3	12	-	-	-	-	-	-	-	-	-	
	15. Cholera	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	2	-	-	-	-	-	-	-	-	1	1	-	-	-	
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		ORDER 2.														
		1. Syphilis	2	2	-	-	-	-	-	-	-	-	-	-	-	-
		2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ORDER 3.														
		1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2. Want of Breast Milk	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
		ORDER 4.														
		1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cancer	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Mortification	1	-	-	-	-	-	-	-	-	-	-	1	-	-	

* See page 52, note.

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
V.	1. ACCIDENT OR NEGLIGENCE	5	2	-	-	1	-	-	-	-	1	-	-	-	-
	*														
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.														
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	6	-	-	-	3	2	-	-	1	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	8	-	-	-	1	1	1	4	1	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	7. Hooping-cough	3	-	2	-	-	1	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Enteric or Typhoid Fever	2	-	-	-	-	1	-	-	1	-	-	-	-	-
	Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Simple Continued Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Erysipelas	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	2	-	-	-	-	-	-	-	-	-	-	1	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	3	-	-	1	1	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	26	2	2	8	7	2	1	-	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.														
	1. Syphilis	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.														
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.														
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.															
		AGE UNDER															
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
V.	1. ACCIDENT OR NEGLIGENCE	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	*																
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. SUICIDE	-	-	-		1	-	-	-	-	-	-	-	-	-	-	
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
I.	ORDER 1.																
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Typhus Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Enteric or Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8. { Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	9. Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10. Puerperal Fever (Metria)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13. Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	14. Diarrhoea	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 2.																
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3.																
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	holism { b Intemperance	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.																
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Worms, etc. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	II.	ORDER 1.															
		1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Dropsy		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Cancer		-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	
4. Cancrum Oris (Noma)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Mortification. . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* See page 52, note.

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1882.--FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	*															
	3. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN DEATHS (CAUSE UNASCERTAINED)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES NOT SPECIFIED		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.	ORDER 1.															
	1. Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Enteric or Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. { Simple Continued Fever	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	9. Erysipelas	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	10. Puerperal Fever (Metria)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Dysentery	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	14. Diarrhoea	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-
	15. Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16. Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17. Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18. Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19. Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Purpura and Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Alco- { a Del. Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. holism { b Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Worms, etc. . . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
II.	ORDER 1.															
	1. Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Cancer	-	1	1	2	1	2	3	-	1	-	-	-	-	-	-
	4. Cancrum Oris (Noma)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See page 52, note.

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1882.—MALES. (Continued.)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
3	6	12													
III.	ORDER 2.														
	1. Scrofula	4	-	-	1	-	-	-	-	1	-	1	1	-	-
	2. Tabes Mesenterica . . .	2	-	-	-	-	-	1	1	-	-	-	-	-	-
	3. Phthisis	24	-	-	-	2	-	-	1	1	2	6	3	3	1
	4. Hydrocephalus	9	-	1	2	1	1	-	-	4	-	-	-	-	-
	ORDER 1.														
	1. Cephalitis	5	-	-	-	1	1	-	-	1	-	2	-	-	-
	2. Apoplexy	6	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Paralysis	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc. . .	7	1	1	-	-	-	-	-	1	1	1	-	-	-
	ORDER 2.														
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc. . .	17	-	-	-	-	-	-	-	-	-	-	-	-	1
	ORDER 3.														
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	35	4	6	5	1	1	2	-	2	-	-	-	1	-
	3. Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	7	-	-	1	-	-	-	-	-	-	-	-	-	-
	5. Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc. . .	2	1	-	-	-	-	-	-	-	-	-	-	1	-
	ORDER 4.														
	1. Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Enteritis	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	3. Peritonitis	4	-	-	-	1	-	-	-	1	1	-	-	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Pancreas Disease, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Jaundice	1	1	-	-	-	-	-	-	-	-	-	-	-	-
15. Liver Disease, etc. . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
16. Spleen Disease, etc. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 5.															
1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bright's Disease (Nephria)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. Kidney Disease, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 6.															
1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Uterus Disease, etc. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ORDER 7.															
1. Synovitis (Arthritis) . .	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
2. Joint Disease, etc. . . .	3	-	-	-	-	-	-	-	1	-	-	-	1	-	

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1882.—MALES. (Continued.)

Class,	CAUSES OF DEATH.	MALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 1.															
	1. Cephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Apoplexy	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-
	3. Paralysis	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-
	4. Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Brain Disease, etc.	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Heart Disease, etc.	1	1	2	-	4	3	-	3	2	-	-	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	1	2	1	2	-	1	1	-	1	2	1	1	-	-	-
	3. Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Pneumonia	1	1	-	-	2	-	1	1	-	-	-	-	-	-	-
	5. Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Lung Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.															
	1. Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Enteritis	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	3. Peritonitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Ileus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. Stomach Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12. Pancreas Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14. Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15. Liver Disease, etc.	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	16. Spleen Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	4. Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7. Kidney Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 6.															
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Uterus Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.															
	1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Joint Disease, etc.	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
III.	ORDER 2.															
	1. Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Phthisis	1	2	—	2	—	—	—	—	—	—	—	—	—	—	—
	4. Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 1.															
	1. Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Apoplexy	—	—	—	—	1	3	—	4	2	—	—	—	—	—	—
	3. Paralysis	—	—	—	—	—	2	1	4	1	—	—	—	—	—	—
	4. Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Brain Disease, etc.	—	—	1	1	—	—	—	1	1	1	—	—	—	—	—
	ORDER 2.															
	1. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Heart Disease, etc.	1	1	1	1	2	2	4	—	4	—	—	—	—	—	—
	ORDER 3.															
	1. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Bronchitis	—	—	1	1	1	4	2	5	—	3	—	—	—	—	—
	3. Pleurisy	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	4. Pneumonia	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	5. Asthma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Lung Disease, etc.	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	ORDER 4.															
	1. Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Enteritis	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	3. Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Ulceration of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	6. Hernia	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	7. Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10. Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	11. Stomach Disease, etc.	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	12. Pancreas Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13. Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14. Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	15. Liver Disease, etc.	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
	16. Spleen Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 5.															
	1. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Bright's Disease (Nephria)	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	4. Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. Calculus (Stone)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7. Kidney Disease, etc.	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	ORDER 6.															
	1. Ovarian Dropsy	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	2. Uterus Disease, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.															
	1. Synovitis (Arthritis)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Joint Disease, etc.	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—

CAUSES OF DEATH in KILMARNOCK, at different Periods of Life, in 1882.—FEMALES. (Continued.)

Class.	CAUSES OF DEATH.	FEMALES.														
		ALL AGES.	AGE UNDER													
			MONTHS.			2	3	4	5	10	15	20	25	30	35	
3	6	12														
IV.	ORDER 8.															
	1. Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Skin Disease, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 1.															
	1. Premature Birth	13	13	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Spina Bifida	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Other Malformations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Teething	3	-	-	1	2	-	-	-	-	-	-	-	-	-	
	ORDER 2.															
	1. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Childbirth (see Puerperal Fever).	3	-	-	-	-	-	-	-	-	-	-	1	-	-	
	ORDER 3.															
	1. Old Age	14	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4.															
	1. Atrophy and Debility	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
V.	ORDER 1. (Accident or Negligence.)															
	1. Fractures and Contusions	2	-	-	-	-	-	-	-	-	1	-	-	-	-	
	2. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Burns and Scalds	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	5. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7. Suffocation	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	8. Otherwise	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 3. (Homicide.)															
	1. Murder and Manslaughter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 4. (Suicide.)															
	1. Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2. Cut, Stab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4. Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6. Otherwise and undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ORDER 5. (Execution.)															
	1. Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Sudden Deaths (cause unascertained)		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not specified or ill-defined		-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1882.--FEMALES. (*Continued.*)

[illegible]

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES
BY AN ASTERISK (*).

No.	Districts.	Component Parts (Parishes).
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
37b	Keiss	Parts of Canisbay and Wick.
58	Applecross	(1) Part of Applecross; (2) Rest of Applecross and part of Gairloch.
59b	Carnoch	Parts of Contin, Fodderty, and Urray.
71b	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86b	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir; (2) Rest of Kilmuir and part of Snizort
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenrinnies	Parts of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
210b	Kinninmonth	Parts of Crimond, Longside, Lonmay, Old Deer, and Strichen.
217	Logie Coldstone and Cromar	Logie Coldstone, and part of Glenmuick, Tullich, and Glengairn.
222b	Millbren	Parts of Fyvie and Monquhitter.
227b	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249b	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigean.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
294	Kettins	Kettins and part of Scone.
297	Kinnettles	Kinnettles and part of Caputh.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhider	Balquhider, and part of Comrie.
344	Dowally	Part of Dunkeld and Dowally.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally.
355a	Fortingall	(1) Parts of Fortingall and Weem; (2) Part of Fortingall.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meikle	Meikle, and part of Coupar-Angus. [Kinloch, and Rattray.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore
393b	Stanley	Parts of Auchtergaven, Kinclaven, and Redgorton.
394b	Strathmillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Mouln.
402	Anstruther-Easter	Anstruther-Easter and part of Kilrenny.
417	Crail	Part of Crail and May Island.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing
425	Dunino	Dunino and part of Crail.
432	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy and Abbotshall	Kirkcaldy, Abbotshall, and part of Kinghorn.
481b	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmalie.
509	Cumlodden and Minard	Parts of Glassary and Glenaray.
513	Inveraray	Inveraray and part of Glenaray.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura. [of Kilchrenan and Dalavich.
517	Kilchrenan	(1) Parts of Kilchrenan and Dalavich, and of Glenorchy and Inishail; (2) Rest
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Parts of Ardchattan and Muckairn, and of Glenorchy and Inishail.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South
536	Bowmore (or Kilarrow)	Part of Kilarrow and Kilmeny. [Knapdale.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Kilarrow and Kilmeny.
545	Kinlochspelve	Part of Torosay.
547	Portmahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilnory.
557	North Bute	North Bute, and part of Rothesay.
572	Neilston	(1) Part of Neilston; (2) Rest of Neilston and part of Abbey.
573	Paisley	High, Middle, and Low Church Parishes, and parts of Abbey and of Renfrew.
576	Ardrossan	(1) Parts of Ardrossan and of West Kilbride; (2) Rest of Ardrossan.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
584b	Crosshill	Parts of Kirkmichael, Kirkoswald, and Maybole.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith. [ton, and North Leith and South Leith.
685	Edinburgh	City of Edinburgh, Canongate, and parts of St Cuthberts, Duddingston, Liber-
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston. [ton.
692	Leith	(1) Parts of Crumond, North Leith, and St Cuthberts; (2) Parts of North
698b	Stobhill	Leith, St Cuthberts, and South Leith.
774a	Caddonfoot	Parts of Borthwick, Cockpen, Newbattle, and Temple.
776b	Ladhope	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
787b	Edgerston	Part of Melrose.
794	Kirktown	Parts of Jedburgh, Oxnam, and Southdean.
812b	Brydekirk	Kirktown and part of Cavers.
853b	Wanlockhead	Parts of Annan, Cummertrees, and Hoddum.
857b	Bargrennan	Part of Sanquhar.
862	Corsockbridge	Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown).
864	Dalbeattie	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
899	Stranraer	Part of Urr.
		Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants, and upwards, or *parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie - - - -	* Fortrose.	
130	Drainie - - - -	- - - -	* Lossiemouth.
164	Rathven - - - -	- - - -	* Buckie.
167	Seafeld - - - -	Cullen.	
211	Kinnellar - - - -	Kintore.	
213	Kintore - - - -	Inverurie.	
251 ¹	Banchory-Devenick - -	Aberdeen.	
253	Benholm - - - -	Inverbervie.	
255	Dunnottar - - - -	- - - -	Stonehaven.
258 ¹	Fetteresso - - - -	- - - -	Do.
262	Kinneff, etc. - - - -	Inverbervie.	
274	Barry - - - -	- - - -	Carnoustie.
280	Craig - - - -	Montrose.	
282 ⁴	St Andrews (Dundee) -	- - - -	Broughty-Ferry.
310	Monifieth - - - -	- - - -	Do.
316	Panbride - - - -	- - - -	Carnoustie.
371	Leecroft - - - -	- - - -	Bridge of Allan.
374	Logie - - - -	Stirling.	Do.
385	Muckart - - - -	- - - -	Dollar.
386 ^a	Muthill - - - -	- - - -	Crieff.
389	Rattray - - - -	- - - -	Blairgowrie.
466	Abdie - - - -	- - - -	Suburban of Newburgh.
405	Auchterderran - - -	- - - -	Lochgelly.
408	Ballingry - - - -	- - - -	Do.
410	Beath - - - -	- - - -	Cowdenbeath.
431	Forgan - - - -	- - - -	Newport.
436	Kilconquhar - - - -	* Earlsferry.	
438	Kilrenny - - - -	Anstruther-Easter.	
456	Scoonie - - - -	- - - -	* Leven.
459	Wemyss - - - -	- - - -	Buckhaven.
466	Clackmannan - - - -	- - - -	Alloa.
475	Campsie - - - -	- - - -	* Lennoxtown.
478	Duninace - - - -	- - - -	Denny.
485	Larbert - - - -	- - - -	Stenhousemuir.
488	St Ninians - - - -	- - - -	Bannockburn.
493	Bonhill - - - -	- - - -	* Alexandria.
494	Cardross - - - -	- - - -	* Renton.
500	New or East Kilpatrick	- - - -	* Milngavie.
503	Row - - - -	- - - -	* Helensburgh.
523	Kilmore and Kilbride -	* Oban.	
559 ³	Abbey - - - -	- - - -	Johnstone.
560	Cathcart - - - -	- - - -	{ Busby.
562	Eastwood - - - -	- - - -	{ Suburban of Glasgow (Crosshill).
564	Greenock, East - - -	Port-Glasgow.	* Pollokshaws and Thornliebank.
571	Mearns - - - -	- - - -	Busby.
576 ¹	Old Ardrossan - - -	- - - -	Saltcoats.
577	Auchinleck - - - -	- - - -	Cumnock.
593	Galston - - - -	- - - -	Newmilns.
597	Kilmarnock - - - -	- - - -	Hurlford.
603	Loudoun - - - -	- - - -	Galston and Newmilns.
611	Riccarton - - - -	Kilmarnock.	Hurlford.
613	Sorn - - - -	- - - -	* Catrine.
615	Stevenston - - - -	- - - -	Saltcoats.
621	Avondale - - - -	- - - -	* Strathaven. [Possilpark].
622 ¹	Maryhill - - - -	- - - -	Suburban of Glasgow (Maryhill and
622 ²	Shettleston - - - -	- - - -	{ Suburban of Glasgow (Shettleston and
624	Blantyre - - - -	- - - -	{ part of Tollcross).
625 ¹	Bothwell - - - -	- - - -	Tollcross.
628	Cambusnethan - - -	- - - -	Stonefield.
639	Dalziel - - - -	- - - -	* Bellshill, Uddingston and Mossend.
643	East Kilbride - - -	- - - -	* Newmains and Wishaw.
644 ¹¹	Glasgow (Hutchesontown)	- - - -	Motherwell.
644 ¹³	Glasgow (Gorbals) - -	- - - -	Busby. [Polmadie].
644 ¹⁴	Glasgow (Kinning Park) -	- - - -	Suburban of Glasgow (Govanhill and
646 ¹	Govan - - - -	- - - -	{ Suburban of Glasgow (Govanhill,
646 ²	Partick - - - -	- - - -	{ Pollockshields, and Strathbungo).
647	Hamilton - - - -	- - - -	{ Suburban of Glasgow (Pollockshields,
651 ²	New Monkland (Landward)	- - - -	{ Strathbungo, and Kinning Park)
652	Old Monkland	- - - -	Suburban of Glasgow (Govan). [head].
	(1) Western District -	- - - -	Suburban of Glasgow (Partick and Hill-
	(2) Middle District -	- - - -	Larkhall and Motherwell.
	(3) Eastern District -	- - - -	Suburban of Airdrie.
654	Rutherglen - - - -	- - - -	Bailliestone, and Tollcross.
664	Carriiden - - - -	- - - -	Coatbridge and Rosehall.
672	Uphall - - - -	- - - -	Do. do.
673 ²	Fauldhouse - - - -	- - - -	Cambuslang.
676	Cockpen - - - -	- - - -	Borrowstounness.
689	Inveresk - - - -	* Musselburgh.	Broxburn.
691	Laswade - - - -	- - - -	* Crofthead.
727	Ayton - - - -	- - - -	Bonnyrigg.
776 ^b	Ladhope - - - -	Galashiels.	
810	Wilton - - - -	Hawick.	
813 ^b	Brydekirk - - - -	Annan.	
820	Dryfesdale - - - -	- - - -	Lockerbie.
863	Crossmichael - - - -	- - - -	Castle-Douglas.
868	Kells - - - -	* New Galloway.	
869	Kelton - - - -	- - - -	Castle-Douglas.
876	Minnigaff - - - -	- - - -	Newton-Stewart.
880	Terregles - - - -	Dumfries.	
882	Troqueer - - - -	Do.	
895	Penninghame - - - -	- - - -	Newton-Stewart.

* The asterisk indicates that the entire Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, . . . 559	Ashkirk, . . . 781	Bervie, . . . 254	Campbeltown, 507	Corstorphine, 678
Abbey St Bath- ans, . . . 726	Assynt, . . . 44	Biggar, . . . 623	Campsie, . . . 475	Cortachy & Clova 278
Abbotshall, . 399	Athelstaneford, 703	Birnie, . . . 127	Canisbay, . . . 35	Coull, . . . 182
Abdie, . . . 400	Auchindoir, . 172	Birsay, . . . 13	Canonbie, . . . 814	Coupar-Angus, 279
Abercorn, . . 661	Auchinleck, . 577	Birse, . . . 175	Canongate, . . 685	Covington and Thankerton, 634
Aberdalgie, . 323	Auchterarder, 329	Blackford, . . 333	Caputh, . . . 337	Coylton, . . . 583
Aberdeen, . . 168	Auchterderran, 405	Blackfriars, . 644	Cardross, . . . 494	Craig, . . . 280
Aberdour(Aber- deen), . . . 169	Auchtergaven, 330	Blair-Athol, . 334	Careston, . . . 277	Craigie, . . . 584
Aberdour(Fife), 401	Auchterhouse, 273	Blairgowrie, . 335	Cargill, . . . 338	Craignish, . . 508
Aberfeldy, . . 324	Auchterless, . 173	Blantyre, . . . 624	Carlaverock, . 815	Crail, . . . 417
Aberfoyle, . . 325	Auchtermuchty, 406	Blythswood, . 644	Carloway, . . . 86	Crailing, . . . 786
Aberlady, . . 702	Auchtertool, . 407	Boharm, . . . 128	Carluke, . . . 629	Cramond, . . . 679
Aberlemno, . 269	Auidearn, . . 121	Boisdale, . . . 118	Carmichael, . 630	Cranshaws, . 734
Aberlour, . . 145	Avoch, . . . 59	Boleskine, . . 92	Carmunnock, . 631	Cranston, . . 680
Abernethy, . . 326	Avondale, . . 621	Bolton, . . . 704	Carmylie, . . . 276	Crathie and Braemar, . . 183
Abernethy and Kincardine, . 90	Ayr, . . . 578	Bonar, . . . 46	Carnbee, . . . 413	Crawford, . . . 635
Abernyte, . . 327	Ayton, . . . 727	Bonhill, . . . 493	Carnoch (Ross), 595	Crawfordjohn, 636
Aboyne, . . . 170	Baldernock, . 471	Borgue, . . . 858	Carnock (Fife), 414	Creich (Fife), . 418
Aharacle, . . 505	Balfron, . . . 472	Bo'ness, . . . 663	Carnwath, . . . 632	Crichton, . . . 681
Airdrie, . . . 651	Ballachulish and Corran of Ard- gour, . . . 506	Borthwick, . . 674	Carriden, . . . 664	Criech (Suther- land), . . . 46
Airlie, . . . 270	Ballantrae, . . 579	Bothkennar, . 473	Carrington, . . 675	Crieff, . . . 342
Airth, . . . 469	Ballingry, . . 408	Bothwell, . . . 625	Carsphairn, . 860	Crimond, . . . 184
Alford, . . . 171	Balmacellellan, 856	Botriphnie, . 148	Carstairs, . . . 633	Cromarty, . . . 61
Alloa, . . . 465	Balmaghie, . . 857	Bourtie, . . . 176	Castleton, . . 784	Cromdale and Advie, . . . 128
Alness, . . . 57	Balmerino, . . 409	Bowden, . . . 783	Catheart, . . . 560	Crosshill, . . . 584
Alva (Stirling), 470	Balquhiddier, 331	Bower, . . . 34	Cavers, . . . 785	Crossmichael, . 863
Alvah (Banff), 146	Banchory-Deve- nick, . . . 251	Bowmore, . . . 536	Cawdor, . . . 122	Croy & Dalcross, 94
Alves, . . . 125	Banchory-Ter- nan, . . . 252	Boydie, . . . 149	Ceres, . . . 415	Cruden, . . . 185
Alvie, . . . 90	Banff, . . . 147	Bracadale, . . 109	Channellkirk, . 729	Cullen, . . . 150
Alyth, . . . 328	Bannockburn, . 488	Brechin, . . . 275	Chapel-of-Gari- och, . . . 179	Culross, . . . 343
Ancrum, . . . 780	Bargrennan, . 857	Bressay, . . . 1	Chirnside, . . . 730	Culsamond, . 186
Anderston, . . 644	Barony, . . . 622	Bridgeton, . . 644	Clackmannan, . 466	Culter, . . . 637
Annan, . . . 812	Barr, . . . 580	Brodie, . . . 553	Clatt, . . . 180	Cults, . . . 419
Anstruther-E., 402	Barra (Inver- ness), . . . 108	Broughton, . . 758	Cleish, . . . 460	Cumbernauld, . 495
Anstruther-W., 403	Barrhead and Levern, . . . 572	Brydekirk, . . 813	Closeburn, . . . 816	Cumbrae, . . . 552
Anwoth, . . . 855	Barrhill, . . . 582	Buchanan, . . 474	Clunie (Perth), 339	Cumlodden and Minard, . . . 509
Appin, . . . 525	Barry (Forfar), 274	Buckhaven, . . 459	Cluny(Aberd'n), 181	Cummertrees, . 817
Applecross, . . 58	Barvas, . . . 86	Buittle, . . . 59	Clyne, . . . 45	Cupar, . . . 420
Applegarth, . 813	Bathgate, . . . 662	Bunkle and Preston, . . . 728	Cockburnspath, 731	Currie, . . . 682
Arbirlot, . . . 271	Beath (Fife), . 410	Burntisland, . 411	Cockpen, . . . 676	
Arbroath, . . 272	Bedrule, . . . 782	Burra & Quarff, 1	Coigach, . . . 75	
Arbuthnott, . 250	Beith (Ayr), . 581		Coldingham, . 732	
Ardochattan, . 504	Belhelvie, . . 174	Cabrach, . . . 177	Coldstream, . 733	
Ardelach, . . 120	Bellie, . . . 126	Cadder, . . . 626	Colinton, . . . 677	
Ardersier, . . 91	Benbecula, . . 118	Caddonfoot, . . 774	Coll, . . . 551	Dailly, . . . 585
Ardnamurchan, 505	Bendochy, . . 332	Cairney, . . . 178	Collace, . . . 340	Dairsie, . . . 421
Ardoch, . . . 328	Benholm, . . . 253	Calderhead, . . 626	Collessie, . . . 416	Dalavich, . . . 517
Ardrossan, . . 576	Bernera, . . . 111	Callander, . . 336	Colmonell, . . 582	Dalbeattie, . . 864
Arisaig, . . . 505		Calton, . . . 644	Colonsay, . . . 539	Dalgetty, . . . 422
Armadaile, . . 662		Cambuslang, . 627	Colvend, . . . 861	Dalkeith, . . . 683
Arngask, . . . 404		Cambusnethan, 628	Comrie, . . . 341	Dallas, . . . 129
Arrochar, . . . 492		Cameron, . . . 412	Contin, . . . 60	Dalmellington, 586
		Camlachie, . . 644	Cookney, . . . 258	Dalmeny, . . . 665
			Corsock-Bridge, 862	Dalry (Ayr), . 587

* The actual number of Districts is 1038—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.

Dalry (Kirkcud bright), . . .	865	Ecclesmachan, . . .	666	Gartly, . . .	198	Innerleithen, . . .	762	Kilmore & Kil- bride, . . .	523
Dalrymple, . . .	588	Echt, . . .	191	Garvald, . . .	707	Innerwick (Had.)	711	Kilmorich, . . .	527
Dalserf, . . .	638	Eckford, . . .	787	Garvoek, . . .	260	Glenlyon, . . .	355a	Kilmory, . . .	554
Dalton, . . .	818	Eday & Pharay, . . .	15	Gigha, . . .	537	Insch (Aberd'n), . . .	203	Kilmuir, . . .	112
Dalziel, . . .	639	Edderton, . . .	63	Girthon, . . .	866	Inverallan, . . .	128	Kilmuir-Easter, . . .	69
Daviot, . . .	187	Eddlestone, . . .	760	Girvan, . . .	594	Inveraray, . . .	513	Kilmun, . . .	510
Daviot & Dun- lichity, . . .	95	Eddrachillis, . . .	49	Gladsmuir, . . .	708	Inverarity, . . .	292	Kilninian and Kilmore, . . .	544
Deerness, . . .	14	Edgerston, . . .	787	Glamis, . . .	289	Inveravon, . . .	157	Kilninver, . . .	524
Delting, . . .	6	Edinburgh, . . .	685	Glasgow, . . .	644	Inveresk, . . .	689	Kilrenny, . . .	438
Dennistoun, . . .	644	Edinkillie, . . .	134	Glass, . . .	199	Inverkeillor, . . .	293	Kilspindie, . . .	363
Denny, . . .	471	Ednam, . . .	788	Glassary, . . .	511	Inverkeithing, . . .	432	Kilsyth, . . .	483
Deskford, . . .	152	Edrom, . . .	738	Glasserton, . . .	885	Inverkeithny, . . .	158	Kiltarlity, . . .	101
Dingwall, . . .	62	Edzell, . . .	285	Glassford, . . .	645	Inverness, . . .	98	Kiltearn, . . .	70
Dirleton, . . .	705	Elgin, . . .	135	Glenbervie, . . .	261	Inverurie, . . .	204	Kilwinning, . . .	599
Dollar, . . .	467	Elie, . . .	427	Glenbucket, . . .	200	Iona, . . .	538	Kincardine (Perth), . . .	364
Dolphington, . . .	640	Ellon, . . .	192	Glencairn, . . .	826	Irongray, . . .	867	Kincardine (Ross), . . .	71
Dores, . . .	90	Enzie, . . .	152	Glencoe and Ballachulish, . . .	525	Irvine, . . .	595	Kincardine O'Neil, . . .	209
Dornoch (Suth- erland), . . .	47	Errol, . . .	351	Glencorse, . . .	687	Jedburgh, . . .	792	Kinclaven, . . .	365
Dornock (Dum- fries), . . .	819	Erskine, . . .	563	Glendevon, . . .	358	Johnstone (Dumfries), . . .	832	Kinfauns, . . .	366
Douglas, . . .	641	Eskdalemuir, . . .	824	Glenelg, . . .	97	Johnstone and Elderslie (Ren- frew), . . .	559	Kingarth, . . .	554
Dowally, . . .	344	Ettrick, . . .	774	Glengarry, . . .	99	Jura, . . .	539	King-Edward, . . .	210
Drainie, . . .	130	Evie & Rendall, . . .	16	Glenholm, . . .	761	Keig, . . .	205	Kinghorn, . . .	439
Dreghorn, . . .	589	Ewes, . . .	825	Glenisla, . . .	290	Keir, . . .	833	Kinglassie, . . .	440
Dron, . . .	345	Eyemouth, . . .	739	Glenlivat, . . .	157	Keith, . . .	159	Kingoldrum, . . .	295
Drumblade, . . .	188	Fair Isle, . . .	3	Glennoriston, . . .	107	Keith-hall, . . .	206	Kingsbarns, . . .	441
Drumelzier, . . .	759	Fala & Soutra, . . .	686	Glenmuick, Tul- lich, &c., . . .	201	Kells, . . .	868	Kingussie, &c., . . .	102
Drumoak, . . .	189	Falkirk, . . .	479	Glenorchy, . . .	512	Kelso, . . .	793	Kininmonth, . . .	210
Dryfesdale, . . .	820	Falkland, . . .	428	Glenrinnies, . . .	155	Kelton, . . .	869	Kinloch, . . .	372
Drymen, . . .	477	Farnell, . . .	236	Glenshee, . . .	370	Kelvin, . . .	644	Kinlochbervie, . . .	49
Duddingston, . . .	684	Farr, . . .	50	Glenshiel, . . .	67	Kemback, . . .	433	Kinlochluichart, . . .	71
Duffus, . . .	131	Fauldhouse, . . .	673	Golspie, . . .	51	Kennay, . . .	207	Kinloch-Ran- noch, . . .	367
Duirinish, . . .	110	Fearn (Forfar), . . .	287	Gorbals, . . .	644	Kenmore, . . .	360	Kinlochspelve, . . .	545
Dull, . . .	346	Fearn (Ross), . . .	64	Gordon, . . .	742	Kennoway, . . .	434	Kinloss, . . .	138
Dumbarton, . . .	496	Fenwick, . . .	592	Gourock, . . .	567	Kettins, . . .	294	Kinnaird, . . .	368
Dumfries, . . .	821	Ferry-Port-on- Craig, . . .	429	Govan, . . .	646	Kettle, . . .	435	Kinneff and Catterline, . . .	262
Dun, . . .	231	Fetlar, . . .	4	Graitney (or Gretna), . . .	827	Kilbarchan, . . .	568	Kinnell, . . .	296
Dunbar, . . .	706	Fettercairn, . . .	257	Grange, . . .	156	Kilberry, . . .	516	Kinnellar, . . .	211
Dunbarney, . . .	347	Fetteresso, . . .	258	Grangemouth, . . .	481	Kilbirnie, . . .	596	Kinnethmont, . . .	212
Dunblane, . . .	348	Findo-Gask, . . .	352	Grantshouse, . . .	732	Kilbrandon and Kilchattan, . . .	515	Kinnettes, . . .	297
Dunbog, . . .	423	Fintray (Aberd.), . . .	193	Greenlaw, . . .	743	Kilbride, . . .	553	Kinning Park, . . .	644
Dundee, . . .	282	Fintry (Stirling), . . .	480	Greenock, . . .	564	Kilbucho, &c., . . .	763	Kinnoull, . . .	369
Dundonald, . . .	590	Firth & Stennes, . . .	17	Guthrie, . . .	291	Kilcalmonell, . . .	516	Kinross, . . .	462
Dunfermline, . . .	424	Flisk, . . .	430	Haddington, . . .	709	Kilchoman, . . .	540	Kintail, . . .	72
Dunino, . . .	425	Flotta, . . .	32	Hags, . . .	476	Kilchrenan, . . .	517	Kintore, . . .	213
Dunipace, . . .	478	Fodderty, . . .	65	Halfmorton, . . .	828	Kilconquhar, . . .	436	Kippen, . . .	484
Dunkeld, . . .	349	Fogo, . . .	740	Halkirk, . . .	37	Kilcreggan, . . .	502	Kirkbean, . . .	870
Dunlop, . . .	591	Fordoun, . . .	259	Hamilton, . . .	647	Kildalton & Oa, . . .	541	Kirkcaldy and Abbotshall, . . .	442
Dunnet, . . .	36	Fordyce, . . .	153	Harray, . . .	18	Kildonan, . . .	52	Kirkcolm, . . .	887
Dunnichen, . . .	283	Forfar, . . .	288	Harris, . . .	111	Kildrummy, . . .	208	Kirkconnel, . . .	834
Dunning, . . .	350	Forgan, . . .	431	Hawick, . . .	789	Kilfinan, . . .	518	Kirkcowan, . . .	888
Dunnottar, . . .	255	Forgandenny, . . .	353	Heriot, . . .	688	Kilfinichen and Kilvickeon, . . .	542	Kirkcudbright, . . .	871
Dunoon & Kil- man, . . .	510	Ferglen, . . .	154	Hobkirk, . . .	790	Killearn, . . .	519	Kirkden, . . .	298
Dunrossness, . . .	3	Fergie, . . .	194	Hoddum, . . .	829	Killearnan, . . .	68	Kirkgunzeon, . . .	872
Dunscore, . . .	822	Forres, . . .	137	Holm & Paplay, . . .	19	Killin, . . .	361	Kirkhill, . . .	103
Dunse, . . .	735	Fort-Augustus (or Abertarff), . . .	92	Holytown, . . .	625	Kilmadock, . . .	362	Kirkhope, . . .	776
Dunsyre, . . .	642	Forteviot, . . .	354	Hollywood, . . .	830	Kilmalcolm, . . .	569	Kirkinner, . . .	889
Durness, . . .	48	Fortingall, . . .	355	Houston and Killellan, . . .	565	Kilmallie, . . .	520	Kirkintilloch, . . .	498
Duror, . . .	525	Fortrose, . . .	80	Howmore, . . .	118	Kilmany (Fife), . . .	437	Kirkliston, . . .	667
Durris, . . .	256	Foss, . . .	355	Hownam, . . .	791	Kilmarnock, . . .	597	Kirkmabreck, . . .	873
Durrisdeer, . . .	823	Fossaway and Tulliebole, . . .	461	Hoy & Gramsay, . . .	20	Kilmaronock, . . .	497	Kirkmahoe, . . .	835
Duthil, . . .	95	Foula, . . .	12	Humbie, . . .	710	Kilmartin, . . .	521	Kirkmaiden, . . .	890
Dyce, . . .	190	Foulden, . . .	741	Hume, . . .	744	Kilmaurs, . . .	598	Kirkmichael (Ayr), . . .	600
Dyke, . . .	133	Foveran, . . .	195	Huntly, . . .	202	Kilmelford, . . .	524	Kirkmichael (Banff), . . .	160
Dysart, . . .	426	Fowlis-Easter, . . .	356	Hutchesontown, . . .	644	Kilmenny (Argyll), . . .	543	Kirkmichael (Dumfries), . . .	836
Eaglesham, . . .	561	Fowlis-Wester, . . .	357	Hutton (Ber- wick), . . .	745	Kilmorack, . . .	100	Kirkmichael (Perth), . . .	370
Earlsferry, . . .	436	Fraserburgh, . . .	196	Hutton (Dumf.) . . .	831				
Earlston, . . .	736	Fyvie, . . .	197						
Eassie & Nevay, . . .	284	Gairloch, . . .	66	Inch (Wigtown), . . .	886				
East Kilbride, . . .	643	Galashiels, . . .	775	Inchinuan, . . .	566				
Eastwood, . . .	62	Galston, . . .	593	Inchture, . . .	359				
Eccles, . . .	37	Gamrie, . . .	155	Inverkip, . . .	567				
		Gargunnoch, . . .	481						

Kirknewton and East-Calder, 690	Logie (Perth), 374	Muiravonside, 486	Persie, . 386	St George, . 685
Kirkoswald, 601	Logiealmond, 375	Muirkirk, . 607	Perth, . 387	St Giles, . 685
Kirkpatrick- Durham, 874	Logie-Buchan, 216	Murroes, . 313	Peterculter, 231	St Kilda, . 111
Kirkpatrick- Fleming, 837	Logie-Coldstone and Cromar, 217	Musselburgh, 689	Peterhead, . 232	St Madoes, . 392
Kirkpatrick- Juxta, . 888	Logie-Easter, 77	Muthill, . 386	Pettinain, . 653	St Mary, . 282
Kirkton (As- synt), 44	Logie-Pert, 304		Petty, . 106	St Martins, . 393
Kirkton (Farr), 50	Logierait, . 376	Nairn, . 123	Pitsligo, . 233	St Monance (or Abercrombie), 454
Kirktown (Rox- burgh), . 794	Longforgan, 377	Neilston, . 572	Pittenweem, 453	St Mungo, . 847
Kirkurd, . 764	Longformacus, 750	Nenthorn, . 753	Plantation, 646	St Nicholas, 168
Kirkwall & St Ola 21	Longside, . 218	Nestling, . 7	Polmont, . 457	St Ninians, . 488
Kirriemuir, 299	Lonmay, . 219	New Abbey, 877	Polwarth, . 754	St Peter, . 282
Knockando, 139	Loth, . 54	New Ardrossan, 576	Port-Glasgow, 574	St Quivox, &c., 612
Knockbain, 73	Loudoun, . 603	Newbattle, . 695	Port of Monteith, 388	St Rollox, . 644
Knoydart, . 97	Lumphanan, 220	Newburgh, . 450	Portlethen, . 251	St Vigean, 319
	Lunan, . 305	Newburn, . 451	Portmoak, . 464	Salen (Argyll), 548
	Lundie, . 306	New Byth, . 210	Portnahaven, 547	Saline (Fife), 455
	Lunnasting, 7	New Cunnock, 608	Portobello, . 684	Salton, . 719
	Luss, . 499	New Deer, . 225	Portpatrick, 896	Sanday, . 26
	Lyne, . 765	New Galloway, 868	Portree, . 114	Sandness, . 12
	Macduff, . 155	Newhills, . 226	Portsoy, . 153	Sandsting and Aithsting, 9
	Madderty, . 378	Newington, . 685	Premnay, 234	Sandwick, . 27
	Mains, . 307	New Kilpatrick, 500	Prestonkirk, 717	Sandwich & Cun- ingsburgh, 3
	Makerstoun, 797	Newlands, . 767	Prestonpans, 718	Sanquhar, . 848
	Manor, . 766	New Luce, . 893	Queensferry, 670	Savoch, . 237
	Markinch, . 447	New Machar, 227		Scone, . 394
	Marnoch, . 161	New Monkland, 651	Raasay, . 114	Scoonie, . 456
	Maryculter, 264	New Pitsligo, 227	Rafford, . 140	Scourie, . 49
	Maryhill, . 622	New Spynie, 136	Rathen, . 235	Seafeld, . 167
	Marykirk, . 265	Newton, . 696	Ratho, . 698	Selkirk, . 778
	Marytown, . 308	Newtyle, . 314	Rathven, . 164	Shapinshay, 28
	Mauchline, . 604	Nigg (Kincard.), 266	Rattray, . 389	Shettleston, . 622
	Maxton, . 798	Nigg (Ross), 78	Rayne, . 236	Shieldaig, . 58
	Maybole, . 605	North Berwick, 713	Reay, . 40	Shotts, . 655
	Mearns, . 571	North Bute, 557	Redgorton, . 390	Skene, . 238
	Megget, . 765	North Knapdale, 530	Renfrew, . 575	Skipness, . 531
	Meikle, . 379	North Leith, 692	Rerrick, . 879	Skirling, . 769
	Melrose, . 799	Northmavine, 8	Rescobie, . 317	Slains, . 239
	Menmuir, . 309	North Morar, 97	Resolis, . 79	Slamannan, . 489
	Merton, . 751	North Ronald- shay, . 22	Rhynd, . 391	Sleat, . 115
	Methlic, . 221	North Uist, 113	Rhynie, . 237	Smailholm, . 805
	Methven, . 380	North Yell, . 4	Riccarton, . 611	Small Isles, . 116
	Mid-Calder, 694		Roberton, . 777	Snizort, . 117
	Middlebie, . 841	Oa, . 546	Rogart, . 55	Sorbie, . 897
	Midmar, . 222	Oathlaw, . 315	Rosehall, . 46	Sorn, . 613
	Mid & S. Yell, 6	Oban, . 523	Rosemarkie, 80	Southdean, 806
	Millbren, . 222	Ochiltree, . 609	Roseneath, . 502	Southend, . 532
	Milton, . 644	Old Ardrossan, 576	Roskeen, . 81	South Knapdale, 533
	Minnigaff, . 876	Old Cunnock, 610	Rothas, . 141	South Leith, 692
	Minto, . 800	Old Deer, . 228	Rothsay, . 558	South Ronald- shay & Burray, 29
	Mochrum, . 892	Oldhamstocks, 714	Rothiemay, . 165	South Uist, 118
	Moffat, . 842	Old, or West, Kilpatrick, 501	Rothiemurchus, 96	Speymouth, 143
	Monie, . 310	Old Luce, . 894	Rousay and Egilsay, . 24	Spott, . 720
	Monikie, . 311	Old Machar, 168	Row, . 503	Sprouston, . 807
	Monimail, . 448	Old Meldrum, 229	Roxburgh, . 803	Stair, . 614
	Monkton and Prestwick, 606	Old Monkland, 652	Rutherglen, 654	Stenscholl, . 112
	Monquhitter, 223	Orlg, . 39	Ruthven, . 318	Stenton, . 721
	Montrose, . 312	Ordiquhill, . 163	Ruthwell, . 846	Stevenston, . 615
	Monymusk, 224	Orniston, . 715	Saddell, . 531	Stewarton, . 616
	Monzie (Perth), 382	Orphir, . 23	St Andrew (Dundee), 282	Stirling, . 490
	Monzievaird and Strowan, . 383	Orwell, . 463	St Andrew (Edinburgh), 685	Stitchell, . 808
	Moonzie (Fife), 449	Oxnam, . 802	St Andrews (Orkney), 25	Stobhill, . 698
	Mordington, 752	Oyne, . 230	St Andrews Lhanbryde, 142	Stobo, . 770
	Morebattle, 801	Paisley, . 573	St Andrews (Fife), . 453	Stoer, . 44
	Morham, . 712	Panbride, . 316	St Boswells, 804	Stonehouse, 656
	Mortlach, . 162	Papa-Scour, 12	St Clement, 282	Stoneykirk, 898
	Morton, . 843	Partick, . 646	St Cyrus, . 267	Stornoway, . 88
	Morvern, . 528	Parton, . 878	St Fergus, . 166	Stow, . 699
	Moulin, . 384	Peebles, . 768		Stracathro, . 320
	Mouswald, . 844	Pencaitland, 716		Strachan, . 268
	Moy and Dala- rossie, . 105	Penicuik, . 697		Strachur, . 534
	Muckairn, . 529	Peninghame, 895		Straiton, . 614
	Muckart, . 385	Penpont, . 845		Stralachlan, 537
				Stranraer, . 899

Strath, . . .	119	Tarland, . .	242	Tranent, . .	722	Urquhart (In- verness), . .	107	Westruther, .	756
Strathblane, .	491	Tarves, . .	243	Traquair, . .	771	Urquhart and		Whalsay and	
Strathdon, . .	240	Tealing, . .	322	Trinity-Gask, .	396	Logie-Wester, .	84	Skerries, . .	7
Strathfillan, .	394	Temple, . .	700	Troon, . . .	590	Urr,	884	Whitburn, . .	673
Strathloch, . .	384	Tenandry, . .	394	Troqueer, . .	882	Urray, . . .	85	Whitekirk and	
Strathmartin, .	307	Terregles, . .	880	Tulliallan, . .	397			Tynninghame, .	723
Strathmiglo, .	457	Teviothead, .	809	Tullynessle and				Whiteness and	
Strathoykel, .	71	Thurso, . .	41	Forbes, . . .	246			Weisdale, . .	10
Strathy, . . .	50	Tibbermore, .	395	Tundergarth, .	851	Walls (Shetland), .	12	Whithorn, . .	900
Strichen, . . .	241	Tillicoultry, .	468	Turriff, . . .	247	Walls (Orkney), .	32	Whitsome, . .	757
Stromness, . .	30	Tingwall, . .	10	Tweedsmuir, . .	772	Walston, . . .	658	Whittinghame, .	724
Stronsay, . . .	31	Tinwald, . .	894	Twynholm, . .	883	Wamphray, . . .	853	Wick,	43
Sunart,	505	Tobermory, . .	549	Tynron, . . .	852	Wandell and		Wigtown, . . .	901
Swinton, . . .	755	Tomintoul, . .	160	Tyree,	551	Lamington, . . .	659	Wilton,	810
Symington(Ayr),	618	Tongland, . .	881	Tyrie,	248	Wanlockhead, . .	853	Wiston and Ro-	
Symington		Tongue, . . .	56			Watten,	42	berton,	660
(Lanark), . . .	657	Torosay, . . .	550			Weem,	398		
		Torphichen, . .	671	Udny,	249	Wemyss,	459	Yarrow,	779
Tain,	82	Torryburn, . .	458	Uig,	89	West Calder, . . .	701	Yester (or Gif-	
Tannadice, . .	321	Torthorwald, .	850	Unst,	11	Westerkirk, . . .	854	ford),	725
Tarbat,	83	Tough,	244	Uphall,	672	West Kilbride, . .	620	Yetholm, . . .	811
Tarbert,	535	Towie,	245	Urquhart (El-		West Linton, . . .	773	Ythan Wells, .	249
Tarbolton . . .	619	Tradeston, . .	644	gin),	144	Westray,	33		

EDINBURGH: PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.



